



**KIRBY INLAND MARINE, LP
MAINTENANCE DEPARTMENT
16402 1/2 De Zavala
CHANNELVIEW, TEXAS 77530**

OFFICE: (713) 435-1700

FAX (713) 435-1750

VAPOR TIGHTNESS TEST

Note: Test Results are Valid for (1) One Year from Date of Test!

Vessel Name: HTCO 3065 Test Date: 9/20/2018
 Testing Location: SWSY Barge Maximum Load Rate: (BPH) 5000
 Tanks Tested: ALL Pressure Indicator: Cat gauge

TEST RESULTS

Test Duration: 30 Minutes Beginning Pressure: 28 Inches H2O
 Ending Pressure: 27.5 Inches H2O
 Total Pressure Loss: .5 Inches H2O
 Allowable Pressure Loss: 2.6 Inches H2O

Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss"
 This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight.

Tester: (Print) Hiram Manriquez
 Tester: (Signature) [Signature]

Witness: (Print) Mason Tower
 Witness: (Signature) [Signature]
 Affiliation of Witness: Kirby

- (P1) - Beginning Pressure
- (Delta P) - Total Pressure Loss
- (TP) - 14.7 plus Barge Test Pressure in PSI
- (V) - Volume of Tank (s)
- .861 - PIA @ (P1)
- (P2) - Ending Pressure
- (Delta PM) - Allowable Pressure Loss
- (L) - Maximum Load Rate in BPH
- (Delta T) = Test Duration

$$.861 \times \frac{15.7}{(TP)} \times \left(\frac{5000}{(L)} \right) \times \left(\frac{25,900}{(V)} \right) = \frac{2.6}{(Delta PM)}$$