

KIRBY INLAND MARINE, LP MAINTENANCE DEPARTMENT 18350 MARKET ST. CHANNELVIEW, TX 77530

OFFICE (713) 435-1730

FAX (713) 435-1714

VAPOR TIGHTNESS TEST

Note: Tes	it Results are V	alid for (1) One Ye	ear from	Date of Test	t!		
	: • • • • • • • • • • • • • • • • • •			Test Date:		1-24	
			Maximum Load Rate: (BPH) 5000 6PH				
			Pressure Indicator:		(e)	+ Gause	
TEST RESULTS							
Test Duration: 30 Minutes Beginning Pressure			re:	28	Inches	3 H20	
		Ending Pressure:	-	28	Inches	s H20	
		Total Pressure Lo	oss:	· Ø	Inches	s H20	
		Allowable Pressu	re Loss:	2.35	Inche	s H20	
Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss" This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight.							
Freddie David Tester: (Print) Tames segelke Witness: (Print)							_
Freddie Dand Some Relelle							_
Fester: (Signature)				Witness: (Signature) Kirby Inland Marine			
			Aff	iliation of W	itness:		
(P1)	- Beginning Pre	ssure		(P2)	- Ending Pre	essure	
(Delta P)	- Total Pressure	e Loss		(Delta PM)	- Allowable	Pressure Loss	
(TP)	P) - 14.7 <u>plus</u> Barge Test Pressure in PSI			(L)	- Maximum Load Rate in BPH		
	- Volume of Tar - PIA @ (P1)	nk (s)		(Delta T) = T	est Duration		
.861 x	15.7	x(<u>5000</u> (L)	<u></u>	2871	7)=	2.35	
•	(17)	(L)		(V)		(Delta PM)	