

KIRBY INLAND MARINE, LP MAINTENANCE DEPARTMENT 18350 MARKET ST. CHANNELVIEW, TX 77530

OFFICE (713) 435-1730

FAX (713) 435-1714

VAPOR TIGHTNESS TEST

Note: Test Results are Valid for (1) One Year from Date of Test!			
Vessel Name: Kirk	/ 28/89 Test Da	ate:	08-21-24
Testing Location: UCS, Gas free P.A. Maximum Load Rate: (BPH) 5,000			
Tanks Tested: 411		re Indicator:	Cert, Gauge
TEST RESULTS			
Test Duration: 30 Minutes	Beginning Pressure:	28	Inches H20
	Ending Pressure:	28	Inches H20
	Total Pressure Loss:		Inches H20
	Allowable Pressure Loss	2.3	Inches H20
Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss" This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight.			
Vrancisco E moreno Steven Peralez			
Tester: (Print) Steven leralez Witness: (Print)			
Nue Ent			
Tester: (Signature) Witness: (Signature)			
		/LS FOR	nuco
		Affiliation of Wit	
(P1) - Beginning Pres	ssure	(P2)	- Ending Pressure
(Delta P) - Total Pressure	Loss	(Delta PM)	- Allowable Pressure Loss
(TP) - 14.7 plus Barge Test Pressure in PSI		(L)	 Maximum Load Rate in BPH
(V) - Volume of Tank (s) (Delta T) = Test Duration			
.861 - PIA @ (P1)			
.861 x <u>15.7</u>	x(<u>5000</u>	1 28500 (V)) = <u>2.3</u> (Delta PM)
(TP)	(-)		