

## KIRBY INLAND MARINE, LP MAINTENANCE DEPARTMENT 18350 MARKET ST. CHANNELVIEW, TX 77530

OFFICE (713) 435-1730

FAX (713) 435-1714

## **VAPOR TIGHTNESS TEST**

Note: Test Results are Valid for (1) One Year from Date of Test!				
Vessel Name:	Kirby 29159 Te	st Date:	05-01-24	
Testing Location:	VLS Port Arthur Ma	Port Arthur Maximum Load Rate: (BPH) 5000		
Tanks Tested:	ALL Pro	essure Indicator:	Cert Gauge	
TEST RESULTS				
Test Duration: 30	Minutes Beginning Pressure:	28	Inches H20	
. t . • .	Ending Pressure:	<u>28</u>	Inches H20	
,	Total Pressure Loss:	<u>Ø</u>	Inches H20	
	Allowable Pressure I	_oss: <u>2.31</u>	Inches H20	
Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss" This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight.				
Francisco E. Moreno Freddie David				
Tester: (Print) Witness: (Print)				
Judlie DV				
Tester: (Signature) Witness: (Signature)				
		Kirby		
		Affiliation of Witness	»:	
(P1) - Begi	inning Pressure	(P2) - End	ding Pressure	
	Il Pressure Loss		wable Pressure Loss	
(TP) - 14.7	plus Barge Test Pressure in Pa	SI (L) - Ma	ximum Load Rate in BPH	
(V) - Volume of Tank (s)		(Delta T) = Test Du	(Delta T) = Test Duration	
.861 - PIA	@ (P1)		•	
.861 x		1 29200	)= 2.31	
(	TP) (L)	(V)	(Delta PM)	