

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 07 Sep 2022 Expiration Date: 07 Sep 2023

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name	Official Nur	mber	IMO Numb	er	Call Sign	Service		
ARROWHEAD 266	977170)				Tank E	Barge	
Hailing Port								
MEMPHIS, TN	Hu	II Material	Horse	power	Propulsion			
WEWFHIS, TN	S	teel						
UNITED STATES								
0111120 0171120								
Place Built								
HARVEY LA	Delive	ry Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length	
HARVETLA	07A	ug1992	15Sep1991	R-1110	R-1110	1573	R-260.1	
UNITED STATES				I-	ŀ		1-0	
Owner							- 04	
KIRBY INLAND MARINE	LP		Operato KIRB		MARINE LP			
55 WAUGH DR STE 1000				Market St				
HOUSTON, TX 77007			CHAI	NELVIEW	, TX 77530			
UNITED STATES			UNIT	ED STATE	S			
This vessel must be manne						nich there m	ust be	
0 Certified Lifeboatmen, 0		***************************************						
0 Masters	0 Licensed Mates		Engineers	0 O	ilers			
0 Chief Mates	0 First Class Pilots		Assistant Engineer					
0 Second Mates	0 Radio Officers		d Assistant Engin					
0 Third Mates	0 Able Seamen		Assistant Enginee	rs				
0 Master First Class Pilot	0 Ordinary Seamen		sed Engineers					
0 Mate First Class Pilots	0 Deckhands		ied Member Engir					
In addition, this vessel may Persons allowed: 0	carry 0 Passengers,	0 Other	Persons in cre	w, 0 Perso	ns in addition to	crew, and	no Others. Tota	al .
Route Permitted And Co	onditions Of Operati	on:						
Lakes, Bays, and	Sounds plus L	imited	Coastwise)				
In fair weather only, n Harbor, IN.	ot more than five	(5) mile	es from a har	bor of saf	e refuge betw	een Chicag	o, IL and bur	ns
Also, in fair weather o Florida.	nly, not more than	twenty	(20) miles f	rom shore	between St. M	arks and C	arrabelle,	
This vessel has been gr 21(b); if this vessel i								

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as

d by:	This certificate issued	ction	odic/Re-Inspec	Annual/Perio	
tal, CDR, USCG, By direction	K. A. Hanta	Signature	A/P/R	Zone	Date
ction	Officer in Charge, Marine Inspection				
ne Safety Unit Port Arthur	Marine				
V C TOTAL	Inspection Zone		+-+		



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 07 Sep 2022 07 Sep 2023 **Expiration Date:**

Temporary Certificate of Inspection

Vessel Name: ARROWHEAD 266

this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31May2032

07Sep2022

22May2012

Internal Structure

30Jun2027

07Sep2022

19Jun2017

---Stability---

Туре

Issued Date

Office

Letter

None Valid

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

LIQUEFIED FLAMMABLE GASES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

16658

Barrels

LFG

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S BUT	803	4.88
1 P/S IBT	759	4.69
1 P/S PRP	657	4.25
1 P/S BTN	817	5.00
1 P/S BDI	862	5.16
1 P/S RRM	862	5 16

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	1724	9ft 3in	5.16	R, LBS

Conditions Of Carriage

Inspected and approved for the carriage of liquified flammable gases (LFGs) at a pressure not to exceed 230 psig and at temperatures not less than ambient (0 deg F - 115 deg F). Those LFGs that have been authorized for carriage are identified by their CHRIS Code in the Loading Constraints below.

Mixtures of the Subchapter D liquified flammable gas cargoes listed below are also authorized for carriage subject to the loading and stability constrints of the least dense cargo in the mixture.

Mixtures of the Subchapter D liquified flammable gas cargoes listed below are also authorized for carriage subject to the loading and stability constrints of the least dense cargo in the mixture.

Mixtures of Subchapter O and D liquified gas cargoes not specified below must be approved by the Marine Safety Center prior to being authorized for carriage.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 07 Sep 2022 Expiration Date: 07 Sep 2023

Temporary Certificate of Inspection

Vessel Name: ARROWHEAD 266

In accordance with 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150.

The max. tank weights listed below reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	ĭ -	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S BUT	11Jun2012	07Sep2022	30Jun2032	19Jun2017	07Sep2022	30Jun2027
1 P/S IBT	11Jun2012	07Sep2022	30Jun2032	19Jun2017	07Sep2022	30Jun2027
1 P/S PRP	11Jun2012	07Sep2022	30Jun2032	19Jun2017	07Sep2022	30Jun2027
1 P/S BTN	11Jun2012	07Sep2022	30Jun2032	19Jun2017	07Sep2022	30Jun2027
1 P/S BDI	11Jun2012	07Sep2022	30Jun2032	19Jun2017	07Sep2022	30Jun2027
1 P/S BBM	11Jun2012	07Sep2022	30Jun2032	19Jun2017	07Sep2022	30Jun2027
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 P/S BUT	07Sep2022		-	-	-	
1 P/S IBT	07Sep2022		-	-	-	
1 P/S PRP	07Sep2022		Ξ	×	-	
1 P/S BTN	07Sep2022		=	•	-	
1 P/S BDI	07Sep2022		-	-	-	
1 P/S BBM	07Sep2022		-	-	-	
I .						

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 40-B

END

Safety valve inspection report

Certificate nr

2308

Date

08-18-2022

Set pressure (cold)

480 psi

Valve data

Manufacturer Type / Model

Reyco RL14BDDS120AKC0480

Serial No.

222951-04

Job no.

LV-11548-WO

Client Barge # Kirby Inland Marine Arrowhead 266

Size

3/4x1

Rating

Nozzle / Orifice

Set pressure test

Found set pressure 490 psi Reseat pressure (indication)

Result Test method 363 psi Passed Air

Test data

Seat tightness test

Backpressure test

Leakage

0 bubbles/min.

Test pressure

435 psi

Result


Passed

Pressure

31 psi

Result

Passed





INTERLINK



Tested by

Name **David Theiler**

Date

Signature

Inspected by

Name \

Date

Signature

Safety valve inspection report

Certificate nr

2309

Date

08-18-2022

Set pressure (cold)

480 psi

Valve data

Manufacturer

Reyco

Type / Model

RL14BDDS120AKC0480

Serial No.

222951-05

Job no.

LV-11548-WO

Client

Kirby Inland Marine

Barge #

Arrowhead 266

Size

3/4x1

Rating

Nozzle / Orifice

Test data

Set pressure test

Found set pressure 486 psi Reseat pressure (indication) 371 psi Result Passed Test method Air

Seat tightness test

Leakage

0 bubbles/min.

Test pressure

434 psi

Result


Passed

Backpressure test Pressure

31 psi

Result

Passed





INTERLINK



Tested by

Name **David Theiler**

Date 08-18-2022

Signature

Inspected by

Name #

Date

Signature



16917 Market St, Channelview, TX 77530 (713)453-0413

LVT Sales Order	LV-10692-SO				
Barge Name	ARROWHEAD 266				
Work Order #	LV-11547-WO				

Shop Order & Test Report

Lonergan	Size			
222054 04		8" x 10"	Model#	R-SOTS120CKC026
222951-01	Inlet	8" 150	Outlet	10"150
Safety Relief	and the second s		Cap:	Plain
230 psi pressure				ч Б
		Orifice:]a	
Com	olete Overhaul		Test A	ir
/ed;	Need Repair			
ndition Pre-r	epair			
Dirty		Spring	Good Cond.	
Dirty	- AACOMA COMPANIA AA	Work	ST	
Dirty		Repairs	Lapped Seats	Installed gaskets
Dirty				
Dirty				
	230 psi pressure Complete red: ndition Pre-red Dirty Dirty	Complete Overhaul Need Repair ndition Pre-repair Dirty Dirty Dirty	230 psi pressure Complete Overhaul Need Repair ndition Pre-repair Dirty Dirty Dirty Work	230 psi pressure Orifice: Q Complete Overhaul Test A ved: Need Repair Indition Pre-repair Dirty Spring Good Cond. Dirty Work ST

Date ()8/10	13022	
Set Pressure	230 psi pressure	
Nozzle Ring Sett	ing 5 Down	
Back Pressure	30 PSI	
Tested By:		Witness/Assy By HOK Drul
-		g ·

U.S. Coast Guard Witness

N:\Test Reports\6x10 Consolidated 1912 RC



16917 Market St, Channelview, TX 77530 (713)453-0413

LVT Sales Order	LV-10692-SO
Barge Name	ARROWHEAD 266
Work Order #	LV-11547-WO

Shop Order & Test Report

The state of the s	51101	- OIGC			701 t
Customer:	Kirby Inland Ma	rine	Order#		
Make	Lonergan	Size	8" x 10"	Model #	R-SOTS120CKC026
Serial #	222951-02	Inlet	8" 150	Outlet	10"150
Constrution:	Safety Relief	contraction		Cap:	Plain
Set Pressure:	230 psi pressure	180°	ovenia.		
Tag;			Orifice:	Q	
Work Required	lı Comp	olete Overhaul		Test /	Air
Condition Rece	ilved:	Need Repair			
General C	ondition Pre-re	epair			
Inlet	Dirty		Spring	Good Cond.	
Seats	Dirty		Work	ST	
Guide	Dirty		Repairs	Lapped Seats	Installed gaskets
Outlet	Dirty	1000			
Parts replaced	and other work:	***************************************		**************************************	
			Annatura de la constanta de la		
		Tipal T	ast D		
		Final T	est K	eport	
Date 08/16	12022				
Set Pressure	230 psi pressure	DAPONICIO DE LA CONTRACTOR DE LA CONTRAC			
Vozzle Ring Set		vn			

U.S. Coast Guard Witness

Back Pressure

Tested By:

16NG 22

30 PSI