



BARGE "CHICKASAW"

PORT HORIZONTAL INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0.00	0	123.51	0	348.84	0	634.72	0	964.21	0	1,326.00	0	1,711.21	0	2,112.21	0	2,522.11	0	2,934.35
1/4	0.75	1/4	127.55	1/4	354.34	1/4	641.25	1/4	971.50	1/4	1,333.85	1/4	1,719.45	1/4	2,120.70	1/4	2,530.70	1/4	2,942.92
1/2	1.50	1/2	131.58	1/2	359.85	1/2	647.77	1/2	978.79	1/2	1,341.70	1/2	1,727.69	1/2	2,129.18	1/2	2,539.29	1/2	2,951.49
3/4	2.24	3/4	135.62	3/4	365.35	3/4	654.30	3/4	986.08	3/4	1,349.55	3/4	1,735.93	3/4	2,137.67	3/4	2,547.88	3/4	2,960.05
1	2.99	1	139.65	1	370.85	1	660.83	1	993.37	1	1,357.40	1	1,744.17	1	2,146.15	1	2,556.47	1	2,968.62
1/4	4.35	1/4	143.69	1/4	376.35	1/4	667.36	1/4	1,000.66	1/4	1,365.25	1/4	1,752.41	1/4	2,154.64	1/4	2,565.06	1/4	2,977.18
1/2	5.71	1/2	147.72	1/2	381.85	1/2	673.89	1/2	1,007.96	1/2	1,373.10	1/2	1,760.66	1/2	2,163.12	1/2	2,573.65	1/2	2,985.73
3/4	7.06	3/4	151.76	3/4	387.35	3/4	680.42	3/4	1,015.25	3/4	1,380.95	3/4	1,768.90	3/4	2,171.61	3/4	2,582.24	3/4	2,994.29
2	8.42	2	155.79	2	392.85	2	686.95	2	1,022.54	2	1,388.80	2	1,777.14	2	2,180.09	2	2,590.83	2	3,002.84
1/4	10.20	1/4	160.12	1/4	398.55	1/4	693.62	1/4	1,029.94	1/4	1,396.73	1/4	1,785.43	1/4	2,188.60	1/4	2,599.43	1/4	3,011.39
1/2	11.97	1/2	164.44	1/2	404.24	1/2	700.29	1/2	1,037.33	1/2	1,404.65	1/2	1,793.72	1/2	2,197.12	1/2	2,608.02	1/2	3,019.94
3/4	13.75	3/4	168.77	3/4	409.94	3/4	706.97	3/4	1,044.73	3/4	1,412.58	3/4	1,802.01	3/4	2,205.63	3/4	2,616.62	3/4	3,028.48
3	15.52	3	173.09	3	415.63	3	713.64	3	1,052.12	3	1,420.50	3	1,810.30	3	2,214.14	3	2,625.21	3	3,037.03
1/4	17.61	1/4	177.42	1/4	421.33	1/4	720.31	1/4	1,059.52	1/4	1,428.43	1/4	1,818.59	1/4	2,222.65	1/4	2,633.81	1/4	3,045.57
1/2	19.70	1/2	181.74	1/2	427.03	1/2	726.99	1/2	1,066.91	1/2	1,436.35	1/2	1,826.89	1/2	2,231.16	1/2	2,642.40	1/2	3,054.10
3/4	21.79	3/4	186.07	3/4	432.72	3/4	733.66	3/4	1,074.31	3/4	1,444.28	3/4	1,835.18	3/4	2,239.67	3/4	2,651.00	3/4	3,062.64
4	23.88	4	190.39	4	438.42	4	740.34	4	1,081.70	4	1,452.20	4	1,843.47	4	2,248.18	4	2,659.59	4	3,071.17
1/4	26.27	1/4	194.98	1/4	444.30	1/4	747.15	1/4	1,089.20	1/4	1,460.20	1/4	1,851.81	1/4	2,256.72	1/4	2,668.19	1/4	3,079.70
1/2	28.66	1/2	199.58	1/2	450.18	1/2	753.95	1/2	1,096.69	1/2	1,468.20	1/2	1,860.15	1/2	2,265.25	1/2	2,676.78	1/2	3,088.23
3/4	31.05	3/4	204.17	3/4	456.06	3/4	760.76	3/4	1,104.19	3/4	1,476.19	3/4	1,868.48	3/4	2,273.79	3/4	2,685.38	3/4	3,096.76
5	33.44	5	208.76	5	461.94	5	767.57	5	1,111.68	5	1,484.19	5	1,876.82	5	2,282.32	5	2,693.97	5	3,105.29
1/4	36.07	1/4	213.36	1/4	467.82	1/4	774.38	1/4	1,119.18	1/4	1,492.19	1/4	1,885.16	1/4	2,290.86	1/4	2,702.57	1/4	3,113.80
1/2	38.70	1/2	217.95	1/2	473.71	1/2	781.18	1/2	1,126.68	1/2	1,500.19	1/2	1,893.50	1/2	2,299.39	1/2	2,711.16	1/2	3,122.32
3/4	41.32	3/4	222.55	3/4	479.59	3/4	787.99	3/4	1,134.17	3/4	1,508.18	3/4	1,901.83	3/4	2,307.93	3/4	2,719.76	3/4	3,130.83
6	43.95	6	227.14	6	485.47	6	794.80	6	1,141.67	6	1,516.18	6	1,910.17	6	2,316.46	6	2,728.35	6	3,139.34
1/4	46.78	1/4	231.98	1/4	491.52	1/4	801.74	1/4	1,149.26	1/4	1,524.25	1/4	1,918.55	1/4	2,325.02	1/4	2,736.94	1/4	3,147.84
1/2	49.62	1/2	236.83	1/2	497.58	1/2	808.67	1/2	1,156.86	1/2	1,532.31	1/2	1,926.94	1/2	2,333.57	1/2	2,745.54	1/2	3,156.35
3/4	52.45	3/4	241.67	3/4	503.63	3/4	815.61	3/4	1,164.45	3/4	1,540.38	3/4	1,935.32	3/4	2,342.13	3/4	2,754.13	3/4	3,164.85
7	55.28	7	246.51	7	509.68	7	822.55	7	1,172.04	7	1,548.44	7	1,943.70	7	2,350.68	7	2,762.72	7	3,173.35
1/4	58.32	1/4	251.35	1/4	515.74	1/4	829.49	1/4	1,179.63	1/4	1,556.51	1/4	1,952.08	1/4	2,359.24	1/4	2,771.31	1/4	3,181.84
1/2	61.35	1/2	256.19	1/2	521.79	1/2	836.42	1/2	1,187.23	1/2	1,564.57	1/2	1,960.46	1/2	2,367.79	1/2	2,779.90	1/2	3,190.33
3/4	64.39	3/4	261.03	3/4	527.85	3/4	843.36	3/4	1,194.82	3/4	1,572.64	3/4	1,968.84	3/4	2,376.35	3/4	2,788.49	3/4	3,198.81
8	67.42	8	265.87	8	533.90	8	850.30	8	1,202.41	8	1,580.70	8	1,977.22	8	2,384.90	8	2,797.08	8	3,207.30
1/4	70.67	1/4	270.95	1/4	540.12	1/4	857.36	1/4	1,210.09	1/4	1,588.83	1/4	1,985.64	1/4	2,393.47	1/4	2,805.67	1/4	3,215.78
1/2	73.91	1/2	276.03	1/2	546.35	1/2	864.42	1/2	1,217.78	1/2	1,596.95	1/2	1,994.06	1/2	2,402.04	1/2	2,814.26	1/2	3,224.26
3/4	77.16	3/4	281.10	3/4	552.57	3/4	871.49	3/4	1,225.46	3/4	1,605.08	3/4	2,002.48	3/4	2,410.61	3/4	2,822.84	3/4	3,232.73
9	80.40	9	286.18	9	558.79	9	878.55	9	1,233.14	9	1,613.20	9	2,010.90	9	2,419.18	9	2,831.43	9	3,241.21
1/4	83.82	1/4	291.26	1/4	565.01	1/4	885.61	1/4	1,240.82	1/4	1,621.33	1/4	2,019.32	1/4	2,427.75	1/4	2,840.01	1/4	3,249.66
1/2	87.23	1/2	296.33	1/2	571.23	1/2	892.67	1/2	1,248.51	1/2	1,629.46	1/2	2,027.74	1/2	2,436.32	1/2	2,848.60	1/2	3,258.12
3/4	90.65	3/4	301.41	3/4	577.46	3/4	899.73	3/4	1,256.19	3/4	1,637.58	3/4	2,036.15	3/4	2,444.89	3/4	2,857.18	3/4	3,266.57
10	94.06	10	306.48	10	583.68	10	906.79	10	1,263.87	10	1,645.71	10	2,044.57	10	2,453.46	10	2,865.76	10	3,275.02
1/4	97.67	1/4	311.78	1/4	590.06	1/4	913.97	1/4	1,271.64	1/4	1,653.90	1/4	2,053.03	1/4	2,462.04	1/4	2,874.34	1/4	3,283.47
1/2	101.27	1/2	317.07	1/2	596.44	1/2	921.14	1/2	1,279.41	1/2	1,662.09	1/2	2,061.48	1/2	2,470.63	1/2	2,882.92	1/2	3,291.92
3/4	104.88	3/4	322.37	3/4	602.82	3/4	928.32	3/4	1,287.17	3/4	1,670.27	3/4	2,069.94	3/4	2,479.21	3/4	2,891.49	3/4	3,300.36
11	108.48	11	327.66	11	609.20	11	935.50	11	1,294.94	11	1,678.46	11	2,078.39	11	2,487.79	11	2,900.07	11	3,308.81
1/4	112.24	1/4	332.96	1/4	615.58	1/4	942.68	1/4	1,302.71	1/4	1,686.65	1/4	2,086.85	1/4	2,496.37	1/4	2,908.64	1/4	3,317.23
1/2	116.00	1/2	338.25	1/2	621.96	1/2	949.85	1/2	1,310.47	1/2	1,694.84	1/2	2,095.30	1/2	2,504.95	1/2	2,917.21	1/2	3,325.65
3/4	119.75	3/4	343.55	3/4	628.34	3/4	957.03	3/4	1,318.24	3/4	1,703.02	3/4	2,103.76	3/4	2,513.53	3/4	2,925.78	3/4	3,334.06

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.2E.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CHICKASAW"

PORT HORIZONTAL INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,342.48	0	3,739.88	0	4,119.51	0	4,473.47	0	4,792.39	0	5,063.86	0	5,268.28	0		0		0	
1/4	3,350.89	1/4	3,747.99	1/4	4,127.17	1/4	4,480.50	1/4	4,798.57	1/4	5,068.88	1/4	5,271.51	1/4		1/4		1/4	
1/2	3,359.30	1/2	3,756.11	1/2	4,134.83	1/2	4,487.54	1/2	4,804.75	1/2	5,073.90	1/2	5,274.73	1/2		1/2		1/2	
3/4	3,367.71	3/4	3,764.22	3/4	4,142.49	3/4	4,494.57	3/4	4,811.93	3/4	5,078.91	3/4	5,277.96	3/4		3/4		3/4	
1	3,376.12	1	3,772.33	1	4,150.15	1	4,501.60	1	4,817.11	1	5,083.93	1	5,281.19	1		1		1	
1/4	3,384.50	1/4	3,780.40	1/4	4,157.74	1/4	4,508.54	1/4	4,823.17	1/4	5,088.77	1/4	5,284.21	1/4		1/4		1/4	
1/2	3,392.89	1/2	3,788.46	1/2	4,165.34	1/2	4,515.48	1/2	4,829.22	1/2	5,093.62	1/2	5,287.23	1/2		1/2		1/2	
3/4	3,401.27	3/4	3,796.53	3/4	4,172.93	3/4	4,522.41	3/4	4,835.28	3/4	5,098.46	3/4	5,290.25	3/4		3/4		3/4	
2	3,409.65	2	3,804.59	2	4,180.52	2	4,529.35	2	4,841.33	2	5,103.30	2	5,293.27	2		2		2	
1/4	3,418.02	1/4	3,812.64	1/4	4,188.09	1/4	4,536.26	1/4	4,847.34	1/4	5,108.08	1/4	5,296.08	1/4		1/4		1/4	
1/2	3,426.39	1/2	3,820.69	1/2	4,195.66	1/2	4,543.16	1/2	4,853.35	1/2	5,112.86	1/2	5,298.89	1/2		1/2		1/2	
3/4	3,434.76	3/4	3,828.73	3/4	4,203.22	3/4	4,550.07	3/4	4,859.36	3/4	5,117.64	3/4	5,301.70	3/4		3/4		3/4	
3	3,443.13	3	3,836.78	3	4,210.79	3	4,556.97	3	4,865.37	3	5,122.42	3	5,304.51	3		3		3	
1/4	3,451.47	1/4	3,844.78	1/4	4,218.29	1/4	4,563.78	1/4	4,871.25	1/4	5,127.01	1/4	5,307.08	1/4		1/4		1/4	
1/2	3,459.81	1/2	3,852.78	1/2	4,225.79	1/2	4,570.59	1/2	4,877.14	1/2	5,131.61	1/2	5,309.65	1/2		1/2		1/2	
3/4	3,468.14	3/4	3,860.77	3/4	4,233.28	3/4	4,577.39	3/4	4,883.02	3/4	5,136.20	3/4	5,312.21	3/4		3/4		3/4	
4	3,476.48	4	3,868.77	4	4,240.78	4	4,584.20	4	4,888.90	4	5,140.79	4	5,314.78	4		4		4	
1/4	3,484.81	1/4	3,876.75	1/4	4,248.25	1/4	4,590.98	1/4	4,894.74	1/4	5,145.32	1/4	5,317.09	1/4		1/4		1/4	
1/2	3,493.13	1/2	3,884.73	1/2	4,255.72	1/2	4,597.75	1/2	4,900.57	1/2	5,149.85	1/2	5,319.41	1/2		1/2		1/2	
3/4	3,501.46	3/4	3,892.71	3/4	4,263.19	3/4	4,604.53	3/4	4,906.41	3/4	5,154.37	3/4	5,321.72	3/4		3/4		3/4	
5	3,509.78	5	3,900.69	5	4,270.66	5	4,611.30	5	4,912.24	5	5,158.90	5	5,324.03	5		5		5	
1/4	3,518.07	1/4	3,908.62	1/4	4,278.06	1/4	4,617.97	1/4	4,917.94	1/4	5,163.23	1/4	5,326.04	1/4		1/4		1/4	
1/2	3,526.37	1/2	3,916.54	1/2	4,285.45	1/2	4,624.65	1/2	4,923.63	1/2	5,167.55	1/2	5,328.06	1/2		1/2		1/2	
3/4	3,534.66	3/4	3,924.47	3/4	4,292.85	3/4	4,631.32	3/4	4,929.33	3/4	5,171.88	3/4	5,330.07	3/4		3/4		3/4	
6	3,542.95	6	3,932.39	6	4,300.24	6	4,637.99	6	4,935.02	6	5,176.20	6	5,332.08	6		6		6	
1/4	3,551.23	1/4	3,940.30	1/4	4,307.61	1/4	4,644.63	1/4	4,940.67	1/4	5,180.45	1/4	5,333.75	1/4		1/4		1/4	
1/2	3,559.51	1/2	3,948.20	1/2	4,314.98	1/2	4,651.27	1/2	4,946.32	1/2	5,184.70	1/2	5,335.43	1/2		1/2		1/2	
3/4	3,567.79	3/4	3,956.11	3/4	4,322.35	3/4	4,657.90	3/4	4,951.96	3/4	5,188.96	3/4	5,337.10	3/4		3/4		3/4	
7	3,576.07	7	3,964.01	7	4,329.72	7	4,664.54	7	4,957.61	7	5,193.21	7	5,338.77	7		7		7	
1/4	3,584.31	1/4	3,971.86	1/4	4,337.01	1/4	4,671.07	1/4	4,963.11	1/4	5,197.24	1/4	5,339.97	1/4		1/4		1/4	
1/2	3,592.55	1/2	3,979.71	1/2	4,344.30	1/2	4,677.60	1/2	4,968.62	1/2	5,201.28	1/2	5,341.18	1/2		1/2		1/2	
3/4	3,600.79	3/4	3,987.56	3/4	4,351.59	3/4	4,684.13	3/4	4,974.12	3/4	5,205.31	3/4	5,342.38	3/4		3/4		3/4	
8	3,609.03	8	3,995.41	8	4,358.88	8	4,690.66	8	4,979.62	8	5,209.35	8	5,343.58	8		8		8	
1/4	3,617.26	1/4	4,003.24	1/4	4,366.14	1/4	4,697.15	1/4	4,985.07	1/4	5,213.32	1/4	5,344.33	1/4		1/4		1/4	
1/2	3,625.49	1/2	4,011.07	1/2	4,373.40	1/2	4,703.64	1/2	4,990.52	1/2	5,217.29	1/2	5,345.08	1/2		1/2		1/2	
3/4	3,633.71	3/4	4,018.89	3/4	4,380.66	3/4	4,710.13	3/4	4,995.96	3/4	5,221.27	3/4	5,345.83	3/4		3/4		3/4	
9	3,641.94	9	4,026.72	9	4,387.92	9	4,716.62	9	5,001.41	9	5,225.24	9		9		9		9	
1/4	3,650.13	1/4	4,034.49	1/4	4,395.10	1/4	4,723.00	1/4	5,006.71	1/4	5,228.99	1/4		1/4		1/4		1/4	
1/2	3,658.32	1/2	4,042.26	1/2	4,402.28	1/2	4,729.38	1/2	5,012.00	1/2	5,232.75	1/2		1/2		1/2		1/2	
3/4	3,666.50	3/4	4,050.02	3/4	4,409.45	3/4	4,735.76	3/4	5,017.30	3/4	5,236.50	3/4		3/4		3/4		3/4	
10	3,674.69	10	4,057.79	10	4,416.63	10	4,742.14	10	5,022.59	10	5,240.26	10		10		10		10	
1/4	3,682.86	1/4	4,065.54	1/4	4,423.78	1/4	4,748.48	1/4	5,027.83	1/4	5,243.85	1/4		1/4		1/4		1/4	
1/2	3,691.04	1/2	4,073.28	1/2	4,430.93	1/2	4,754.82	1/2	5,033.07	1/2	5,247.45	1/2		1/2		1/2		1/2	
3/4	3,699.21	3/4	4,081.03	3/4	4,438.08	3/4	4,761.16	3/4	5,038.31	3/4	5,251.04	3/4		3/4		3/4		3/4	
11	3,707.38	11	4,088.77	11	4,445.23	11	4,767.50	11	5,043.55	11	5,254.64	11		11		11		11	
1/4	3,715.51	1/4	4,096.46	1/4	4,452.29	1/4	4,773.72	1/4	5,048.63	1/4	5,258.05	1/4		1/4		1/4		1/4	
1/2	3,723.63	1/2	4,104.14	1/2	4,459.35	1/2	4,779.95	1/2	5,053.71	1/2	5,261.46	1/2		1/2		1/2		1/2	
3/4	3,731.76	3/4	4,111.83	3/4	4,466.41	3/4	4,786.17	3/4	5,058.78	3/4	5,264.87	3/4		3/4		3/4		3/4	

STRAPPED: 11/10/1971 CM
RECALCULATED: 03/11/2022 CL
REPRINTED: 03/11/2022 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.
PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CHICKASAW"

STBD HORIZONTAL INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0.00	0	123.54	0	348.92	0	634.86	0	964.43	0	1,326.30	0	1,711.59	0	2,112.68	0	2,522.68	0	2,935.01
1/4	0.75	1/4	127.58	1/4	354.42	1/4	641.39	1/4	971.72	1/4	1,334.15	1/4	1,719.83	1/4	2,121.17	1/4	2,531.27	1/4	2,943.58
1/2	1.50	1/2	131.61	1/2	359.93	1/2	647.92	1/2	979.01	1/2	1,342.01	1/2	1,728.08	1/2	2,129.66	1/2	2,539.86	1/2	2,952.15
3/4	2.25	3/4	135.65	3/4	365.43	3/4	654.45	3/4	986.31	3/4	1,349.86	3/4	1,736.32	3/4	2,138.14	3/4	2,548.45	3/4	2,960.71
1	3.00	1	139.68	1	370.93	1	660.98	1	993.60	1	1,357.71	1	1,744.56	1	2,146.63	1	2,557.04	1	2,969.28
1/4	4.36	1/4	143.72	1/4	376.43	1/4	667.51	1/4	1,000.89	1/4	1,365.56	1/4	1,752.80	1/4	2,155.12	1/4	2,565.63	1/4	2,977.84
1/2	5.71	1/2	147.75	1/2	381.94	1/2	674.04	1/2	1,008.18	1/2	1,373.41	1/2	1,761.05	1/2	2,163.61	1/2	2,574.23	1/2	2,986.40
3/4	7.07	3/4	151.79	3/4	387.44	3/4	680.57	3/4	1,015.47	3/4	1,381.26	3/4	1,769.29	3/4	2,172.09	3/4	2,582.82	3/4	2,994.95
2	8.42	2	155.82	2	392.94	2	687.10	2	1,022.76	2	1,389.11	2	1,777.53	2	2,180.58	2	2,591.41	2	3,003.51
1/4	10.20	1/4	160.15	1/4	398.64	1/4	693.77	1/4	1,030.16	1/4	1,397.04	1/4	1,785.83	1/4	2,189.09	1/4	2,600.01	1/4	3,012.06
1/2	11.98	1/2	164.48	1/2	404.34	1/2	700.45	1/2	1,037.56	1/2	1,404.97	1/2	1,794.12	1/2	2,197.61	1/2	2,608.61	1/2	3,020.61
3/4	13.75	3/4	168.80	3/4	410.03	3/4	707.12	3/4	1,044.95	3/4	1,412.89	3/4	1,802.42	3/4	2,206.12	3/4	2,617.20	3/4	3,029.16
3	15.53	3	173.13	3	415.73	3	713.80	3	1,052.35	3	1,420.82	3	1,810.71	3	2,214.63	3	2,625.80	3	3,037.71
1/4	17.62	1/4	177.46	1/4	421.43	1/4	720.47	1/4	1,059.75	1/4	1,428.75	1/4	1,819.00	1/4	2,223.15	1/4	2,634.40	1/4	3,046.25
1/2	19.71	1/2	181.78	1/2	427.13	1/2	727.15	1/2	1,067.15	1/2	1,436.67	1/2	1,827.30	1/2	2,231.66	1/2	2,642.99	1/2	3,054.79
3/4	21.80	3/4	186.11	3/4	432.82	3/4	733.82	3/4	1,074.54	3/4	1,444.60	3/4	1,835.59	3/4	2,240.18	3/4	2,651.59	3/4	3,063.32
4	23.89	4	190.43	4	438.52	4	740.50	4	1,081.94	4	1,452.52	4	1,843.88	4	2,248.69	4	2,660.18	4	3,071.86
1/4	26.28	1/4	195.03	1/4	444.40	1/4	747.31	1/4	1,089.44	1/4	1,460.52	1/4	1,852.22	1/4	2,257.23	1/4	2,668.78	1/4	3,080.39
1/2	28.67	1/2	199.62	1/2	450.29	1/2	754.12	1/2	1,096.94	1/2	1,468.52	1/2	1,860.56	1/2	2,265.76	1/2	2,677.38	1/2	3,088.92
3/4	31.06	3/4	204.22	3/4	456.17	3/4	760.93	3/4	1,104.43	3/4	1,476.52	3/4	1,868.90	3/4	2,274.30	3/4	2,685.97	3/4	3,097.45
5	33.45	5	208.81	5	462.05	5	767.74	5	1,111.93	5	1,484.52	5	1,877.24	5	2,282.83	5	2,694.57	5	3,105.98
1/4	36.08	1/4	213.41	1/4	467.93	1/4	774.55	1/4	1,119.43	1/4	1,492.52	1/4	1,885.58	1/4	2,291.37	1/4	2,703.17	1/4	3,114.50
1/2	38.71	1/2	218.00	1/2	473.82	1/2	781.36	1/2	1,126.93	1/2	1,500.52	1/2	1,893.92	1/2	2,299.91	1/2	2,711.77	1/2	3,123.01
3/4	41.33	3/4	222.60	3/4	479.70	3/4	788.17	3/4	1,134.42	3/4	1,508.52	3/4	1,902.26	3/4	2,308.44	3/4	2,720.36	3/4	3,131.53
6	43.96	6	227.19	6	485.58	6	794.98	6	1,141.92	6	1,516.52	6	1,910.60	6	2,316.98	6	2,728.96	6	3,140.04
1/4	46.79	1/4	232.03	1/4	491.64	1/4	801.92	1/4	1,149.52	1/4	1,524.59	1/4	1,918.98	1/4	2,325.54	1/4	2,737.56	1/4	3,148.55
1/2	49.63	1/2	236.88	1/2	497.69	1/2	808.85	1/2	1,157.11	1/2	1,532.66	1/2	1,927.37	1/2	2,334.10	1/2	2,746.15	1/2	3,157.05
3/4	52.46	3/4	241.72	3/4	503.75	3/4	815.79	3/4	1,164.71	3/4	1,540.72	3/4	1,935.75	3/4	2,342.65	3/4	2,754.75	3/4	3,165.56
7	55.29	7	246.56	7	509.80	7	822.73	7	1,172.30	7	1,548.79	7	1,944.13	7	2,351.21	7	2,763.34	7	3,174.06
1/4	58.33	1/4	251.40	1/4	515.86	1/4	829.67	1/4	1,179.90	1/4	1,556.86	1/4	1,952.51	1/4	2,359.77	1/4	2,771.93	1/4	3,182.55
1/2	61.36	1/2	256.25	1/2	521.91	1/2	836.61	1/2	1,187.49	1/2	1,564.92	1/2	1,960.90	1/2	2,368.32	1/2	2,780.53	1/2	3,191.04
3/4	64.40	3/4	261.09	3/4	527.97	3/4	843.55	3/4	1,195.09	3/4	1,572.99	3/4	1,969.28	3/4	2,376.88	3/4	2,789.12	3/4	3,199.52
8	67.43	8	265.93	8	534.02	8	850.49	8	1,202.68	8	1,581.05	8	1,977.66	8	2,385.43	8	2,797.71	8	3,208.01
1/4	70.68	1/4	271.01	1/4	540.25	1/4	857.55	1/4	1,210.36	1/4	1,589.18	1/4	1,986.08	1/4	2,394.00	1/4	2,806.30	1/4	3,216.49
1/2	73.93	1/2	276.09	1/2	546.47	1/2	864.61	1/2	1,218.05	1/2	1,597.31	1/2	1,994.51	1/2	2,402.58	1/2	2,814.89	1/2	3,224.97
3/4	77.17	3/4	281.16	3/4	552.70	3/4	871.68	3/4	1,225.73	3/4	1,605.44	3/4	2,002.93	3/4	2,411.15	3/4	2,823.47	3/4	3,233.45
9	80.42	9	286.24	9	558.92	9	878.74	9	1,233.41	9	1,613.57	9	2,011.35	9	2,419.72	9	2,832.06	9	3,241.93
1/4	83.84	1/4	291.32	1/4	565.14	1/4	885.80	1/4	1,241.10	1/4	1,621.70	1/4	2,019.77	1/4	2,428.29	1/4	2,840.65	1/4	3,250.39
1/2	87.25	1/2	296.40	1/2	571.37	1/2	892.87	1/2	1,248.78	1/2	1,629.83	1/2	2,028.19	1/2	2,436.87	1/2	2,849.23	1/2	3,258.85
3/4	90.67	3/4	301.47	3/4	577.59	3/4	899.93	3/4	1,256.47	3/4	1,637.95	3/4	2,036.61	3/4	2,445.44	3/4	2,857.82	3/4	3,267.30
10	94.08	10	306.55	10	583.81	10	907.00	10	1,264.15	10	1,646.08	10	2,045.03	10	2,454.01	10	2,866.40	10	3,275.76
1/4	97.69	1/4	311.85	1/4	590.19	1/4	914.18	1/4	1,271.92	1/4	1,654.27	1/4	2,053.49	1/4	2,462.59	1/4	2,874.98	1/4	3,284.21
1/2	101.30	1/2	317.15	1/2	596.58	1/2	921.35	1/2	1,279.69	1/2	1,662.46	1/2	2,061.95	1/2	2,471.18	1/2	2,883.56	1/2	3,292.66
3/4	104.90	3/4	322.44	3/4	602.96	3/4	928.53	3/4	1,287.46	3/4	1,670.64	3/4	2,070.40	3/4	2,479.76	3/4	2,892.14	3/4	3,301.10
11	108.51	11	327.74	11	609.34	11	935.71	11	1,295.23	11	1,678.83	11	2,078.86	11	2,488.34	11	2,900.72	11	3,309.55
1/4	112.27	1/4	333.04	1/4	615.72	1/4	942.89	1/4	1,303.00	1/4	1,687.02	1/4	2,087.32	1/4	2,496.93	1/4	2,909.29	1/4	3,317.97
1/2	116.03	1/2	338.33	1/2	622.10	1/2	950.07	1/2	1,310.77	1/2	1,695.21	1/2	2,095.77	1/2	2,505.51	1/2	2,917.87	1/2	3,326.39
3/4	119.78	3/4	343.63	3/4	628.48	3/4	957.25	3/4	1,318.53	3/4	1,703.40	3/4	2,104.23	3/4	2,514.10	3/4	2,926.44	3/4	3,334.81

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.2E.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CHICKASAW"

STBD HORIZONTAL INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,343.23	0	3,740.72	0	4,120.43	0	4,474.48	0	4,793.47	0	5,064.99	0	5,269.46	0		0		0	
1/4	3,351.64	1/4	3,748.83	1/4	4,128.09	1/4	4,481.51	1/4	4,799.65	1/4	5,070.01	1/4	5,272.69	1/4		1/4		1/4	
1/2	3,360.06	1/2	3,756.95	1/2	4,135.76	1/2	4,488.54	1/2	4,805.83	1/2	5,075.03	1/2	5,275.92	1/2		1/2		1/2	
3/4	3,368.47	3/4	3,765.06	3/4	4,143.42	3/4	4,495.57	3/4	4,812.01	3/4	5,080.05	3/4	5,279.14	3/4		3/4		3/4	
1	3,376.88	1	3,773.17	1	4,151.08	1	4,502.60	1	4,818.19	1	5,085.07	1	5,282.37	1		1		1	
1/4	3,385.26	1/4	3,781.24	1/4	4,158.67	1/4	4,509.54	1/4	4,824.25	1/4	5,089.91	1/4	5,285.39	1/4		1/4		1/4	
1/2	3,393.65	1/2	3,789.31	1/2	4,166.27	1/2	4,516.48	1/2	4,830.30	1/2	5,094.76	1/2	5,288.42	1/2		1/2		1/2	
3/4	3,402.03	3/4	3,797.37	3/4	4,173.86	3/4	4,523.42	3/4	4,836.36	3/4	5,099.60	3/4	5,291.44	3/4		3/4		3/4	
2	3,410.41	2	3,805.44	2	4,181.45	2	4,530.36	2	4,842.41	2	5,104.44	2	5,294.46	2		2		2	
1/4	3,418.78	1/4	3,813.49	1/4	4,189.02	1/4	4,537.27	1/4	4,848.42	1/4	5,109.22	1/4	5,297.27	1/4		1/4		1/4	
1/2	3,427.16	1/2	3,821.54	1/2	4,196.59	1/2	4,544.18	1/2	4,854.44	1/2	5,114.00	1/2	5,300.08	1/2		1/2		1/2	
3/4	3,435.53	3/4	3,829.59	3/4	4,204.16	3/4	4,551.08	3/4	4,860.45	3/4	5,118.78	3/4	5,302.89	3/4		3/4		3/4	
3	3,443.90	3	3,837.64	3	4,211.73	3	4,557.99	3	4,866.46	3	5,123.56	3	5,305.70	3		3		3	
1/4	3,452.24	1/4	3,845.64	1/4	4,219.23	1/4	4,564.80	1/4	4,872.34	1/4	5,128.16	1/4	5,308.27	1/4		1/4		1/4	
1/2	3,460.58	1/2	3,853.64	1/2	4,226.73	1/2	4,571.61	1/2	4,878.23	1/2	5,132.75	1/2	5,310.84	1/2		1/2		1/2	
3/4	3,468.91	3/4	3,861.64	3/4	4,234.22	3/4	4,578.42	3/4	4,884.11	3/4	5,137.35	3/4	5,313.40	3/4		3/4		3/4	
4	3,477.25	4	3,869.64	4	4,241.72	4	4,585.23	4	4,889.99	4	5,141.94	4	5,315.97	4		4		4	
1/4	3,485.58	1/4	3,877.62	1/4	4,249.20	1/4	4,592.01	1/4	4,895.83	1/4	5,146.47	1/4	5,318.29	1/4		1/4		1/4	
1/2	3,493.91	1/2	3,885.60	1/2	4,256.67	1/2	4,598.78	1/2	4,901.67	1/2	5,151.00	1/2	5,320.60	1/2		1/2		1/2	
3/4	3,502.24	3/4	3,893.58	3/4	4,264.15	3/4	4,605.56	3/4	4,907.50	3/4	5,155.52	3/4	5,322.92	3/4		3/4		3/4	
5	3,510.57	5	3,901.56	5	4,271.62	5	4,612.33	5	4,913.34	5	5,160.05	5	5,325.23	5		5		5	
1/4	3,518.86	1/4	3,909.49	1/4	4,279.02	1/4	4,619.01	1/4	4,919.04	1/4	5,164.38	1/4	5,327.24	1/4		1/4		1/4	
1/2	3,527.16	1/2	3,917.42	1/2	4,286.41	1/2	4,625.68	1/2	4,924.74	1/2	5,168.71	1/2	5,329.26	1/2		1/2		1/2	
3/4	3,535.45	3/4	3,925.34	3/4	4,293.81	3/4	4,632.36	3/4	4,930.43	3/4	5,173.03	3/4	5,331.27	3/4		3/4		3/4	
6	3,543.74	6	3,933.27	6	4,301.20	6	4,639.03	6	4,936.13	6	5,177.36	6	5,333.28	6		6		6	
1/4	3,552.02	1/4	3,941.18	1/4	4,308.57	1/4	4,645.67	1/4	4,941.78	1/4	5,181.61	1/4	5,334.95	1/4		1/4		1/4	
1/2	3,560.31	1/2	3,949.09	1/2	4,315.94	1/2	4,652.31	1/2	4,947.43	1/2	5,185.87	1/2	5,336.62	1/2		1/2		1/2	
3/4	3,568.59	3/4	3,956.99	3/4	4,323.31	3/4	4,658.95	3/4	4,953.07	3/4	5,190.12	3/4	5,338.29	3/4		3/4		3/4	
7	3,576.87	7	3,964.90	7	4,330.68	7	4,665.59	7	4,958.72	7	5,194.37	7	5,339.96	7		7		7	
1/4	3,585.11	1/4	3,972.75	1/4	4,337.97	1/4	4,672.12	1/4	4,964.22	1/4	5,198.41	1/4	5,341.17	1/4		1/4		1/4	
1/2	3,593.36	1/2	3,980.60	1/2	4,345.27	1/2	4,678.65	1/2	4,969.73	1/2	5,202.44	1/2	5,342.37	1/2		1/2		1/2	
3/4	3,601.60	3/4	3,988.45	3/4	4,352.56	3/4	4,685.18	3/4	4,975.23	3/4	5,206.48	3/4	5,343.58	3/4		3/4		3/4	
8	3,609.84	8	3,996.30	8	4,359.85	8	4,691.71	8	4,980.73	8	5,210.51	8	5,344.78	8		8		8	
1/4	3,618.07	1/4	4,004.13	1/4	4,367.12	1/4	4,698.20	1/4	4,986.18	1/4	5,214.49	1/4	5,345.53	1/4		1/4		1/4	
1/2	3,626.30	1/2	4,011.97	1/2	4,374.38	1/2	4,704.70	1/2	4,991.63	1/2	5,218.46	1/2	5,346.28	1/2		1/2		1/2	
3/4	3,634.53	3/4	4,019.80	3/4	4,381.65	3/4	4,711.19	3/4	4,997.08	3/4	5,222.44	3/4	5,347.03	3/4		3/4		3/4	
9	3,642.76	9	4,027.63	9	4,388.91	9	4,717.68	9	5,002.53	9	5,226.41	9		9		9		9	
1/4	3,650.95	1/4	4,035.40	1/4	4,396.09	1/4	4,724.06	1/4	5,007.83	1/4	5,230.17	1/4		1/4		1/4		1/4	
1/2	3,659.14	1/2	4,043.17	1/2	4,403.27	1/2	4,730.44	1/2	5,013.13	1/2	5,233.93	1/2		1/2		1/2		1/2	
3/4	3,667.32	3/4	4,050.93	3/4	4,410.44	3/4	4,736.82	3/4	5,018.42	3/4	5,237.68	3/4		3/4		3/4		3/4	
10	3,675.51	10	4,058.70	10	4,417.62	10	4,743.20	10	5,023.72	10	5,241.44	10		10		10		10	
1/4	3,683.69	1/4	4,066.45	1/4	4,424.77	1/4	4,749.54	1/4	5,028.96	1/4	5,245.04	1/4		1/4		1/4		1/4	
1/2	3,691.86	1/2	4,074.20	1/2	4,431.92	1/2	4,755.89	1/2	5,034.20	1/2	5,248.63	1/2		1/2		1/2		1/2	
3/4	3,700.04	3/4	4,081.94	3/4	4,439.07	3/4	4,762.23	3/4	5,039.44	3/4	5,252.23	3/4		3/4		3/4		3/4	
11	3,708.21	11	4,089.69	11	4,446.22	11	4,768.57	11	5,044.68	11	5,255.82	11		11		11		11	
1/4	3,716.34	1/4	4,097.38	1/4	4,453.29	1/4	4,774.80	1/4	5,049.76	1/4	5,259.23	1/4		1/4		1/4		1/4	
1/2	3,724.47	1/2	4,105.06	1/2	4,460.35	1/2	4,781.02	1/2	5,054.84	1/2	5,262.64	1/2		1/2		1/2		1/2	
3/4	3,732.59	3/4	4,112.75	3/4	4,467.42	3/4	4,787.25	3/4	5,059.91	3/4	5,266.05	3/4		3/4		3/4		3/4	

STRAPPED: 11/10/1971 CM
RECALCULATED: 03/11/2022 CL
REPRINTED: 03/11/2022 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.
PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>