



BARGE "DBL 204"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-3/8	- 01-3/8	01-3/4	- 01-3/4	02-1/8	- 02-1/8
1 STBD	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-3/8	- 01-3/8	01-3/4	- 01-3/4	02-1/8	- 02-1/8
2 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2
2 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2
3 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2
3 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 206'-09"

August 25, 2014

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 204"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 9'-06"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	2,264.36	0	2,008.26	0	1,739.58	0	1,470.76	0	1,201.99	0	933.26	0	664.54	0	396.68	0	140.16
1/4		1/4	2,260.80	1/4	2,002.65	1/4	1,733.97	1/4	1,465.16	1/4	1,196.39	1/4	927.67	1/4	658.94	1/4	391.16	1/4	134.59
1/2		1/2	2,257.23	1/2	1,997.05	1/2	1,728.37	1/2	1,459.56	1/2	1,190.79	1/2	922.07	1/2	653.34	1/2	385.63	1/2	129.02
3/4		3/4	2,253.67	3/4	1,991.45	3/4	1,722.77	3/4	1,453.96	3/4	1,185.20	3/4	916.47	3/4	647.74	3/4	380.11	3/4	123.44
1		1	2,250.11	1	1,985.85	1	1,717.17	1	1,448.36	1	1,179.60	1	910.87	1	642.14	1	374.58	1	117.87
1/4		1/4	2,245.53	1/4	1,980.25	1/4	1,711.57	1/4	1,442.76	1/4	1,174.00	1/4	905.27	1/4	636.54	1/4	368.98	1/4	112.31
1/2		1/2	2,240.94	1/2	1,974.65	1/2	1,705.97	1/2	1,437.16	1/2	1,168.40	1/2	899.67	1/2	630.94	1/2	363.38	1/2	106.76
3/4		3/4	2,236.36	3/4	1,969.05	3/4	1,700.37	3/4	1,431.56	3/4	1,162.80	3/4	894.07	3/4	625.35	3/4	357.79	3/4	101.20
2		2	2,231.78	2	1,963.45	2	1,694.77	2	1,425.96	2	1,157.20	2	888.48	2	619.75	2	352.19	2	95.64
1/4		1/4	2,226.30	1/4	1,957.86	1/4	1,689.17	1/4	1,420.36	1/4	1,151.61	1/4	882.88	1/4	614.15	1/4	346.78	1/4	90.11
1/2		1/2	2,220.83	1/2	1,952.27	1/2	1,683.57	1/2	1,414.76	1/2	1,146.01	1/2	877.28	1/2	608.55	1/2	341.38	1/2	84.57
3/4		3/4	2,215.36	3/4	1,946.67	3/4	1,677.97	3/4	1,409.16	3/4	1,140.41	3/4	871.68	3/4	602.95	3/4	335.98	3/4	79.04
3		3	2,209.88	3	1,941.08	3	1,672.37	3	1,403.56	3	1,134.81	3	866.08	3	597.35	3	330.58	3	73.50
1/4		1/4	2,204.28	1/4	1,935.49	1/4	1,666.77	1/4	1,397.96	1/4	1,129.21	1/4	860.48	1/4	591.76	1/4	325.17	1/4	68.09
1/2		1/2	2,198.68	1/2	1,929.90	1/2	1,661.17	1/2	1,392.36	1/2	1,123.61	1/2	854.88	1/2	586.16	1/2	319.77	1/2	62.68
3/4		3/4	2,193.08	3/4	1,924.31	3/4	1,655.57	3/4	1,386.76	3/4	1,118.01	3/4	849.29	3/4	580.56	3/4	314.37	3/4	57.27
4		4	2,187.48	4	1,918.72	4	1,649.97	4	1,381.16	4	1,112.42	4	843.69	4	574.96	4	308.97	4	51.85
1/4		1/4	2,181.88	1/4	1,913.12	1/4	1,644.37	1/4	1,375.56	1/4	1,106.82	1/4	838.09	1/4	569.36	1/4	303.64	1/4	47.28
1/2		1/2	2,176.28	1/2	1,907.53	1/2	1,638.77	1/2	1,369.96	1/2	1,101.22	1/2	832.49	1/2	563.76	1/2	298.31	1/2	42.71
3/4		3/4	2,170.68	3/4	1,901.94	3/4	1,633.17	3/4	1,364.36	3/4	1,095.62	3/4	826.89	3/4	558.16	3/4	292.99	3/4	38.15
5		5	2,165.07	5	1,896.35	5	1,627.57	5	1,358.75	5	1,090.02	5	821.29	5	552.57	5	287.66	5	33.58
1/4		1/4	2,159.47	1/4	1,890.76	1/4	1,621.97	1/4	1,353.16	1/4	1,084.42	1/4	815.70	1/4	546.97	1/4	282.39	1/4	30.03
1/2		1/2	2,153.87	1/2	1,885.17	1/2	1,616.37	1/2	1,347.56	1/2	1,078.82	1/2	810.10	1/2	541.37	1/2	277.12	1/2	26.47
3/4		3/4	2,148.27	3/4	1,879.57	3/4	1,610.77	3/4	1,341.96	3/4	1,073.23	3/4	804.50	3/4	535.77	3/4	271.86	3/4	22.92
6		6	2,142.67	6	1,873.98	6	1,605.17	6	1,336.36	6	1,067.63	6	798.90	6	530.17	6	266.59	6	19.37
1/4		1/4	2,137.07	1/4	1,868.38	1/4	1,599.57	1/4	1,330.76	1/4	1,062.03	1/4	793.30	1/4	524.57	1/4	261.32	1/4	
1/2		1/2	2,131.47	1/2	1,862.78	1/2	1,593.97	1/2	1,325.16	1/2	1,056.43	1/2	787.70	1/2	518.97	1/2	256.05	1/2	
3/4		3/4	2,125.87	3/4	1,857.18	3/4	1,588.37	3/4	1,319.56	3/4	1,050.83	3/4	782.10	3/4	513.38	3/4	250.78	3/4	
7		7	2,120.27	7	1,851.58	7	1,582.77	7	1,313.96	7	1,045.23	7	776.51	7	507.78	7	245.51	7	
1/4		1/4	2,114.67	1/4	1,845.98	1/4	1,577.17	1/4	1,308.36	1/4	1,039.64	1/4	770.91	1/4	502.18	1/4	240.24	1/4	
1/2		1/2	2,109.07	1/2	1,840.38	1/2	1,571.57	1/2	1,302.76	1/2	1,034.04	1/2	765.31	1/2	496.58	1/2	234.97	1/2	
3/4		3/4	2,103.47	3/4	1,834.78	3/4	1,565.97	3/4	1,297.17	3/4	1,028.44	3/4	759.71	3/4	490.98	3/4	229.70	3/4	
8		8	2,097.87	8	1,829.18	8	1,560.37	8	1,291.57	8	1,022.84	8	754.11	8	485.38	8	224.43	8	
1/4		1/4	2,092.27	1/4	1,823.58	1/4	1,554.77	1/4	1,285.97	1/4	1,017.24	1/4	748.51	1/4	479.79	1/4	219.16	1/4	
1/2		1/2	2,086.67	1/2	1,817.98	1/2	1,549.17	1/2	1,280.37	1/2	1,011.64	1/2	742.91	1/2	474.19	1/2	213.90	1/2	
3/4		3/4	2,081.06	3/4	1,812.38	3/4	1,543.56	3/4	1,274.77	3/4	1,006.04	3/4	737.32	3/4	468.59	3/4	208.63	3/4	
9		9	2,075.46	9	1,806.78	9	1,537.96	9	1,269.17	9	1,000.45	9	731.72	9	462.99	9	203.36	9	
1/4		1/4	2,069.86	1/4	1,801.18	1/4	1,532.36	1/4	1,263.58	1/4	994.85	1/4	726.12	1/4	457.46	1/4	198.09	1/4	
1/2		1/2	2,064.26	1/2	1,795.58	1/2	1,526.76	1/2	1,257.98	1/2	989.25	1/2	720.52	1/2	451.94	1/2	192.82	1/2	
3/4		3/4	2,058.66	3/4	1,789.98	3/4	1,521.16	3/4	1,252.38	3/4	983.65	3/4	714.92	3/4	446.41	3/4	187.55	3/4	
10		10	2,053.06	10	1,784.38	10	1,515.56	10	1,246.78	10	978.05	10	709.32	10	440.89	10	182.28	10	
1/4		1/4	2,047.46	1/4	1,778.78	1/4	1,509.96	1/4	1,241.18	1/4	972.45	1/4	703.73	1/4	435.36	1/4	177.01	1/4	
1/2		1/2	2,041.86	1/2	1,773.18	1/2	1,504.36	1/2	1,235.58	1/2	966.85	1/2	698.13	1/2	429.84	1/2	171.75	1/2	
3/4		3/4	2,036.26	3/4	1,767.58	3/4	1,498.76	3/4	1,229.98	3/4	961.26	3/4	692.53	3/4	424.31	3/4	166.48	3/4	
11		11	2,030.66	11	1,761.98	11	1,493.16	11	1,224.39	11	955.66	11	686.93	11	418.79	11	161.21	11	
1/4		1/4	2,025.06	1/4	1,756.38	1/4	1,487.56	1/4	1,218.79	1/4	950.06	1/4	681.33	1/4	413.26	1/4	155.95	1/4	
1/2		1/2	2,019.46	1/2	1,750.78	1/2	1,481.96	1/2	1,213.19	1/2	944.46	1/2	675.73	1/2	407.73	1/2	150.69	1/2	
3/4		3/4	2,013.86	3/4	1,745.18	3/4	1,476.36	3/4	1,207.59	3/4	938.86	3/4	670.13	3/4	402.21	3/4	145.42	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF 2" HERMETIC CLOSED GAUGING VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-03" OFF CENTERLINE AND 40'-06" FORWARD OF AFT BULKHEAD.

STRAPPED: 08/25/2014 SW

CALCULATED: 08/29/2014 CL

PRINTED: 08/29/2014 SW

CANCELS AND SUPERCEDES

ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 204"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 9'-06 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0	2,019.58	0	1,751.37	0	1,483.31	0	1,215.25	0	946.93	0	678.55	0	410.13	0	145.63
1/4		1/4	2,269.59	1/4	2,013.99	1/4	1,745.78	1/4	1,477.73	1/4	1,209.67	1/4	941.34	1/4	672.96	1/4	404.53	1/4	140.17
1/2		1/2	2,266.04	1/2	2,008.39	1/2	1,740.20	1/2	1,472.14	1/2	1,204.09	1/2	935.75	1/2	667.37	1/2	398.93	1/2	134.60
3/4		3/4	2,262.48	3/4	2,002.80	3/4	1,734.61	3/4	1,466.56	3/4	1,198.50	3/4	930.16	3/4	661.78	3/4	393.32	3/4	129.03
1		1	2,258.93	1	1,997.21	1	1,729.03	1	1,460.97	1	1,192.92	1	924.57	1	656.19	1	387.72	1	123.46
1/4		1/4	2,255.38	1/4	1,991.62	1/4	1,723.44	1/4	1,455.39	1/4	1,187.33	1/4	918.98	1/4	650.59	1/4	382.12	1/4	117.88
1/2		1/2	2,250.81	1/2	1,986.03	1/2	1,717.86	1/2	1,449.80	1/2	1,181.75	1/2	913.39	1/2	645.00	1/2	376.52	1/2	112.32
3/4		3/4	2,246.24	3/4	1,980.44	3/4	1,712.27	3/4	1,444.22	3/4	1,176.16	3/4	907.79	3/4	639.41	3/4	370.91	3/4	106.77
2		2	2,241.67	2	1,974.85	2	1,706.69	2	1,438.63	2	1,170.58	2	902.20	2	633.82	2	365.31	2	101.21
1/4		1/4	2,237.09	1/4	1,969.26	1/4	1,701.11	1/4	1,433.05	1/4	1,164.99	1/4	896.61	1/4	628.23	1/4	359.71	1/4	95.65
1/2		1/2	2,231.63	1/2	1,963.67	1/2	1,695.52	1/2	1,427.47	1/2	1,159.40	1/2	891.02	1/2	622.64	1/2	354.13	1/2	90.11
3/4		3/4	2,226.17	3/4	1,958.08	3/4	1,689.94	3/4	1,421.88	3/4	1,153.81	3/4	885.43	3/4	617.05	3/4	348.55	3/4	84.58
3		3	2,220.70	3	1,952.49	3	1,684.35	3	1,416.30	3	1,148.22	3	879.84	3	611.45	3	342.96	3	79.04
1/4		1/4	2,215.24	1/4	1,946.90	1/4	1,678.77	1/4	1,410.71	1/4	1,142.63	1/4	874.25	1/4	605.86	1/4	337.38	1/4	73.51
1/2		1/2	2,209.65	1/2	1,941.32	1/2	1,673.18	1/2	1,405.13	1/2	1,137.04	1/2	868.65	1/2	600.27	1/2	331.80	1/2	68.10
3/4		3/4	2,204.06	3/4	1,935.73	3/4	1,667.60	3/4	1,399.54	3/4	1,131.45	3/4	863.06	3/4	594.68	3/4	326.22	3/4	62.68
4		4	2,198.47	4	1,930.15	4	1,662.01	4	1,393.96	4	1,125.85	4	857.47	4	589.09	4	320.64	4	57.27
1/4		1/4	2,192.88	1/4	1,924.56	1/4	1,656.43	1/4	1,388.37	1/4	1,120.26	1/4	851.88	1/4	583.50	1/4	315.06	1/4	51.85
1/2		1/2	2,187.29	1/2	1,918.98	1/2	1,650.85	1/2	1,382.79	1/2	1,114.67	1/2	846.29	1/2	577.91	1/2	309.55	1/2	47.28
3/4		3/4	2,181.70	3/4	1,913.40	3/4	1,645.26	3/4	1,377.20	3/4	1,109.08	3/4	840.70	3/4	572.32	3/4	304.03	3/4	42.71
5		5	2,176.11	5	1,907.81	5	1,639.68	5	1,371.62	5	1,103.49	5	835.11	5	566.72	5	298.52	5	38.14
1/4		1/4	2,170.52	1/4	1,902.23	1/4	1,634.09	1/4	1,366.04	1/4	1,097.90	1/4	829.52	1/4	561.13	1/4	293.01	1/4	33.57
1/2		1/2	2,164.93	1/2	1,896.64	1/2	1,628.51	1/2	1,360.45	1/2	1,092.31	1/2	823.92	1/2	555.54	1/2	287.55	1/2	30.02
3/4		3/4	2,159.34	3/4	1,891.06	3/4	1,622.92	3/4	1,354.87	3/4	1,086.72	3/4	818.33	3/4	549.95	3/4	282.09	3/4	26.47
6		6	2,153.75	6	1,885.47	6	1,617.34	6	1,349.28	6	1,081.12	6	812.74	6	544.36	6	276.63	6	22.92
1/4		1/4	2,148.15	1/4	1,879.89	1/4	1,611.75	1/4	1,343.70	1/4	1,075.53	1/4	807.15	1/4	538.77	1/4	271.18	1/4	19.37
1/2		1/2	2,142.56	1/2	1,874.31	1/2	1,606.17	1/2	1,338.11	1/2	1,069.94	1/2	801.56	1/2	533.18	1/2	265.72	1/2	
3/4		3/4	2,136.97	3/4	1,868.72	3/4	1,600.58	3/4	1,332.53	3/4	1,064.35	3/4	795.97	3/4	527.59	3/4	260.26	3/4	
7		7	2,131.38	7	1,863.14	7	1,595.00	7	1,326.94	7	1,058.76	7	790.38	7	521.99	7	254.80	7	
1/4		1/4	2,125.79	1/4	1,857.55	1/4	1,589.42	1/4	1,321.36	1/4	1,053.17	1/4	784.79	1/4	516.40	1/4	249.34	1/4	
1/2		1/2	2,120.20	1/2	1,851.97	1/2	1,583.83	1/2	1,315.78	1/2	1,047.58	1/2	779.19	1/2	510.81	1/2	243.88	1/2	
3/4		3/4	2,114.61	3/4	1,846.38	3/4	1,578.25	3/4	1,310.19	3/4	1,041.99	3/4	773.60	3/4	505.22	3/4	238.42	3/4	
8		8	2,109.02	8	1,840.80	8	1,572.66	8	1,304.61	8	1,036.39	8	768.01	8	499.63	8	232.96	8	
1/4		1/4	2,103.43	1/4	1,835.22	1/4	1,567.08	1/4	1,299.02	1/4	1,030.80	1/4	762.42	1/4	494.04	1/4	227.50	1/4	
1/2		1/2	2,097.84	1/2	1,829.63	1/2	1,561.49	1/2	1,293.44	1/2	1,025.21	1/2	756.83	1/2	488.45	1/2	222.04	1/2	
3/4		3/4	2,092.25	3/4	1,824.05	3/4	1,555.91	3/4	1,287.85	3/4	1,019.62	3/4	751.24	3/4	482.86	3/4	216.58	3/4	
9		9	2,086.66	9	1,818.46	9	1,550.32	9	1,282.27	9	1,014.03	9	745.65	9	477.26	9	211.12	9	
1/4		1/4	2,081.07	1/4	1,812.88	1/4	1,544.74	1/4	1,276.68	1/4	1,008.44	1/4	740.05	1/4	471.67	1/4	205.66	1/4	
1/2		1/2	2,075.48	1/2	1,807.29	1/2	1,539.16	1/2	1,271.10	1/2	1,002.85	1/2	734.46	1/2	466.08	1/2	200.20	1/2	
3/4		3/4	2,069.89	3/4	1,801.70	3/4	1,533.57	3/4	1,265.51	3/4	997.25	3/4	728.87	3/4	460.49	3/4	194.74	3/4	
10		10	2,064.30	10	1,796.11	10	1,527.99	10	1,259.93	10	991.66	10	723.28	10	454.90	10	189.28	10	
1/4		1/4	2,058.71	1/4	1,790.51	1/4	1,522.40	1/4	1,254.35	1/4	986.07	1/4	717.69	1/4	449.31	1/4	183.82	1/4	
1/2		1/2	2,053.12	1/2	1,784.92	1/2	1,516.82	1/2	1,248.76	1/2	980.48	1/2	712.10	1/2	443.72	1/2	178.36	1/2	
3/4		3/4	2,047.53	3/4	1,779.33	3/4	1,511.23	3/4	1,243.18	3/4	974.89	3/4	706.51	3/4	438.12	3/4	172.90	3/4	
11		11	2,041.94	11	1,773.74	11	1,505.65	11	1,237.59	11	969.30	11	700.92	11	432.53	11	167.45	11	
1/4		1/4	2,036.35	1/4	1,768.15	1/4	1,500.06	1/4	1,232.01	1/4	963.71	1/4	695.32	1/4	426.94	1/4	161.99	1/4	
1/2		1/2	2,030.76	1/2	1,762.56	1/2	1,494.48	1/2	1,226.42	1/2	958.12	1/2	689.73	1/2	421.34	1/2	156.53	1/2	
3/4		3/4	2,025.17	3/4	1,756.96	3/4	1,488.89	3/4	1,220.84	3/4	952.52	3/4	684.14	3/4	415.74	3/4	151.08	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF 2" HERMETIC CLOSED GAUGING VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-03" OFF CENTERLINE AND 40'-06" FORWARD OF AFT BULKHEAD.

STRAPPED: 08/25/2014 SW

CALCULATED: 08/29/2014 CL

PRINTED: 08/29/2014 SW

CANCELS AND SUPERCEDES

ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 204"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 9'-05 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	2,265.75	0	2,007.03	0	1,737.61	0	1,468.19	0	1,198.77	0	929.36	0	659.94	0	391.32	0	134.85
1/4		1/4	2,262.18	1/4	2,001.42	1/4	1,732.00	1/4	1,462.58	1/4	1,193.16	1/4	923.74	1/4	654.32	1/4	385.80	1/4	129.26
1/2		1/2	2,258.60	1/2	1,995.81	1/2	1,726.39	1/2	1,456.97	1/2	1,187.55	1/2	918.13	1/2	648.71	1/2	380.28	1/2	123.68
3/4		3/4	2,255.03	3/4	1,990.20	3/4	1,720.77	3/4	1,451.35	3/4	1,181.94	3/4	912.52	3/4	643.10	3/4	374.75	3/4	118.10
1		1	2,250.44	1	1,984.58	1	1,715.16	1	1,445.74	1	1,176.32	1	906.90	1	637.48	1	369.23	1	112.53
1/4		1/4	2,245.85	1/4	1,978.97	1/4	1,709.55	1/4	1,440.13	1/4	1,170.71	1/4	901.29	1/4	631.87	1/4	363.71	1/4	106.96
1/2		1/2	2,241.26	1/2	1,973.36	1/2	1,703.94	1/2	1,434.52	1/2	1,165.10	1/2	895.68	1/2	626.26	1/2	358.18	1/2	101.39
3/4		3/4	2,236.66	3/4	1,967.74	3/4	1,698.32	3/4	1,428.90	3/4	1,159.48	3/4	890.06	3/4	620.65	3/4	352.66	3/4	95.82
2		2	2,231.18	2	1,962.13	2	1,692.71	2	1,423.29	2	1,153.87	2	884.45	2	615.03	2	347.26	2	90.28
1/4		1/4	2,225.69	1/4	1,956.52	1/4	1,687.10	1/4	1,417.68	1/4	1,148.26	1/4	878.84	1/4	609.42	1/4	341.86	1/4	84.73
1/2		1/2	2,220.20	1/2	1,950.90	1/2	1,681.48	1/2	1,412.06	1/2	1,142.65	1/2	873.23	1/2	603.81	1/2	336.47	1/2	79.19
3/4		3/4	2,214.72	3/4	1,945.29	3/4	1,675.87	3/4	1,406.45	3/4	1,137.03	3/4	867.61	3/4	598.19	3/4	331.07	3/4	73.64
3		3	2,209.10	3	1,939.68	3	1,670.26	3	1,400.84	3	1,131.42	3	862.00	3	592.58	3	325.67	3	68.22
1/4		1/4	2,203.49	1/4	1,934.07	1/4	1,664.65	1/4	1,395.23	1/4	1,125.81	1/4	856.39	1/4	586.97	1/4	320.27	1/4	62.80
1/2		1/2	2,197.88	1/2	1,928.45	1/2	1,659.03	1/2	1,389.61	1/2	1,120.19	1/2	850.77	1/2	581.36	1/2	314.88	1/2	57.37
3/4		3/4	2,192.26	3/4	1,922.84	3/4	1,653.42	3/4	1,384.00	3/4	1,114.58	3/4	845.16	3/4	575.74	3/4	309.48	3/4	51.95
4		4	2,186.65	4	1,917.23	4	1,647.81	4	1,378.39	4	1,108.97	4	839.55	4	570.13	4	304.15	4	47.37
1/4		1/4	2,181.04	1/4	1,911.61	1/4	1,642.19	1/4	1,372.77	1/4	1,103.35	1/4	833.94	1/4	564.52	1/4	298.81	1/4	42.79
1/2		1/2	2,175.42	1/2	1,906.00	1/2	1,636.58	1/2	1,367.16	1/2	1,097.74	1/2	828.32	1/2	558.90	1/2	293.48	1/2	38.21
3/4		3/4	2,169.81	3/4	1,900.39	3/4	1,630.97	3/4	1,361.55	3/4	1,092.13	3/4	822.71	3/4	553.29	3/4	288.15	3/4	33.64
5		5	2,164.20	5	1,894.77	5	1,625.35	5	1,355.94	5	1,086.52	5	817.10	5	547.68	5	282.87	5	30.08
1/4		1/4	2,158.59	1/4	1,889.16	1/4	1,619.74	1/4	1,350.32	1/4	1,080.90	1/4	811.48	1/4	542.06	1/4	277.59	1/4	26.52
1/2		1/2	2,152.97	1/2	1,883.55	1/2	1,614.13	1/2	1,344.71	1/2	1,075.29	1/2	805.87	1/2	536.45	1/2	272.32	1/2	22.96
3/4		3/4	2,147.36	3/4	1,877.94	3/4	1,608.52	3/4	1,339.10	3/4	1,069.68	3/4	800.26	3/4	530.84	3/4	267.04	3/4	19.41
6		6	2,141.75	6	1,872.32	6	1,602.90	6	1,333.48	6	1,064.06	6	794.65	6	525.23	6	261.76	6	
1/4		1/4	2,136.13	1/4	1,866.71	1/4	1,597.29	1/4	1,327.87	1/4	1,058.45	1/4	789.03	1/4	519.61	1/4	256.49	1/4	
1/2		1/2	2,130.52	1/2	1,861.10	1/2	1,591.68	1/2	1,322.26	1/2	1,052.84	1/2	783.42	1/2	514.00	1/2	251.21	1/2	
3/4		3/4	2,124.91	3/4	1,855.48	3/4	1,586.06	3/4	1,316.65	3/4	1,047.23	3/4	777.81	3/4	508.39	3/4	245.93	3/4	
7		7	2,119.29	7	1,849.87	7	1,580.45	7	1,311.03	7	1,041.61	7	772.19	7	502.77	7	240.66	7	
1/4		1/4	2,113.68	1/4	1,844.26	1/4	1,574.84	1/4	1,305.42	1/4	1,036.00	1/4	766.58	1/4	497.16	1/4	235.38	1/4	
1/2		1/2	2,108.07	1/2	1,838.64	1/2	1,569.23	1/2	1,299.81	1/2	1,030.39	1/2	760.97	1/2	491.55	1/2	230.10	1/2	
3/4		3/4	2,102.46	3/4	1,833.03	3/4	1,563.61	3/4	1,294.19	3/4	1,024.77	3/4	755.36	3/4	485.94	3/4	224.83	3/4	
8		8	2,096.84	8	1,827.42	8	1,558.00	8	1,288.58	8	1,019.16	8	749.74	8	480.32	8	219.55	8	
1/4		1/4	2,091.23	1/4	1,821.81	1/4	1,552.39	1/4	1,282.97	1/4	1,013.55	1/4	744.13	1/4	474.71	1/4	214.27	1/4	
1/2		1/2	2,085.62	1/2	1,816.19	1/2	1,546.77	1/2	1,277.35	1/2	1,007.94	1/2	738.52	1/2	469.10	1/2	209.00	1/2	
3/4		3/4	2,080.00	3/4	1,810.58	3/4	1,541.16	3/4	1,271.74	3/4	1,002.32	3/4	732.90	3/4	463.48	3/4	203.72	3/4	
9		9	2,074.39	9	1,804.97	9	1,535.55	9	1,266.13	9	996.71	9	727.29	9	457.87	9	198.44	9	
1/4		1/4	2,068.78	1/4	1,799.35	1/4	1,529.94	1/4	1,260.52	1/4	991.10	1/4	721.68	1/4	452.26	1/4	193.16	1/4	
1/2		1/2	2,063.16	1/2	1,793.74	1/2	1,524.32	1/2	1,254.90	1/2	985.48	1/2	716.06	1/2	446.65	1/2	187.89	1/2	
3/4		3/4	2,057.55	3/4	1,788.13	3/4	1,518.71	3/4	1,249.29	3/4	979.87	3/4	710.45	3/4	441.03	3/4	182.61	3/4	
10		10	2,051.94	10	1,782.52	10	1,513.10	10	1,243.68	10	974.26	10	704.84	10	435.51	10	177.34	10	
1/4		1/4	2,046.33	1/4	1,776.90	1/4	1,507.48	1/4	1,238.06	1/4	968.65	1/4	699.23	1/4	429.99	1/4	172.06	1/4	
1/2		1/2	2,040.71	1/2	1,771.29	1/2	1,501.87	1/2	1,232.45	1/2	963.03	1/2	693.61	1/2	424.46	1/2	166.79	1/2	
3/4		3/4	2,035.10	3/4	1,765.68	3/4	1,496.26	3/4	1,226.84	3/4	957.42	3/4	688.00	3/4	418.94	3/4	161.51	3/4	
11		11	2,029.49	11	1,760.06	11	1,490.65	11	1,221.23	11	951.81	11	682.39	11	413.42	11	156.24	11	
1/4		1/4	2,023.87	1/4	1,754.45	1/4	1,485.03	1/4	1,215.61	1/4	946.19	1/4	676.77	1/4	407.89	1/4	150.97	1/4	
1/2		1/2	2,018.26	1/2	1,748.84	1/2	1,479.42	1/2	1,210.00	1/2	940.58	1/2	671.16	1/2	402.37	1/2	145.70	1/2	
3/4		3/4	2,269.32	3/4	2,012.65	3/4	1,743.23	3/4	1,473.81	3/4	1,204.39	3/4	665.55	3/4	396.85	3/4	140.43	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF 2" HERMETIC CLOSED GAUGING VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-03" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

STRAPPED: 08/25/2014 SW

CALCULATED: 08/29/2014 CL

PRINTED: 08/29/2014 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 204"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 9'-05 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	2,271.51	0	2,010.80	0	1,741.41	0	1,472.02	0	1,202.63	0	933.24	0	663.85	0	394.45	0	129.24
1/4		1/4	2,267.94	1/4	2,005.18	1/4	1,735.79	1/4	1,466.40	1/4	1,197.01	1/4	927.62	1/4	658.23	1/4	388.84	1/4	123.66
1/2		1/2	2,264.37	1/2	1,999.57	1/2	1,730.18	1/2	1,460.79	1/2	1,191.40	1/2	922.01	1/2	652.62	1/2	383.23	1/2	118.08
3/4		3/4	2,259.77	3/4	1,993.96	3/4	1,724.57	3/4	1,455.18	3/4	1,185.79	3/4	916.40	3/4	647.01	3/4	377.62	3/4	112.51
1		1	2,255.18	1	1,988.35	1	1,718.96	1	1,449.57	1	1,180.18	1	910.79	1	641.40	1	372.01	1	106.94
1/4		1/4	2,250.59	1/4	1,982.74	1/4	1,713.35	1/4	1,443.95	1/4	1,174.56	1/4	905.17	1/4	635.78	1/4	366.39	1/4	101.38
1/2		1/2	2,246.00	1/2	1,977.12	1/2	1,707.73	1/2	1,438.34	1/2	1,168.95	1/2	899.56	1/2	630.17	1/2	360.78	1/2	95.81
3/4		3/4	2,240.52	3/4	1,971.51	3/4	1,702.12	3/4	1,432.73	3/4	1,163.34	3/4	893.95	3/4	624.56	3/4	355.18	3/4	90.26
2		2	2,235.03	2	1,965.90	2	1,696.51	2	1,427.12	2	1,157.73	2	888.34	2	618.95	2	349.58	2	84.72
1/4		1/4	2,229.55	1/4	1,960.29	1/4	1,690.90	1/4	1,421.51	1/4	1,152.12	1/4	882.72	1/4	613.33	1/4	343.98	1/4	79.18
1/2		1/2	2,224.06	1/2	1,954.67	1/2	1,685.28	1/2	1,415.89	1/2	1,146.50	1/2	877.11	1/2	607.72	1/2	338.37	1/2	73.63
3/4		3/4	2,218.45	3/4	1,949.06	3/4	1,679.67	3/4	1,410.28	3/4	1,140.89	3/4	871.50	3/4	602.11	3/4	332.77	3/4	68.21
3		3	2,212.84	3	1,943.45	3	1,674.06	3	1,404.67	3	1,135.28	3	865.89	3	596.50	3	327.17	3	62.79
1/4		1/4	2,207.23	1/4	1,937.84	1/4	1,668.45	1/4	1,399.06	1/4	1,129.67	1/4	860.28	1/4	590.89	1/4	321.57	1/4	57.36
1/2		1/2	2,201.62	1/2	1,932.22	1/2	1,662.83	1/2	1,393.44	1/2	1,124.05	1/2	854.66	1/2	585.27	1/2	315.97	1/2	51.94
3/4		3/4	2,196.00	3/4	1,926.61	3/4	1,657.22	3/4	1,387.83	3/4	1,118.44	3/4	849.05	3/4	579.66	3/4	310.43	3/4	47.36
4		4	2,190.39	4	1,921.00	4	1,651.61	4	1,382.22	4	1,112.83	4	843.44	4	574.05	4	304.90	4	42.79
1/4		1/4	2,184.78	1/4	1,915.39	1/4	1,646.00	1/4	1,376.61	1/4	1,107.22	1/4	837.83	1/4	568.44	1/4	299.36	1/4	38.21
1/2		1/2	2,179.17	1/2	1,909.78	1/2	1,640.39	1/2	1,370.99	1/2	1,101.60	1/2	832.21	1/2	562.82	1/2	293.83	1/2	33.63
3/4		3/4	2,173.55	3/4	1,904.16	3/4	1,634.77	3/4	1,365.38	3/4	1,095.99	3/4	826.60	3/4	557.21	3/4	288.35	3/4	30.07
5		5	2,167.94	5	1,898.55	5	1,629.16	5	1,359.77	5	1,090.38	5	820.99	5	551.60	5	282.87	5	26.52
1/4		1/4	2,162.33	1/4	1,892.94	1/4	1,623.55	1/4	1,354.16	1/4	1,084.77	1/4	815.38	1/4	545.99	1/4	277.39	1/4	22.96
1/2		1/2	2,156.72	1/2	1,887.33	1/2	1,617.94	1/2	1,348.55	1/2	1,079.16	1/2	809.76	1/2	540.37	1/2	271.91	1/2	19.40
3/4		3/4	2,151.10	3/4	1,881.71	3/4	1,612.32	3/4	1,342.93	3/4	1,073.54	3/4	804.15	3/4	534.76	3/4	266.43	3/4	
6		6	2,145.49	6	1,876.10	6	1,606.71	6	1,337.32	6	1,067.93	6	798.54	6	529.15	6	260.95	6	
1/4		1/4	2,139.88	1/4	1,870.49	1/4	1,601.10	1/4	1,331.71	1/4	1,062.32	1/4	792.93	1/4	523.54	1/4	255.47	1/4	
1/2		1/2	2,134.27	1/2	1,864.88	1/2	1,595.49	1/2	1,326.10	1/2	1,056.71	1/2	787.32	1/2	517.93	1/2	249.99	1/2	
3/4		3/4	2,128.66	3/4	1,859.26	3/4	1,589.87	3/4	1,320.48	3/4	1,051.09	3/4	781.70	3/4	512.31	3/4	244.51	3/4	
7		7	2,123.04	7	1,853.65	7	1,584.26	7	1,314.87	7	1,045.48	7	776.09	7	506.70	7	239.03	7	
1/4		1/4	2,117.43	1/4	1,848.04	1/4	1,578.65	1/4	1,309.26	1/4	1,039.87	1/4	770.48	1/4	501.09	1/4	233.55	1/4	
1/2		1/2	2,111.82	1/2	1,842.43	1/2	1,573.04	1/2	1,303.65	1/2	1,034.26	1/2	764.87	1/2	495.48	1/2	228.07	1/2	
3/4		3/4	2,106.21	3/4	1,836.82	3/4	1,567.43	3/4	1,298.03	3/4	1,028.64	3/4	759.25	3/4	489.86	3/4	222.59	3/4	
8		8	2,100.59	8	1,831.20	8	1,561.81	8	1,292.42	8	1,023.03	8	753.64	8	484.25	8	217.11	8	
1/4		1/4	2,094.98	1/4	1,825.59	1/4	1,556.20	1/4	1,286.81	1/4	1,017.42	1/4	748.03	1/4	478.64	1/4	211.63	1/4	
1/2		1/2	2,089.37	1/2	1,819.98	1/2	1,550.59	1/2	1,281.20	1/2	1,011.81	1/2	742.42	1/2	473.03	1/2	206.14	1/2	
3/4		3/4	2,083.76	3/4	1,814.37	3/4	1,544.98	3/4	1,275.59	3/4	1,006.20	3/4	736.80	3/4	467.41	3/4	200.66	3/4	
9		9	2,078.14	9	1,808.75	9	1,539.36	9	1,269.97	9	1,000.58	9	731.19	9	461.80	9	195.18	9	
1/4		1/4	2,072.53	1/4	1,803.14	1/4	1,533.75	1/4	1,264.36	1/4	994.97	1/4	725.58	1/4	456.19	1/4	189.70	1/4	
1/2		1/2	2,066.92	1/2	1,797.53	1/2	1,528.14	1/2	1,258.75	1/2	989.36	1/2	719.97	1/2	450.58	1/2	184.22	1/2	
3/4		3/4	2,061.31	3/4	1,791.92	3/4	1,522.53	3/4	1,253.14	3/4	983.75	3/4	714.36	3/4	444.97	3/4	178.74	3/4	
10		10	2,055.70	10	1,786.31	10	1,516.91	10	1,247.52	10	978.13	10	708.74	10	439.35	10	173.26	10	
1/4		1/4	2,050.08	1/4	1,780.69	1/4	1,511.30	1/4	1,241.91	1/4	972.52	1/4	703.13	1/4	433.74	1/4	167.78	1/4	
1/2		1/2	2,044.47	1/2	1,775.08	1/2	1,505.69	1/2	1,236.30	1/2	966.91	1/2	697.52	1/2	428.13	1/2	162.31	1/2	
3/4		3/4	2,038.86	3/4	1,769.47	3/4	1,500.08	3/4	1,230.69	3/4	961.30	3/4	691.91	3/4	422.52	3/4	156.83	3/4	
11		11	2,033.25	11	1,763.86	11	1,494.47	11	1,225.08	11	955.68	11	686.29	11	416.90	11	151.36	11	
1/4		1/4	2,027.63	1/4	1,758.24	1/4	1,488.85	1/4	1,219.46	1/4	950.07	1/4	680.68	1/4	411.29	1/4	145.88	1/4	
1/2	2,278.65	1/2	2,022.02	1/2	1,752.63	1/2	1,483.24	1/2	1,213.85	1/2	944.46	1/2	675.07	1/2	405.68	1/2	140.41	1/2	
3/4	2,275.08	3/4	2,016.41	3/4	1,747.02	3/4	1,477.63	3/4	1,208.24	3/4	938.85	3/4	669.46	3/4	400.07	3/4	134.83	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF 2" HERMETIC CLOSED GAUGING VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-03" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

STRAPPED: 08/25/2014 SW

CALCULATED: 08/29/2014 CL

PRINTED: 08/29/2014 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 204"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 9'-06"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	2,275.27	0	2,018.79	0	1,749.72	0	1,480.52	0	1,211.31	0	942.10	0	672.89	0	403.82	0	140.32
1/4		1/4	2,271.70	1/4	2,013.19	1/4	1,744.12	1/4	1,474.91	1/4	1,205.70	1/4	936.49	1/4	667.28	1/4	398.23	1/4	134.74
1/2		1/2	2,268.13	1/2	2,007.58	1/2	1,738.51	1/2	1,469.30	1/2	1,200.09	1/2	930.88	1/2	661.67	1/2	392.64	1/2	129.16
3/4		3/4	2,264.56	3/4	2,001.97	3/4	1,732.90	3/4	1,463.69	3/4	1,194.48	3/4	925.27	3/4	656.07	3/4	387.05	3/4	123.58
1		1	2,260.99	1	1,996.36	1	1,727.29	1	1,458.08	1	1,188.87	1	919.67	1	650.46	1	381.46	1	118.01
1/4		1/4	2,256.41	1/4	1,990.75	1/4	1,721.68	1/4	1,452.47	1/4	1,183.27	1/4	914.06	1/4	644.85	1/4	375.87	1/4	112.44
1/2		1/2	2,251.82	1/2	1,985.14	1/2	1,716.07	1/2	1,446.86	1/2	1,177.66	1/2	908.45	1/2	639.24	1/2	370.28	1/2	106.88
3/4		3/4	2,247.23	3/4	1,979.53	3/4	1,710.46	3/4	1,441.26	3/4	1,172.05	3/4	902.84	3/4	633.63	3/4	364.69	3/4	101.31
2		2	2,242.64	2	1,973.92	2	1,704.86	2	1,435.65	2	1,166.44	2	897.23	2	628.02	2	359.09	2	95.75
1/4		1/4	2,237.16	1/4	1,968.32	1/4	1,699.25	1/4	1,430.04	1/4	1,160.83	1/4	891.62	1/4	622.42	1/4	353.53	1/4	90.21
1/2		1/2	2,231.68	1/2	1,962.72	1/2	1,693.64	1/2	1,424.43	1/2	1,155.22	1/2	886.01	1/2	616.81	1/2	347.97	1/2	84.67
3/4		3/4	2,226.20	3/4	1,957.12	3/4	1,688.03	3/4	1,418.82	3/4	1,149.61	3/4	880.41	3/4	611.20	3/4	342.41	3/4	79.13
3		3	2,220.71	3	1,951.52	3	1,682.42	3	1,413.21	3	1,144.01	3	874.80	3	605.59	3	336.85	3	73.59
1/4		1/4	2,215.11	1/4	1,945.92	1/4	1,676.81	1/4	1,407.61	1/4	1,138.40	1/4	869.19	1/4	599.98	1/4	331.29	1/4	68.17
1/2		1/2	2,209.50	1/2	1,940.32	1/2	1,671.20	1/2	1,402.00	1/2	1,132.79	1/2	863.58	1/2	594.37	1/2	325.73	1/2	62.75
3/4		3/4	2,203.89	3/4	1,934.73	3/4	1,665.60	3/4	1,396.39	3/4	1,127.18	3/4	857.97	3/4	588.76	3/4	320.17	3/4	57.33
4		4	2,198.28	4	1,929.13	4	1,659.99	4	1,390.78	4	1,121.57	4	852.36	4	583.16	4	314.60	4	51.91
1/4		1/4	2,192.67	1/4	1,923.53	1/4	1,654.38	1/4	1,385.17	1/4	1,115.96	1/4	846.76	1/4	577.55	1/4	309.11	1/4	47.33
1/2		1/2	2,187.06	1/2	1,917.93	1/2	1,648.77	1/2	1,379.56	1/2	1,110.35	1/2	841.15	1/2	571.94	1/2	303.61	1/2	42.76
3/4		3/4	2,181.45	3/4	1,912.33	3/4	1,643.16	3/4	1,373.95	3/4	1,104.75	3/4	835.54	3/4	566.33	3/4	298.11	3/4	38.18
5		5	2,175.84	5	1,906.73	5	1,637.55	5	1,368.35	5	1,099.14	5	829.93	5	560.72	5	292.62	5	33.61
1/4		1/4	2,170.23	1/4	1,901.13	1/4	1,631.95	1/4	1,362.74	1/4	1,093.53	1/4	824.32	1/4	555.11	1/4	287.18	1/4	30.05
1/2		1/2	2,164.63	1/2	1,895.53	1/2	1,626.34	1/2	1,357.13	1/2	1,087.92	1/2	818.71	1/2	549.50	1/2	281.74	1/2	26.50
3/4		3/4	2,159.02	3/4	1,889.93	3/4	1,620.73	3/4	1,351.52	3/4	1,082.31	3/4	813.10	3/4	543.90	3/4	276.30	3/4	22.94
6		6	2,153.41	6	1,884.33	6	1,615.12	6	1,345.91	6	1,076.70	6	807.50	6	538.29	6	270.86	6	19.39
1/4		1/4	2,147.80	1/4	1,878.72	1/4	1,609.51	1/4	1,340.30	1/4	1,071.10	1/4	801.89	1/4	532.68	1/4	265.42	1/4	
1/2		1/2	2,142.19	1/2	1,873.11	1/2	1,603.90	1/2	1,334.69	1/2	1,065.49	1/2	796.28	1/2	527.07	1/2	259.98	1/2	
3/4		3/4	2,136.58	3/4	1,867.50	3/4	1,598.29	3/4	1,329.09	3/4	1,059.88	3/4	790.67	3/4	521.46	3/4	254.54	3/4	
7		7	2,130.97	7	1,861.89	7	1,592.69	7	1,323.48	7	1,054.27	7	785.06	7	515.85	7	249.09	7	
1/4		1/4	2,125.36	1/4	1,856.29	1/4	1,587.08	1/4	1,317.87	1/4	1,048.66	1/4	779.45	1/4	510.25	1/4	243.65	1/4	
1/2		1/2	2,119.75	1/2	1,850.68	1/2	1,581.47	1/2	1,312.26	1/2	1,043.05	1/2	773.84	1/2	504.64	1/2	238.21	1/2	
3/4		3/4	2,114.15	3/4	1,845.07	3/4	1,575.86	3/4	1,306.65	3/4	1,037.44	3/4	768.24	3/4	499.03	3/4	232.77	3/4	
8		8	2,108.54	8	1,839.46	8	1,570.25	8	1,301.04	8	1,031.84	8	762.63	8	493.42	8	227.33	8	
1/4		1/4	2,102.93	1/4	1,833.85	1/4	1,564.64	1/4	1,295.44	1/4	1,026.23	1/4	757.02	1/4	487.81	1/4	221.89	1/4	
1/2		1/2	2,097.32	1/2	1,828.24	1/2	1,559.03	1/2	1,289.83	1/2	1,020.62	1/2	751.41	1/2	482.20	1/2	216.45	1/2	
3/4		3/4	2,091.71	3/4	1,822.63	3/4	1,553.43	3/4	1,284.22	3/4	1,015.01	3/4	745.80	3/4	476.59	3/4	211.01	3/4	
9		9	2,086.10	9	1,817.03	9	1,547.82	9	1,278.61	9	1,009.40	9	740.19	9	470.99	9	205.57	9	
1/4		1/4	2,080.49	1/4	1,811.42	1/4	1,542.21	1/4	1,273.00	1/4	1,003.79	1/4	734.59	1/4	465.38	1/4	200.13	1/4	
1/2		1/2	2,074.88	1/2	1,805.81	1/2	1,536.60	1/2	1,267.39	1/2	998.18	1/2	728.98	1/2	459.77	1/2	194.69	1/2	
3/4		3/4	2,069.27	3/4	1,800.20	3/4	1,530.99	3/4	1,261.78	3/4	992.58	3/4	723.37	3/4	454.16	3/4	189.25	3/4	
10		10	2,063.67	10	1,794.59	10	1,525.38	10	1,256.18	10	986.97	10	717.76	10	448.55	10	183.81	10	
1/4		1/4	2,058.06	1/4	1,788.98	1/4	1,519.78	1/4	1,250.57	1/4	981.36	1/4	712.15	1/4	442.96	1/4	178.37	1/4	
1/2		1/2	2,052.45	1/2	1,783.37	1/2	1,514.17	1/2	1,244.96	1/2	975.75	1/2	706.54	1/2	437.37	1/2	172.93	1/2	
3/4		3/4	2,046.84	3/4	1,777.77	3/4	1,508.56	3/4	1,239.35	3/4	970.14	3/4	700.93	3/4	431.78	3/4	167.50	3/4	
11		11	2,041.23	11	1,772.16	11	1,502.95	11	1,233.74	11	964.53	11	695.33	11	426.19	11	162.06	11	
1/4		1/4	2,035.62	1/4	1,766.55	1/4	1,497.34	1/4	1,228.13	1/4	958.93	1/4	689.72	1/4	420.60	1/4	156.62	1/4	
1/2		1/2	2,030.01	1/2	1,760.94	1/2	1,491.73	1/2	1,222.52	1/2	953.32	1/2	684.11	1/2	415.01	1/2	151.19	1/2	
3/4		3/4	2,024.40	3/4	1,755.33	3/4	1,486.12	3/4	1,216.92	3/4	947.71	3/4	678.50	3/4	409.41	3/4	145.76	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF 2" HERMETIC CLOSED GAUGING VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-03" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

STRAPPED: 08/25/2014 SW

CALCULATED: 08/29/2014 CL

PRINTED: 08/29/2014 SW

CANCELS AND SUPERCEDES

ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 204"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 9'-06"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	2,277.34	0	2,020.85	0	1,751.62	0	1,482.39	0	1,213.16	0	943.92	0	674.69	0	405.46	0	140.32
1/4		1/4	2,273.77	1/4	2,015.24	1/4	1,746.01	1/4	1,476.78	1/4	1,207.55	1/4	938.31	1/4	669.08	1/4	399.85	1/4	134.74
1/2		1/2	2,270.20	1/2	2,009.63	1/2	1,740.40	1/2	1,471.17	1/2	1,201.94	1/2	932.71	1/2	663.47	1/2	394.24	1/2	129.16
3/4		3/4	2,266.63	3/4	2,004.02	3/4	1,734.79	3/4	1,465.56	3/4	1,196.33	3/4	927.10	3/4	657.86	3/4	388.63	3/4	123.58
1		1	2,263.06	1	1,998.42	1	1,729.18	1	1,459.95	1	1,190.72	1	921.49	1	652.26	1	383.02	1	118.01
1/4		1/4	2,258.47	1/4	1,992.81	1/4	1,723.57	1/4	1,454.34	1/4	1,185.11	1/4	915.88	1/4	646.65	1/4	377.41	1/4	112.44
1/2		1/2	2,253.89	1/2	1,987.20	1/2	1,717.97	1/2	1,448.73	1/2	1,179.50	1/2	910.27	1/2	641.04	1/2	371.81	1/2	106.88
3/4		3/4	2,249.30	3/4	1,981.59	3/4	1,712.36	3/4	1,443.12	3/4	1,173.89	3/4	904.66	3/4	635.43	3/4	366.20	3/4	101.31
2		2	2,244.71	2	1,975.98	2	1,706.75	2	1,437.52	2	1,168.28	2	899.05	2	629.82	2	360.59	2	95.75
1/4		1/4	2,239.22	1/4	1,970.37	1/4	1,701.14	1/4	1,431.91	1/4	1,162.67	1/4	893.44	1/4	624.21	1/4	354.98	1/4	90.21
1/2		1/2	2,233.74	1/2	1,964.76	1/2	1,695.53	1/2	1,426.30	1/2	1,157.07	1/2	887.83	1/2	618.60	1/2	349.38	1/2	84.67
3/4		3/4	2,228.26	3/4	1,959.15	3/4	1,689.92	3/4	1,420.69	3/4	1,151.46	3/4	882.22	3/4	612.99	3/4	343.77	3/4	79.13
3		3	2,222.78	3	1,953.54	3	1,684.31	3	1,415.08	3	1,145.85	3	876.62	3	607.38	3	338.16	3	73.59
1/4		1/4	2,217.17	1/4	1,947.93	1/4	1,678.70	1/4	1,409.47	1/4	1,140.24	1/4	871.01	1/4	601.77	1/4	332.56	1/4	68.17
1/2		1/2	2,211.56	1/2	1,942.33	1/2	1,673.09	1/2	1,403.86	1/2	1,134.63	1/2	865.40	1/2	596.17	1/2	326.95	1/2	62.75
3/4		3/4	2,205.95	3/4	1,936.72	3/4	1,667.48	3/4	1,398.25	3/4	1,129.02	3/4	859.79	3/4	590.56	3/4	321.35	3/4	57.33
4		4	2,200.34	4	1,931.11	4	1,661.88	4	1,392.64	4	1,123.41	4	854.18	4	584.95	4	315.74	4	51.91
1/4		1/4	2,194.73	1/4	1,925.50	1/4	1,656.27	1/4	1,387.03	1/4	1,117.80	1/4	848.57	1/4	579.34	1/4	310.21	1/4	47.33
1/2		1/2	2,189.12	1/2	1,919.89	1/2	1,650.66	1/2	1,381.43	1/2	1,112.19	1/2	842.96	1/2	573.73	1/2	304.68	1/2	42.76
3/4		3/4	2,183.51	3/4	1,914.28	3/4	1,645.05	3/4	1,375.82	3/4	1,106.58	3/4	837.35	3/4	568.12	3/4	299.14	3/4	38.18
5		5	2,177.90	5	1,908.67	5	1,639.44	5	1,370.21	5	1,100.98	5	831.74	5	562.51	5	293.61	5	33.61
1/4		1/4	2,172.29	1/4	1,903.06	1/4	1,633.83	1/4	1,364.60	1/4	1,095.37	1/4	826.13	1/4	556.90	1/4	288.14	1/4	30.05
1/2		1/2	2,166.69	1/2	1,897.45	1/2	1,628.22	1/2	1,358.99	1/2	1,089.76	1/2	820.53	1/2	551.29	1/2	282.66	1/2	26.50
3/4		3/4	2,161.08	3/4	1,891.84	3/4	1,622.61	3/4	1,353.38	3/4	1,084.15	3/4	814.92	3/4	545.68	3/4	277.18	3/4	22.94
6		6	2,155.47	6	1,886.24	6	1,617.00	6	1,347.77	6	1,078.54	6	809.31	6	540.08	6	271.71	6	19.39
1/4		1/4	2,149.86	1/4	1,880.63	1/4	1,611.39	1/4	1,342.16	1/4	1,072.93	1/4	803.70	1/4	534.47	1/4	266.23	1/4	
1/2		1/2	2,144.25	1/2	1,875.02	1/2	1,605.79	1/2	1,336.55	1/2	1,067.32	1/2	798.09	1/2	528.86	1/2	260.76	1/2	
3/4		3/4	2,138.64	3/4	1,869.41	3/4	1,600.18	3/4	1,330.94	3/4	1,061.71	3/4	792.48	3/4	523.25	3/4	255.28	3/4	
7		7	2,133.03	7	1,863.80	7	1,594.57	7	1,325.34	7	1,056.10	7	786.87	7	517.64	7	249.81	7	
1/4		1/4	2,127.42	1/4	1,858.19	1/4	1,588.96	1/4	1,319.73	1/4	1,050.49	1/4	781.26	1/4	512.03	1/4	244.33	1/4	
1/2		1/2	2,121.81	1/2	1,852.58	1/2	1,583.35	1/2	1,314.12	1/2	1,044.89	1/2	775.65	1/2	506.42	1/2	238.85	1/2	
3/4		3/4	2,116.20	3/4	1,846.97	3/4	1,577.74	3/4	1,308.51	3/4	1,039.28	3/4	770.04	3/4	500.81	3/4	233.38	3/4	
8		8	2,110.60	8	1,841.36	8	1,572.13	8	1,302.90	8	1,033.67	8	764.44	8	495.20	8	227.90	8	
1/4		1/4	2,104.99	1/4	1,835.75	1/4	1,566.52	1/4	1,297.29	1/4	1,028.06	1/4	758.83	1/4	489.59	1/4	222.43	1/4	
1/2		1/2	2,099.38	1/2	1,830.15	1/2	1,560.91	1/2	1,291.68	1/2	1,022.45	1/2	753.22	1/2	483.99	1/2	216.95	1/2	
3/4		3/4	2,093.77	3/4	1,824.54	3/4	1,555.30	3/4	1,286.07	3/4	1,016.84	3/4	747.61	3/4	478.38	3/4	211.47	3/4	
9		9	2,088.16	9	1,818.93	9	1,549.70	9	1,280.46	9	1,011.23	9	742.00	9	472.77	9	206.00	9	
1/4		1/4	2,082.55	1/4	1,813.32	1/4	1,544.09	1/4	1,274.85	1/4	1,005.62	1/4	736.39	1/4	467.16	1/4	200.52	1/4	
1/2		1/2	2,076.94	1/2	1,807.71	1/2	1,538.48	1/2	1,269.25	1/2	1,000.01	1/2	730.78	1/2	461.55	1/2	195.05	1/2	
3/4		3/4	2,071.33	3/4	1,802.10	3/4	1,532.87	3/4	1,263.64	3/4	994.40	3/4	725.17	3/4	455.94	3/4	189.57	3/4	
10		10	2,065.72	10	1,796.49	10	1,527.26	10	1,258.03	10	988.80	10	719.56	10	450.33	10	184.10	10	
1/4		1/4	2,060.11	1/4	1,790.88	1/4	1,521.65	1/4	1,252.42	1/4	983.19	1/4	713.95	1/4	444.72	1/4	178.62	1/4	
1/2		1/2	2,054.51	1/2	1,785.27	1/2	1,516.04	1/2	1,246.81	1/2	977.58	1/2	708.35	1/2	439.11	1/2	173.15	1/2	
3/4		3/4	2,048.90	3/4	1,779.66	3/4	1,510.43	3/4	1,241.20	3/4	971.97	3/4	702.74	3/4	433.50	3/4	167.67	3/4	
11		11	2,043.29	11	1,774.06	11	1,504.82	11	1,235.59	11	966.36	11	697.13	11	427.90	11	162.20	11	
1/4		1/4	2,037.68	1/4	1,768.45	1/4	1,499.21	1/4	1,229.98	1/4	960.75	1/4	691.52	1/4	422.29	1/4	156.73	1/4	
1/2		1/2	2,032.07	1/2	1,762.84	1/2	1,493.61	1/2	1,224.37	1/2	955.14	1/2	685.91	1/2	416.68	1/2	151.26	1/2	
3/4		3/4	2,026.46	3/4	1,757.23	3/4	1,488.00	3/4	1,218.76	3/4	949.53	3/4	680.30	3/4	411.07	3/4	145.79	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF 2" HERMETIC CLOSED GAUGING VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-03" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

STRAPPED: 08/25/2014 SW

CALCULATED: 08/29/2014 CL

PRINTED: 08/29/2014 SW

CANCELS AND SUPERCEDES

ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>