



BARGE "EBL 2976"

ULLAGE TRIM TABLE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-3/4	00-3/4
1 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8
2 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4
2 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4
3 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-3/4	00-3/4
3 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-3/4	00-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/4"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

May 22, 2023

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "EBL 2976"

AFT SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 05/12/2015 CL
CALCULATED: 05/12/2015 CL
PRINTED: 05/13/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2976"

AFT SLOP TANK ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 05/12/2015 CL
CALCULATED: 05/12/2015 CL
PRINTED: 05/13/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2976"

FUEL TANK ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-09"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE.

STRAPPED: 05/12/2015 CL
 CALCULATED: 05/12/2015 CL
 PRINTED: 05/13/2015 JS

CANCELS AND SUPERCEDES
 ALL PRIOR TO 05/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "EBL 2976"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-09"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE.

STRAPPED: 05/12/2015 CL
 CALCULATED: 05/12/2015 CL
 PRINTED: 05/13/2015 JS

CANCELS AND SUPERCEDES
 ALL PRIOR TO 05/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2976"

FWD SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 05/12/2015 CL
CALCULATED: 05/12/2015 CL
PRINTED: 05/13/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2976"

FWD SLOP TANK ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 05/12/2015 CL
CALCULATED: 05/12/2015 CL
PRINTED: 05/13/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>