

## KIRBY INLAND MARINE, LP MAINTENANCE DEPARTMENT 18350 MARKET ST. CHANNELVIEW, TX 77530

OFFICE (713) 435-1730

FAX (713) 435-1714

## **VAPOR TIGHTNESS TEST**

Note: Test Results are Valid for (1) One Year from Date of Test!	
	st Date: <u>7-10-24</u>
Testing Location:     HFL Flut Nushalla TN   Maximum Load Rate: (BPH)   5040    Tanks Tested:   Pressure Indicator:   Certiful garge	
Tanks Tested: Pre	essure Indicator: Certified garge
TEST RESULTS	
Test Duration: 30 Minutes Beginning Pressure:	Inches H20
Ending Pressure:	27.5 Inches H20
Total Pressure Loss:	5 Inches H20
Allowable Pressure Lo	oss: Inches H20
Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss" This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight.	
Beau Richard	Xon Butcher
Tester: (Print)	Witness: "(Print)
May MO	Xer Ram
Tester: (Signature)	Witness: (Signature)
	Kerby
	Affiliation of Witness:
(P1) - Beginning Pressure	(P2) - Ending Pressure
(Delta P) - Total Pressure Loss	(Delta PM) - Allowable Pressure Loss
(TP) - 14.7 <u>plus</u> Barge Test Pressure in PSI	(L) - Maximum Load Rate in BPH
(V) - Volume of Tank (s)	(Delta T) = Test Duration
.861 - PIA @ (P1)	
.861 x 16.7 x ( 5000 (L)	$(V) = \frac{29,069}{(V)} = \frac{2.47}{(Delta PM)}$