



BARGE "EBL 2985"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
1 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
2 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
2 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
3 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
3 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 5'-00"
 DIFF. = 3'-00" (DOWN BY STERN)

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00 1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/4"

LENGTH BETWEEN DRAFT MARKS: 237'-07"

February 10, 2022

**PRECISION MEASUREMENT
& ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "EBL 2985"

1 PORT
ULLAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-11"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,440.44	0	2,083.32	0	1,726.20	0	1,369.08	0	1,011.96	0	654.84	0	298.60	0		0		0	
1/4	2,433.00	1/4	2,075.88	1/4	1,718.76	1/4	1,361.64	1/4	1,004.52	1/4	647.40	1/4	291.39	1/4	1/4	1/4		1/4	
1/2	2,425.56	1/2	2,068.44	1/2	1,711.32	1/2	1,354.20	1/2	997.08	1/2	639.96	1/2	284.19	1/2	1/2	1/2		1/2	
3/4	2,418.12	3/4	2,061.00	3/4	1,703.88	3/4	1,346.76	3/4	989.64	3/4	632.52	3/4	277.08	3/4	3/4	3/4		3/4	
1	2,410.68	1	2,053.56	1	1,696.44	1	1,339.32	1	982.20	1	625.08	1	269.98	1	1	1		1	
1/4	2,403.24	1/4	2,046.12	1/4	1,689.00	1/4	1,331.88	1/4	974.76	1/4	617.64	1/4	262.87	1/4	1/4	1/4		1/4	
1/2	2,395.80	1/2	2,038.68	1/2	1,681.56	1/2	1,324.44	1/2	967.32	1/2	610.20	1/2	255.76	1/2	1/2	1/2		1/2	
3/4	2,388.36	3/4	2,031.24	3/4	1,674.12	3/4	1,317.00	3/4	959.88	3/4	602.76	3/4	248.68	3/4	3/4	3/4		3/4	
2	2,380.92	2	2,023.80	2	1,666.68	2	1,309.56	2	952.44	2	595.32	2	241.61	2	2	2		2	
1/4	2,373.48	1/4	2,016.36	1/4	1,659.24	1/4	1,302.12	1/4	945.00	1/4	587.88	1/4	234.53	1/4	1/4	1/4		1/4	
1/2	2,366.04	1/2	2,008.92	1/2	1,651.80	1/2	1,294.68	1/2	937.56	1/2	580.44	1/2	227.45	1/2	1/2	1/2		1/2	
3/4	2,358.60	3/4	2,001.48	3/4	1,644.36	3/4	1,287.24	3/4	930.12	3/4	573.00	3/4	220.47	3/4	3/4	3/4		3/4	
3	2,351.16	3	1,994.04	3	1,636.92	3	1,279.80	3	922.68	3	565.56	3	213.49	3	3	3		3	
1/4	2,343.72	1/4	1,986.60	1/4	1,629.48	1/4	1,272.36	1/4	915.24	1/4	558.12	1/4	206.50	1/4	1/4	1/4		1/4	
1/2	2,336.28	1/2	1,979.16	1/2	1,622.04	1/2	1,264.92	1/2	907.80	1/2	550.68	1/2	199.52	1/2	1/2	1/2		1/2	
3/4	2,328.84	3/4	1,971.72	3/4	1,614.60	3/4	1,257.48	3/4	900.36	3/4	543.24	3/4	192.57	3/4	3/4	3/4		3/4	
4	2,321.40	4	1,964.28	4	1,607.16	4	1,250.04	4	892.92	4	535.80	4	185.62	4	4	4		4	
1/4	2,313.96	1/4	1,956.84	1/4	1,599.72	1/4	1,242.60	1/4	885.48	1/4	528.36	1/4	178.66	1/4	1/4	1/4		1/4	
1/2	2,306.52	1/2	1,949.40	1/2	1,592.28	1/2	1,235.16	1/2	878.04	1/2	520.92	1/2	171.71	1/2	1/2	1/2		1/2	
3/4	2,299.08	3/4	1,941.96	3/4	1,584.84	3/4	1,227.72	3/4	870.60	3/4	513.38	3/4	165.03	3/4	3/4	3/4		3/4	
5	2,291.64	5	1,934.52	5	1,577.40	5	1,220.28	5	863.16	5	505.84	5	158.36	5	5	5		5	
1/4	2,284.20	1/4	1,927.08	1/4	1,569.96	1/4	1,212.84	1/4	855.72	1/4	498.29	1/4	151.68	1/4	1/4	1/4		1/4	
1/2	2,276.76	1/2	1,919.64	1/2	1,562.52	1/2	1,205.40	1/2	848.28	1/2	490.75	1/2	145.00	1/2	1/2	1/2		1/2	
3/4	2,269.32	3/4	1,912.20	3/4	1,555.08	3/4	1,197.96	3/4	840.84	3/4	483.17	3/4	138.42	3/4	3/4	3/4		3/4	
6	2,261.88	6	1,904.76	6	1,547.64	6	1,190.52	6	833.40	6	475.59	6	131.83	6	6	6		6	
1/4	2,254.44	1/4	1,897.32	1/4	1,540.20	1/4	1,183.08	1/4	825.96	1/4	468.01	1/4	125.25	1/4	1/4	1/4		1/4	
1/2	2,247.00	1/2	1,889.88	1/2	1,532.76	1/2	1,175.64	1/2	818.52	1/2	460.43	1/2	118.66	1/2	1/2	1/2		1/2	
3/4	2,239.56	3/4	1,882.44	3/4	1,525.32	3/4	1,168.20	3/4	811.08	3/4	452.95	3/4	112.17	3/4	3/4	3/4		3/4	
7	2,232.12	7	1,875.00	7	1,517.88	7	1,160.76	7	803.64	7	445.47	7	105.67	7	7	7		7	
1/4	2,224.68	1/4	1,867.56	1/4	1,510.44	1/4	1,153.32	1/4	796.20	1/4	437.98	1/4	99.18	1/4	1/4	1/4		1/4	
1/2	2,217.24	1/2	1,860.12	1/2	1,503.00	1/2	1,145.88	1/2	788.76	1/2	430.50	1/2	92.68	1/2	1/2	1/2		1/2	
3/4	2,209.80	3/4	1,852.68	3/4	1,495.56	3/4	1,138.44	3/4	781.32	3/4	423.05	3/4	86.22	3/4	3/4	3/4		3/4	
8	2,202.36	8	1,845.24	8	1,488.12	8	1,131.00	8	773.88	8	415.60	8	79.75	8	8	8		8	
1/4	2,194.92	1/4	1,837.80	1/4	1,480.68	1/4	1,123.56	1/4	766.44	1/4	408.14	1/4	73.29	1/4	1/4	1/4		1/4	
1/2	2,187.48	1/2	1,830.36	1/2	1,473.24	1/2	1,116.12	1/2	759.00	1/2	400.69	1/2	66.82	1/2	1/2	1/2		1/2	
3/4	2,180.04	3/4	1,822.92	3/4	1,465.80	3/4	1,108.68	3/4	751.56	3/4	393.33	3/4	60.56	3/4	3/4	3/4		3/4	
9	2,172.60	9	1,815.48	9	1,458.36	9	1,101.24	9	744.12	9	385.98	9	54.30	9	9	9		9	
1/4	2,165.16	1/4	1,808.04	1/4	1,450.92	1/4	1,093.80	1/4	736.68	1/4	378.62	1/4	48.04	1/4	1/4	1/4		1/4	
1/2	2,157.72	1/2	1,800.60	1/2	1,443.48	1/2	1,086.36	1/2	729.24	1/2	371.26	1/2	41.78	1/2	1/2	1/2		1/2	
3/4	2,150.28	3/4	1,793.16	3/4	1,436.04	3/4	1,078.92	3/4	721.80	3/4	363.93	3/4	36.84	3/4	3/4	3/4		3/4	
10	2,142.84	10	1,785.72	10	1,428.60	10	1,071.48	10	714.36	10	356.60	10	31.91	10	10	10		10	
1/4	2,135.40	1/4	1,778.28	1/4	1,421.16	1/4	1,064.04	1/4	706.92	1/4	349.27	1/4	26.97	1/4	1/4	1/4		1/4	
1/2	2,127.96	1/2	1,770.84	1/2	1,413.72	1/2	1,056.60	1/2	699.48	1/2	341.94	1/2	22.03	1/2	1/2	1/2		1/2	
3/4	2,120.52	3/4	1,763.40	3/4	1,406.28	3/4	1,049.16	3/4	692.04	3/4	334.71	3/4	18.62	3/4	3/4	3/4		3/4	
11	2,113.08	11	1,755.96	11	1,398.84	11	1,041.72	11	684.60	11	327.47	11	15.22	11	11	11		11	
1/4	2,105.64	1/4	1,748.52	1/4	1,391.40	1/4	1,034.28	1/4	677.16	1/4	320.24	1/4		1/4	1/4	1/4		1/4	
1/2	2,098.20	1/2	1,741.08	1/2	1,383.96	1/2	1,026.84	1/2	669.72	1/2	313.00	1/2		1/2	1/2	1/2		1/2	
3/4	2,090.76	3/4	1,733.64	3/4	1,376.52	3/4	1,019.40	3/4	662.28	3/4	305.80	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/04/2012 INS
 RECALCULATED: 02/10/2022 CL
 REPRINTED: 02/10/2022 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 02/2022

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

1 STBD

ULLAGE TABLE HERMETIC

GAUGE HEIGHT 16'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,433.00	0	2,075.88	0	1,718.76	0	1,361.64	0	1,004.52	0	647.40	0	291.39	0		0		0	
1/4	2,425.56	1/4	2,068.44	1/4	1,711.32	1/4	1,354.20	1/4	997.08	1/4	639.96	1/4	284.19	1/4		1/4		1/4	
1/2	2,418.12	1/2	2,061.00	1/2	1,703.88	1/2	1,346.76	1/2	989.64	1/2	632.52	1/2	277.08	1/2		1/2		1/2	
3/4	2,410.68	3/4	2,053.56	3/4	1,696.44	3/4	1,339.32	3/4	982.20	3/4	625.08	3/4	269.98	3/4		3/4		3/4	
1	2,403.24	1	2,046.12	1	1,689.00	1	1,331.88	1	974.76	1	617.64	1	262.87	1		1		1	
1/4	2,395.80	1/4	2,038.68	1/4	1,681.56	1/4	1,324.44	1/4	967.32	1/4	610.20	1/4	255.76	1/4		1/4		1/4	
1/2	2,388.36	1/2	2,031.24	1/2	1,674.12	1/2	1,317.00	1/2	959.88	1/2	602.76	1/2	248.68	1/2		1/2		1/2	
3/4	2,380.92	3/4	2,023.80	3/4	1,666.68	3/4	1,309.56	3/4	952.44	3/4	595.32	3/4	241.61	3/4		3/4		3/4	
2	2,373.48	2	2,016.36	2	1,659.24	2	1,302.12	2	945.00	2	587.88	2	234.53	2		2		2	
1/4	2,366.04	1/4	2,008.92	1/4	1,651.80	1/4	1,294.68	1/4	937.56	1/4	580.44	1/4	227.45	1/4		1/4		1/4	
1/2	2,358.60	1/2	2,001.48	1/2	1,644.36	1/2	1,287.24	1/2	930.12	1/2	573.00	1/2	220.47	1/2		1/2		1/2	
3/4	2,351.16	3/4	1,994.04	3/4	1,636.92	3/4	1,279.80	3/4	922.68	3/4	565.56	3/4	213.49	3/4		3/4		3/4	
3	2,343.72	3	1,986.60	3	1,629.48	3	1,272.36	3	915.24	3	558.12	3	206.50	3		3		3	
1/4	2,336.28	1/4	1,979.16	1/4	1,622.04	1/4	1,264.92	1/4	907.80	1/4	550.68	1/4	199.52	1/4		1/4		1/4	
1/2	2,328.84	1/2	1,971.72	1/2	1,614.60	1/2	1,257.48	1/2	900.36	1/2	543.24	1/2	192.57	1/2		1/2		1/2	
3/4	2,321.40	3/4	1,964.28	3/4	1,607.16	3/4	1,250.04	3/4	892.92	3/4	535.80	3/4	185.62	3/4		3/4		3/4	
4	2,313.96	4	1,956.84	4	1,599.72	4	1,242.60	4	885.48	4	528.36	4	178.66	4		4		4	
1/4	2,306.52	1/4	1,949.40	1/4	1,592.28	1/4	1,235.16	1/4	878.04	1/4	520.92	1/4	171.71	1/4		1/4		1/4	
1/2	2,299.08	1/2	1,941.96	1/2	1,584.84	1/2	1,227.72	1/2	870.60	1/2	513.38	1/2	165.03	1/2		1/2		1/2	
3/4	2,291.64	3/4	1,934.52	3/4	1,577.40	3/4	1,220.28	3/4	863.16	3/4	505.84	3/4	158.36	3/4		3/4		3/4	
5	2,284.20	5	1,927.08	5	1,569.96	5	1,212.84	5	855.72	5	498.29	5	151.68	5		5		5	
1/4	2,276.76	1/4	1,919.64	1/4	1,562.52	1/4	1,205.40	1/4	848.28	1/4	490.75	1/4	145.00	1/4		1/4		1/4	
1/2	2,269.32	1/2	1,912.20	1/2	1,555.08	1/2	1,197.96	1/2	840.84	1/2	483.17	1/2	138.42	1/2		1/2		1/2	
3/4	2,261.88	3/4	1,904.76	3/4	1,547.64	3/4	1,190.52	3/4	833.40	3/4	475.59	3/4	131.83	3/4		3/4		3/4	
6	2,254.44	6	1,897.32	6	1,540.20	6	1,183.08	6	825.96	6	468.01	6	125.25	6		6		6	
1/4	2,247.00	1/4	1,889.88	1/4	1,532.76	1/4	1,175.64	1/4	818.52	1/4	460.43	1/4	118.66	1/4		1/4		1/4	
1/2	2,239.56	1/2	1,882.44	1/2	1,525.32	1/2	1,168.20	1/2	811.08	1/2	452.95	1/2	112.17	1/2		1/2		1/2	
3/4	2,232.12	3/4	1,875.00	3/4	1,517.88	3/4	1,160.76	3/4	803.64	3/4	445.47	3/4	105.67	3/4		3/4		3/4	
7	2,224.68	7	1,867.56	7	1,510.44	7	1,153.32	7	796.20	7	437.98	7	99.18	7		7		7	
1/4	2,217.24	1/4	1,860.12	1/4	1,503.00	1/4	1,145.88	1/4	788.76	1/4	430.50	1/4	92.68	1/4		1/4		1/4	
1/2	2,209.80	1/2	1,852.68	1/2	1,495.56	1/2	1,138.44	1/2	781.32	1/2	423.05	1/2	86.22	1/2		1/2		1/2	
3/4	2,202.36	3/4	1,845.24	3/4	1,488.12	3/4	1,131.00	3/4	773.88	3/4	415.60	3/4	79.75	3/4		3/4		3/4	
8	2,194.92	8	1,837.80	8	1,480.68	8	1,123.56	8	766.44	8	408.14	8	73.29	8		8		8	
1/4	2,187.48	1/4	1,830.36	1/4	1,473.24	1/4	1,116.12	1/4	759.00	1/4	400.69	1/4	66.82	1/4		1/4		1/4	
1/2	2,180.04	1/2	1,822.92	1/2	1,465.80	1/2	1,108.68	1/2	751.56	1/2	393.33	1/2	60.56	1/2		1/2		1/2	
3/4	2,172.60	3/4	1,815.48	3/4	1,458.36	3/4	1,101.24	3/4	744.12	3/4	385.98	3/4	54.30	3/4		3/4		3/4	
9	2,165.16	9	1,808.04	9	1,450.92	9	1,093.80	9	736.68	9	378.62	9	48.04	9		9		9	
1/4	2,157.72	1/4	1,800.60	1/4	1,443.48	1/4	1,086.36	1/4	729.24	1/4	371.26	1/4	41.78	1/4		1/4		1/4	
1/2	2,150.28	1/2	1,793.16	1/2	1,436.04	1/2	1,078.92	1/2	721.80	1/2	363.93	1/2	36.84	1/2		1/2		1/2	
3/4	2,142.84	3/4	1,785.72	3/4	1,428.60	3/4	1,071.48	3/4	714.36	3/4	356.60	3/4	31.91	3/4		3/4		3/4	
10	2,135.40	10	1,778.28	10	1,421.16	10	1,064.04	10	706.92	10	349.27	10	26.97	10		10		10	
1/4	2,127.96	1/4	1,770.84	1/4	1,413.72	1/4	1,056.60	1/4	699.48	1/4	341.94	1/4	22.03	1/4		1/4		1/4	
1/2	2,120.52	1/2	1,763.40	1/2	1,406.28	1/2	1,049.16	1/2	692.04	1/2	334.71	1/2	18.62	1/2		1/2		1/2	
3/4	2,113.08	3/4	1,755.96	3/4	1,398.84	3/4	1,041.72	3/4	684.60	3/4	327.47	3/4	15.22	3/4		3/4		3/4	
11	2,105.64	11	1,748.52	11	1,391.40	11	1,034.28	11	677.16	11	320.24	11		11		11		11	
1/4	2,098.20	1/4	1,741.08	1/4	1,383.96	1/4	1,026.84	1/4	669.72	1/4	313.00	1/4		1/4		1/4		1/4	
1/2	2,090.76	1/2	1,733.64	1/2	1,376.52	1/2	1,019.40	1/2	662.28	1/2	305.80	1/2		1/2		1/2		1/2	
3/4	2,083.32	3/4	1,726.20	3/4	1,369.08	3/4	1,011.96	3/4	654.84	3/4	298.60	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/04/2012 INS
RECALCULATED: 02/10/2022 CL
REPRINTED: 02/10/2022 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2022

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

2 PORT ULLAGE TABLE

HERMETIC

GAUGE HEIGHT 16'-11 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
12		12		12		12		12		12		12		12		12		12	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH HERMETIC DEVICE.

GAUGE POINT: (HERMETIC) LOCATED 12'-09" OFF CENTERLINE AND 40'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

2 STBD

ULLAGE TABLE
HERMETIC

GAUGE HEIGHT 16'-10 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,471.41	0	2,111.02	0	1,750.64	0	1,390.25	0	1,029.87	0	669.49	0	309.10	0		0		0	
1/4	2,463.90	1/4	2,103.51	1/4	1,743.13	1/4	1,382.74	1/4	1,022.36	1/4	661.98	1/4	301.59	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,456.39	1/2	2,096.00	1/2	1,735.62	1/2	1,375.23	1/2	1,014.85	1/2	654.47	1/2	294.08	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,448.88	3/4	2,088.49	3/4	1,728.11	3/4	1,367.72	3/4	1,007.34	3/4	646.96	3/4	286.57	3/4	3/4	3/4	3/4	3/4	3/4
1	2,441.37	1	2,080.99	1	1,720.61	1	1,360.22	1	999.84	1	639.45	1	279.07	1	1	1	1	1	1
1/4	2,433.86	1/4	2,073.48	1/4	1,713.10	1/4	1,352.71	1/4	992.33	1/4	631.94	1/4	271.56	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,426.35	1/2	2,065.97	1/2	1,705.59	1/2	1,345.20	1/2	984.82	1/2	624.43	1/2	264.05	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,418.84	3/4	2,058.46	3/4	1,698.08	3/4	1,337.69	3/4	977.31	3/4	616.92	3/4	256.54	3/4	3/4	3/4	3/4	3/4	3/4
2	2,411.34	2	2,050.96	2	1,690.57	2	1,330.19	2	969.81	2	609.42	2	249.04	2	2	2	2	2	2
1/4	2,403.83	1/4	2,043.45	1/4	1,683.06	1/4	1,322.68	1/4	962.30	1/4	601.91	1/4	241.53	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,396.32	1/2	2,035.94	1/2	1,675.55	1/2	1,315.17	1/2	954.79	1/2	594.40	1/2	234.02	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,388.81	3/4	2,028.43	3/4	1,668.04	3/4	1,307.66	3/4	947.28	3/4	586.89	3/4	226.51	3/4	3/4	3/4	3/4	3/4	3/4
3	2,381.31	3	2,020.93	3	1,660.54	3	1,300.16	3	939.77	3	579.39	3	219.01	3	3	3	3	3	3
1/4	2,373.80	1/4	2,013.42	1/4	1,653.03	1/4	1,292.65	1/4	932.26	1/4	571.88	1/4	211.50	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,366.29	1/2	2,005.91	1/2	1,645.52	1/2	1,285.14	1/2	924.75	1/2	564.37	1/2	203.99	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,358.78	3/4	1,998.40	3/4	1,638.01	3/4	1,277.63	3/4	917.24	3/4	556.86	3/4	196.48	3/4	3/4	3/4	3/4	3/4	3/4
4	2,351.28	4	1,990.89	4	1,630.51	4	1,270.13	4	909.74	4	549.36	4	188.97	4	4	4	4	4	4
1/4	2,343.77	1/4	1,983.38	1/4	1,623.00	1/4	1,262.62	1/4	902.23	1/4	541.85	1/4	181.46	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,336.26	1/2	1,975.87	1/2	1,615.49	1/2	1,255.11	1/2	894.72	1/2	534.34	1/2	174.38	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,328.75	3/4	1,968.36	3/4	1,607.98	3/4	1,247.60	3/4	887.21	3/4	526.83	3/4	167.30	3/4	3/4	3/4	3/4	3/4	3/4
5	2,321.25	5	1,960.86	5	1,600.48	5	1,240.09	5	879.71	5	519.33	5	160.23	5	5	5	5	5	5
1/4	2,313.74	1/4	1,953.35	1/4	1,592.97	1/4	1,232.58	1/4	872.20	1/4	511.82	1/4	153.15	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,306.23	1/2	1,945.84	1/2	1,585.46	1/2	1,225.07	1/2	864.69	1/2	504.31	1/2	146.22	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,298.72	3/4	1,938.33	3/4	1,577.95	3/4	1,217.56	3/4	857.18	3/4	496.80	3/4	139.28	3/4	3/4	3/4	3/4	3/4	3/4
6	2,291.21	6	1,930.83	6	1,570.45	6	1,210.06	6	849.68	6	489.29	6	132.35	6	6	6	6	6	6
1/4	2,283.70	1/4	1,923.32	1/4	1,562.94	1/4	1,202.55	1/4	842.17	1/4	481.78	1/4	125.42	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,276.19	1/2	1,915.81	1/2	1,555.43	1/2	1,195.04	1/2	834.66	1/2	474.27	1/2	118.48	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,268.68	3/4	1,908.30	3/4	1,547.92	3/4	1,187.53	3/4	827.15	3/4	466.76	3/4	111.55	3/4	3/4	3/4	3/4	3/4	3/4
7	2,261.18	7	1,900.80	7	1,540.41	7	1,180.03	7	819.65	7	459.26	7	104.61	7	7	7	7	7	7
1/4	2,253.67	1/4	1,893.29	1/4	1,532.90	1/4	1,172.52	1/4	812.14	1/4	451.75	1/4	97.68	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,246.16	1/2	1,885.78	1/2	1,525.39	1/2	1,165.01	1/2	804.63	1/2	444.24	1/2	90.75	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,238.65	3/4	1,878.27	3/4	1,517.88	3/4	1,157.50	3/4	797.12	3/4	436.73	3/4	83.81	3/4	3/4	3/4	3/4	3/4	3/4
8	2,231.15	8	1,870.77	8	1,510.38	8	1,150.00	8	789.61	8	429.23	8	76.88	8	8	8	8	8	8
1/4	2,223.64	1/4	1,863.26	1/4	1,502.87	1/4	1,142.49	1/4	782.10	1/4	421.72	1/4	69.95	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,216.13	1/2	1,855.75	1/2	1,495.36	1/2	1,134.98	1/2	774.59	1/2	414.21	1/2	63.14	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,208.62	3/4	1,848.24	3/4	1,487.85	3/4	1,127.47	3/4	767.08	3/4	406.70	3/4	56.33	3/4	3/4	3/4	3/4	3/4	3/4
9	2,201.12	9	1,840.73	9	1,480.35	9	1,119.97	9	759.58	9	399.20	9	49.52	9	9	9	9	9	9
1/4	2,193.61	1/4	1,833.22	1/4	1,472.84	1/4	1,112.46	1/4	752.07	1/4	391.69	1/4	42.71	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,186.10	1/2	1,825.71	1/2	1,465.33	1/2	1,104.95	1/2	744.56	1/2	384.18	1/2	37.43	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,178.59	3/4	1,818.20	3/4	1,457.82	3/4	1,097.44	3/4	737.05	3/4	376.67	3/4	32.15	3/4	3/4	3/4	3/4	3/4	3/4
10	2,171.09	10	1,810.70	10	1,450.32	10	1,089.93	10	729.55	10	369.17	10	26.87	10	10	10	10	10	10
1/4	2,163.58	1/4	1,803.19	1/4	1,442.81	1/4	1,082.42	1/4	722.04	1/4	361.66	1/4	21.59	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,156.07	1/2	1,795.68	1/2	1,435.30	1/2	1,074.91	1/2	714.53	1/2	354.15	1/2	18.06	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,148.56	3/4	1,788.17	3/4	1,427.79	3/4	1,067.40	3/4	707.02	3/4	346.64	3/4	14.52	3/4	3/4	3/4	3/4	3/4	3/4
11	2,141.05	11	1,780.67	11	1,420.29	11	1,059.90	11	699.52	11	339.13	11		11	11	11	11	11	11
1/4	2,133.54	1/4	1,773.16	1/4	1,412.78	1/4	1,052.39	1/4	692.01	1/4	331.62	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,126.03	1/2	1,765.65	1/2	1,405.27	1/2	1,044.88	1/2	684.50	1/2	324.11	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,118.52	3/4	1,758.14	3/4	1,397.76	3/4	1,037.37	3/4	676.99	3/4	316.60	3/4		3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/04/2012 INS
RECALCULATED: 02/10/2022 CL
REPRINTED: 02/10/2022 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2022

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

3 PORT ULLAGE TABLE HERMETIC GAUGE HEIGHT 16'-11"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,511.98	0	2,148.58	0	1,785.17	0	1,421.76	0	1,058.35	0	694.67	0	329.54	0		0		0	
1/4	2,504.41	1/4	2,141.01	1/4	1,777.60	1/4	1,414.19	1/4	1,050.78	1/4	687.10	1/4	321.93	1/4		1/4		1/4	
1/2	2,496.84	1/2	2,133.44	1/2	1,770.03	1/2	1,406.62	1/2	1,043.21	1/2	679.52	1/2	314.32	1/2		1/2		1/2	
3/4	2,489.27	3/4	2,125.87	3/4	1,762.46	3/4	1,399.05	3/4	1,035.63	3/4	671.92	3/4	306.71	3/4		3/4		3/4	
1	2,481.70	1	2,118.29	1	1,754.88	1	1,391.48	1	1,028.06	1	664.32	1	299.10	1		1		1	
1/4	2,474.13	1/4	2,110.72	1/4	1,747.31	1/4	1,383.91	1/4	1,020.48	1/4	656.72	1/4	291.50	1/4		1/4		1/4	
1/2	2,466.56	1/2	2,103.15	1/2	1,739.74	1/2	1,376.34	1/2	1,012.91	1/2	649.12	1/2	283.89	1/2		1/2		1/2	
3/4	2,458.99	3/4	2,095.58	3/4	1,732.17	3/4	1,368.77	3/4	1,005.33	3/4	641.51	3/4	276.28	3/4		3/4		3/4	
2	2,451.42	2	2,088.01	2	1,724.60	2	1,361.19	2	997.75	2	633.90	2	268.67	2		2		2	
1/4	2,443.85	1/4	2,080.44	1/4	1,717.03	1/4	1,353.62	1/4	990.18	1/4	626.29	1/4	261.06	1/4		1/4		1/4	
1/2	2,436.28	1/2	2,072.87	1/2	1,709.46	1/2	1,346.05	1/2	982.60	1/2	618.68	1/2	253.45	1/2		1/2		1/2	
3/4	2,428.71	3/4	2,065.30	3/4	1,701.89	3/4	1,338.48	3/4	975.02	3/4	611.07	3/4	245.84	3/4		3/4		3/4	
3	2,421.13	3	2,057.72	3	1,694.32	3	1,330.91	3	967.45	3	603.46	3	238.23	3		3		3	
1/4	2,413.56	1/4	2,050.15	1/4	1,686.75	1/4	1,323.34	1/4	959.87	1/4	595.86	1/4	230.63	1/4		1/4		1/4	
1/2	2,405.99	1/2	2,042.58	1/2	1,679.18	1/2	1,315.77	1/2	952.30	1/2	588.25	1/2	223.02	1/2		1/2		1/2	
3/4	2,398.42	3/4	2,035.01	3/4	1,671.61	3/4	1,308.20	3/4	944.72	3/4	580.64	3/4	215.41	3/4		3/4		3/4	
4	2,390.85	4	2,027.44	4	1,664.03	4	1,300.63	4	937.14	4	573.03	4	207.80	4		4		4	
1/4	2,383.28	1/4	2,019.87	1/4	1,656.46	1/4	1,293.06	1/4	929.57	1/4	565.42	1/4	200.19	1/4		1/4		1/4	
1/2	2,375.71	1/2	2,012.30	1/2	1,648.89	1/2	1,285.49	1/2	921.99	1/2	557.81	1/2	192.58	1/2		1/2		1/2	
3/4	2,368.14	3/4	2,004.73	3/4	1,641.32	3/4	1,277.92	3/4	914.41	3/4	550.20	3/4	185.15	3/4		3/4		3/4	
5	2,360.56	5	1,997.16	5	1,633.75	5	1,270.34	5	906.83	5	542.59	5	177.72	5		5		5	
1/4	2,352.99	1/4	1,989.59	1/4	1,626.18	1/4	1,262.77	1/4	899.26	1/4	534.99	1/4	170.29	1/4		1/4		1/4	
1/2	2,345.42	1/2	1,982.02	1/2	1,618.61	1/2	1,255.20	1/2	891.68	1/2	527.38	1/2	162.66	1/2		1/2		1/2	
3/4	2,337.85	3/4	1,974.45	3/4	1,611.04	3/4	1,247.63	3/4	884.10	3/4	519.77	3/4	155.49	3/4		3/4		3/4	
6	2,330.28	6	1,966.87	6	1,603.46	6	1,240.06	6	876.52	6	512.16	6	148.12	6		6		6	
1/4	2,322.71	1/4	1,959.30	1/4	1,595.89	1/4	1,232.49	1/4	868.95	1/4	504.55	1/4	140.76	1/4		1/4		1/4	
1/2	2,315.14	1/2	1,951.73	1/2	1,588.32	1/2	1,224.92	1/2	861.37	1/2	496.94	1/2	133.39	1/2		1/2		1/2	
3/4	2,307.57	3/4	1,944.16	3/4	1,580.75	3/4	1,217.35	3/4	853.79	3/4	489.33	3/4	126.02	3/4		3/4		3/4	
7	2,300.00	7	1,936.59	7	1,573.18	7	1,209.77	7	846.21	7	481.72	7	118.65	7		7		7	
1/4	2,292.43	1/4	1,929.02	1/4	1,565.61	1/4	1,202.20	1/4	838.64	1/4	474.11	1/4	111.28	1/4		1/4		1/4	
1/2	2,284.86	1/2	1,921.45	1/2	1,558.04	1/2	1,194.63	1/2	831.06	1/2	466.50	1/2	103.91	1/2		1/2		1/2	
3/4	2,277.29	3/4	1,913.88	3/4	1,550.47	3/4	1,187.06	3/4	823.48	3/4	458.89	3/4	96.54	3/4		3/4		3/4	
8	2,269.71	8	1,906.30	8	1,542.90	8	1,179.49	8	815.91	8	451.28	8	89.17	8		8		8	
1/4	2,262.14	1/4	1,898.73	1/4	1,535.33	1/4	1,171.92	1/4	808.33	1/4	443.68	1/4	81.81	1/4		1/4		1/4	
1/2	2,254.57	1/2	1,891.16	1/2	1,527.76	1/2	1,164.35	1/2	800.76	1/2	436.07	1/2	74.44	1/2		1/2		1/2	
3/4	2,247.00	3/4	1,883.59	3/4	1,520.19	3/4	1,156.78	3/4	793.18	3/4	428.46	3/4	67.20	3/4		3/4		3/4	
9	2,239.43	9	1,876.02	9	1,512.61	9	1,149.21	9	785.60	9	420.85	9	59.97	9		9		9	
1/4	2,231.86	1/4	1,868.45	1/4	1,505.04	1/4	1,141.64	1/4	778.03	1/4	413.24	1/4	52.73	1/4		1/4		1/4	
1/2	2,224.29	1/2	1,860.88	1/2	1,497.47	1/2	1,134.07	1/2	770.45	1/2	405.63	1/2	45.50	1/2		1/2		1/2	
3/4	2,216.72	3/4	1,853.31	3/4	1,489.90	3/4	1,126.50	3/4	762.87	3/4	398.02	3/4	39.90	3/4		3/4		3/4	
10	2,209.14	10	1,845.74	10	1,482.33	10	1,118.92	10	755.29	10	390.41	10	34.30	10		10		10	
1/4	2,201.57	1/4	1,838.17	1/4	1,474.76	1/4	1,111.35	1/4	747.72	1/4	382.81	1/4	28.70	1/4		1/4		1/4	
1/2	2,194.00	1/2	1,830.60	1/2	1,467.19	1/2	1,103.78	1/2	740.14	1/2	375.20	1/2	23.10	1/2		1/2		1/2	
3/4	2,186.43	3/4	1,823.03	3/4	1,459.62	3/4	1,096.21	3/4	732.56	3/4	367.59	3/4	19.30	3/4		3/4		3/4	
11	2,178.86	11	1,815.45	11	1,452.05	11	1,088.64	11	724.98	11	359.98	11	15.51	11		11		11	
1/4	2,171.29	1/4	1,807.88	1/4	1,444.48	1/4	1,081.07	1/4	717.41	1/4	352.37	1/4		1/4		1/4		1/4	
1/2	2,163.72	1/2	1,800.31	1/2	1,436.91	1/2	1,073.50	1/2	709.83	1/2	344.76	1/2		1/2		1/2		1/2	
3/4	2,156.15	3/4	1,792.74	3/4	1,429.34	3/4	1,065.93	3/4	702.25	3/4	337.15	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/04/2012 INS
RECALCULATED: 02/10/2022 CL
REPRINTED: 02/10/2022 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2022

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

3 STBD ULLAGE TABLE

HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-10 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	4,591.95	0	4,338.31	0	4,084.68	0	3,831.05	0	3,573.75	0	3,223.66	0	2,860.25
1/4		1/4		1/4		1/4	4,586.67	1/4	4,333.03	1/4	4,079.40	1/4	3,825.77	1/4	3,567.52	1/4	3,216.09	1/4	2,852.68
1/2		1/2		1/2		1/2	4,581.38	1/2	4,327.75	1/2	4,074.12	1/2	3,820.48	1/2	3,561.28	1/2	3,208.52	1/2	2,845.11
3/4		3/4		3/4		3/4	4,576.10	3/4	4,322.46	3/4	4,068.83	3/4	3,815.20	3/4	3,555.05	3/4	3,200.95	3/4	2,837.54
1		1		1		1	4,570.81	1	4,317.18	1	4,063.55	1	3,809.91	1	3,548.81	1	3,193.38	1	2,829.97
1/4		1/4		1/4		1/4	4,565.53	1/4	4,311.90	1/4	4,058.27	1/4	3,804.63	1/4	3,542.23	1/4	3,185.81	1/4	2,822.40
1/2		1/2		1/2		1/2	4,560.24	1/2	4,306.61	1/2	4,052.98	1/2	3,799.35	1/2	3,535.65	1/2	3,178.24	1/2	2,814.83
3/4		3/4		3/4		3/4	4,554.96	3/4	4,301.33	3/4	4,047.70	3/4	3,794.06	3/4	3,529.07	3/4	3,170.66	3/4	2,807.25
2		2		2		2	4,549.67	2	4,296.04	2	4,042.41	2	3,788.78	2	3,522.49	2	3,163.09	2	2,799.68
1/4		1/4		1/4		1/4	4,544.39	1/4	4,290.76	1/4	4,037.13	1/4	3,783.50	1/4	3,515.56	1/4	3,155.52	1/4	2,792.11
1/2		1/2		1/2		1/2	4,539.11	1/2	4,285.48	1/2	4,031.84	1/2	3,778.21	1/2	3,508.64	1/2	3,147.95	1/2	2,784.54
3/4		3/4		3/4		3/4	4,533.82	3/4	4,280.19	3/4	4,026.56	3/4	3,772.93	3/4	3,501.71	3/4	3,140.38	3/4	2,776.97
3		3		3		3	4,528.54	3	4,274.91	3	4,021.27	3	3,767.64	3	3,494.78	3	3,132.81	3	2,769.40
1/4		1/4		1/4		1/4	4,523.26	1/4	4,269.63	1/4	4,015.99	1/4	3,762.36	1/4	3,487.51	1/4	3,125.24	1/4	2,761.83
1/2		1/2		1/2		1/2	4,517.97	1/2	4,264.34	1/2	4,010.71	1/2	3,757.08	1/2	3,480.23	1/2	3,117.67	1/2	2,754.26
3/4		3/4		3/4		3/4	4,512.69	3/4	4,259.06	3/4	4,005.42	3/4	3,751.79	3/4	3,472.96	3/4	3,110.09	3/4	2,746.69
4		4		4		4	4,507.40	4	4,253.77	4	4,000.14	4	3,746.51	4	3,465.68	4	3,102.52	4	2,739.12
1/4		1/4		1/4		1/4	4,502.12	1/4	4,248.49	1/4	3,994.86	1/4	3,741.23	1/4	3,458.17	1/4	3,094.95	1/4	2,731.55
1/2		1/2		1/2		1/2	4,496.84	1/2	4,243.20	1/2	3,989.57	1/2	3,735.94	1/2	3,450.67	1/2	3,087.38	1/2	2,723.98
3/4		3/4		3/4		3/4	4,491.55	3/4	4,237.92	3/4	3,984.29	3/4	3,730.66	3/4	3,443.16	3/4	3,079.81	3/4	2,716.40
5		5		5		5	4,486.27	5	4,232.63	5	3,979.00	5	3,725.37	5	3,435.65	5	3,072.24	5	2,708.83
1/4		1/4		1/4		1/4	4,480.99	1/4	4,227.35	1/4	3,973.72	1/4	3,720.09	1/4	3,428.08	1/4	3,064.67	1/4	2,701.26
1/2		1/2		1/2		1/2	4,475.70	1/2	4,222.07	1/2	3,968.44	1/2	3,714.80	1/2	3,420.51	1/2	3,057.10	1/2	2,693.69
3/4		3/4		3/4		3/4	4,470.42	3/4	4,216.78	3/4	3,963.15	3/4	3,709.52	3/4	3,412.93	3/4	3,049.53	3/4	2,686.12
6		6		6		6	4,465.13	6	4,211.50	6	3,957.87	6	3,704.23	6	3,405.36	6	3,041.96	6	2,678.55
1/4		1/4		1/4		1/4	4,459.85	1/4	4,206.22	1/4	3,952.59	1/4	3,698.95	1/4	3,397.79	1/4	3,034.39	1/4	2,670.98
1/2		1/2		1/2		1/2	4,685.47	1/2	4,454.56	1/2	4,200.93	1/2	3,947.30	1/2	3,693.67	1/2	3,390.22	1/2	3,026.82
3/4		3/4		3/4		3/4	4,683.12	3/4	4,449.28	3/4	4,195.65	3/4	3,942.02	3/4	3,688.38	3/4	3,382.65	3/4	3,019.24
7		7		7		7	4,680.77	7	4,443.99	7	4,190.36	7	3,936.73	7	3,683.10	7	3,375.08	7	3,011.67
1/4		1/4		1/4		1/4	4,677.64	1/4	4,438.71	1/4	4,185.08	1/4	3,931.45	1/4	3,677.82	1/4	3,367.51	1/4	3,004.10
1/2		1/2		1/2		1/2	4,674.52	1/2	4,433.43	1/2	4,179.80	1/2	3,926.16	1/2	3,672.53	1/2	3,359.94	1/2	2,996.53
3/4		3/4		3/4		3/4	4,671.39	3/4	4,428.14	3/4	4,174.51	3/4	3,920.88	3/4	3,667.25	3/4	3,352.37	3/4	2,988.96
8		8		8		8	4,668.26	8	4,422.86	8	4,169.23	8	3,915.59	8	3,661.96	8	3,344.80	8	2,981.39
1/4		1/4		1/4		1/4	4,664.35	1/4	4,417.58	1/4	4,163.95	1/4	3,910.31	1/4	3,656.68	1/4	3,337.23	1/4	2,973.82
1/2		1/2		1/2		1/2	4,660.44	1/2	4,412.29	1/2	4,158.66	1/2	3,905.03	1/2	3,651.40	1/2	3,329.66	1/2	2,966.25
3/4		3/4		3/4		3/4	4,656.52	3/4	4,407.01	3/4	4,153.38	3/4	3,899.74	3/4	3,646.11	3/4	3,322.08	3/4	2,958.67
9		9		9		9	4,652.61	9	4,401.72	9	4,148.09	9	3,894.46	9	3,640.83	9	3,314.51	9	2,951.10
1/4		1/4		1/4		1/4	4,647.92	1/4	4,396.44	1/4	4,142.81	1/4	3,889.18	1/4	3,635.51	1/4	3,306.94	1/4	2,943.53
1/2		1/2		1/2		1/2	4,643.22	1/2	4,391.16	1/2	4,137.52	1/2	3,883.89	1/2	3,630.20	1/2	3,299.37	1/2	2,935.96
3/4		3/4		3/4		3/4	4,638.53	3/4	4,385.87	3/4	4,132.24	3/4	3,878.61	3/4	3,624.88	3/4	3,291.80	3/4	2,928.39
10		10		10		10	4,633.83	10	4,380.59	10	4,126.95	10	3,873.32	10	3,619.56	10	3,284.23	10	2,920.82
1/4		1/4		1/4		1/4	4,628.64	1/4	4,375.31	1/4	4,121.67	1/4	3,868.04	1/4	3,614.00	1/4	3,276.66	1/4	2,913.25
1/2		1/2		1/2		1/2	4,623.46	1/2	4,370.02	1/2	4,116.39	1/2	3,862.76	1/2	3,608.44	1/2	3,269.09	1/2	2,905.68
3/4		3/4		3/4		3/4	4,618.27	3/4	4,364.74	3/4	4,111.10	3/4	3,857.47	3/4	3,602.87	3/4	3,261.51	3/4	2,898.11
11		11		11		11	4,613.08	11	4,359.45	11	4,105.82	11	3,852.19	11	3,597.31	11	3,253.94	11	2,890.54
1/4		1/4		1/4		1/4	4,607.80	1/4	4,354.17	1/4	4,100.54	1/4	3,846.91	1/4	3,591.42	1/4	3,246.37	1/4	2,882.97
1/2		1/2		1/2		1/2	4,602.52	1/2	4,348.88	1/2	4,095.25	1/2	3,841.62	1/2	3,585.53	1/2	3,238.80	1/2	2,875.40
3/4		3/4		3/4		3/4	4,597.23	3/4	4,343.60	3/4	4,089.97	3/4	3,836.34	3/4	3,579.64	3/4	3,231.23	3/4	2,867.82

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH HERMETIC DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED 12'-09" OFF CENTERLINE AND 40'-11" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

FWD SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,346	0	1,795	0		0							
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	916	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,823	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	944	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,851	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	972	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,879	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,449	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	570	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,477	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	598	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,505	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	626	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,533	5	1,982	5		5		5		5		5	
1/4	196	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,103	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,010	3/4		3/4		3/4		3/4		3/4	
6	224	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,131	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	252	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,159	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	729	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,636	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	757	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,664	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	785	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,692	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	383	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,290	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	411	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,318	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	439	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

STRAPPED: 02/09/2022 JS
CALCULATED: 02/10/2022 CL
PRINTED: 02/10/2022 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

AFT SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,346	0	1,795	0		0							
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	916	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,823	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	944	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,851	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	972	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,879	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,449	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	570	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,477	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	598	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,505	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	626	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,533	5	1,982	5		5		5		5		5	
1/4	196	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,103	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,010	3/4		3/4		3/4		3/4		3/4	
6	224	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,131	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	252	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,159	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	729	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,636	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	757	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,664	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	785	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,692	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	383	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,290	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	411	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,318	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	439	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

STRAPPED: 02/09/2022 JS
CALCULATED: 02/10/2022 CL
PRINTED: 02/10/2022 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EBL 2985"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	120	0	301	0	465	0		0		0		0		0		0	
1/4	1	1/4	124	1/4	305	1/4	468	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2	1/2	127	1/2	309	1/2	470	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2	3/4	131	3/4	313	3/4	473	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	3	1	134	1	316	1	476	1	1	1		1	1	1	1	1	1	1	1
1/4	5	1/4	138	1/4	320	1/4	478	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	6	1/2	142	1/2	324	1/2	480	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	7	3/4	145	3/4	328	3/4	483	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	9	2	149	2	331	2	485	2	2	2		2	2	2	2	2	2	2	2
1/4	11	1/4	152	1/4	335	1/4	487	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	13	1/2	156	1/2	339	1/2	489	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	14	3/4	160	3/4	343	3/4	491	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	16	3	163	3	346	3	494	3	3	3		3	3	3	3	3	3	3	3
1/4	18	1/4	167	1/4	350	1/4	495	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20	1/2	171	1/2	354	1/2	497	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23	3/4	175	3/4	357	3/4	499	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	25	4	178	4	361	4	501	4	4	4		4	4	4	4	4	4	4	4
1/4	27	1/4	182	1/4	365	1/4	502	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	29	1/2	186	1/2	368	1/2	504	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32	3/4	190	3/4	372	3/4	505	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	34	5	193	5	375	5	507	5	5	5		5	5	5	5	5	5	5	5
1/4	37	1/4	197	1/4	379	1/4	507	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39	1/2	201	1/2	383	1/2	508	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	42	3/4	205	3/4	386	3/4	509	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	45	6	209	6	390	6	510	6	6	6		6	6	6	6	6	6	6	6
1/4	47	1/4	213	1/4	393	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	50	1/2	216	1/2	396	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	53	3/4	220	3/4	400	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	56	7	224	7	403	7		7	7	7		7	7	7	7	7	7	7	7
1/4	59	1/4	228	1/4	407	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	62	1/2	232	1/2	410	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	65	3/4	236	3/4	413	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	68	8	239	8	417	8		8	8	8		8	8	8	8	8	8	8	8
1/4	71	1/4	243	1/4	420	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	74	1/2	247	1/2	423	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77	3/4	251	3/4	426	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	80	9	255	9	430	9		9	9	9		9	9	9	9	9	9	9	9
1/4	83	1/4	259	1/4	433	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	87	1/2	263	1/2	436	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	90	3/4	266	3/4	439	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	93	10	270	10	442	10		10	10	10		10	10	10	10	10	10	10	10
1/4	96	1/4	274	1/4	445	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	100	1/2	278	1/2	448	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	103	3/4	282	3/4	451	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	106	11	286	11	454	11		11	11	11		11	11	11	11	11	11	11	11
1/4	110	1/4	290	1/4	457	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	113	1/2	293	1/2	460	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	117	3/4	297	3/4	462	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

STRAPPED: 02/09/2022 JS
CALCULATED: 02/10/2022 CL
PRINTED: 02/10/2022 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>