



# BARGE "FMT 2052"

# PORT HORIZONTAL

## INNAGE TABLE BERGAN GAUGE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	187.45	0	948.87	0	1,968.52	0	3,123.61	0	4,332.42
1/4	1/4	193.35	1/4	958.48	1/4	1,980.03	1/4	3,136.06	1/4	4,345.04
1/2	1/2	205.15	1/2	968.09	1/2	1,991.55	1/2	3,148.51	1/2	4,357.65
3/4	3/4	209.25	3/4	977.70	3/4	2,003.06	3/4	3,160.96	3/4	4,370.27
1	1	211.04	1	987.32	1	2,014.58	1	3,173.41	1	4,382.89
1 1/4	1 1/4	213.22	1 1/4	997.03	1 1/4	2,026.15	1 1/4	3,185.89	1 1/4	4,395.50
1 1/2	1 1/2	223.39	1 1/2	1,006.75	1 1/2	2,037.72	1 1/2	3,198.36	1 1/2	4,408.11
1 3/4	1 3/4	229.57	1 3/4	1,016.47	1 3/4	2,049.29	1 3/4	3,210.83	1 3/4	4,420.72
2	2	235.74	2	1,026.19	2	2,060.86	2	3,223.30	2	4,433.33
2 1/4	2 1/4	242.13	2 1/4	1,036.01	2 1/4	2,072.49	2 1/4	3,235.88	2 1/4	4,445.93
2 1/2	2 1/2	248.51	2 1/2	1,045.83	2 1/2	2,084.12	2 1/2	3,248.29	2 1/2	4,458.53
2 3/4	2 3/4	254.90	2 3/4	1,055.65	2 3/4	2,095.74	2 3/4	3,260.78	2 3/4	4,471.12
3	3	261.29	3	1,065.47	3	2,107.37	3	3,273.27	3	4,483.72
3 1/4	3 1/4	267.88	3 1/4	1,075.38	3 1/4	2,119.05	3 1/4	3,285.79	3 1/4	4,496.31
3 1/2	3 1/2	274.47	3 1/2	1,085.30	3 1/2	2,130.73	3 1/2	3,298.30	3 1/2	4,508.90
3 3/4	3 3/4	281.05	3 3/4	1,095.22	3 3/4	2,142.40	3 3/4	3,310.81	3 3/4	4,521.49
4	4	287.64	4	1,105.14	4	2,154.08	4	3,323.32	4	4,534.08
4 1/4	4 1/4	294.43	4 1/4	1,115.16	4 1/4	2,165.81	4 1/4	3,335.85	4 1/4	4,546.65
4 1/2	4 1/2	301.21	4 1/2	1,125.17	4 1/2	2,177.54	4 1/2	3,348.38	4 1/2	4,559.23
4 3/4	4 3/4	308.00	4 3/4	1,135.19	4 3/4	2,189.27	4 3/4	3,360.91	4 3/4	4,571.80
5	5	314.78	5	1,145.20	5	2,201.00	5	3,373.44	5	4,584.38
5 1/4	5 1/4	321.75	5 1/4	1,155.31	5 1/4	2,212.78	5 1/4	3,385.99	5 1/4	4,596.94
5 1/2	5 1/2	328.72	5 1/2	1,165.42	5 1/2	2,224.56	5 1/2	3,398.53	5 1/2	4,609.50
5 3/4	5 3/4	335.70	5 3/4	1,175.53	5 3/4	2,236.34	5 3/4	3,411.08	5 3/4	4,622.06
6	6	342.67	6	1,185.64	6	2,248.12	6	3,423.62	6	4,634.62
6 1/4	6 1/4	349.82	6 1/4	1,195.85	6 1/4	2,259.95	6 1/4	3,436.19	6 1/4	4,647.17
6 1/2	6 1/2	356.97	6 1/2	1,206.05	6 1/2	2,271.78	6 1/2	3,448.75	6 1/2	4,659.71
6 3/4	6 3/4	364.13	6 3/4	1,216.25	6 3/4	2,283.61	6 3/4	3,461.31	6 3/4	4,672.26
7	7	371.28	7	1,226.45	7	2,295.43	7	3,473.87	7	4,684.81
7 1/4	7 1/4	378.61	7 1/4	1,236.74	7 1/4	2,307.31	7 1/4	3,486.44	7 1/4	4,697.34
7 1/2	7 1/2	385.93	7 1/2	1,247.04	7 1/2	2,319.18	7 1/2	3,499.02	7 1/2	4,709.87
7 3/4	7 3/4	393.26	7 3/4	1,257.33	7 3/4	2,331.06	7 3/4	3,511.59	7 3/4	4,722.39
8	8	400.59	8	1,267.62	8	2,342.93	8	3,524.17	8	4,734.92
8 1/4	8 1/4	408.08	8 1/4	1,278.00	8 1/4	2,354.85	8 1/4	3,536.76	8 1/4	4,747.44
8 1/2	8 1/2	415.58	8 1/2	1,288.38	8 1/2	2,366.77	8 1/2	3,549.35	8 1/2	4,759.95
8 3/4	8 3/4	423.07	8 3/4	1,298.76	8 3/4	2,378.69	8 3/4	3,561.93	8 3/4	4,772.46
9	9	430.57	9	1,309.14	9	2,390.61	9	3,574.52	9	4,784.97
9 1/4	9 1/4	438.23	9 1/4	1,319.61	9 1/4	2,402.58	9 1/4	3,587.12	9 1/4	4,797.46
9 1/2	9 1/2	445.99	9 1/2	1,330.07	9 1/2	2,414.54	9 1/2	3,599.72	9 1/2	4,809.96
9 3/4	9 3/4	453.55	9 3/4	1,340.54	9 3/4	2,426.50	9 3/4	3,612.32	9 3/4	4,822.45
10	10	461.21	10	1,351.00	10	2,438.47	10	3,624.92	10	4,834.94
10 1/4	10 1/4	469.02	10 1/4	1,361.55	10 1/4	2,450.47	10 1/4	3,637.53	10 1/4	4,847.42
10 1/2	10 1/2	476.84	10 1/2	1,372.10	10 1/2	2,462.48	10 1/2	3,650.14	10 1/2	4,859.89
10 3/4	10 3/4	484.66	10 3/4	1,382.65	10 3/4	2,474.48	10 3/4	3,662.75	10 3/4	4,872.36
11	11	492.48	11	1,393.20	11	2,486.49	11	3,675.36	11	4,884.83
11 1/4	11 1/4	500.45	11 1/4	1,403.83	11 1/4	2,498.54	11 1/4	3,687.97	11 1/4	4,897.28
11 1/2	11 1/2	508.42	11 1/2	1,414.46	11 1/2	2,510.58	11 1/2	3,700.59	11 1/2	4,909.73
11 3/4	11 3/4	516.39	11 3/4	1,425.09	11 3/4	2,522.63	11 3/4	3,713.21	11 3/4	4,922.19

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.2  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK  
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "FMT 2052"

# PORT HORIZONTAL INNAGE TABLE BERGAN GAUGE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	4,934.64	0	5,523.57	0	6,089.73	0	6,622.53	0	7,109.38	0	7,533.89	0	7,871.01	0	8,059.40	0		0	
1/4	4,947.06	1/4	5,535.61	1/4	6,101.19	1/4	6,633.16	1/4	7,118.89	1/4	7,541.86	1/4	7,876.74	1/4		1/4		1/4	
1/2	4,959.49	1/2	5,547.66	1/2	6,112.85	1/2	6,643.79	1/2	7,128.39	1/2	7,549.83	1/2	7,882.46	1/2		1/2		1/2	
3/4	4,971.92	3/4	5,559.71	3/4	6,124.10	3/4	6,654.42	3/4	7,137.90	3/4	7,557.80	3/4	7,888.18	3/4		3/4		3/4	
1	4,984.35	1	5,571.75	1	6,135.56	1	6,665.05	1	7,147.40	1	7,565.77	1	7,893.90	1		1		1	
1 1/4	4,996.75	1 1/4	5,583.76	1 1/4	6,146.36	1 1/4	6,676.60	1 1/4	7,156.80	1 1/4	7,573.59	1 1/4	7,899.38	1 1/4		1 1/4		1 1/4	
1 1/2	5,009.15	1 1/2	5,595.77	1 1/2	6,158.36	1 1/2	6,686.15	1 1/2	7,166.20	1 1/2	7,581.40	1 1/2	7,904.85	1 1/2		1 1/2		1 1/2	
1 3/4	5,021.56	1 3/4	5,607.77	1 3/4	6,169.76	1 3/4	6,696.70	1 3/4	7,175.59	1 3/4	7,589.22	1 3/4	7,910.33	1 3/4		1 3/4		1 3/4	
2	5,033.96	2	5,619.78	2	6,181.16	2	6,707.24	2	7,184.99	2	7,597.04	2	7,915.81	2		2		2	
2 1/4	5,046.34	2 1/4	5,631.74	2 1/4	6,192.49	2 1/4	6,717.71	2 1/4	7,194.27	2 1/4	7,604.70	2 1/4	7,921.03	2 1/4		2 1/4		2 1/4	
2 1/2	5,058.72	2 1/2	5,643.71	2 1/2	6,203.83	2 1/2	6,728.18	2 1/2	7,203.55	2 1/2	7,612.36	2 1/2	7,926.25	2 1/2		2 1/2		2 1/2	
2 3/4	5,071.09	2 3/4	5,655.67	2 3/4	6,215.17	2 3/4	6,738.64	2 3/4	7,212.84	2 3/4	7,620.02	2 3/4	7,931.46	2 3/4		2 3/4		2 3/4	
3	5,083.47	3	5,667.63	3	6,226.51	3	6,749.11	3	7,222.12	3	7,627.67	3	7,936.68	3		3		3	
3 1/4	5,095.82	3 1/4	5,679.55	3 1/4	6,237.78	3 1/4	6,759.49	3 1/4	7,231.29	3 1/4	7,635.17	3 1/4	7,941.63	3 1/4		3 1/4		3 1/4	
3 1/2	5,108.17	3 1/2	5,691.47	3 1/2	6,249.06	3 1/2	6,769.87	3 1/2	7,240.45	3 1/2	7,642.67	3 1/2	7,946.57	3 1/2		3 1/2		3 1/2	
3 3/4	5,120.52	3 3/4	5,703.39	3 3/4	6,260.33	3 3/4	6,780.24	3 3/4	7,249.62	3 3/4	7,650.16	3 3/4	7,951.52	3 3/4		3 3/4		3 3/4	
4	5,132.88	4	5,715.31	4	6,271.61	4	6,790.62	4	7,258.79	4	7,657.86	4	7,956.47	4		4		4	
4 1/4	5,145.20	4 1/4	5,727.19	4 1/4	6,282.82	4 1/4	6,800.92	4 1/4	7,267.84	4 1/4	7,664.99	4 1/4	7,961.12	4 1/4		4 1/4		4 1/4	
4 1/2	5,157.52	4 1/2	5,739.06	4 1/2	6,294.03	4 1/2	6,811.21	4 1/2	7,276.89	4 1/2	7,672.31	4 1/2	7,965.77	4 1/2		4 1/2		4 1/2	
4 3/4	5,169.84	4 3/4	5,750.94	4 3/4	6,305.24	4 3/4	6,821.50	4 3/4	7,285.93	4 3/4	7,679.64	4 3/4	7,970.43	4 3/4		4 3/4		4 3/4	
5	5,182.17	5	5,762.81	5	6,316.45	5	6,831.79	5	7,294.98	5	7,686.97	5	7,975.08	5		5		5	
5 1/4	5,194.46	5 1/4	5,774.64	5 1/4	6,327.59	5 1/4	6,842.00	5 1/4	7,303.91	5 1/4	7,694.12	5 1/4	7,979.42	5 1/4		5 1/4		5 1/4	
5 1/2	5,206.75	5 1/2	5,786.47	5 1/2	6,338.74	5 1/2	6,852.20	5 1/2	7,312.84	5 1/2	7,701.27	5 1/2	7,983.76	5 1/2		5 1/2		5 1/2	
5 3/4	5,219.04	5 3/4	5,798.30	5 3/4	6,349.88	5 3/4	6,862.40	5 3/4	7,321.76	5 3/4	7,710.43	5 3/4	7,988.09	5 3/4		5 3/4		5 3/4	
6	5,231.34	6	5,810.12	6	6,361.03	6	6,872.60	6	7,330.69	6	7,715.58	6	7,992.43	6		6		6	
6 1/4	5,243.60	6 1/4	5,821.90	6 1/4	6,372.10	6 1/4	6,882.71	6 1/4	7,339.49	6 1/4	7,722.55	6 1/4	7,996.43	6 1/4		6 1/4		6 1/4	
6 1/2	5,255.86	6 1/2	5,833.68	6 1/2	6,383.18	6 1/2	6,892.82	6 1/2	7,348.29	6 1/2	7,729.52	6 1/2	8,000.43	6 1/2		6 1/2		6 1/2	
6 3/4	5,268.12	6 3/4	5,845.46	6 3/4	6,394.26	6 3/4	6,902.93	6 3/4	7,357.09	6 3/4	7,736.49	6 3/4	8,004.42	6 3/4		6 3/4		6 3/4	
7	5,280.38	7	5,857.24	7	6,405.33	7	6,913.04	7	7,365.89	7	7,743.47	7	8,008.42	7		7		7	
7 1/4	5,292.61	7 1/4	5,868.97	7 1/4	6,416.34	7 1/4	6,923.06	7 1/4	7,374.57	7 1/4	7,750.25	7 1/4	8,012.04	7 1/4		7 1/4		7 1/4	
7 1/2	5,304.84	7 1/2	5,880.70	7 1/2	6,427.35	7 1/2	6,933.07	7 1/2	7,383.24	7 1/2	7,757.03	7 1/2	8,015.66	7 1/2		7 1/2		7 1/2	
7 3/4	5,317.07	7 3/4	5,892.43	7 3/4	6,438.35	7 3/4	6,943.09	7 3/4	7,391.91	7 3/4	7,763.82	7 3/4	8,019.28	7 3/4		7 3/4		7 3/4	
8	5,329.30	8	5,904.16	8	6,449.36	8	6,953.11	8	7,400.58	8	7,770.60	8	8,022.90	8		8		8	
8 1/4	5,341.50	8 1/4	5,915.84	8 1/4	6,460.29	8 1/4	6,963.02	8 1/4	7,409.12	8 1/4	7,777.19	8 1/4	8,026.09	8 1/4		8 1/4		8 1/4	
8 1/2	5,353.69	8 1/2	5,927.52	8 1/2	6,471.23	8 1/2	6,972.94	8 1/2	7,417.66	8 1/2	7,783.78	8 1/2	8,029.29	8 1/2		8 1/2		8 1/2	
8 3/4	5,365.89	8 3/4	5,939.20	8 3/4	6,482.16	8 3/4	6,982.86	8 3/4	7,426.20	8 3/4	7,790.37	8 3/4	8,032.48	8 3/4		8 3/4		8 3/4	
9	5,378.09	9	5,950.88	9	6,493.10	9	6,992.78	9	7,434.74	9	7,796.96	9	8,035.68	9		9		9	
9 1/4	5,390.25	9 1/4	5,962.50	9 1/4	6,503.96	9 1/4	7,002.60	9 1/4	7,443.15	9 1/4	7,803.34	9 1/4	8,038.38	9 1/4		9 1/4		9 1/4	
9 1/2	5,402.41	9 1/2	5,974.13	9 1/2	6,514.82	9 1/2	7,012.42	9 1/2	7,451.55	9 1/2	7,809.73	9 1/2	8,041.08	9 1/2		9 1/2		9 1/2	
9 3/4	5,414.57	9 3/4	5,985.76	9 3/4	6,525.69	9 3/4	7,022.24	9 3/4	7,459.95	9 3/4	7,816.12	9 3/4	8,043.78	9 3/4		9 3/4		9 3/4	
10	5,426.73	10	5,997.38	10	6,536.55	10	7,032.06	10	7,468.36	10	7,822.50	10	8,046.48	10		10		10	
10 1/4	5,438.85	10 1/4	6,008.95	10 1/4	6,547.33	10 1/4	7,041.78	10 1/4	7,476.62	10 1/4	7,828.68	10 1/4	8,048.57	10 1/4		10 1/4		10 1/4	
10 1/2	5,450.98	10 1/2	6,020.52	10 1/2	6,558.12	10 1/2	7,051.49	10 1/2	7,484.88	10 1/2	7,834.85	10 1/2	8,050.66	10 1/2		10 1/2		10 1/2	
10 3/4	5,463.10	10 3/4	6,032.10	10 3/4	6,568.91	10 3/4	7,061.21	10 3/4	7,493.15	10 3/4	7,841.03	10 3/4	8,052.74	10 3/4		10 3/4		10 3/4	
11	5,475.22	11	6,043.67	11	6,579.69	11	7,070.93	11	7,501.41	11	7,847.20	11	8,054.83	11		11		11	
11 1/4	5,487.31	11 1/4	6,055.18	11 1/4	6,590.40	11 1/4	7,080.54	11 1/4	7,509.53	11 1/4	7,853.15	11 1/4	8,055.97	11 1/4		11 1/4		11 1/4	
11 1/2	5,499.40	11 1/2	6,066.70	11 1/2	6,601.11	11 1/2	7,090.15	11 1/2	7,517.65	11 1/2	7,859.11	11 1/2	8,057.11	11 1/2		11 1/2		11 1/2	
11 3/4	5,511.48	11 3/4	6,078.21	11 3/4	6,611.82	11 3/4	7,099.77	11 3/4	7,525.77	11 3/4	7,865.06	11 3/4	8,058.26	11 3/4		11 3/4		11 3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.  
 PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmaacorp.net>



STRAPPED: 06/26/2019 JS - SW  
 CALCULATED: 06/27/2019 CL  
 PRINTED: 06/27/2019 CL  
 CANCELS AND SUPERCEDES  
 ALL PRIOR TO 06/2019





# BARGE "FMT 2052"

# STBD HORIZONTAL INNAGE TABLE BERGAN GAUGE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	4,937.41	0	6,093.16	0	7,113.38	0	7,875.42	0	8,063.89	0
1/4	4,949.84	1/4	6,104.62	1/4	7,122.89	1/4	7,881.14	1/4	8,071.14	1/4
1/2	4,962.27	1/2	6,116.09	1/2	7,132.40	1/2	7,886.86	1/2	8,076.86	1/2
3/4	4,974.71	3/4	6,127.55	3/4	7,141.91	3/4	7,892.59	3/4	8,082.59	3/4
1	4,987.14	1	6,139.02	1	7,151.42	1	7,898.31	1	8,088.31	1
1/4	4,999.56	1/4	6,150.42	1/4	7,160.82	1/4	7,903.79	1/4	8,093.79	1/4
1/2	5,011.97	1/2	6,161.83	1/2	7,170.23	1/2	7,909.27	1/2	8,099.27	1/2
3/4	5,024.38	3/4	6,173.23	3/4	7,179.63	3/4	7,914.75	3/4	8,104.75	3/4
2	5,036.79	2	6,184.64	2	7,189.03	2	7,920.23	2	8,110.23	2
1/4	5,049.17	1/4	6,195.98	1/4	7,198.32	1/4	7,925.45	1/4	8,115.45	1/4
1/2	5,061.56	1/2	6,207.33	1/2	7,207.60	1/2	7,930.67	1/2	8,120.67	1/2
3/4	5,073.94	3/4	6,218.67	3/4	7,216.89	3/4	7,935.90	3/4	8,125.90	3/4
3	5,086.33	3	6,230.01	3	7,226.18	3	7,941.12	3	8,131.12	3
1/4	5,098.68	1/4	6,241.30	1/4	7,235.35	1/4	7,946.06	1/4	8,136.06	1/4
1/2	5,111.04	1/2	6,252.58	1/2	7,244.52	1/2	7,951.01	1/2	8,141.01	1/2
3/4	5,123.40	3/4	6,263.86	3/4	7,253.70	3/4	7,955.96	3/4	8,145.96	3/4
4	5,135.76	4	6,275.14	4	7,262.87	4	7,960.91	4	8,150.91	4
1/4	5,148.09	1/4	6,286.36	1/4	7,271.92	1/4	7,965.56	1/4	8,155.56	1/4
1/2	5,160.42	1/2	6,297.57	1/2	7,280.98	1/2	7,970.22	1/2	8,160.22	1/2
3/4	5,172.75	3/4	6,308.79	3/4	7,290.03	3/4	7,974.87	3/4	8,164.87	3/4
5	5,185.08	5	6,320.01	5	7,299.08	5	7,979.53	5	8,169.53	5
1/4	5,197.38	1/4	6,331.16	1/4	7,308.01	1/4	7,983.87	1/4	8,173.87	1/4
1/2	5,209.68	1/2	6,342.31	1/2	7,316.95	1/2	7,988.21	1/2	8,178.21	1/2
3/4	5,221.98	3/4	6,353.46	3/4	7,325.88	3/4	7,992.55	3/4	8,182.55	3/4
6	5,234.28	6	6,364.61	6	7,334.81	6	7,996.89	6	8,186.89	6
1/4	5,246.55	1/4	6,375.69	1/4	7,343.61	1/4	8,000.89	1/4	8,190.89	1/4
1/2	5,258.81	1/2	6,386.77	1/2	7,352.42	1/2	8,004.89	1/2	8,194.89	1/2
3/4	5,271.08	3/4	6,397.86	3/4	7,361.22	3/4	8,008.89	3/4	8,198.89	3/4
7	5,283.35	7	6,408.94	7	7,370.03	7	8,012.89	7	8,202.89	7
1/4	5,295.59	1/4	6,419.95	1/4	7,378.71	1/4	8,016.51	1/4	8,206.51	1/4
1/2	5,307.83	1/2	6,430.97	1/2	7,387.38	1/2	8,020.13	1/2	8,210.13	1/2
3/4	5,320.06	3/4	6,441.98	3/4	7,396.06	3/4	8,023.75	3/4	8,213.75	3/4
8	5,332.30	8	6,452.99	8	7,404.74	8	8,027.37	8	8,217.37	8
1/4	5,344.50	1/4	6,463.93	1/4	7,413.28	1/4	8,030.57	1/4	8,220.57	1/4
1/2	5,356.70	1/2	6,474.88	1/2	7,421.83	1/2	8,033.77	1/2	8,223.77	1/2
3/4	5,368.91	3/4	6,485.82	3/4	7,430.37	3/4	8,036.96	3/4	8,226.96	3/4
9	5,381.11	9	6,496.76	9	7,438.92	9	8,040.16	9	8,230.16	9
1/4	5,393.28	1/4	6,507.63	1/4	7,447.32	1/4	8,042.86	1/4	8,232.86	1/4
1/2	5,405.44	1/2	6,518.49	1/2	7,455.73	1/2	8,045.56	1/2	8,235.56	1/2
3/4	5,417.61	3/4	6,529.36	3/4	7,464.14	3/4	8,048.27	3/4	8,238.27	3/4
10	5,429.78	10	6,540.23	10	7,472.55	10	8,050.97	10	8,241.97	10
1/4	5,441.91	1/4	6,551.02	1/4	7,480.82	1/4	8,053.06	1/4	8,244.06	1/4
1/2	5,454.04	1/2	6,561.81	1/2	7,489.08	1/2	8,055.15	1/2	8,246.15	1/2
3/4	5,466.17	3/4	6,572.61	3/4	7,497.35	3/4	8,057.23	3/4	8,248.23	3/4
11	5,478.30	11	6,583.40	11	7,505.62	11	8,059.32	11	8,250.32	11
1/4	5,490.40	1/4	6,594.11	1/4	7,513.74	1/4	8,060.46	1/4	8,251.46	1/4
1/2	5,502.49	1/2	6,604.83	1/2	7,521.87	1/2	8,061.60	1/2	8,252.60	1/2
3/4	5,514.58	3/4	6,615.55	3/4	7,529.99	3/4	8,062.75	3/4	8,253.75	3/4

STRAPPED: 06/26/2019 JS - SW  
CALCULATED: 06/27/2019 CL  
PRINTED: 06/27/2019 CL  
CANCELS AND SUPERCEDES  
ALL PRIOR TO 06/2019

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.  
PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
http://www.pmatcorp.net