



BARGE "FMT 2060"

PORT HORIZONTAL INNAGE TABLE BERGAN GAUGE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with 19 columns (IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT.) and 32 rows of capacity data.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.2E CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC. P.O. Box 2092 Pearland, Texas 77588 http://www.pmacorp.net





BARGE "FMT 2060"

PORT HORIZONTAL INNAGE TABLE BERGAN GAUGE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	4,939.09	0	5,528.52	0	6,095.18	0	6,628.45	0	7,115.75	0	7,540.67	0	7,878.14	0	8,066.74	0		0	
1/4	4,951.53	1/4	5,540.58	1/4	6,106.64	1/4	6,639.09	1/4	7,125.26	1/4	7,548.65	1/4	7,883.87	1/4		1/4		1/4	
1/2	4,963.97	1/2	5,552.64	1/2	6,118.11	1/2	6,649.73	1/2	7,134.78	1/2	7,556.62	1/2	7,889.60	1/2		1/2		1/2	
3/4	4,976.40	3/4	5,564.69	3/4	6,129.58	3/4	6,660.37	3/4	7,144.29	3/4	7,564.60	3/4	7,895.33	3/4		3/4		3/4	
1	4,988.84	1	5,576.75	1	6,141.05	1	6,671.01	1	7,153.81	1	7,572.58	1	7,901.05	1		1		1	
1/4	5,001.26	1/4	5,588.77	1/4	6,152.46	1/4	6,681.57	1/4	7,163.21	1/4	7,580.41	1/4	7,906.54	1/4		1/4		1/4	
1/2	5,013.67	1/2	5,600.78	1/2	6,163.86	1/2	6,692.13	1/2	7,172.62	1/2	7,588.23	1/2	7,912.02	1/2		1/2		1/2	
3/4	5,026.08	3/4	5,612.80	3/4	6,175.27	3/4	6,702.68	3/4	7,182.02	3/4	7,596.06	3/4	7,917.50	3/4		3/4		3/4	
2	5,038.50	2	5,624.82	2	6,186.68	2	6,713.24	2	7,191.43	2	7,603.88	2	7,922.99	2		2		2	
1/4	5,050.89	1/4	5,636.79	1/4	6,198.03	1/4	6,723.72	1/4	7,200.72	1/4	7,611.55	1/4	7,928.21	1/4		1/4		1/4	
1/2	5,063.27	1/2	5,648.76	1/2	6,209.38	1/2	6,734.19	1/2	7,210.01	1/2	7,619.22	1/2	7,933.44	1/2		1/2		1/2	
3/4	5,075.66	3/4	5,660.74	3/4	6,220.72	3/4	6,744.67	3/4	7,219.31	3/4	7,626.88	3/4	7,938.66	3/4		3/4		3/4	
3	5,088.05	3	5,672.71	3	6,232.07	3	6,755.14	3	7,228.60	3	7,634.55	3	7,943.89	3		3		3	
1/4	5,100.41	1/4	5,684.64	1/4	6,243.36	1/4	6,765.53	1/4	7,237.77	1/4	7,642.05	1/4	7,948.84	1/4		1/4		1/4	
1/2	5,112.77	1/2	5,696.57	1/2	6,254.64	1/2	6,775.92	1/2	7,246.95	1/2	7,649.56	1/2	7,953.79	1/2		1/2		1/2	
3/4	5,125.13	3/4	5,708.50	3/4	6,265.93	3/4	6,786.31	3/4	7,256.13	3/4	7,657.06	3/4	7,958.74	3/4		3/4		3/4	
4	5,137.50	4	5,720.43	4	6,277.21	4	6,796.70	4	7,265.30	4	7,664.56	4	7,963.69	4		4		4	
1/4	5,149.83	1/4	5,732.32	1/4	6,288.43	1/4	6,807.00	1/4	7,274.36	1/4	7,671.90	1/4	7,968.35	1/4		1/4		1/4	
1/2	5,162.16	1/2	5,744.20	1/2	6,299.65	1/2	6,817.30	1/2	7,283.42	1/2	7,679.23	1/2	7,973.01	1/2		1/2		1/2	
3/4	5,174.49	3/4	5,756.09	3/4	6,310.87	3/4	6,827.60	3/4	7,292.47	3/4	7,686.57	3/4	7,977.67	3/4		3/4		3/4	
5	5,186.83	5	5,767.97	5	6,322.09	5	6,837.90	5	7,301.53	5	7,693.90	5	7,982.32	5		5		5	
1/4	5,199.13	1/4	5,779.81	1/4	6,333.25	1/4	6,848.12	1/4	7,310.47	1/4	7,701.06	1/4	7,986.67	1/4		1/4		1/4	
1/2	5,211.43	1/2	5,791.65	1/2	6,344.40	1/2	6,858.33	1/2	7,319.40	1/2	7,708.22	1/2	7,991.01	1/2		1/2		1/2	
3/4	5,223.74	3/4	5,803.49	3/4	6,355.56	3/4	6,868.54	3/4	7,328.34	3/4	7,715.38	3/4	7,995.35	3/4		3/4		3/4	
6	5,236.04	6	5,815.32	6	6,366.71	6	6,878.75	6	7,337.27	6	7,722.54	6	7,999.70	6		6		6	
1/4	5,248.31	1/4	5,827.11	1/4	6,377.80	1/4	6,888.87	1/4	7,346.08	1/4	7,729.52	1/4	8,003.70	1/4		1/4		1/4	
1/2	5,260.59	1/2	5,838.90	1/2	6,388.88	1/2	6,898.99	1/2	7,354.89	1/2	7,736.50	1/2	8,007.70	1/2		1/2		1/2	
3/4	5,272.86	3/4	5,850.69	3/4	6,399.97	3/4	6,909.11	3/4	7,363.70	3/4	7,743.48	3/4	8,011.70	3/4		3/4		3/4	
7	5,285.13	7	5,862.48	7	6,411.06	7	6,919.23	7	7,372.51	7	7,750.46	7	8,015.70	7		7		7	
1/4	5,297.37	1/4	5,874.22	1/4	6,422.07	1/4	6,929.25	1/4	7,381.19	1/4	7,757.25	1/4	8,019.33	1/4		1/4		1/4	
1/2	5,309.61	1/2	5,885.97	1/2	6,433.09	1/2	6,939.28	1/2	7,389.87	1/2	7,764.04	1/2	8,022.95	1/2		1/2		1/2	
3/4	5,321.85	3/4	5,897.71	3/4	6,444.11	3/4	6,949.30	3/4	7,398.55	3/4	7,770.83	3/4	8,026.58	3/4		3/4		3/4	
8	5,334.09	8	5,909.45	8	6,455.12	8	6,959.33	8	7,407.23	8	7,777.62	8	8,030.20	8		8		8	
1/4	5,346.30	1/4	5,921.13	1/4	6,466.07	1/4	6,969.26	1/4	7,415.78	1/4	7,784.22	1/4	8,033.40	1/4		1/4		1/4	
1/2	5,358.50	1/2	5,932.82	1/2	6,477.01	1/2	6,979.18	1/2	7,424.33	1/2	7,790.82	1/2	8,036.60	1/2		1/2		1/2	
3/4	5,370.71	3/4	5,944.51	3/4	6,487.96	3/4	6,989.11	3/4	7,432.88	3/4	7,797.41	3/4	8,039.80	3/4		3/4		3/4	
9	5,382.92	9	5,956.20	9	6,498.90	9	6,999.04	9	7,441.42	9	7,804.01	9	8,043.00	9		9		9	
1/4	5,395.09	1/4	5,967.84	1/4	6,509.78	1/4	7,008.87	1/4	7,449.84	1/4	7,810.40	1/4	8,045.70	1/4		1/4		1/4	
1/2	5,407.26	1/2	5,979.47	1/2	6,520.65	1/2	7,018.70	1/2	7,458.25	1/2	7,816.79	1/2	8,048.41	1/2		1/2		1/2	
3/4	5,419.43	3/4	5,991.11	3/4	6,531.52	3/4	7,028.53	3/4	7,466.66	3/4	7,823.19	3/4	8,051.11	3/4		3/4		3/4	
10	5,431.60	10	6,002.75	10	6,542.39	10	7,038.36	10	7,475.07	10	7,829.58	10	8,053.81	10		10		10	
1/4	5,443.73	1/4	6,014.33	1/4	6,553.19	1/4	7,048.08	1/4	7,483.34	1/4	7,835.76	1/4	8,055.90	1/4		1/4		1/4	
1/2	5,455.87	1/2	6,025.91	1/2	6,563.98	1/2	7,057.81	1/2	7,491.62	1/2	7,841.94	1/2	8,057.99	1/2		1/2		1/2	
3/4	5,468.00	3/4	6,037.49	3/4	6,574.78	3/4	7,067.53	3/4	7,499.89	3/4	7,848.12	3/4	8,060.08	3/4		3/4		3/4	
11	5,480.14	11	6,049.07	11	6,585.57	11	7,077.26	11	7,508.16	11	7,854.30	11	8,062.17	11		11		11	
1/4	5,492.23	1/4	6,060.60	1/4	6,596.29	1/4	7,086.88	1/4	7,516.29	1/4	7,860.26	1/4	8,063.32	1/4		1/4		1/4	
1/2	5,504.33	1/2	6,072.12	1/2	6,607.01	1/2	7,096.51	1/2	7,524.41	1/2	7,866.22	1/2	8,064.46	1/2		1/2		1/2	
3/4	5,516.43	3/4	6,083.65	3/4	6,617.73	3/4	7,106.13	3/4	7,532.54	3/4	7,872.18	3/4	8,065.60	3/4		3/4		3/4	

STRAPPED: 01/06/2020 CL
CALCULATED: 01/07/2020 CL
PRINTED: 01/07/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2020

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "FMT 2060"

STBD HORIZONTAL INNAGE TABLE BERGAN GAUGE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0.12	0	187.96	0	524.85	0	949.68	0	1,436.88	0	1,970.04	0	2,536.57	0	3,125.89	0	3,728.49	0	4,335.46
1/4	1.27	1/4	193.87	1/4	532.97	1/4	959.30	1/4	1,447.59	1/4	1,981.56	1/4	2,548.67	1/4	3,138.34	1/4	3,741.12	1/4	4,348.08
1/2	2.41	1/2	199.77	1/2	541.10	1/2	968.92	1/2	1,458.31	1/2	1,993.09	1/2	2,560.76	1/2	3,150.80	1/2	3,753.75	1/2	4,360.71
3/4	3.55	3/4	205.68	3/4	549.23	3/4	978.54	3/4	1,469.02	3/4	2,004.61	3/4	2,572.86	3/4	3,163.26	3/4	3,766.39	3/4	4,373.34
1	4.69	1	211.59	1	557.35	1	988.16	1	1,479.74	1	2,016.13	1	2,584.95	1	3,175.72	1	3,779.02	1	4,385.96
1/4	6.78	1/4	217.72	1/4	565.62	1/4	997.88	1/4	1,490.54	1/4	2,027.71	1/4	2,597.08	1/4	3,188.20	1/4	3,791.66	1/4	4,398.58
1/2	8.87	1/2	223.84	1/2	573.89	1/2	1,007.61	1/2	1,501.33	1/2	2,039.29	1/2	2,609.21	1/2	3,200.68	1/2	3,804.30	1/2	4,411.20
3/4	10.96	3/4	229.97	3/4	582.16	3/4	1,017.33	3/4	1,512.12	3/4	2,050.87	3/4	2,621.35	3/4	3,213.16	3/4	3,816.94	3/4	4,423.81
2	13.05	2	236.10	2	590.43	2	1,027.06	2	1,522.92	2	2,062.45	2	2,633.48	2	3,225.64	2	3,829.58	2	4,436.43
1/4	15.76	1/4	242.47	1/4	598.84	1/4	1,036.88	1/4	1,533.79	1/4	2,074.08	1/4	2,645.65	1/4	3,238.14	1/4	3,842.23	1/4	4,449.04
1/2	18.46	1/2	248.83	1/2	607.25	1/2	1,046.71	1/2	1,544.66	1/2	2,085.72	1/2	2,657.81	1/2	3,250.64	1/2	3,854.87	1/2	4,461.65
3/4	21.16	3/4	255.20	3/4	615.66	3/4	1,056.54	3/4	1,555.53	3/4	2,097.35	3/4	2,669.98	3/4	3,263.14	3/4	3,867.52	3/4	4,474.25
3	23.87	3	261.56	3	624.07	3	1,066.36	3	1,566.39	3	2,108.98	3	2,682.15	3	3,275.64	3	3,880.16	3	4,486.86
1/4	27.07	1/4	268.16	1/4	632.62	1/4	1,076.29	1/4	1,577.34	1/4	2,120.67	1/4	2,694.35	1/4	3,288.16	1/4	3,892.81	1/4	4,499.46
1/2	30.26	1/2	274.75	1/2	641.16	1/2	1,086.21	1/2	1,588.28	1/2	2,132.36	1/2	2,706.56	1/2	3,300.68	1/2	3,905.46	1/2	4,512.05
3/4	33.46	3/4	281.35	3/4	649.71	3/4	1,096.14	3/4	1,599.22	3/4	2,144.04	3/4	2,718.76	3/4	3,313.20	3/4	3,918.11	3/4	4,524.65
4	36.66	4	287.94	4	658.26	4	1,106.07	4	1,610.17	4	2,155.73	4	2,730.97	4	3,325.72	4	3,930.76	4	4,537.24
1/4	40.28	1/4	294.73	1/4	666.94	1/4	1,116.09	1/4	1,621.18	1/4	2,167.47	1/4	2,743.20	1/4	3,338.26	1/4	3,943.41	1/4	4,549.83
1/2	43.91	1/2	301.52	1/2	675.61	1/2	1,126.11	1/2	1,632.19	1/2	2,179.21	1/2	2,755.44	1/2	3,350.80	1/2	3,956.06	1/2	4,562.41
3/4	47.53	3/4	308.31	3/4	684.29	3/4	1,136.13	3/4	1,643.21	3/4	2,190.94	3/4	2,767.68	3/4	3,363.34	3/4	3,968.71	3/4	4,574.99
5	51.15	5	315.10	5	692.97	5	1,146.16	5	1,654.22	5	2,202.68	5	2,779.92	5	3,375.87	5	3,981.36	5	4,587.58
1/4	55.15	1/4	322.08	1/4	701.78	1/4	1,156.27	1/4	1,665.31	1/4	2,214.47	1/4	2,792.18	1/4	3,388.43	1/4	3,994.01	1/4	4,600.15
1/2	59.15	1/2	329.06	1/2	710.59	1/2	1,166.39	1/2	1,676.39	1/2	2,226.26	1/2	2,804.45	1/2	3,400.98	1/2	4,006.67	1/2	4,612.71
3/4	63.16	3/4	336.03	3/4	719.40	3/4	1,176.51	3/4	1,687.48	3/4	2,238.04	3/4	2,816.72	3/4	3,413.54	3/4	4,019.32	3/4	4,625.28
6	67.16	6	343.01	6	728.20	6	1,186.63	6	1,698.56	6	2,249.83	6	2,828.99	6	3,426.09	6	4,031.97	6	4,637.85
1/4	71.50	1/4	350.17	1/4	737.14	1/4	1,196.84	1/4	1,709.71	1/4	2,261.67	1/4	2,841.29	1/4	3,438.66	1/4	4,044.62	1/4	4,650.41
1/2	75.84	1/2	357.33	1/2	746.07	1/2	1,207.05	1/2	1,720.86	1/2	2,273.50	1/2	2,853.60	1/2	3,451.23	1/2	4,057.28	1/2	4,662.96
3/4	80.18	3/4	364.49	3/4	755.00	3/4	1,217.26	3/4	1,732.02	3/4	2,285.34	3/4	2,865.90	3/4	3,463.80	3/4	4,069.93	3/4	4,675.52
7	84.53	7	371.65	7	763.94	7	1,227.46	7	1,743.17	7	2,297.17	7	2,878.20	7	3,476.37	7	4,082.58	7	4,688.07
1/4	89.18	1/4	378.98	1/4	772.99	1/4	1,237.76	1/4	1,754.39	1/4	2,309.06	1/4	2,890.53	1/4	3,488.95	1/4	4,095.23	1/4	4,700.61
1/2	93.84	1/2	386.31	1/2	782.05	1/2	1,248.06	1/2	1,765.60	1/2	2,320.94	1/2	2,902.86	1/2	3,501.53	1/2	4,107.88	1/2	4,713.14
3/4	98.50	3/4	393.65	3/4	791.10	3/4	1,258.36	3/4	1,776.82	3/4	2,332.82	3/4	2,915.19	3/4	3,514.12	3/4	4,120.54	3/4	4,725.68
8	103.16	8	400.98	8	800.16	8	1,268.66	8	1,788.04	8	2,344.70	8	2,927.52	8	3,526.70	8	4,133.19	8	4,738.22
1/4	108.08	1/4	408.48	1/4	809.33	1/4	1,279.05	1/4	1,799.32	1/4	2,356.63	1/4	2,939.88	1/4	3,539.30	1/4	4,145.84	1/4	4,750.74
1/2	113.01	1/2	415.98	1/2	818.51	1/2	1,289.44	1/2	1,810.61	1/2	2,368.56	1/2	2,952.24	1/2	3,551.89	1/2	4,158.49	1/2	4,763.26
3/4	117.93	3/4	423.48	3/4	827.68	3/4	1,299.82	3/4	1,821.89	3/4	2,380.49	3/4	2,964.60	3/4	3,564.49	3/4	4,171.13	3/4	4,775.78
9	122.85	9	430.99	9	836.85	9	1,310.21	9	1,833.17	9	2,392.42	9	2,976.95	9	3,577.08	9	4,183.78	9	4,788.30
1/4	128.03	1/4	438.65	1/4	846.14	1/4	1,320.68	1/4	1,844.52	1/4	2,404.39	1/4	2,989.34	1/4	3,589.69	1/4	4,196.43	1/4	4,800.80
1/2	133.20	1/2	446.32	1/2	855.43	1/2	1,331.16	1/2	1,855.86	1/2	2,416.36	1/2	3,001.73	1/2	3,602.30	1/2	4,209.07	1/2	4,813.30
3/4	138.37	3/4	453.98	3/4	864.72	3/4	1,341.63	3/4	1,867.21	3/4	2,428.33	3/4	3,014.11	3/4	3,614.90	3/4	4,221.72	3/4	4,825.80
10	143.54	10	461.65	10	874.01	10	1,352.10	10	1,878.55	10	2,440.30	10	3,026.50	10	3,627.51	10	4,234.36	10	4,838.30
1/4	148.97	1/4	469.47	1/4	883.42	1/4	1,362.66	1/4	1,889.96	1/4	2,452.31	1/4	3,038.91	1/4	3,640.13	1/4	4,247.00	1/4	4,850.78
1/2	154.40	1/2	477.29	1/2	892.82	1/2	1,373.21	1/2	1,901.36	1/2	2,464.33	1/2	3,051.32	1/2	3,652.75	1/2	4,259.64	1/2	4,863.26
3/4	159.83	3/4	485.12	3/4	902.22	3/4	1,383.77	3/4	1,912.77	3/4	2,476.34	3/4	3,063.73	3/4	3,665.36	3/4	4,272.28	3/4	4,875.74
11	165.26	11	492.94	11	911.63	11	1,394.33	11	1,924.18	11	2,488.36	11	3,076.14	11	3,677.98	11	4,284.92	11	4,888.22
1/4	170.94	1/4	500.92	1/4	921.14	1/4	1,404.96	1/4	1,935.64	1/4	2,500.41	1/4	3,088.58	1/4	3,690.61	1/4	4,297.56	1/4	4,900.68
1/2	176.61	1/2	508.90	1/2	930.65	1/2	1,415.60	1/2	1,947.11	1/2	2,512.46	1/2	3,101.01	1/2	3,703.23	1/2	4,310.19	1/2	4,913.14
3/4	182.29	3/4	516.87	3/4	940.16	3/4	1,426.24	3/4	1,958.57	3/4	2,524.52	3/4	3,113.45	3/4	3,715.86	3/4	4,322.82	3/4	4,925.60

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.2E
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "FMT 2060"

STBD HORIZONTAL INNAGE TABLE BERGAN GAUGE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	4,938.06	0	5,527.37	0	6,093.90	0	6,627.07	0	7,114.27	0	7,539.09	0	7,876.50	0	8,065.06	0		0	
1/4	4,950.49	1/4	5,539.42	1/4	6,105.37	1/4	6,637.71	1/4	7,123.78	1/4	7,547.07	1/4	7,882.22	1/4		1/4		1/4	
1/2	4,962.93	1/2	5,551.48	1/2	6,116.84	1/2	6,648.34	1/2	7,133.29	1/2	7,555.05	1/2	7,887.95	1/2		1/2		1/2	
3/4	4,975.37	3/4	5,563.53	3/4	6,128.30	3/4	6,658.98	3/4	7,142.80	3/4	7,563.02	3/4	7,893.68	3/4		3/4		3/4	
1	4,987.80	1	5,575.59	1	6,139.77	1	6,669.62	1	7,152.32	1	7,571.00	1	7,899.40	1		1		1	
1/4	5,000.21	1/4	5,587.60	1/4	6,151.17	1/4	6,680.17	1/4	7,161.72	1/4	7,578.83	1/4	7,904.89	1/4		1/4		1/4	
1/2	5,012.62	1/2	5,599.61	1/2	6,162.58	1/2	6,690.73	1/2	7,171.12	1/2	7,586.65	1/2	7,910.37	1/2		1/2		1/2	
3/4	5,025.03	3/4	5,611.63	3/4	6,173.99	3/4	6,701.29	3/4	7,180.53	3/4	7,594.47	3/4	7,915.85	3/4		3/4		3/4	
2	5,037.45	2	5,623.64	2	6,185.39	2	6,711.84	2	7,189.93	2	7,602.30	2	7,921.33	2		2		2	
1/4	5,049.83	1/4	5,635.61	1/4	6,196.74	1/4	6,722.31	1/4	7,199.22	1/4	7,609.96	1/4	7,926.56	1/4		1/4		1/4	
1/2	5,062.22	1/2	5,647.59	1/2	6,208.08	1/2	6,732.79	1/2	7,208.51	1/2	7,617.63	1/2	7,931.78	1/2		1/2		1/2	
3/4	5,074.60	3/4	5,659.56	3/4	6,219.43	3/4	6,743.26	3/4	7,217.80	3/4	7,625.29	3/4	7,937.00	3/4		3/4		3/4	
3	5,086.99	3	5,671.53	3	6,230.77	3	6,753.73	3	7,227.09	3	7,632.96	3	7,942.23	3		3		3	
1/4	5,099.35	1/4	5,683.46	1/4	6,242.05	1/4	6,764.12	1/4	7,236.26	1/4	7,640.46	1/4	7,947.18	1/4		1/4		1/4	
1/2	5,111.71	1/2	5,695.38	1/2	6,253.34	1/2	6,774.51	1/2	7,245.44	1/2	7,647.96	1/2	7,952.13	1/2		1/2		1/2	
3/4	5,124.07	3/4	5,707.31	3/4	6,264.62	3/4	6,784.89	3/4	7,254.61	3/4	7,655.46	3/4	7,957.08	3/4		3/4		3/4	
4	5,136.42	4	5,719.24	4	6,275.90	4	6,795.28	4	7,263.79	4	7,662.96	4	7,962.03	4		4		4	
1/4	5,148.75	1/4	5,731.12	1/4	6,287.12	1/4	6,805.58	1/4	7,272.84	1/4	7,670.30	1/4	7,966.68	1/4		1/4		1/4	
1/2	5,161.09	1/2	5,743.00	1/2	6,298.34	1/2	6,815.88	1/2	7,281.90	1/2	7,677.63	1/2	7,971.34	1/2		1/2		1/2	
3/4	5,173.42	3/4	5,754.89	3/4	6,309.56	3/4	6,826.18	3/4	7,290.95	3/4	7,684.96	3/4	7,976.00	3/4		3/4		3/4	
5	5,185.75	5	5,766.77	5	6,320.78	5	6,836.48	5	7,300.01	5	7,692.30	5	7,980.66	5		5		5	
1/4	5,198.05	1/4	5,778.60	1/4	6,331.93	1/4	6,846.69	1/4	7,308.94	1/4	7,699.46	1/4	7,985.00	1/4		1/4		1/4	
1/2	5,210.35	1/2	5,790.44	1/2	6,343.08	1/2	6,856.90	1/2	7,317.87	1/2	7,706.61	1/2	7,989.34	1/2		1/2		1/2	
3/4	5,222.65	3/4	5,802.28	3/4	6,354.23	3/4	6,867.11	3/4	7,326.81	3/4	7,713.77	3/4	7,993.69	3/4		3/4		3/4	
6	5,234.95	6	5,814.11	6	6,365.38	6	6,877.32	6	7,335.74	6	7,720.93	6	7,998.03	6		6		6	
1/4	5,247.22	1/4	5,825.90	1/4	6,376.47	1/4	6,887.43	1/4	7,344.55	1/4	7,727.91	1/4	8,002.03	1/4		1/4		1/4	
1/2	5,259.49	1/2	5,837.69	1/2	6,387.55	1/2	6,897.55	1/2	7,353.36	1/2	7,734.89	1/2	8,006.03	1/2		1/2		1/2	
3/4	5,271.76	3/4	5,849.47	3/4	6,398.64	3/4	6,907.67	3/4	7,362.16	3/4	7,741.86	3/4	8,010.03	3/4		3/4		3/4	
7	5,284.03	7	5,861.26	7	6,409.72	7	6,917.79	7	7,370.97	7	7,748.84	7	8,014.03	7		7		7	
1/4	5,296.27	1/4	5,873.00	1/4	6,420.73	1/4	6,927.81	1/4	7,379.65	1/4	7,755.63	1/4	8,017.65	1/4		1/4		1/4	
1/2	5,308.50	1/2	5,884.74	1/2	6,431.75	1/2	6,937.83	1/2	7,388.33	1/2	7,762.42	1/2	8,021.28	1/2		1/2		1/2	
3/4	5,320.74	3/4	5,896.48	3/4	6,442.76	3/4	6,947.85	3/4	7,397.01	3/4	7,769.21	3/4	8,024.90	3/4		3/4		3/4	
8	5,332.98	8	5,908.21	8	6,453.78	8	6,957.88	8	7,405.69	8	7,776.00	8	8,028.52	8		8		8	
1/4	5,345.18	1/4	5,919.90	1/4	6,464.72	1/4	6,967.80	1/4	7,414.23	1/4	7,782.60	1/4	8,031.72	1/4		1/4		1/4	
1/2	5,357.39	1/2	5,931.59	1/2	6,475.66	1/2	6,977.73	1/2	7,422.78	1/2	7,789.19	1/2	8,034.92	1/2		1/2		1/2	
3/4	5,369.59	3/4	5,943.27	3/4	6,486.61	3/4	6,987.66	3/4	7,431.33	3/4	7,795.78	3/4	8,038.12	3/4		3/4		3/4	
9	5,381.79	9	5,954.96	9	6,497.55	9	6,997.58	9	7,439.87	9	7,802.38	9	8,041.32	9		9		9	
1/4	5,393.96	1/4	5,966.59	1/4	6,508.42	1/4	7,007.41	1/4	7,448.28	1/4	7,808.77	1/4	8,044.02	1/4		1/4		1/4	
1/2	5,406.13	1/2	5,978.23	1/2	6,519.29	1/2	7,017.23	1/2	7,456.69	1/2	7,815.16	1/2	8,046.72	1/2		1/2		1/2	
3/4	5,418.30	3/4	5,989.86	3/4	6,530.16	3/4	7,027.06	3/4	7,465.10	3/4	7,821.55	3/4	8,049.43	3/4		3/4		3/4	
10	5,430.47	10	6,001.49	10	6,541.03	10	7,036.89	10	7,473.51	10	7,827.95	10	8,052.13	10		10		10	
1/4	5,442.60	1/4	6,013.07	1/4	6,551.82	1/4	7,046.61	1/4	7,481.78	1/4	7,834.13	1/4	8,054.22	1/4		1/4		1/4	
1/2	5,454.73	1/2	6,024.65	1/2	6,562.61	1/2	7,056.34	1/2	7,490.05	1/2	7,840.31	1/2	8,056.31	1/2		1/2		1/2	
3/4	5,466.86	3/4	6,036.23	3/4	6,573.41	3/4	7,066.06	3/4	7,498.32	3/4	7,846.49	3/4	8,058.40	3/4		3/4		3/4	
11	5,478.99	11	6,047.81	11	6,584.20	11	7,075.79	11	7,506.59	11	7,852.67	11	8,060.49	11		11		11	
1/4	5,491.09	1/4	6,059.33	1/4	6,594.92	1/4	7,085.41	1/4	7,514.72	1/4	7,858.62	1/4	8,061.63	1/4		1/4		1/4	
1/2	5,503.18	1/2	6,070.86	1/2	6,605.64	1/2	7,095.03	1/2	7,522.84	1/2	7,864.58	1/2	8,062.77	1/2		1/2		1/2	
3/4	5,515.28	3/4	6,082.38	3/4	6,616.35	3/4	7,104.65	3/4	7,530.97	3/4	7,870.54	3/4	8,063.92	3/4		3/4		3/4	

STRAPPED: 01/06/2020 CL
CALCULATED: 01/07/2020 CL
PRINTED: 01/07/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2020

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>