2360 Fifth Street Mandeville, LA 70471 Phone (985) 529-2082 Fax (985) 529-2120

1oz. = 1.729 inches OF H2O

Florida Marine Transporters Inc.

MARINE VESSELS VAPOR TIGHTNESS DOCUMENTATION

REQUIRED SUBPART BB-NATIONAL EMISSION STANDARDS FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS SECTION 61.00-61.306 1177879 FMT 3172 OFFICIAL NUMBER: TESTING LOCATION: CATES FLT MAXIMUM LOADING RATE (BPH) 5,000 PRESSURE INDICATOR MANOMETER TANK(S) TESTED: ALL VESSEL OWNER AND ADDRESS: FIRT 8360 FIFTH ST. TEST RESULTS TEST DATE: 12-16-24 BEGINNING TIME: 1300 BEGINNING PRESSURE: 28 4 4 F 7 D ENDING TIME: ______1330 ENDING PRESSURE: 27.8" OF H20 TOTAL PRESSURE LOSS: _ . 2 er /+20 ALLOWABLE PRESSURE LOSS: 2-2".x H20 NOTE: VESSEL IS CONSIDERED VAPOR TIGHT IF "TOTAL PRESSURE LOSS" IS LESS THAN "ALLOWABLE PRESSURE LOSS" THIS VESSEL HAS BEEN TESTED IN ACCORDANCE WITH SECTION 61.304F, AND IS CONSIDERED VAPOR TIGHT. CHAMPAGNE (PRINT) WITNESS: 1 (SIGN) FLORIDA MARINE AFFILIATION OF WITNESS CALCULATION OF ALLOWABLE PRESSURE LOSS: $0.861 \times \underbrace{15.7}_{\text{(TP)}} \times \underbrace{(5,000)}_{\text{(L)}} \underbrace{30,706}_{\text{(V)}} = \underbrace{2.2}_{\text{(APL)}}$ TP = 14.7 PLUS THE BARGE TEST PRESSURE IN PSI (1psi = 16 ounces) L = MAXIMUM LOADING RATE IN BARRELS PER HOUR V = VOLUME OF TANK(S) IN BARRELSAPL = ALLOWABLE PRESSURE LOSS IN INCHES OF WATER 14.70psi = 406.8 inches of H2O NOTES 1psi = 27.67 inches of H2O 1 inch = 25.40 mmlinch = 2.54 cm