

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 04-2252

Table with 24 columns (0 FT. to 14 FT.) and multiple rows for each column, listing capacity values in barrels. Each cell contains a number representing capacity, often with a fractional part (e.g., 1/4, 1/2, 3/4) indicating measurement depth or gauge position.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 9" PORT
REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/09/05 BY: RM
DATE COMPUTED: 11/15/05 BY: WHF
DATE ISSUED: 11/17/05



**BARGE "FMT - 3178"
FLORIDA MARINE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 04-2252

Table with 26 columns (IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT.) and multiple rows for each height (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11) and gauge (0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/09/05 BY: RM
DATE COMPUTED: 11/15/05 BY: WHF
DATE ISSUED: 11/17/05

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 04-2252

Table with 24 columns (IN 2 FT. to IN 17 FT.) and 17 rows (0 to 11). Each row contains capacity values for different gauging points (0, 1/4, 1/2, 3/4) at each height. Values range from approximately 4,393.70 to 4,400.18.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK..

REFERENCE GAUGE HEIGHT: 17'-3 1/2" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/09/05 BY: RM

DATE COMPUTED: 11/15/05 BY: WHF

DATE ISSUED: 11/17/05

INTERTEK - CALEB BRETT

GAUGE HEIGHT - PORT: 5' 4 1/4"
GAUGE HEIGHT - STBD: 5' 4 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,007	0	2,013	0	3,020	0	4,027	0		0		0		0		0	
1/4	21	1/4	1,028	1/4	2,034	1/4	3,041	1/4	4,048	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,049	1/2	2,055	1/2	3,062	1/2	4,069	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,070	3/4	2,076	3/4	3,083	3/4	4,089	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,091	1	2,097	1	3,104	1	4,110	1		1		1		1		1	
1/4	105	1/4	1,112	1/4	2,118	1/4	3,125	1/4	4,131	1/4		1/4		1/4		1/4		1/4	
1/2	126	1/2	1,132	1/2	2,139	1/2	3,146	1/2	4,152	1/2		1/2		1/2		1/2		1/2	
3/4	147	3/4	1,153	3/4	2,160	3/4	3,167	3/4	4,173	3/4		3/4		3/4		3/4		3/4	
2	168	2	1,174	2	2,181	2	3,188	2	4,194	2		2		2		2		2	
1/4	189	1/4	1,195	1/4	2,202	1/4	3,209	1/4	4,215	1/4		1/4		1/4		1/4		1/4	
1/2	210	1/2	1,216	1/2	2,223	1/2	3,230	1/2	4,236	1/2		1/2		1/2		1/2		1/2	
3/4	231	3/4	1,237	3/4	2,244	3/4	3,251	3/4	4,257	3/4		3/4		3/4		3/4		3/4	
3	252	3	1,258	3	2,265	3	3,272	3	4,278	3		3		3		3		3	
1/4	273	1/4	1,279	1/4	2,286	1/4	3,293	1/4	4,299	1/4		1/4		1/4		1/4		1/4	
1/2	294	1/2	1,300	1/2	2,307	1/2	3,314	1/2	4,320	1/2		1/2		1/2		1/2		1/2	
3/4	315	3/4	1,321	3/4	2,328	3/4	3,335	3/4	4,341	3/4		3/4		3/4		3/4		3/4	
4	336	4	1,342	4	2,349	4	3,355	4	4,362	4		4		4		4		4	
1/4	357	1/4	1,363	1/4	2,370	1/4	3,376	1/4	4,383	1/4		1/4		1/4		1/4		1/4	
1/2	377	1/2	1,384	1/2	2,391	1/2	3,397	1/2	4,404	1/2		1/2		1/2		1/2		1/2	
3/4	398	3/4	1,405	3/4	2,412	3/4	3,418	3/4	4,425	3/4		3/4		3/4		3/4		3/4	
5	419	5	1,426	5	2,433	5	3,439	5	4,446	5		5		5		5		5	
1/4	440	1/4	1,447	1/4	2,454	1/4	3,460	1/4	4,467	1/4		1/4		1/4		1/4		1/4	
1/2	461	1/2	1,468	1/2	2,475	1/2	3,481	1/2	4,488	1/2		1/2		1/2		1/2		1/2	
3/4	482	3/4	1,489	3/4	2,496	3/4	3,502	3/4	4,509	3/4		3/4		3/4		3/4		3/4	
6	503	6	1,510	6	2,517	6	3,523	6	4,530	6		6		6		6		6	
1/4	524	1/4	1,531	1/4	2,538	1/4	3,544	1/4	4,551	1/4		1/4		1/4		1/4		1/4	
1/2	545	1/2	1,552	1/2	2,559	1/2	3,565	1/2	4,572	1/2		1/2		1/2		1/2		1/2	
3/4	566	3/4	1,573	3/4	2,580	3/4	3,586	3/4	4,593	3/4		3/4		3/4		3/4		3/4	
7	587	7	1,594	7	2,600	7	3,607	7	4,614	7		7		7		7		7	
1/4	608	1/4	1,615	1/4	2,621	1/4	3,628	1/4	4,635	1/4		1/4		1/4		1/4		1/4	
1/2	629	1/2	1,636	1/2	2,642	1/2	3,649	1/2	4,656	1/2		1/2		1/2		1/2		1/2	
3/4	650	3/4	1,657	3/4	2,663	3/4	3,670	3/4	4,677	3/4		3/4		3/4		3/4		3/4	
8	671	8	1,678	8	2,684	8	3,691	8	4,698	8		8		8		8		8	
1/4	692	1/4	1,699	1/4	2,705	1/4	3,712	1/4	4,719	1/4		1/4		1/4		1/4		1/4	
1/2	713	1/2	1,720	1/2	2,726	1/2	3,733	1/2	4,740	1/2		1/2		1/2		1/2		1/2	
3/4	734	3/4	1,741	3/4	2,747	3/4	3,754	3/4	4,761	3/4		3/4		3/4		3/4		3/4	
9	755	9	1,762	9	2,768	9	3,775	9	4,782	9		9		9		9		9	
1/4	776	1/4	1,783	1/4	2,789	1/4	3,796	1/4	4,803	1/4		1/4		1/4		1/4		1/4	
1/2	797	1/2	1,804	1/2	2,810	1/2	3,817	1/2	4,824	1/2		1/2		1/2		1/2		1/2	
3/4	818	3/4	1,825	3/4	2,831	3/4	3,838	3/4	4,844	3/4		3/4		3/4		3/4		3/4	
10	839	10	1,846	10	2,852	10	3,859	10	4,865	10		10		10		10		10	
1/4	860	1/4	1,866	1/4	2,873	1/4	3,880	1/4	4,886	1/4		1/4		1/4		1/4		1/4	
1/2	881	1/2	1,887	1/2	2,894	1/2	3,901	1/2	4,907	1/2		1/2		1/2		1/2		1/2	
3/4	902	3/4	1,908	3/4	2,915	3/4	3,922	3/4	4,928	3/4		3/4		3/4		3/4		3/4	
11	923	11	1,929	11	2,936	11	3,943	11	4,949	11		11		11		11		11	
1/4	944	1/4	1,950	1/4	2,957	1/4	3,964	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	965	1/2	1,971	1/2	2,978	1/2	3,985	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	986	3/4	1,992	3/4	2,999	3/4	4,006	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/09/05 BY: RM
DATE COMPUTED: 11/15/05 BY: WHF
DATE ISSUED: 11/17/05

