



BARGE "FMT-6000" FLORIDA MARINE

INNAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

H	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	14.13	331.16	661.98	992.80	1,323.60	1,654.76	1,986.00	2,317.24	2,648.48	2,979.74	3,310.99	3,642.24	3,973.48	4,304.73	4,635.98	4,967.23
1	18.44	338.06	668.87	999.69	1,330.47	1,661.65	1,992.90	2,324.15	2,655.39	2,986.64	3,317.89	3,649.14	3,980.38	4,311.63	4,642.88	4,974.13
2	22.74	344.95	675.76	1,006.58	1,337.36	1,668.55	1,999.80	2,331.05	2,662.29	2,993.54	3,324.78	3,656.04	3,987.29	4,318.54	4,649.79	4,981.04
3	27.05	351.84	682.66	1,013.47	1,344.25	1,675.45	2,006.70	2,337.95	2,669.20	3,000.44	3,331.69	3,662.94	3,994.19	4,325.44	4,656.69	4,987.94
4	31.36	358.73	689.55	1,020.36	1,351.14	1,682.35	2,013.60	2,344.85	2,676.10	3,007.34	3,338.59	3,669.84	4,001.09	4,332.34	4,663.59	4,994.84
5	35.67	365.62	696.44	1,027.25	1,358.04	1,689.25	2,020.50	2,351.75	2,683.00	3,014.24	3,345.49	3,676.74	4,007.99	4,339.24	4,670.49	5,001.74
6	39.98	372.52	703.33	1,034.15	1,364.93	1,696.15	2,027.40	2,358.65	2,689.90	3,021.15	3,352.39	3,683.64	4,014.89	4,346.14	4,677.39	5,008.64
7	44.29	379.41	710.22	1,041.04	1,371.82	1,703.06	2,034.30	2,365.55	2,696.80	3,028.05	3,359.29	3,690.54	4,021.79	4,352.89	4,684.14	5,015.54
8	48.60	386.30	717.12	1,047.93	1,378.71	1,709.96	2,041.20	2,372.45	2,703.70	3,034.95	3,366.20	3,697.44	4,028.69	4,359.74	4,690.99	5,022.44
9	52.91	393.19	724.01	1,054.82	1,385.61	1,716.86	2,048.11	2,379.35	2,710.60	3,041.85	3,373.10	3,704.34	4,035.59	4,366.59	4,697.84	5,029.34
10	57.22	399.08	730.90	1,061.72	1,392.51	1,723.76	2,055.01	2,386.25	2,717.50	3,048.75	3,380.00	3,711.25	4,042.49	4,373.49	4,704.74	5,036.24
11	61.53	405.97	737.79	1,068.61	1,399.41	1,730.66	2,061.91	2,393.15	2,724.40	3,055.65	3,386.90	3,718.15	4,049.39	4,380.34	4,711.59	5,043.14
12	65.84	412.86	744.68	1,075.50	1,406.31	1,737.56	2,068.81	2,400.05	2,731.30	3,062.55	3,393.80	3,725.05	4,056.29	4,387.19	4,718.44	5,050.04
13	70.15	419.75	751.58	1,082.39	1,413.21	1,744.46	2,075.71	2,406.95	2,738.21	3,069.45	3,400.70	3,731.95	4,063.20	4,394.04	4,725.29	5,056.94
14	74.46	426.64	758.47	1,089.28	1,420.11	1,751.36	2,082.61	2,413.80	2,745.11	3,076.35	3,407.60	3,738.85	4,070.10	4,400.89	4,732.14	5,063.84
15	78.77	433.53	765.36	1,096.18	1,427.02	1,758.26	2,089.51	2,420.70	2,752.01	3,083.25	3,414.50	3,745.75	4,077.00	4,407.74	4,739.04	5,070.74
16	83.08	440.42	772.25	1,103.07	1,433.92	1,765.16	2,096.41	2,427.60	2,758.91	3,090.15	3,421.40	3,752.65	4,083.90	4,414.59	4,745.89	5,077.64
17	87.39	447.31	779.14	1,109.96	1,440.82	1,772.07	2,103.31	2,434.56	2,765.81	3,097.05	3,428.30	3,759.55	4,090.80	4,421.44	4,752.74	5,084.54
18	91.70	454.20	786.04	1,116.86	1,447.72	1,778.97	2,110.21	2,441.46	2,772.71	3,103.95	3,435.21	3,766.45	4,097.70	4,428.29	4,759.59	5,091.44
19	96.01	461.09	792.93	1,123.74	1,454.62	1,785.87	2,117.12	2,448.36	2,779.61	3,110.86	3,442.11	3,773.35	4,104.60	4,435.14	4,766.44	5,098.34
20	100.32	467.98	799.82	1,130.63	1,461.52	1,792.77	2,124.02	2,455.26	2,786.51	3,117.76	3,449.01	3,780.25	4,111.50	4,442.04	4,773.29	5,105.24
21	104.63	474.87	806.71	1,137.52	1,468.42	1,799.67	2,130.92	2,462.17	2,793.41	3,124.66	3,455.91	3,787.15	4,118.40	4,448.89	4,780.14	5,112.14
22	108.94	481.76	813.60	1,144.41	1,475.32	1,806.57	2,137.82	2,469.07	2,800.31	3,131.56	3,462.81	3,794.05	4,125.30	4,455.74	4,787.04	5,119.04
23	113.25	488.65	820.50	1,151.31	1,482.22	1,813.47	2,144.72	2,475.97	2,807.22	3,138.46	3,469.71	3,800.95	4,132.21	4,462.59	4,793.89	5,125.94
24	117.56	495.54	827.39	1,158.20	1,489.12	1,820.37	2,151.62	2,482.87	2,814.12	3,145.36	3,476.61	3,807.85	4,139.11	4,469.44	4,800.74	5,132.84
25	121.87	502.43	834.28	1,165.09	1,496.03	1,827.27	2,158.52	2,489.77	2,821.02	3,152.26	3,483.51	3,814.74	4,146.01	4,476.29	4,807.59	5,139.74
26	126.18	509.32	841.17	1,171.98	1,502.93	1,834.17	2,165.42	2,496.67	2,827.92	3,159.17	3,490.41	3,821.64	4,152.91	4,483.14	4,814.44	5,146.64
27	130.49	516.21	848.06	1,178.87	1,509.83	1,841.08	2,172.32	2,503.57	2,834.82	3,166.07	3,497.31	3,828.54	4,159.81	4,490.04	4,821.29	5,153.54
28	134.80	523.10	854.95	1,185.76	1,516.73	1,847.98	2,179.22	2,510.47	2,841.72	3,172.97	3,504.22	3,835.46	4,166.71	4,496.89	4,828.14	5,160.44
29	139.11	530.00	861.84	1,192.65	1,523.63	1,854.88	2,186.13	2,517.37	2,848.62	3,179.87	3,511.12	3,842.36	4,173.61	4,503.74	4,835.04	5,167.34
30	143.42	536.89	868.73	1,199.54	1,530.53	1,861.78	2,192.93	2,524.27	2,855.52	3,186.77	3,518.02	3,849.27	4,180.51	4,510.59	4,841.89	5,174.24
31	147.73	543.78	875.62	1,206.43	1,537.43	1,868.68	2,199.83	2,531.18	2,862.42	3,193.67	3,524.92	3,856.17	4,187.41	4,517.44	4,848.74	5,181.14
32	152.04	550.67	882.51	1,213.32	1,544.33	1,875.58	2,206.73	2,538.08	2,869.32	3,200.57	3,531.82	3,863.07	4,194.32	4,524.29	4,855.59	5,188.04
33	156.35	557.56	889.40	1,220.22	1,551.23	1,882.48	2,213.63	2,544.98	2,876.22	3,207.47	3,538.72	3,869.97	4,201.22	4,531.14	4,862.44	5,194.94
34	160.66	564.45	896.29	1,227.11	1,558.13	1,889.38	2,220.53	2,551.88	2,883.13	3,214.37	3,545.62	3,876.87	4,208.12	4,538.04	4,869.29	5,201.84
35	164.97	571.34	903.18	1,234.00	1,565.04	1,896.28	2,227.43	2,558.78	2,890.03	3,221.27	3,552.52	3,883.77	4,215.02	4,544.89	4,876.14	5,208.74
36	169.28	578.23	910.08	1,240.89	1,571.94	1,903.18	2,234.33	2,565.68	2,896.93	3,228.18	3,559.42	3,890.67	4,221.92	4,551.74	4,883.04	5,215.64
37	173.59	585.12	916.97	1,247.78	1,578.84	1,910.09	2,241.23	2,572.59	2,903.83	3,235.08	3,566.32	3,897.57	4,228.82	4,558.59	4,889.89	5,222.54
38	177.90	592.01	923.86	1,254.67	1,585.74	1,916.99	2,248.13	2,579.49	2,910.73	3,241.98	3,573.23	3,904.47	4,235.72	4,565.44	4,896.74	5,229.44
39	182.21	598.90	930.75	1,261.56	1,592.64	1,923.89	2,255.04	2,586.39	2,917.63	3,248.88	3,580.13	3,911.37	4,242.62	4,572.29	4,903.59	5,236.34
40	186.52	605.79	937.64	1,268.45	1,599.54	1,930.79	2,261.94	2,593.28	2,924.53	3,255.78	3,587.03	3,918.28	4,249.52	4,579.14	4,910.44	5,243.24
41	190.83	612.68	944.53	1,275.34	1,606.44	1,937.69	2,268.84	2,600.19	2,931.43	3,262.68	3,593.93	3,925.18	4,256.42	4,586.04	4,917.29	5,250.14
42	195.14	619.57	951.42	1,282.23	1,613.34	1,944.59	2,275.74	2,607.09	2,938.33	3,269.58	3,600.83	3,932.08	4,263.32	4,592.89	4,924.14	5,257.04
43	199.45	626.46	958.31	1,289.13	1,620.24	1,951.49	2,282.64	2,613.99	2,945.23	3,276.48	3,607.73	3,938.98	4,270.22	4,599.74	4,931.04	5,263.94
44	203.76	633.35	965.20	1,296.02	1,627.14	1,958.39	2,289.54	2,620.89	2,952.14	3,283.38	3,614.63	3,945.88	4,277.13	4,606.59	4,937.89	5,270.84
45	208.07	640.24	972.10	1,302.91	1,634.04	1,965.29	2,296.44	2,627.79	2,959.04	3,290.28	3,621.53	3,952.78	4,284.03	4,613.44	4,944.74	5,277.74
46	212.38	647.13	979.00	1,309.80	1,640.94	1,972.19	2,303.34	2,634.64	2,965.94	3,297.19	3,628.43	3,959.68	4,290.93	4,620.29	4,951.59	5,284.64
47	216.69	654.02	985.89	1,316.69	1,647.84	1,979.10	2,310.24	2,641.54	2,972.84	3,304.09	3,635.33	3,966.58	4,297.83	4,627.14	4,958.44	5,291.54

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT 15'-10" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 05/31/2014

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



INNAE TABLE

2 PORT OR STAR

HILL NO. 1093

[illegible]

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT
15-9 1/2" (TO RIM OF 2" DIA BALL VALVE LOCATED
NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6000" FLORIDA MARINE

INNAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T93

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	15.92	368.96	733.54	1,100.11	1,466.68	1,835.62	2,205.08	2,574.54	2,943.99	3,313.45	3,682.61	4,051.33	4,420.05	4,788.77	5,157.49	5,526.21
1/4	20.40	374.60	741.17	1,107.75	1,474.29	1,843.32	2,212.78	2,582.23	2,951.69	3,321.15	3,690.00	4,058.72	4,427.44	4,796.16	5,164.88	5,533.60
1/2	25.18	382.23	748.81	1,116.39	1,483.93	1,853.02	2,223.47	2,592.93	2,962.39	3,331.61	3,700.00	4,068.00	4,436.33	4,804.66	5,172.99	5,541.32
3/4	29.96	389.07	756.45	1,123.02	1,489.66	1,858.71	2,229.17	2,598.63	2,968.09	3,337.34	3,705.00	4,073.00	4,441.33	4,809.66	5,177.99	5,546.32
1	34.73	397.51	764.09	1,130.68	1,497.20	1,866.41	2,236.87	2,605.32	2,974.78	3,344.24	3,712.00	4,078.00	4,446.33	4,814.66	5,182.99	5,551.32
1/4	41.42	405.15	771.72	1,138.30	1,504.84	1,874.11	2,243.56	2,612.02	2,982.48	3,351.83	3,719.00	4,083.00	4,451.33	4,819.66	5,188.99	5,556.32
1/2	48.11	412.79	779.36	1,146.93	1,512.47	1,881.81	2,251.26	2,620.72	2,990.17	3,359.83	3,726.00	4,088.00	4,456.33	4,824.66	5,194.99	5,561.32
3/4	54.79	420.42	786.99	1,153.57	1,520.11	1,889.60	2,258.96	2,628.41	2,997.87	3,367.33	3,733.00	4,093.00	4,461.33	4,829.66	5,199.99	5,566.32
2	61.48	428.06	794.63	1,161.21	1,527.74	1,897.20	2,266.66	2,636.11	3,005.57	3,375.02	3,740.00	4,098.00	4,466.33	4,834.66	5,204.99	5,571.32
1/4	69.12	435.69	802.27	1,168.85	1,535.44	1,904.90	2,274.35	2,643.81	3,013.27	3,382.72	3,747.00	4,103.00	4,471.33	4,839.66	5,209.99	5,576.32
1/2	76.75	443.33	809.91	1,176.48	1,543.14	1,912.69	2,282.05	2,651.51	3,020.96	3,390.42	3,754.00	4,108.00	4,476.33	4,844.66	5,214.99	5,581.32
3/4	84.39	450.97	817.54	1,184.12	1,550.83	1,920.29	2,289.75	2,659.20	3,028.68	3,398.12	3,761.00	4,113.00	4,481.33	4,849.66	5,219.99	5,586.32
3	92.03	458.60	825.18	1,191.76	1,558.53	1,927.99	2,297.44	2,666.90	3,036.38	3,406.81	3,768.00	4,118.00	4,486.33	4,854.66	5,224.99	5,591.32
1/4	99.67	466.24	832.82	1,199.39	1,566.23	1,935.68	2,305.14	2,674.60	3,044.05	3,414.51	3,775.00	4,123.00	4,491.33	4,859.66	5,229.99	5,596.32
1/2	107.30	473.88	840.45	1,207.03	1,573.93	1,943.38	2,312.84	2,682.29	3,051.75	3,422.21	3,782.00	4,128.00	4,496.33	4,864.66	5,234.99	5,601.32
3/4	114.94	481.52	848.09	1,214.67	1,581.62	1,951.08	2,320.53	2,689.99	3,059.45	3,429.90	3,789.00	4,133.00	4,501.33	4,869.66	5,239.99	5,606.32
4	122.58	489.15	855.73	1,222.30	1,589.32	1,958.78	2,328.23	2,697.69	3,067.14	3,437.65	3,796.00	4,138.00	4,506.33	4,874.66	5,244.99	5,611.32
1/4	130.21	496.79	863.36	1,229.94	1,596.97	1,966.47	2,335.93	2,705.38	3,074.84	3,445.39	3,803.00	4,143.00	4,511.33	4,879.66	5,249.99	5,616.32
1/2	137.85	504.43	871.00	1,237.58	1,604.71	1,974.17	2,343.63	2,713.08	3,082.54	3,453.13	3,810.00	4,148.00	4,516.33	4,884.66	5,254.99	5,621.32
3/4	145.49	512.06	878.64	1,245.21	1,612.41	1,981.87	2,351.32	2,720.78	3,090.24	3,460.87	3,817.00	4,153.00	4,521.33	4,889.66	5,259.99	5,626.32
5	153.12	519.70	886.28	1,252.85	1,620.11	1,989.58	2,359.02	2,728.48	3,097.93	3,468.61	3,824.00	4,158.00	4,526.33	4,894.66	5,264.99	5,631.32
1/4	160.76	527.34	893.91	1,260.48	1,627.80	1,997.26	2,366.72	2,736.17	3,105.63	3,476.35	3,831.00	4,163.00	4,531.33	4,899.66	5,269.99	5,636.32
1/2	168.40	534.97	901.55	1,268.12	1,635.50	2,004.96	2,374.41	2,743.87	3,113.33	3,484.09	3,838.00	4,168.00	4,536.33	4,904.66	5,274.99	5,641.32
3/4	176.04	542.61	909.19	1,275.76	1,643.20	2,012.65	2,382.11	2,751.57	3,121.02	3,491.83	3,845.00	4,173.00	4,541.33	4,909.66	5,279.99	5,646.32
6	183.67	550.25	916.82	1,283.39	1,650.90	2,020.35	2,389.81	2,759.26	3,128.72	3,499.54	3,852.00	4,178.00	4,546.33	4,914.66	5,284.99	5,651.32
1/4	191.31	557.89	924.46	1,291.03	1,658.59	2,028.05	2,397.50	2,766.96	3,136.42	3,507.28	3,859.00	4,183.00	4,551.33	4,919.66	5,289.99	5,656.32
1/2	198.95	565.52	932.10	1,298.66	1,666.29	2,035.75	2,405.20	2,774.68	3,144.11	3,515.02	3,866.00	4,188.00	4,556.33	4,924.66	5,294.99	5,661.32
3/4	206.58	573.16	939.73	1,306.30	1,673.99	2,043.44	2,412.90	2,782.38	3,151.81	3,522.76	3,873.00	4,193.00	4,561.33	4,929.66	5,299.99	5,666.32
7	214.22	580.80	947.37	1,313.94	1,681.68	2,051.14	2,420.60	2,790.08	3,159.51	3,530.50	3,880.00	4,198.00	4,566.33	4,934.66	5,304.99	5,671.32
1/4	221.86	588.43	955.01	1,321.57	1,689.38	2,058.84	2,428.29	2,797.78	3,167.21	3,538.24	3,887.00	4,203.00	4,571.33	4,939.66	5,309.99	5,676.32
1/2	229.49	596.07	962.65	1,329.21	1,697.08	2,066.53	2,435.99	2,805.46	3,174.90	3,545.98	3,894.00	4,208.00	4,576.33	4,944.66	5,314.99	5,681.32
3/4	237.13	603.71	970.29	1,336.84	1,704.77	2,074.23	2,443.69	2,813.14	3,182.60	3,553.72	3,901.00	4,213.00	4,581.33	4,949.66	5,319.99	5,686.32
8	244.77	611.34	977.92	1,344.48	1,712.47	2,081.93	2,451.38	2,820.84	3,190.30	3,561.46	3,908.00	4,218.00	4,586.33	4,954.66	5,324.99	5,691.32
1/4	252.41	618.98	985.56	1,352.12	1,720.17	2,089.62	2,459.08	2,828.54	3,197.99	3,569.20	3,915.00	4,223.00	4,591.33	4,959.66	5,329.99	5,696.32
1/2	260.04	626.62	993.19	1,359.76	1,727.87	2,097.32	2,466.78	2,836.23	3,205.69	3,576.94	3,922.00	4,228.00	4,596.33	4,964.66	5,334.99	5,701.32
3/4	267.68	634.25	1,000.83	1,367.39	1,735.56	2,105.02	2,474.47	2,843.93	3,213.39	3,584.68	3,929.00	4,233.00	4,601.33	4,969.66	5,339.99	5,706.32
9	275.32	641.89	1,008.47	1,375.02	1,743.26	2,112.72	2,482.17	2,851.63	3,221.08	3,592.42	3,936.00	4,238.00	4,606.33	4,974.66	5,344.99	5,711.32
1/4	282.96	649.53	1,016.11	1,382.66	1,750.90	2,120.41	2,489.87	2,859.33	3,228.78	3,600.16	3,943.00	4,243.00	4,611.33	4,979.66	5,349.99	5,716.32
1/2	290.59	657.17	1,023.74	1,390.30	1,758.66	2,128.11	2,497.57	2,867.02	3,236.48	3,607.90	3,950.00	4,248.00	4,616.33	4,984.66	5,354.99	5,721.32
3/4	298.23	664.80	1,031.38	1,397.93	1,766.35	2,135.81	2,505.26	2,874.72	3,244.18	3,615.64	3,957.00	4,253.00	4,621.33	4,989.66	5,359.99	5,726.32
10	305.86	672.44	1,039.02	1,405.57	1,774.05	2,143.50	2,512.96	2,882.42	3,251.87	3,623.38	3,964.00	4,258.00	4,626.33	4,994.66	5,364.99	5,731.32
1/4	313.50	680.08	1,046.65	1,413.20	1,781.74	2,151.20	2,520.66	2,890.11	3,259.57	3,631.12	3,971.00	4,263.00	4,631.33	4,999.66	5,369.99	5,736.32
1/2	321.14	687.71	1,054.29	1,420.84	1,789.44	2,158.90	2,528.35	2,897.81	3,267.27	3,638.86	3,978.00	4,268.00	4,636.33	5,004.66	5,374.99	5,741.32
3/4	328.78	695.35	1,061.93	1,428.48	1,797.14	2,166.63	2,536.05	2,905.51	3,274.96	3,646.60	3,985.00	4,273.00	4,641.33	5,009.66	5,379.99	5,746.32
11	336.41	702.99	1,069.56	1,436.11	1,804.84	2,174.29	2,543.75	2,913.20	3,282.66	3,654.34	3,992.00	4,278.00	4,646.33	5,014.66	5,384.99	5,751.32
1/4	344.05	710.62	1,077.20	1,443.75	1,812.53	2,181.99	2,551.44	2,920.90	3,290.36	3,662.08	3,999.00	4,283.00	4,651.33	5,019.66	5,389.99	5,756.32
1/2	351.69	718.26	1,084.84	1,451.38	1,820.23	2,189.69	2,559.14	2,928.60	3,298.05	3,669.82	4,006.00	4,288.00	4,656.33	5,024.66	5,394.99	5,761.32
3/4	359.32	725.90	1,092.48	1,459.02	1,827.93	2,197.38	2,566.84	2,936.30	3,305.75	3,677.56	4,013.00	4,293.00	4,661.33	5,029.66	5,399.99	5,766.32

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/31/2014

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT: 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT: 15'-9 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6000"
FLORIDA MARINE

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

1 PORT

NO. T93

[illegible]

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 15'-9 1/2" (TO RIM OF 2" DIA BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND MAKE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-6000" FLORIDA MARINE

OUTAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO T93

		BARGE SHOULD BE ON EVEN LEVEL REEL WHEN CARGES ARE TAKEN																												
	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT														
0	0	4,893.07	0	4,579.37	0	4,249.52	0	3,918.28	0	3,587.03	0	3,255.78	0	2,924.53	0	2,593.28	0	2,262.04	0	1,930.79	0	1,599.54	0	1,268.29	0	937.06	0	605.84	0	276.03
1/4	1/4	4,890.40	1/4	4,572.60	1/4	4,242.62	1/4	3,911.38	1/4	3,580.13	1/4	3,248.89	1/4	2,917.63	1/4	2,586.38	1/4	2,255.14	1/4	1,923.89	1/4	1,592.64	1/4	1,261.39	1/4	930.77	1/4	599.95	1/4	269.14
1/2	1/2	4,876.53	1/2	4,565.84	1/2	4,235.72	1/2	3,904.47	1/2	3,573.23	1/2	3,241.99	1/2	2,910.73	1/2	2,579.48	1/2	2,248.23	1/2	1,916.99	1/2	1,585.74	1/2	1,254.47	1/2	923.08	1/2	593.06	1/2	262.24
3/4	3/4	4,872.06	3/4	4,558.77	3/4	4,228.02	3/4	3,897.67	3/4	3,566.33	3/4	3,235.09	3/4	2,903.83	3/4	2,572.58	3/4	2,241.33	3/4	1,910.09	3/4	1,578.84	3/4	1,247.76	3/4	916.89	3/4	586.17	3/4	256.35
1	1	4,868.80	1	4,551.01	1	4,221.92	1	3,890.87	1	3,559.42	1	3,228.19	1	2,896.83	1	2,565.58	1	2,234.33	1	1,903.18	1	1,571.94	1	1,240.89	1	910.09	1	579.28	1	248.40
1 1/4	1 1/4	4,864.93	1 1/4	4,545.05	1 1/4	4,215.02	1 1/4	3,883.77	1 1/4	3,552.52	1 1/4	3,221.28	1 1/4	2,889.03	1 1/4	2,557.78	1 1/4	2,226.53	1 1/4	1,894.28	1 1/4	1,563.04	1 1/4	1,232.00	1 1/4	903.20	1 1/4	572.38	1 1/4	241.57
1 1/2	1 1/2	4,859.86	1 1/2	4,539.86	1 1/2	4,208.12	1 1/2	3,876.87	1 1/2	3,545.62	1 1/2	3,214.37	1 1/2	2,882.13	1 1/2	2,550.88	1 1/2	2,220.63	1 1/2	1,887.38	1 1/2	1,556.13	1 1/2	1,225.11	1 1/2	895.31	1 1/2	565.49	1 1/2	234.68
1 3/4	1 3/4	4,854.80	1 3/4	4,534.32	1 3/4	4,201.22	1 3/4	3,869.87	1 3/4	3,538.72	1 3/4	3,207.47	1 3/4	2,875.23	1 3/4	2,544.98	1 3/4	2,213.73	1 3/4	1,882.48	1 3/4	1,551.23	1 3/4	1,220.22	1 3/4	889.42	1 3/4	559.60	1 3/4	227.78
2	2	4,849.73	2	4,524.46	2	4,194.32	2	3,863.07	2	3,531.82	2	3,200.57	2	2,868.32	2	2,537.08	2	2,205.83	2	1,874.58	2	1,543.33	2	1,212.32	2	882.52	2	551.71	2	220.89
2 1/4	2 1/4	4,844.67	2 1/4	4,519.59	2 1/4	4,189.42	2 1/4	3,858.17	2 1/4	3,526.92	2 1/4	3,195.67	2 1/4	2,863.42	2 1/4	2,532.18	2 1/4	2,199.93	2 1/4	1,868.68	2 1/4	1,537.43	2 1/4	1,206.43	2 1/4	875.63	2 1/4	544.82	2 1/4	214.00
2 1/2	2 1/2	4,838.40	2 1/2	4,513.73	2 1/2	4,180.61	2 1/2	3,849.27	2 1/2	3,518.02	2 1/2	3,186.77	2 1/2	2,854.52	2 1/2	2,523.28	2 1/2	2,191.03	2 1/2	1,860.78	2 1/2	1,529.53	2 1/2	1,195.54	2 1/2	868.74	2 1/2	537.82	2 1/2	207.11
2 3/4	2 3/4	4,832.14	2 3/4	4,508.05	2 3/4	4,173.61	2 3/4	3,842.37	2 3/4	3,511.12	2 3/4	3,179.87	2 3/4	2,848.62	2 3/4	2,517.37	2 3/4	2,186.13	2 3/4	1,854.88	2 3/4	1,523.63	2 3/4	1,192.65	2 3/4	861.85	2 3/4	531.03	2 3/4	200.22
3	3	4,825.97	3	4,497.00	3	4,166.71	3	3,835.46	3	3,504.22	3	3,172.97	3	2,841.72	3	2,510.47	3	2,179.22	3	1,847.98	3	1,516.73	3	1,185.76	3	854.96	3	524.14	3	193.32
3 1/4	3 1/4	4,819.61	3 1/4	4,490.13	3 1/4	4,159.81	3 1/4	3,828.66	3 1/4	3,497.32	3 1/4	3,166.07	3 1/4	2,834.82	3 1/4	2,503.57	3 1/4	2,172.32	3 1/4	1,841.08	3 1/4	1,509.83	3 1/4	1,178.87	3 1/4	848.08	3 1/4	517.25	3 1/4	186.43
3 1/2	3 1/2	4,812.74	3 1/2	4,483.27	3 1/2	4,152.81	3 1/2	3,821.66	3 1/2	3,490.41	3 1/2	3,159.17	3 1/2	2,827.92	3 1/2	2,496.67	3 1/2	2,165.42	3 1/2	1,834.17	3 1/2	1,502.93	3 1/2	1,171.98	3 1/2	841.17	3 1/2	510.36	3 1/2	179.54
3 3/4	3 3/4	4,805.88	3 3/4	4,476.41	3 3/4	4,146.01	3 3/4	3,814.76	3 3/4	3,483.51	3 3/4	3,152.27	3 3/4	2,821.02	3 3/4	2,489.77	3 3/4	2,158.52	3 3/4	1,827.27	3 3/4	1,496.03	3 3/4	1,165.09	3 3/4	834.28	3 3/4	503.46	3 3/4	172.65
4	4	4,799.91	4	4,469.54	4	4,139.11	4	3,807.86	4	3,476.61	4	3,145.36	4	2,814.12	4	2,482.87	4	2,151.62	4	1,820.37	4	1,489.12	4	1,158.20	4	827.39	4	496.57	4	165.76
4 1/4	4 1/4	4,792.16	4 1/4	4,462.68	4 1/4	4,132.21	4 1/4	3,800.98	4 1/4	3,469.73	4 1/4	3,138.48	4 1/4	2,807.22	4 1/4	2,475.97	4 1/4	2,144.72	4 1/4	1,813.47	4 1/4	1,482.22	4 1/4	1,151.31	4 1/4	820.60	4 1/4	489.60	4 1/4	158.08
4 1/2	4 1/2	4,785.29	4 1/2	4,455.81	4 1/2	4,125.31	4 1/2	3,794.06	4 1/2	3,462.81	4 1/2	3,131.56	4 1/2	2,800.31	4 1/2	2,469.07	4 1/2	2,137.82	4 1/2	1,806.57	4 1/2	1,475.32	4 1/2	1,144.41	4 1/2	813.80	4 1/2	482.78	4 1/2	151.97
4 3/4	4 3/4	4,778.42	4 3/4	4,448.95	4 3/4	4,118.41	4 3/4	3,787.18	4 3/4	3,455.93	4 3/4	3,124.66	4 3/4	2,793.41	4 3/4	2,462.17	4 3/4	2,130.92	4 3/4	1,799.67	4 3/4	1,468.42	4 3/4	1,137.62	4 3/4	806.71	4 3/4	476.06	4 3/4	145.08
5	5	4,771.56	5	4,442.09	5	4,111.60	5	3,780.28	5	3,449.03	5	3,117.78	5	2,786.53	5	2,455.28	5	2,124.02	5	1,792.77	5	1,461.52	5	1,130.63	5	799.82	5	469.00	5	138.19
5 1/4	5 1/4	4,764.69	5 1/4	4,435.22	5 1/4	4,104.60	5 1/4	3,773.36	5 1/4	3,442.11	5 1/4	3,110.86	5 1/4	2,779.61	5 1/4	2,448.36	5 1/4	2,117.12	5 1/4	1,785.87	5 1/4	1,454.62	5 1/4	1,123.74	5 1/4	792.93	5 1/4	462.11	5 1/4	131.30
5 1/2	5 1/2	4,757.03	5 1/2	4,428.36	5 1/2	4,097.70	5 1/2	3,766.45	5 1/2	3,435.21	5 1/2	3,103.96	5 1/2	2,772.71	5 1/2	2,441.46	5 1/2	2,110.21	5 1/2	1,778.97	5 1/2	1,447.72	5 1/2	1,116.86	5 1/2	786.04	5 1/2	455.22	5 1/2	124.40
5 3/4	5 3/4	4,750.97	5 3/4	4,421.49	5 3/4	4,090.80	5 3/4	3,759.55	5 3/4	3,428.31	5 3/4	3,097.06	5 3/4	2,766.81	5 3/4	2,435.56	5 3/4	2,103.31	5 3/4	1,772.07	5 3/4	1,440.82	5 3/4	1,109.96	5 3/4	779.14	5 3/4	448.33	5 3/4	117.51
6	6	4,744.10	6	4,414.63	6	4,083.90	6	3,752.65	6	3,421.40	6	3,090.15	6	2,759.91	6	2,428.66	6	2,097.41	6	1,766.16	6	1,434.92	6	1,103.07	6	772.25	6	441.44	6	110.62
6 1/4	6 1/4	4,737.24	6 1/4	4,407.77	6 1/4	4,077.00	6 1/4	3,745.75	6 1/4	3,414.60	6 1/4	3,083.26	6 1/4	2,752.01	6 1/4	2,420.76	6 1/4	2,090.51	6 1/4	1,759.26	6 1/4	1,427.02	6 1/4	1,096.18	6 1/4	765.36	6 1/4	434.64	6 1/4	103.73
6 1/2	6 1/2	4,730.37	6 1/2	4,400.90	6 1/2	4,070.10	6 1/2	3,738.85	6 1/2	3,407.60	6 1/2	3,076.35	6 1/2	2,745.11	6 1/2	2,413.86	6 1/2	2,083.61	6 1/2	1,752.36	6 1/2	1,420.11	6 1/2	1,090.29	6 1/2	758.47	6 1/2	427.65	6 1/2	96.84
6 3/4	6 3/4	4,723.51	6 3/4	4,394.04	6 3/4	4,063.20	6 3/4	3,731.95	6 3/4	3,400.70	6 3/4	3,069.45	6 3/4	2,738.21	6 3/4	2,406.96	6 3/4	2,076.71	6 3/4	1,744.46	6 3/4	1,413.21	6 3/4	1,082.39	6 3/4	744.68	6 3/4	413.67	6 3/4	83.05
7	7	4,716.65	7	4,387.17	7	4,056.30	7	3,725.05	7	3,393.80	7	3,062.55	7	2,731.30	7	2,400.05	7	2,068.81	7	1,737.56	7	1,406.31	7	1,075.50	7	744.68	7	413.67	7	76.16
7 1/4	7 1/4	4,709.78	7 1/4	4,380.31	7 1/4	4,049.40	7 1/4	3,718.15	7 1/4	3,386.90	7 1/4	3,055.65	7 1/4	2,724.40	7 1/4	2,393.15	7 1/4	2,061.91	7 1/4	1,730.66	7 1/4	1,399.41	7 1/4	1,068.61	7 1/4	737.79	7 1/4	406.98	7 1/4	76.16
7 1/2	7 1/2	4,702.92	7 1/2	4,373.45	7 1/2	4,042.49	7 1/2	3,711.25	7 1/2	3,380.00	7 1/2	3,048.75	7 1/2	2,717.60	7 1/2	2,386.35	7 1/2	2,055.01	7 1/2	1,723.76	7 1/2	1,392.51	7 1/2	1,061.72	7 1/2	730.90	7 1/2	400.08	7 1/2	69.27
7 3/4	7 3/4	4,696.05	7 3/4	4,366.58	7 3/4	4,035.59	7 3/4	3,704.35	7 3/4	3,373.10	7 3/4	3,041.85	7 3/4	2,710.60	7 3/4	2,379.35	7 3/4	2,048.11	7 3/4	1,716.86	7 3/4	1,385.61	7 3/4	1,054.82	7 3/4	724.01	7 3/4	393.19	7 3/4	62.38
8	8	4,689.19	8	4,359.72	8	4,028.69	8	3,697.44	8	3,366.20	8	3,034.95	8	2,703.70	8	2,372.45</														



BARGE "FMT-6000" FLORIDA MARINE

OUTAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

BARGE SHOULDS BE ON LEVELLED REEL WHEN SHUTTERS ARE TAKEN																															
0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
#		#		#		#		#		#		#		#		#		#		#		#		#		#		#		#	
0		0	5,452.93	0	5,105.28	0	4,736.33	0	4,365.88	0	3,995.60	0	3,625.23	0	3,254.86	0	2,884.49	0	2,514.12	0	2,143.76	0	1,773.39	0	1,403.18	0	1,033.22	0	663.24	0	293.25
1/4		1/4	5,448.61	1/4	5,097.99	1/4	4,728.62	1/4	4,358.26	1/4	3,987.88	1/4	3,617.51	1/4	3,247.14	1/4	2,876.78	1/4	2,506.41	1/4	2,136.04	1/4	1,765.67	1/4	1,395.47	1/4	1,025.51	1/4	655.53	1/4	285.54
1/2		1/2	5,444.28	1/2	5,093.91	1/2	4,720.90	1/2	4,350.63	1/2	3,980.16	1/2	3,609.80	1/2	3,239.43	1/2	2,869.08	1/2	2,498.89	1/2	2,128.32	1/2	1,757.96	1/2	1,387.77	1/2	1,017.80	1/2	647.82	1/2	277.84
3/4		3/4	5,439.96	3/4	5,089.23	3/4	4,713.18	3/4	4,342.82	3/4	3,972.45	3/4	3,602.08	3/4	3,231.71	3/4	2,861.34	3/4	2,490.98	3/4	2,120.61	3/4	1,750.24	3/4	1,380.06	3/4	1,010.10	3/4	640.11	3/4	270.13
1		1	5,434.29	1	5,084.56	1	4,705.47	1	4,335.10	1	3,964.73	1	3,594.36	1	3,224.00	1	2,853.63	1	2,483.26	1	2,112.89	1	1,742.52	1	1,372.35	1	1,002.39	1	632.40	1	262.42
1 1/4		1 1/4	5,428.63	1 1/4	5,078.88	1 1/4	4,697.75	1 1/4	4,327.38	1 1/4	3,957.02	1 1/4	3,586.65	1 1/4	3,216.28	1 1/4	2,846.91	1 1/4	2,475.54	1 1/4	2,105.18	1 1/4	1,734.81	1 1/4	1,364.65	1 1/4	994.68	1 1/4	624.70	1 1/4	254.71
1 1/2		1 1/2	5,422.96	1 1/2	5,073.20	1 1/2	4,690.04	1 1/2	4,319.67	1 1/2	3,949.30	1 1/2	3,578.93	1 1/2	3,208.56	1 1/2	2,838.20	1 1/2	2,467.83	1 1/2	2,097.46	1 1/2	1,727.09	1 1/2	1,356.94	1 1/2	986.97	1 1/2	616.99	1 1/2	247.00
1 3/4		1 3/4	5,417.30	1 3/4	5,067.53	1 3/4	4,682.22	1 3/4	4,311.85	1 3/4	3,941.48	1 3/4	3,571.12	1 3/4	3,200.75	1 3/4	2,830.38	1 3/4	2,459.91	1 3/4	2,089.54	1 3/4	1,719.18	1 3/4	1,349.23	1 3/4	976.26	1 3/4	609.28	1 3/4	239.30
2		2	5,410.28	2	5,043.65	2	4,674.60	2	4,304.24	2	3,933.87	2	3,563.50	2	3,193.13	2	2,822.76	2	2,452.40	2	2,082.03	2	1,711.66	2	1,341.53	2	971.68	2	601.57	2	231.59
2 1/4		2 1/4	5,403.28	2 1/4	5,036.19	2 1/4	4,666.89	2 1/4	4,296.52	2 1/4	3,926.15	2 1/4	3,555.78	2 1/4	3,185.42	2 1/4	2,815.05	2 1/4	2,444.68	2 1/4	2,074.31	2 1/4	1,703.94	2 1/4	1,333.62	2 1/4	963.85	2 1/4	593.88	2 1/4	223.88
2 1/2		2 1/2	5,398.28	2 1/2	5,028.50	2 1/2	4,659.17	2 1/2	4,288.80	2 1/2	3,918.44	2 1/2	3,548.07	2 1/2	3,177.70	2 1/2	2,807.33	2 1/2	2,436.96	2 1/2	2,066.59	2 1/2	1,696.23	2 1/2	1,326.11	2 1/2	956.14	2 1/2	586.16	2 1/2	216.17
2 3/4		2 3/4	5,393.27	2 3/4	5,020.82	2 3/4	4,651.46	2 3/4	4,281.09	2 3/4	3,910.72	2 3/4	3,540.35	2 3/4	3,169.98	2 3/4	2,799.62	2 3/4	2,429.26	2 3/4	2,058.89	2 3/4	1,688.51	2 3/4	1,316.40	2 3/4	948.43	2 3/4	578.45	2 3/4	208.46
3		3	5,387.60	3	5,013.15	3	4,643.74	3	4,273.37	3	3,903.00	3	3,532.64	3	3,162.27	3	2,791.90	3	2,421.53	3	2,051.16	3	1,680.80	3	1,310.70	3	940.72	3	570.74	3	200.76
3 1/4		3 1/4	5,373.92	3 1/4	5,005.47	3 1/4	4,636.02	3 1/4	4,265.66	3 1/4	3,895.29	3 1/4	3,524.92	3 1/4	3,154.56	3 1/4	2,784.19	3 1/4	2,413.82	3 1/4	2,043.45	3 1/4	1,673.08	3 1/4	1,302.99	3 1/4	933.02	3 1/4	563.03	3 1/4	193.05
3 1/2		3 1/2	5,366.24	3 1/2	4,997.80	3 1/2	4,628.31	3 1/2	4,257.94	3 1/2	3,887.57	3 1/2	3,517.20	3 1/2	3,146.84	3 1/2	2,776.47	3 1/2	2,406.10	3 1/2	2,035.73	3 1/2	1,665.36	3 1/2	1,295.28	3 1/2	926.31	3 1/2	555.32	3 1/2	186.34
3 3/4		3 3/4	5,359.27	3 3/4	4,990.12	3 3/4	4,620.59	3 3/4	4,250.22	3 3/4	3,879.86	3 3/4	3,509.49	3 3/4	3,139.12	3 3/4	2,768.75	3 3/4	2,398.38	3 3/4	2,028.02	3 3/4	1,657.65	3 3/4	1,287.58	3 3/4	917.60	3 3/4	547.62	3 3/4	177.63
4		4	5,350.89	4	4,982.44	4	4,612.88	4	4,242.51	4	3,872.14	4	3,501.77	4	3,131.40	4	2,761.04	4	2,390.67	4	2,020.30	4	1,649.93	4	1,279.87	4	909.89	4	539.91	4	169.92
4 1/4		4 1/4	5,343.22	4 1/4	4,974.77	4 1/4	4,605.16	4 1/4	4,234.79	4 1/4	3,864.42	4 1/4	3,494.08	4 1/4	3,123.69	4 1/4	2,753.32	4 1/4	2,382.95	4 1/4	2,012.68	4 1/4	1,642.22	4 1/4	1,272.18	4 1/4	902.18	4 1/4	532.20	4 1/4	162.22
4 1/2		4 1/2	5,335.54	4 1/2	4,967.09	4 1/2	4,597.44	4 1/2	4,227.08	4 1/2	3,856.71	4 1/2	3,486.34	4 1/2	3,115.97	4 1/2	2,745.60	4 1/2	2,375.24	4 1/2	2,004.87	4 1/2	1,634.50	4 1/2	1,264.48	4 1/2	894.48	4 1/2	524.49	4 1/2	154.61
4 3/4		4 3/4	5,327.86	4 3/4	4,959.42	4 3/4	4,589.73	4 3/4	4,219.36	4 3/4	3,848.99	4 3/4	3,478.62	4 3/4	3,108.26	4 3/4	2,737.89	4 3/4	2,367.52	4 3/4	1,997.15	4 3/4	1,626.78	4 3/4	1,256.76	4 3/4	886.77	4 3/4	516.78	4 3/4	146.80
5		5	5,320.19	5	4,951.74	5	4,582.01	5	4,211.64	5	3,841.28	5	3,470.91	5	3,100.54	5	2,730.17	5	2,359.80	5	1,989.44	5	1,619.07	5	1,249.04	5	879.06	5	509.08	5	139.09
5 1/4		5 1/4	5,312.51	5 1/4	4,944.06	5 1/4	4,574.30	5 1/4	4,203.93	5 1/4	3,833.56	5 1/4	3,463.19	5 1/4	3,092.82	5 1/4	2,722.46	5 1/4	2,352.09	5 1/4	1,981.72	5 1/4	1,611.35	5 1/4	1,241.33	5 1/4	871.35	5 1/4	501.37	5 1/4	131.38
5 1/2		5 1/2	5,304.84	5 1/2	4,936.39	5 1/2	4,566.58	5 1/2	4,196.21	5 1/2	3,825.84	5 1/2	3,455.48	5 1/2	3,085.11	5 1/2	2,714.74	5 1/2	2,344.37	5 1/2	1,974.00	5 1/2	1,603.64	5 1/2	1,233.63	5 1/2	863.64	5 1/2	493.68	5 1/2	123.58
5 3/4		5 3/4	5,297.16	5 3/4	4,928.71	5 3/4	4,558.86	5 3/4	4,188.50	5 3/4	3,818.13	5 3/4	3,447.78	5 3/4	3,077.39	5 3/4	2,707.02	5 3/4	2,336.66	5 3/4	1,966.29	5 3/4	1,595.92	5 3/4	1,223.92	5 3/4	855.94	5 3/4	485.95	5 3/4	115.87
6		6	5,289.48	6	4,921.04	6	4,551.15	6	4,180.78	6	3,810.41	6	3,440.04	6	3,069.68	6	2,699.31	6	2,328.94	6	1,958.57	6	1,588.20	6	1,217.87	6	848.23	6	478.24	6	108.26
6 1/4		6 1/4	5,281.81	6 1/4	4,913.36	6 1/4	4,543.43	6 1/4	4,173.06	6 1/4	3,802.70	6 1/4	3,432.33	6 1/4	3,061.96	6 1/4	2,691.59	6 1/4	2,321.22	6 1/4	1,950.86	6 1/4	1,580.49	6 1/4	1,210.50	6 1/4	840.52	6 1/4	470.54	6 1/4	100.55
6 1/2		6 1/2	5,274.13	6 1/2	4,905.68	6 1/2	4,535.72	6 1/2	4,165.36	6 1/2	3,794.98	6 1/2	3,424.61	6 1/2	3,054.24	6 1/2	2,683.88	6 1/2	2,313.51	6 1/2	1,943.14	6 1/2	1,572.77	6 1/2	1,202.80	6 1/2	832.81	6 1/2	462.83	6 1/2	92.84
6 3/4		6 3/4	5,266.46	6 3/4	4,898.01	6 3/4	4,528.00	6 3/4	4,157.63	6 3/4	3,787.26	6 3/4	3,416.89	6 3/4	3,046.53	6 3/4	2,676.16	6 3/4	2,305.79	6 3/4	1,935.42	6 3/4	1,565.06	6 3/4	1,195.09	6 3/4	825.10	6 3/4	455.12	6 3/4	85.14
7		7	5,258.78	7	4,890.33	7	4,520.28	7	4,149.92	7	3,779.55	7	3,409.18	7	3,038.81	7	2,668.44	7	2,298.08	7	1,927.71	7	1,557.34	7	1,187.39	7	817.40	7	447.41	7	77.43
7 1/4		7 1/4	5,251.10	7 1/4	4,882.66	7 1/4	4,512.67	7 1/4	4,142.20	7 1/4	3,771.83	7 1/4	3,401.46	7 1/4	3,031.10	7 1/4	2,660.73	7 1/4	2,280.36	7 1/4	1,919.99	7 1/4	1,549.62	7 1/4	1,179.67	7 1/4	809.69	7 1/4	439.70	7 1/4	69.72
7 1/2		7 1/2	5,243.43	7 1/2	4,874.98	7 1/2	4,504.86	7 1/2	4,134.48	7 1/2	3,764.12	7 1/2	3,393.76	7 1/2	3,023.39	7 1/2	2,653.01	7 1/2	2,282.64	7 1/2	1,912.28	7 1/2	1,541.91	7 1/2	1,171.96	7 1/2	801.88	7 1/2	432.00	7 1/2	62.01
7 3/4		7 3/4	5,235.75	7 3/4	4,867.30	7 3/4	4,497.14	7 3/4	4,126.77	7 3/4	3,756.40	7 3/4	3,386.03	7 3/4	3,015.66	7 3/4	2,645.30	7 3/4	2,274.93	7 3/4	1,904.56	7 3/4	1,534.20	7 3/4	1,164.26	7 3/4	794.27	7 3/4	424.29	7 3/4	55.27
8		8	5,228.08	8	4,859.63	8																									



U.S. COAST GUARD
DEPARTMENT OF HOMELAND SECURITY

INSPECTORATE

BARGE "FMT-6000" FLORIDA MARINE OUTAGE TABLE

3 PORT

HULL NO 193

CAPACITIES GIVEN BY BUREAU OF 42 U.S. GALLONS		CAPACITY BELOW STRIKE POINT		REFERENCE GAUGE HEIGHT		15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)		WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE		INSPECTORATE AMERICA CORPORATION	
0	0	0	0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55	55	55	55	55
56	56	56	56	56	56	56	56	56	56	56	56
57	57	57	57	57	57	57	57	57	57	57	57
58	58	58	58	58	58	58	58	58	58	58	58
59	59	59	59	59	59	59	59	59	59	59	59
60	60	60	60	60	60	60	60	60	60	60	60
61	61	61	61	61	61	61	61	61	61	61	61
62	62	62	62	62	62	62	62	62	62	62	62
63	63	63	63	63	63	63	63	63	63	63	63
64	64	64	64	64	64	64	64	64	64	64	64
65	65	65	65	65	65	65	65	65	65	65	65
66	66	66	66	66	66	66	66	66	66	66	66
67	67	67	67	67	67	67	67	67	67	67	67
68	68	68	68	68	68	68	68	68	68	68	68
69	69	69	69	69	69	69	69	69	69	69	69
70	70	70	70	70	70	70	70	70	70	70	70
71	71	71	71	71	71	71	71	71	71	71	71
72	72	72	72	72	72	72	72	72	72	72	72
73	73	73	73	73	73	73	73	73	73	73	73
74	74	74	74	74	74	74	74	74	74	74	74
75	75	75	75	75	75	75	75	75	75	75	75
76	76	76	76	76	76	76	76	76	76	76	76
77	77	77	77	77	77	77	77	77	77	77	77
78	78	78	78	78	78	78	78	78	78	78	78
79	79	79	79	79	79	79	79	79	79	79	79
80	80	80	80	80	80	80	80	80	80	80	80
81	81	81	81	81	81	81	81	81	81	81	81
82	82	82	82	82	82	82	82	82	82	82	82
83	83	83	83	83	83	83	83	83	83	83	83
84	84	84	84	84	84	84	84	84	84	84	84
85	85	85	85	85	85	85	85	85	85	85	85
86	86	86	86	86	86	86	86	86	86	86	86
87	87	87	87	87	87	87	87	87	87	87	87
88	88	88	88	88	88	88	88	88	88	88	88
89	89	89	89	89	89	89	89	89	89	89	89
90	90	90	90	90	90	90	90	90	90	90	90
91	91	91	91	91	91	91	91	91	91	91	91
92	92	92	92	92	92	92	92	92	92	92	92
93	93	93	93	93	93	93	93	93	93	93	93
94	94	94	94	94	94	94	94	94	94	94	94
95	95	95	95	95	95	95	95	95	95	95	95
96	96	96	96	96	96	96	96	96	96	96	96
97	97	97	97	97	97	97	97	97	97	97	97
98	98	98	98	98	98	98	98	98	98	98	98
99	99	99	99	99	99	99	99	99	99	99	99
100	100	100	100	100	100	100	100	100	100	100	100

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

STRAPPED: 05/01/2014



INSPECTORATE

BARGE "FMT-6000" FLORIDA MARINE

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T93

	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0	0	4,852.07	0	4,607.08	0	4,349.48	0	4,090.76	0	3,832.04	0	3,573.17	0	3,228.78	0	2,889.32	0	2,489.87	0	2,120.41	0	1,760.98	0	1,382.66	0	1,018.10	0	649.53	0	282.96		
1/4	1/4	4,849.05	1/4	4,601.72	1/4	4,344.09	1/4	4,086.37	1/4	3,826.65	1/4	3,567.64	1/4	3,221.08	1/4	2,851.83	1/4	2,482.17	1/4	2,112.72	1/4	1,743.26	1/4	1,375.02	1/4	1,008.47	1/4	641.89	1/4	275.32		
1/2	1/2	4,846.37	1/2	4,596.37	1/2	4,338.70	1/2	4,079.98	1/2	3,821.26	1/2	3,562.10	1/2	3,213.39	1/2	2,843.93	1/2	2,474.47	1/2	2,105.02	1/2	1,735.56	1/2	1,367.39	1/2	1,000.83	1/2	634.26	1/2	267.68		
3/4	3/4	4,842.09	3/4	4,591.01	3/4	4,333.31	3/4	4,074.59	3/4	3,815.87	3/4	3,556.22	3/4	3,205.69	3/4	2,836.23	3/4	2,466.78	3/4	2,097.32	3/4	1,727.87	3/4	1,359.75	3/4	993.18	3/4	628.62	3/4	260.04		
1	1	4,836.14	1	4,585.66	1	4,327.92	1	4,069.20	1	3,810.48	1	3,550.35	1	3,197.88	1	2,828.54	1	2,459.08	1	2,089.82	1	1,720.17	1	1,352.12	1	986.56	1	618.98	1	252.40		
1 1/4	1 1/4	4,834.19	1 1/4	4,580.29	1 1/4	4,322.63	1 1/4	4,063.81	1 1/4	3,805.09	1 1/4	3,544.47	1 1/4	3,190.30	1 1/4	2,820.84	1 1/4	2,451.39	1 1/4	2,081.93	1 1/4	1,712.47	1 1/4	1,344.48	1 1/4	977.92	1 1/4	611.34	1 1/4	244.77		
1 1/2	1 1/2	4,830.24	1 1/2	4,574.93	1 1/2	4,317.14	1 1/2	4,058.42	1 1/2	3,799.70	1 1/2	3,538.69	1 1/2	3,182.60	1 1/2	2,813.14	1 1/2	2,443.69	1 1/2	2,074.23	1 1/2	1,704.77	1 1/2	1,336.84	1 1/2	970.28	1 1/2	603.71	1 1/2	237.13		
1 3/4	1 3/4	4,826.35	1 3/4	4,569.57	1 3/4	4,311.75	1 3/4	4,053.03	1 3/4	3,794.31	1 3/4	3,532.32	1 3/4	3,174.80	1 3/4	2,805.45	1 3/4	2,435.99	1 3/4	2,066.53	1 3/4	1,697.08	1 3/4	1,329.21	1 3/4	962.85	1 3/4	596.07	1 3/4	229.49		
2	2	4,820.46	2	4,564.22	2	4,306.36	2	4,047.64	2	3,788.92	2	3,528.05	2	3,167.20	2	2,797.75	2	2,428.29	2	2,058.84	2	1,689.38	2	1,321.57	2	955.01	2	588.43	2	221.66		
2 1/4	2 1/4	4,815.57	2 1/4	4,558.86	2 1/4	4,300.97	2 1/4	4,042.26	2 1/4	3,783.53	2 1/4	3,519.78	2 1/4	3,159.51	2 1/4	2,790.05	2 1/4	2,420.60	2 1/4	2,051.14	2 1/4	1,681.68	2 1/4	1,313.94	2 1/4	947.37	2 1/4	580.80	2 1/4	214.22		
2 1/2	2 1/2	4,810.69	2 1/2	4,553.60	2 1/2	4,295.68	2 1/2	4,036.08	2 1/2	3,778.14	2 1/2	3,513.61	2 1/2	3,151.81	2 1/2	2,782.35	2 1/2	2,412.90	2 1/2	2,043.44	2 1/2	1,673.99	2 1/2	1,306.30	2 1/2	939.73	2 1/2	573.16	2 1/2	208.68		
2 3/4	2 3/4	4,805.33	2 3/4	4,548.14	2 3/4	4,290.18	2 3/4	4,031.47	2 3/4	3,772.75	2 3/4	3,508.85	2 3/4	3,144.11	2 3/4	2,774.66	2 3/4	2,405.20	2 3/4	2,035.75	2 3/4	1,665.29	2 3/4	1,298.66	2 3/4	932.10	2 3/4	565.52	2 3/4	198.95		
3	3	4,799.87	3	4,542.78	3	4,284.80	3	4,026.08	3	3,767.36	3	3,500.19	3	3,136.42	3	2,766.96	3	2,397.60	3	2,028.06	3	1,658.59	3	1,291.03	3	924.46	3	557.88	3	191.31		
3 1/4	3 1/4	4,794.81	3 1/4	4,537.43	3 1/4	4,279.41	3 1/4	4,020.69	3 1/4	3,761.97	3 1/4	3,493.63	3 1/4	3,128.72	3 1/4	2,759.26	3 1/4	2,388.81	3 1/4	2,020.35	3 1/4	1,650.90	3 1/4	1,283.39	3 1/4	918.82	3 1/4	550.25	3 1/4	183.87		
3 1/2	3 1/2	4,789.25	3 1/2	4,532.07	3 1/2	4,274.02	3 1/2	4,015.30	3 1/2	3,756.58	3 1/2	3,486.87	3 1/2	3,121.02	3 1/2	2,751.67	3 1/2	2,382.11	3 1/2	2,012.66	3 1/2	1,643.20	3 1/2	1,275.76	3 1/2	909.19	3 1/2	542.61	3 1/2	176.03		
3 3/4	3 3/4	4,783.80	3 3/4	4,526.71	3 3/4	4,268.63	3 3/4	4,009.81	3 3/4	3,751.19	3 3/4	3,479.82	3 3/4	3,113.33	3 3/4	2,743.87	3 3/4	2,374.41	3 3/4	2,004.96	3 3/4	1,635.60	3 3/4	1,268.12	3 3/4	901.65	3 3/4	534.97	3 3/4	168.40		
4	4	4,778.54	4	4,521.35	4	4,263.24	4	4,004.52	4	3,745.80	4	3,472.77	4	3,106.83	4	2,738.17	4	2,368.72	4	1,997.28	4	1,627.80	4	1,260.48	4	893.91	4	527.34	4	160.76		
4 1/4	4 1/4	4,773.18	4 1/4	4,515.99	4 1/4	4,257.86	4 1/4	3,999.13	4 1/4	3,740.41	4 1/4	3,465.72	4 1/4	3,097.93	4 1/4	2,728.48	4 1/4	2,358.02	4 1/4	1,986.56	4 1/4	1,620.11	4 1/4	1,252.85	4 1/4	886.28	4 1/4	519.70	4 1/4	153.12		
4 1/2	4 1/2	4,767.82	4 1/2	4,510.64	4 1/2	4,252.46	4 1/2	3,993.74	4 1/2	3,735.02	4 1/2	3,458.67	4 1/2	3,090.23	4 1/2	2,720.78	4 1/2	2,351.32	4 1/2	1,981.87	4 1/2	1,612.41	4 1/2	1,245.21	4 1/2	878.64	4 1/2	512.08	4 1/2	145.49		
4 3/4	4 3/4	4,762.46	4 3/4	4,505.28	4 3/4	4,247.07	4 3/4	3,988.36	4 3/4	3,729.63	4 3/4	3,451.23	4 3/4	3,082.64	4 3/4	2,713.08	4 3/4	2,343.83	4 3/4	1,974.17	4 3/4	1,604.71	4 3/4	1,237.68	4 3/4	871.00	4 3/4	504.43	4 3/4	137.85		
5	5	4,757.11	5	4,499.92	5	4,241.68	5	3,982.96	5	3,724.24	5	3,443.78	5	3,074.84	5	2,705.38	5	2,336.93	5	1,966.47	5	1,597.02	5	1,229.84	5	863.36	5	498.78	5	130.21		
5 1/4	5 1/4	4,751.76	5 1/4	4,494.56	5 1/4	4,236.28	5 1/4	3,977.67	5 1/4	3,718.86	5 1/4	3,436.34	5 1/4	3,067.14	5 1/4	2,697.69	5 1/4	2,328.23	5 1/4	1,958.78	5 1/4	1,588.32	5 1/4	1,222.30	5 1/4	855.73	5 1/4	490.15	5 1/4	122.58		
5 1/2	5 1/2	4,746.39	5 1/2	4,489.20	5 1/2	4,230.90	5 1/2	3,972.18	5 1/2	3,713.46	5 1/2	3,428.90	5 1/2	3,059.45	5 1/2	2,689.98	5 1/2	2,320.53	5 1/2	1,951.08	5 1/2	1,581.62	5 1/2	1,214.67	5 1/2	848.09	5 1/2	481.61	5 1/2	114.84		
5 3/4	5 3/4	4,741.03	5 3/4	4,483.85	5 3/4	4,225.61	5 3/4	3,966.79	5 3/4	3,708.07	5 3/4	3,421.21	5 3/4	3,051.75	5 3/4	2,682.29	5 3/4	2,312.94	5 3/4	1,943.38	5 3/4	1,573.93	5 3/4	1,207.03	5 3/4	840.45	5 3/4	473.88	5 3/4	107.30		
6	6	4,735.67	6	4,478.49	6	4,220.12	6	3,961.40	6	3,702.68	6	3,413.61	6	3,044.05	6	2,674.60	6	2,305.14	6	1,935.68	6	1,566.23	6	1,199.39	6	832.82	6	466.24	6	99.66		
6 1/4	6 1/4	4,730.32	6 1/4	4,473.13	6 1/4	4,214.73	6 1/4	3,956.01	6 1/4	3,697.29	6 1/4	3,406.81	6 1/4	3,036.36	6 1/4	2,669.90	6 1/4	2,297.44	6 1/4	1,927.99	6 1/4	1,558.53	6 1/4	1,191.76	6 1/4	825.18	6 1/4	458.80	6 1/4	92.03		
6 1/2	6 1/2	4,724.96	6 1/2	4,467.77	6 1/2	4,209.34	6 1/2	3,950.62	6 1/2	3,691.90	6 1/2	3,399.11	6 1/2	3,028.66	6 1/2	2,659.20	6 1/2	2,289.75	6 1/2	1,920.29	6 1/2	1,550.83	6 1/2	1,184.12	6 1/2	817.64	6 1/2	450.97	6 1/2	84.39		
6 3/4	6 3/4	4,719.60	6 3/4	4,462.41	6 3/4	4,203.95	6 3/4	3,945.23	6 3/4	3,686.61	6 3/4	3,390.42	6 3/4	3,020.86	6 3/4	2,651.51	6 3/4	2,282.05	6 3/4	1,912.68	6 3/4	1,543.14	6 3/4	1,176.48	6 3/4	809.91	6 3/4	443.33	6 3/4	76.75		
7	7	4,714.24	7	4,457.06	7	4,198.68	7	3,939.84	7	3,681.12	7	3,382.72	7	3,013.28	7	2,643.81	7	2,274.35	7	1,904.80	7	1,535.44	7	1,166.84	7	802.27	7	435.09	7	69.12		
7 1/4	7 1/4	4,708.80	7 1/4	4,451.70	7 1/4	4,193.17	7 1/4	3,934.46	7 1/4	3,675.73	7 1/4	3,376.02	7 1/4	3,006.57	7 1/4	2,636.11	7 1/4	2,266.86	7 1/4	1,897.20	7 1/4	1,527.74	7 1/4	1,161.21	7 1/4	794.63	7 1/4	428.06	7 1/4	61.48		
7 1/2	7 1/2	4,703.53	7 1/2	4,446.34	7 1/2	4,187.78	7 1/2	3,929.06	7 1/2	3,670.34	7 1/2	3,367.33	7 1/2	2,997.87	7 1/2	2,626.41	7 1/2	2,256.96	7 1/2	1,889.50	7 1/2	1,520.11	7 1/2	1,153.57	7 1/2	786.89	7 1/2	420.42	7 1/2	54.79		
7 3/4	7 3/4	4,698.17	7 3/4	4,440.99	7 3/4	4,182.39	7 3/4	3,923.67	7 3/4	3,664.96	7 3/4	3,359.83	7 3/4	2,990.17	7 3/4	2,620.72	7 3/4	2,251.26	7 3/4	1,881.81	7 3/4	1,512.47	7 3/4	1,146.93	7 3/4	779.38	7 3/4	412.78	7 3/4	48.11		
8	8	4,692.81	8	4,435.62	8	4,177.00	8	3,918.28	8	3,659.58	8	3,351.93	8	2,982.48	8																	



BARGE "FMT-6000"
FLORIDA MARINE
OUTAGE TABLE

1 PORT

HULL NO. T93

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

SPECIFICATION		BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN		WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE	
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74

CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT

17.4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

17-4 (GAGLET CONT. FROM PREVIOUS PAGE)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-6000" FLORIDA MARINE

OUTAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T93

	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.
0	4,757.03	4,428.36	4,097.70	3,766.46	3,435.21	3,103.96	2,772.71	2,441.46	2,110.21	1,778.97	1,447.72	1,116.48	785.24	454.00	122.76	
1/4	4,750.97	4,421.49	4,090.80	3,769.65	3,428.31	3,097.06	2,765.81	2,434.56	2,103.31	1,772.07	1,440.82	1,109.58	779.14	448.33	117.51	
1/2	4,744.10	4,414.63	4,083.90	3,762.65	3,421.40	3,090.16	2,758.91	2,427.66	2,096.41	1,765.16	1,433.92	1,103.07	772.26	441.44	110.62	
3/4	4,737.24	4,407.77	4,077.00	3,745.75	3,414.50	3,083.26	2,752.01	2,420.76	2,089.51	1,758.28	1,427.02	1,098.18	765.38	434.54	103.73	
1	4,730.37	4,400.80	4,070.10	3,738.86	3,407.60	3,076.35	2,745.11	2,413.86	2,082.61	1,751.36	1,420.11	1,089.28	758.47	427.65	96.84	
1 1/4	4,723.51	4,394.04	4,063.20	3,731.95	3,400.70	3,069.45	2,738.21	2,406.96	2,076.71	1,744.46	1,413.21	1,082.39	751.58	420.76	89.94	
1 1/2	4,716.65	4,387.17	4,056.30	3,725.05	3,393.80	3,062.55	2,731.30	2,400.06	2,068.81	1,737.56	1,406.31	1,076.50	744.68	413.87	83.05	
1 3/4	4,709.78	4,380.31	4,049.40	3,718.15	3,386.90	3,055.65	2,724.40	2,393.16	2,061.91	1,730.69	1,399.41	1,068.61	737.79	406.98	76.16	
2	4,702.92	4,373.45	4,042.49	3,711.25	3,380.00	3,048.75	2,717.50	2,386.25	2,055.01	1,723.76	1,392.51	1,061.72	730.90	400.08	69.27	
2 1/4	4,696.05	4,366.50	4,035.59	3,704.35	3,373.10	3,041.85	2,710.60	2,379.35	2,048.11	1,716.86	1,385.61	1,054.82	724.01	393.19	62.38	
2 1/2	4,689.18	4,359.72	4,028.69	3,697.44	3,366.20	3,034.95	2,703.70	2,372.46	2,041.20	1,709.96	1,378.71	1,047.93	717.12	386.30	55.48	
2 3/4	4,682.33	4,352.85	4,021.79	3,690.54	3,359.30	3,028.05	2,696.80	2,365.55	2,034.30	1,703.06	1,371.82	1,041.04	710.22	379.41	48.59	
3	4,675.46	4,345.99	4,014.89	3,683.64	3,352.39	3,021.15	2,689.90	2,358.65	2,027.40	1,696.15	1,364.93	1,034.15	703.33	372.52	41.70	
3 1/4	4,668.60	4,339.13	4,007.99	3,676.74	3,345.49	3,014.25	2,683.00	2,351.76	2,020.50	1,689.26	1,358.04	1,027.25	696.44	365.62	34.81	
3 1/2	4,661.74	4,332.26	4,001.09	3,669.84	3,338.59	3,007.34	2,676.10	2,344.86	2,013.60	1,682.36	1,351.14	1,020.36	689.55	358.73	27.92	
3 3/4	4,654.87	4,325.40	3,994.19	3,662.94	3,331.69	3,000.44	2,669.20	2,337.95	2,006.70	1,675.46	1,344.25	1,013.47	682.66	351.84	21.03	
4	4,648.01	4,318.53	3,987.29	3,656.04	3,324.79	2,993.54	2,662.29	2,331.05	1,999.80	1,668.55	1,337.36	1,006.56	675.77	344.95	14.14	
4 1/4	4,641.14	4,311.63	3,980.39	3,649.14	3,317.89	2,986.64	2,655.39	2,324.15	1,992.90	1,661.65	1,330.47	1,000.66	668.87	338.06	7.25	
4 1/2	4,634.28	4,304.73	3,973.48	3,642.24	3,310.99	2,979.74	2,648.49	2,317.24	1,986.00	1,654.75	1,323.58	993.76	661.98	331.17	0.36	
4 3/4	4,627.41	4,297.83	3,966.58	3,635.34	3,304.09	2,972.84	2,641.59	2,310.34	1,979.10	1,647.85	1,316.69	986.86	655.09	324.27	-6.74	
5	4,620.55	4,290.93	3,959.68	3,628.43	3,297.19	2,965.94	2,634.69	2,303.44	1,972.19	1,640.95	1,309.80	979.91	648.20	317.38	-13.85	
5 1/4	4,613.69	4,284.03	3,952.78	3,621.53	3,290.29	2,959.04	2,627.79	2,296.54	1,965.29	1,634.05	1,302.91	973.02	641.30	310.49	-20.96	
5 1/2	4,606.82	4,277.13	3,945.88	3,614.63	3,283.38	2,952.14	2,620.89	2,289.64	1,958.39	1,627.14	1,296.02	966.13	634.41	303.60	-28.07	
5 3/4	4,599.96	4,270.23	3,938.98	3,607.73	3,276.48	2,945.24	2,613.99	2,282.74	1,951.49	1,620.24	1,289.13	959.24	627.52	296.71	-35.18	
6	4,593.09	4,263.33	3,932.08	3,600.83	3,269.58	2,938.33	2,607.09	2,275.84	1,944.59	1,613.34	1,282.23	952.35	620.63	289.82	-42.29	
6 1/4	4,586.23	4,256.43	3,925.18	3,593.93	3,262.68	2,931.43	2,600.19	2,268.94	1,937.69	1,606.44	1,275.34	945.45	613.74	282.93	-49.40	
6 1/2	4,579.37	4,249.52	3,918.28	3,587.03	3,255.78	2,924.53	2,593.28	2,262.04	1,930.79	1,599.54	1,268.45	938.56	606.85	276.04	-56.51	
6 3/4	4,572.50	4,242.62	3,911.38	3,580.13	3,248.88	2,917.63	2,586.38	2,255.14	1,923.89	1,592.64	1,261.56	931.67	599.95	269.15	-63.62	
7	4,565.64	4,235.72	3,904.47	3,573.23	3,241.98	2,910.73	2,579.48	2,248.23	1,916.99	1,585.74	1,254.67	924.78	593.06	262.26	-70.73	
7 1/4	4,558.77	4,228.82	3,897.57	3,566.33	3,235.08	2,903.83	2,572.58	2,241.33	1,910.09	1,578.84	1,247.78	917.89	586.17	255.37	-77.84	
7 1/2	4,551.91	4,221.92	3,890.67	3,559.42	3,228.18	2,896.93	2,565.68	2,234.43	1,903.18	1,571.94	1,240.89	910.99	579.28	248.48	-84.95	
7 3/4	4,545.05	4,215.02	3,883.77	3,552.52	3,221.28	2,890.03	2,558.78	2,227.53	1,896.28	1,565.04	1,234.00	904.10	572.39	241.59	-92.06	
8	4,538.18	4,208.12	3,876.87	3,545.62	3,214.37	2,883.13	2,551.88	2,220.63	1,889.38	1,558.13	1,227.11	897.21	565.50	234.70	-99.17	
8 1/4	4,531.32	4,201.22	3,869.97	3,538.72	3,207.47	2,876.23	2,544.98	2,213.73	1,882.48	1,551.23	1,220.22	890.32	558.61	227.81	-106.28	
8 1/2	4,524.45	4,194.32	3,863.07	3,531.82	3,200.57	2,869.33	2,538.08	2,206.83	1,875.58	1,544.33	1,213.32	883.43	551.72	220.92	-113.39	
8 3/4	4,517.59	4,187.42	3,856.17	3,524.92	3,193.67	2,862.43	2,531.18	2,199.93	1,868.68	1,537.43	1,206.43	876.54	544.83	214.03	-120.50	
9	4,510.73	4,180.51	3,849.27	3,518.02	3,186.77	2,855.52	2,524.27	2,193.03	1,861.78	1,530.53	1,199.54	869.65	537.94	207.14	-127.61	
9 1/4	4,503.86	4,173.61	3,842.37	3,511.12	3,179.87	2,848.62	2,517.37	2,186.13	1,854.88	1,523.63	1,192.65	862.76	531.05	200.25	-134.72	
9 1/2	4,496.99	4,166.71	3,835.46	3,504.22	3,172.97	2,841.72	2,510.47	2,179.22	1,847.98	1,516.73	1,185.76	855.87	524.16	193.36	-141.83	
9 3/4	4,490.13	4,159.81	3,828.56	3,497.32	3,166.07	2,834.82	2,503.57	2,172.32	1,841.08	1,509.83	1,178.87	848.98	517.27	186.47	-148.94	
10	4,483.27	4,152.91	3,821.66	3,490.41	3,159.17	2,827.92	2,496.67	2,165.42	1,834.17	1,502.93	1,171.98	842.09	510.38	179.58	-156.05	
10 1/4	4,476.41	4,146.01	3,814.76	3,483.51	3,152.27	2,821.02	2,489.77	2,158.52	1,827.27	1,496.03	1,165.09	835.20	503.49	172.69	-163.16	
10 1/2	4,469.54	4,139.11	3,807.86	3,476.61	3,145.36	2,814.12	2,482.87	2,151.62	1,820.37	1,489.13	1,158.20	828.31	496.60	165.80	-170.27	
10 3/4	4,462.68	4,132.21	3,800.96	3,469.71	3,138.46	2,807.22	2,475.97	2,144.72	1,813.47	1,482.23	1,151.31	821.42	489.71	158.91	-177.38	
11	4,455.82	4,125.31	3,794.06	3,462.81	3,131.56	2,800.31	2,469.07	2,137.82	1,806.57	1,475.32	1,144.42	814.53	482.82	152.02	-184.49	
11 1/4	4,448.95	4,118.41	3,787.16	3,455.91	3,124.66	2,793.41	2,462.17	2,130.92	1,799.67	1,468.42	1,137.52	807.64	475.93	145.13	-191.60	
11 1/2	4,442.09	4,111.50	3,780.26	3,449.01	3,117.76	2,786.51	2,455.26	2,124.02	1,792.77	1,461.52	1,130.63	800.75	469.04	138.24	-198.71	
11 3/4	4,435.22	4,104.60	3,773.36	3,442.11	3,110.86	2,779.61	2,448.36	2,117.12	1,785.87	1,454.62	1,123.74	793.86	462.15	131.35	-205.82	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/31/2014

^ CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 17'-4 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6000"
FLORIDA MARINE

OUTAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

STANDARD CHARGES FOR 2014																																	
		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.	
#		#		#		#		#		#		#		#		#		#		#		#		#		#		#		#		#	
0		0	5,304.84	0	4,938.39	0	4,566.58	0	4,198.21	0	3,825.84	0	3,455.48	0	3,085.11	0	2,714.74	0	2,344.37	0	1,974.00	0	1,603.64	0	1,233.63	0	863.64	0	493.68	0	123.68		
1		1	5,297.16	1	4,928.71	1	4,556.88	1	4,188.50	1	3,816.13	1	3,447.76	1	3,077.39	1	2,707.02	1	2,336.65	1	1,966.29	1	1,595.82	1	1,225.92	1	855.94	1	485.95	1	115.97		
2		2	5,289.48	2	4,921.04	2	4,549.21	2	4,180.84	2	3,808.47	2	3,438.10	2	3,067.73	2	2,697.36	2	2,326.99	2	1,956.62	2	1,586.25	2	1,216.21	2	846.23	2	476.24	2	108.26		
3		3	5,281.81	3	4,913.37	3	4,541.54	3	4,173.16	3	3,800.79	3	3,430.42	3	3,060.05	3	2,689.68	3	2,319.31	3	1,948.94	3	1,578.57	3	1,208.53	3	838.54	3	468.55	3	100.55		
4		4	5,274.13	4	4,905.68	4	4,533.85	4	4,165.35	4	3,794.98	4	3,424.61	4	3,054.24	4	2,683.88	4	2,313.51	4	1,943.14	4	1,572.77	4	1,202.80	4	832.81	4	462.83	4	92.84		
5		5	5,266.46	5	4,898.01	5	4,526.18	5	4,157.63	5	3,787.26	5	3,416.89	5	3,046.53	5	2,676.16	5	2,305.79	5	1,935.42	5	1,565.06	5	1,195.09	5	825.11	5	455.12	5	85.14		
6		6	5,258.79	6	4,890.33	6	4,520.28	6	4,149.82	6	3,778.55	6	3,409.18	6	3,038.81	6	2,668.44	6	2,288.08	6	1,927.71	6	1,567.34	6	1,187.38	6	817.40	6	447.41	6	77.43		
7		7	5,251.10	7	4,882.65	7	4,512.57	7	4,142.20	7	3,771.83	7	3,401.46	7	3,031.10	7	2,660.73	7	2,280.39	7	1,919.99	7	1,549.62	7	1,179.67	7	809.69	7	439.70	7	69.72		
8		8	5,243.43	8	4,874.98	8	4,504.85	8	4,134.48	8	3,764.12	8	3,393.75	8	3,023.38	8	2,653.01	8	2,282.64	8	1,912.28	8	1,541.91	8	1,171.56	8	801.98	8	432.00	8	62.01		
9		9	5,235.76	9	4,867.30	9	4,497.14	9	4,126.77	9	3,753.80	9	3,383.43	9	3,013.06	9	2,643.30	9	2,274.93	9	1,904.56	9	1,534.20	9	1,164.26	9	794.27	9	53.24	9			
10		10	5,228.09	10	4,859.63	10	4,489.42	10	4,119.05	10	3,743.68	10	3,373.29	10	3,002.92	10	2,633.58	10	2,267.21	10	1,988.84	10	1,526.49	10	1,156.55	10	786.58	10	416.89	10	40.52		
11		11	5,220.40	11	4,851.95	11	4,481.70	11	4,111.34	11	3,740.97	11	3,370.60	11	3,000.23	11	2,623.85	11	2,259.50	11	1,889.13	11	1,519.79	11	1,146.84	11	766.56	11	408.87	11	41.78		
12		12	5,212.72	12	4,844.28	12	4,473.99	12	4,103.62	12	3,733.25	12	3,362.88	12	2,992.52	12	2,622.15	12	2,251.76	12	1,881.41	12	1,511.95	12	1,141.13	12	761.15	12	401.18	12	30.21		
13		13	5,205.05	13	4,836.60	13	4,466.27	13	4,095.90	13	3,725.54	13	3,355.17	13	2,984.80	13	2,614.43	13	2,244.06	13	1,873.70	13	1,503.37	13	1,133.42	13	763.44	13	393.48	13	20.21		
14		14	5,197.37	14	4,828.92	14	4,458.56	14	4,088.19	14	3,717.82	14	3,347.45	14	2,974.08	14	2,606.72	14	2,236.35	14	1,865.90	14	1,495.67	14	1,125.72	14	755.73	14	385.75	14	25.40		
15	5,478.71	15	5,189.70	15	4,821.21	15	4,450.84	15	4,080.47	15	3,710.00	15	3,339.74	15	2,969.37	15	2,598.00	15	2,228.63	15	1,858.26	15	1,487.96	15	1,118.01	15	748.02	15	378.04	15	20.58		
16		16	5,182.02	16	4,813.49	16	4,443.12	16	4,072.76	16	3,702.39	16	3,332.02	16	2,961.65	16	2,591.28	16	2,220.92	16	1,850.66	16	1,480.26	16	1,110.30	16	740.32	16	370.33	16	16.76		
17		17	5,174.34	17	4,805.78	17	4,435.41	17	4,065.04	17	3,694.67	17	3,324.30	17	2,953.94	17	2,583.57	17	2,212.20	17	1,842.83	17	1,472.54	17	1,102.69	17	732.61	17	362.82	17			
18		18	5,174.12	18	4,805.56	18	4,435.19	18	4,064.82	18	3,694.45	18	3,323.97	18	2,953.57	18	2,583.19	18	2,211.82	18	1,842.45	18	1,472.36	18	1,102.51	18	732.43	18	362.64	18			
19		19	5,166.87	19	4,798.06	19	4,427.69	19	4,057.32	19	3,686.95	19	3,316.58	19	2,946.22	19	2,575.86	19	2,209.48	19	1,836.12	19	1,464.64	19	1,094.88	19	726.81	19	364.92	19			
20		20	5,159.19	20	4,790.34	20	4,419.98	20	4,049.61	20	3,679.24	20	3,308.87	20	2,935.60	20	2,568.14	20	2,197.77	20	1,827.40	20	1,457.13	20	1,087.18	20	717.19	20	347.21	20			
21		21	5,151.32	21	4,782.63	21	4,412.26	21	4,041.89	21	3,671.52	21	3,301.16	21	2,930.79	21	2,560.42	21	2,190.05	21	1,819.68	21	1,449.42	21	1,079.47	21	709.48	21	338.50	21			
22		22	5,143.64	22	4,774.91	22	4,404.54	22	4,034.18	22	3,663.81	22	3,293.44	22	2,923.07	22	2,552.70	22	2,182.34	22	1,811.97	22	1,441.72	22	1,071.78	22	701.78	22	331.79	22			
23		23	5,135.96	23	4,767.20	23	4,396.83	23	4,026.46	23	3,653.09	23	3,282.72	23	2,912.35	23	2,541.98	23	2,174.82	23	1,804.26	23	1,434.01	23	1,064.05	23	694.07	23	324.08	23			
24		24	5,128.29	24	4,759.48	24	4,388.11	24	4,018.74	24	3,643.38	24	3,272.01	24	2,901.64	24	2,532.27	24	2,168.90	24	1,796.54	24	1,426.30	24	1,056.34	24	686.36	24	316.38	24			
25		25	5,120.61	25	4,751.78	25	4,380.40	25	4,010.03	25	3,640.66	25	3,270.29	25	2,899.92	25	2,529.56	25	2,159.19	25	1,788.82	25	1,418.60	25	1,048.64	25	678.65	25	308.67	25			
26		26	5,112.94	26	4,744.05	26	4,373.68	26	4,003.31	26	3,632.94	26	3,262.58	26	2,892.21	26	2,521.84	26	2,151.47	26	1,781.10	26	1,410.88	26	1,040.93	26	670.84	26	300.86	26			
27		27	5,105.26	27	4,736.33	27	4,365.96	27	3,995.60	27	3,625.23	27	3,254.86	27	2,884.49	27	2,514.12	27	2,143.75	27	1,773.39	27	1,403.19	27	1,033.22	27	663.84	27	293.26	27			
28		28	5,097.58	28	4,728.62	28	4,358.25	28	3,987.88	28	3,617.51	28	3,247.14	28	2,876.78	28	2,506.41	28	2,136.04	28	1,765.67	28	1,395.47	28	1,025.61	28	656.53	28	285.54	28			
29		29	5,089.91	29	4,720.90	29	4,350.53	29	3,980.16	29	3,609.80	29	3,239.43	29	2,869.06	29	2,498.69	29	2,128.32	29	1,758.76	29	1,387.77	29	1,017.80	29	648.72	29	277.84	29			
30		30	5,082.23	30	4,713.18	30	4,342.85	30	3,972.45	30	3,602.08	30	3,231.71	30	2,861.34	30	2,490.98	30	2,120.61	30	1,750.24	30	1,380.54	30	1,010.10	30	640.11	30	270.13	30			
31		31	5,074.56	31	4,705.47	31	4,335.10	31	3,964.73	31	3,594.36	31	3,224.00	31	2,851.63	31	2,483.26	31	2,112.89	31	1,742.62	31	1,372.35	31	1,002.39	31	632.40	31	262.42	31			
32		32	5,066.88	32	4,697.75	32	4,327.38	32	3,957.02	32	3,586.65	32	3,216.28	32	2,845.91	32	2,475.54	32	2,105.18	32	1,734.81	32	1,364.05	32	999.38	32	624.70	32	264.71	32			
33		33	5,059.20	33	4,690.04	33	4,319.67	33	3,949.30	33	3,580.93	33	3,208.56	33	2,838.20	33	2,467.83	33	2,097.46	33	1,727.09	33	1,353.94	33	988.97	33	616.99	33	247.00	33			
34		34	5,051.53	34	4,682.32	34	4,311.95	34	3,941.68	34	3,571.22	34	3,200.85	34	2,830.49	34	2,460.11	34	2,090.09	34	1,719.38	34	1,343.23	34	979.26	34	609.28	34	239.30	34			
35		35	5,043.85	35	4,674.60	35	4,304.24	35	3,933.87	35	3,563.50	35	3,193.13	35	2,822.76	35	2,450.42	35	2,082.03	35	1,711.66	35	1,341.63	35	971.56	35	601.67	35	231.59	35			
36		36	5,036.18	36	4,666.89	36	4,296.52	36	3,926.15	36	3,555.78	36	3,182.46	36	2,811.05	36	2,444.58	36	2,074.31	36	1,703.94	36	1,333.82	36	963.85	36	593.88	36	223.88	36			
37		37	5,028.50	37	4,659.17	37	4,288.80	37	3,918.43	37	3,548.07	37	3,172.70	37	2,801.33	37	2,436.96	37	2,066.80	37	1,696.23	37	1,326.11	37	966.14	37	586.16	37	218.17	37			
38		38	5,020.82	38	4,651.46	38	4,281.09	38	3,910.72	38	3,540.35	38	3,167.02	38	2,798.82	38	2,428.45	38	2,059.88	38	1,686.51	38	1,318.40	38	964.48	38	578.49	38	208.48	38			

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 17'-4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

STRAPPED: 05/31/2014

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

NO. 193

[illegible]

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 17'-4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T93

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN CARGO IS TAKEN																																
	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.																
0	0	1,746.39	0	4,489.20	0	6,230.90	0	3,972.18	0	3,713.48	0	3,428.80	0	3,056.45	0	2,689.89	0	2,320.53	0	1,951.08	0	1,581.62	0	1,214.87	0	848.09	0	481.51	0	114.94		
1	1	1,741.03	1	4,483.85	1	6,226.51	1	3,966.78	1	3,708.07	1	3,421.21	1	3,051.51	1	2,683.20	1	2,314.84	1	1,943.38	1	1,573.83	1	1,207.03	1	840.45	1	473.88	1	107.30		
2	2	1,735.67	2	4,478.49	2	6,220.12	2	3,961.40	2	3,702.68	2	3,415.51	2	3,044.05	2	2,674.60	2	2,305.14	2	1,935.68	2	1,566.23	2	1,199.39	2	832.82	2	466.24	2	90.66		
3	3	1,730.32	3	4,473.13	3	6,214.73	3	3,957.09	3	3,698.39	3	3,402.81	3	3,038.29	3	2,669.90	3	2,297.44	3	1,925.68	3	1,558.53	3	1,191.78	3	826.18	3	458.60	3	82.03		
4	4	1,724.96	4	4,467.77	4	6,209.34	4	3,952.63	4	3,693.93	4	3,398.11	4	3,028.68	4	2,660.29	4	2,289.76	4	1,920.29	4	1,550.83	4	1,184.12	4	817.64	4	450.97	4	84.39		
5	5	1,719.60	5	4,462.41	5	6,204.93	5	3,948.23	5	3,689.53	5	3,393.71	5	3,024.26	5	2,655.87	5	2,284.83	5	1,915.36	5	1,544.14	5	1,176.48	5	809.91	5	443.33	5	76.75		
6	6	1,714.24	6	4,457.05	6	6,198.56	6	3,943.84	6	3,685.14	6	3,389.32	6	3,020.87	6	2,651.92	6	2,279.35	6	1,910.88	6	1,538.44	6	1,168.84	6	802.27	6	435.89	6	68.12		
7	7	1,708.88	7	4,451.70	7	6,193.17	7	3,939.46	7	3,680.76	7	3,384.94	7	3,016.47	7	2,647.51	7	2,273.88	7	1,904.80	7	1,536.44	7	1,166.84	7	794.63	7	428.08	7	34.73		
8	8	1,703.53	8	4,446.34	8	6,187.78	8	3,935.06	8	3,676.36	8	3,379.54	8	3,009.08	8	2,642.11	8	2,269.88	8	1,899.60	8	1,527.64	8	1,164.12	8	786.99	8	420.42	8	54.79		
9	9	1,698.17	9	4,440.98	9	6,182.39	9	3,930.67	9	3,671.97	9	3,375.15	9	3,004.69	9	2,637.22	9	2,264.75	9	1,894.81	9	1,525.26	9	1,161.81	9	779.36	9	412.78	9	48.11		
10	10	1,692.81	10	4,435.62	10	6,177.00	10	3,926.28	10	3,667.58	10	3,369.76	10	3,000.30	10	2,632.83	10	2,262.28	10	1,890.32	10	1,521.66	10	1,160.84	10	771.42	10	414.14	10	41.42		
11	11	1,687.45	11	4,430.27	11	6,171.61	11	3,921.89	11	3,663.19	11	3,364.37	11	3,000.90	11	2,633.45	11	2,260.32	11	1,887.41	11	1,519.74	11	1,159.33	11	749.81	11	374.00	11	26.18		
12	12	1,682.09	12	4,424.91	12	6,166.22	12	3,917.50	12	3,658.80	12	3,359.98	12	2,996.52	12	2,628.98	12	2,257.85	12	1,882.95	12	1,514.66	12	1,154.44	12	742.00	12	368.88	12	25.05		
13	13	1,676.73	13	4,419.55	13	6,160.83	13	3,913.11	13	3,654.41	13	3,355.59	13	2,992.13	13	2,624.59	13	2,253.46	13	1,878.56	13	1,510.25	13	1,149.93	13	739.00	13	363.76	13	23.92		
14	14	1,671.37	14	4,414.19	14	6,155.44	14	3,908.72	14	3,649.02	14	3,351.20	14	2,987.74	14	2,620.19	14	2,249.06	14	1,874.17	14	1,505.86	14	1,145.52	14	734.00	14	358.64	14	22.79		
15	15	1,666.01	15	4,408.83	15	6,150.05	15	3,904.33	15	3,644.63	15	3,346.81	15	2,983.35	15	2,615.79	15	2,244.67	15	1,869.78	15	1,501.47	15	1,141.11	15	728.00	15	353.52	15	21.66		
16	16	1,660.65	16	4,403.47	16	6,144.66	16	3,899.94	16	3,640.24	16	3,342.42	16	2,978.95	16	2,611.38	16	2,240.28	16	1,865.39	16	1,497.06	16	1,136.70	16	722.00	16	348.40	16	20.53		
17	17	1,655.29	17	4,398.11	17	6,139.27	17	3,895.55	17	3,635.85	17	3,338.03	17	2,974.56	17	2,606.98	17	2,235.89	17	1,860.99	17	1,492.67	17	1,132.29	17	716.00	17	343.28	17	19.40		
18	18	1,649.93	18	4,392.75	18	6,133.88	18	3,891.16	18	3,631.46	18	3,333.64	18	2,970.17	18	2,602.59	18	2,231.50	18	1,856.60	18	1,488.28	18	1,127.88	18	710.00	18	338.16	18	18.27		
19	19	1,644.57	19	4,387.39	19	6,128.49	19	3,886.77	19	3,627.07	19	3,329.25	19	2,965.78	19	2,598.19	19	2,227.11	19	1,852.21	19	1,483.89	19	1,123.47	19	704.00	19	333.04	19	17.14		
20	20	1,639.21	20	4,382.03	20	6,123.10	20	3,882.38	20	3,622.68	20	3,324.86	20	2,961.39	20	2,593.80	20	2,222.72	20	1,847.82	20	1,479.50	20	1,119.06	20	698.00	20	327.92	20	16.01		
21	21	1,633.85	21	4,376.67	21	6,117.71	21	3,877.99	21	3,618.29	21	3,320.47	21	2,956.99	21	2,589.41	21	2,218.33	21	1,843.43	21	1,475.11	21	1,114.65	21	692.00	21	322.80	21	14.88		
22	22	1,628.49	22	4,371.31	22	6,112.32	22	3,873.60	22	3,613.90	22	3,316.08	22	2,952.60	22	2,585.02	22	2,213.94	22	1,839.04	22	1,470.72	22	1,110.24	22	686.00	22	317.68	22	13.75		
23	23	1,623.13	23	4,365.95	23	6,106.93	23	3,869.21	23	3,609.51	23	3,311.69	23	2,948.21	23	2,580.63	23	2,209.55	23	1,834.65	23	1,466.33	23	1,105.83	23	680.00	23	312.56	23	12.62		
24	24	1,617.77	24	4,360.59	24	6,101.54	24	3,864.82	24	3,605.12	24	3,307.30	24	2,943.82	24	2,576.24	24	2,205.16	24	1,830.26	24	1,461.94	24	1,101.42	24	674.00	24	307.44	24	11.49		
25	25	1,612.41	25	4,355.23	25	6,096.15	25	3,860.43	25	3,600.73	25	3,302.91	25	2,939.43	25	2,571.85	25	2,200.77	25	1,825.87	25	1,457.55	25	1,097.01	25	668.00	25	302.32	25	10.36		
26	26	1,607.05	26	4,349.87	26	6,090.76	26	3,856.04	26	3,596.34	26	3,298.52	26	2,935.04	26	2,567.46	26	2,196.38	26	1,821.48	26	1,453.16	26	1,092.60	26	662.00	26	297.20	26	9.23		
27	27	1,601.69	27	4,344.51	27	6,085.37	27	3,851.65	27	3,591.95	27	3,294.13	27	2,930.65	27	2,563.07	27	2,191.99	27	1,817.09	27	1,448.77	27	1,088.19	27	656.00	27	292.08	27	8.10		
28	28	1,596.33	28	4,339.15	28	6,080.00	28	3,847.26	28	3,587.56	28	3,289.74	28	2,926.26	28	2,558.68	28	2,187.60	28	1,812.70	28	1,444.38	28	1,083.78	28	650.00	28	286.96	28	6.97		
29	29	1,590.97	29	4,333.79	29	6,074.61	29	3,842.87	29	3,583.17	29	3,285.35	29	2,921.87	29	2,554.29	29	2,183.21	29	1,808.31	29	1,440.39	29	1,079.37	29	644.00	29	281.84	29	5.84		
30	30	1,585.61	30	4,328.43	30	6,069.22	30	3,838.48	30	3,578.78	30	3,280.96	30	2,917.48	30	2,549.90	30	2,178.82	30	1,803.92	30	1,435.98	30	1,074.96	30	638.00	30	276.72	30	4.71		
31	31	1,580.25	31	4,323.07	31	6,063.83	31	3,834.09	31	3,574.39	31	3,276.57	31	2,913.09	31	2,545.51	31	2,174.43	31	1,800.53	31	1,431.59	31	1,070.55	31	632.00	31	271.60	31	3.58		
32	32	1,574.89	32	4,317.71	32	6,058.44	32	3,829.70	32	3,569.99	32	3,272.18	32	2,908.70	32	2,541.12	32	2,169.99	32	1,796.14	32	1,427.16	32	1,066.14	32	626.00	32	266.48	32	2.45		
33	33	1,569.53	33	4,312.35	33	6,053.05	33	3,825.31	33	3,565.60	33	3,267.79	33	2,904.31	33	2,536.73	33	2,165.60	33	1,791.75	33	1,422.77	33	1,061.73	33	620.00	33	261.36	33	1.32		
34	34	1,564.17	34	4,306.99	34	6,047.66	34	3,820.91	34	3,561.21	34	3,263.40	34	2,900.92	34	2,532.34	34	2,161.21	34	1,787.36	34	1,418.38	34	1,057.32	34	614.00	34	256.24	34	0.19		
35	35	1,558.81	35	4,301.63	35	6,042.27	35	3,816.52	35	3,556.82	35	3,259.01	35	2,896.53	35	2,527.95	35	2,156.82	35	1,782.97	35	1,413.99	35	1,052.91	35	608.00	35	251.12	35	-0.94		
36	36	1,553.45	36	4,296.27	36	6,036.88	36	3,812.13	36	3,552.43	36	3,254.62	36	2,892.14	36	2,523.56	36	2,152.43	36	1,778.58	36	1,409.60	36	1,048.50	36	602.00	36	246.00	36	-2.01		
37	37	1,548.09	37	4,290.91	37	6,031.49	37	3,807.74	37	3,548.04	37	3,250.23	37	2,887.75	37	2,519.17	37	2,148.04	37	1,774.19	37	1,405.21	37	1,044.09	37	596.00	37	240.88	37	-3.08		
38	38	1,542.73	38	4,285.55	38	6,026.10	38	3,803.35	38	3,543.65	38	3,245.84	38	2,883.36	38	2,514.80	38	2,143.65	38	1,769.80	38	1,400.82	38	1,039.68	38	590.00	38	235.76	38	-4.15		
39	39	1,537.37	39	4,280.19	39	6,020.71	39	3,798.95	39	3,539.26	39	3,241.45	39	2,878.96	39	2,510.41	39	2,139.26	39	1,765.41	39	1,400.43	39	1,035.29	39	584.00	39	230.64	39	-5.22		
40	40	1,532.01	40	4,274.83	40	6,015.32	40	3,794.56	40	3,534.87	40	3,237.06	40	2,874.57	40	2,506.02	40	2,134.87	40	1,761.02	40	1,396.04	40									

STRAPPED: 05/31/2014

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 17'-3 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


INSPECTORATE AMERICA CORPORATION



FLORIDA MARINE
BARGE "FMT-6000"
INNAGE TABLE

SLOP TANK
PORT

HULL NO. 1093

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.			
11	24.51	11	51.24	11	77.98	11	104.72	11	131.46	11	158.20	11	184.94	11	211.68	11	238.42	11	265.16	11	291.90	11	318.64	11	345.38	11	372.12	11	398.86		
10	23.95	10	50.69	10	77.42	10	104.16	10	130.90	10	157.64	10	184.38	10	211.12	10	237.86	10	264.60	10	291.34	10	318.08	10	344.82	10	371.56	10	398.30	10	425.04
9	23.39	9	49.67	9	76.31	9	103.05	9	129.79	9	156.53	9	183.27	9	210.01	9	236.75	9	263.49	9	290.23	9	316.97	9	343.71	9	370.45	9	397.19	9	423.93
8	22.83	8	48.02	8	75.76	8	102.49	8	129.23	8	155.97	8	182.71	8	209.45	8	236.19	8	262.93	8	289.67	8	316.41	8	343.15	8	369.89	8	396.63	8	423.37
7	21.72	7	46.46	7	75.20	7	101.93	7	128.67	7	155.41	7	182.15	7	208.89	7	235.63	7	262.37	7	289.11	7	315.85	7	342.59	7	369.33	7	396.07	7	422.81
6	20.61	6	47.35	6	74.08	6	101.37	6	128.11	6	154.85	6	181.59	6	208.33	6	235.07	6	261.81	6	288.55	6	315.29	6	342.03	6	368.77	6	395.51	6	422.25
5	20.05	5	48.79	5	73.52	5	100.82	5	127.56	5	154.30	5	181.04	5	207.78	5	234.52	5	261.26	5	288.00	5	314.74	5	341.48	5	368.22	5	394.96	5	421.70
4	19.50	4	46.23	4	72.97	4	99.70	4	126.44	4	153.18	4	179.92	4	206.66	4	233.40	4	260.14	4	286.88	4	313.62	4	340.36	4	367.10	4	393.84	4	420.58
3	18.94	3	45.67	3	72.41	3	99.15	3	125.89	3	152.63	3	179.37	3	206.11	3	232.85	3	259.59	3	286.33	3	313.07	3	339.81	3	366.55	3	393.29	3	420.03
2	17.82	2	44.56	2	71.30	2	98.03	2	124.77	2	151.51	2	178.25	2	205.00	2	231.74	2	258.48	2	285.22	2	311.96	2	338.70	2	365.44	2	392.18	2	418.92
1	16.70	1	43.00	1	70.74	1	97.48	1	124.21	1	150.95	1	177.69	1	204.43	1	231.17	1	257.91	1	284.65	1	311.39	1	338.13	1	364.87	1	391.61	1	418.35
0	15.60	0	42.33	0	69.07	0	96.80	0	123.54	0	150.28	0	177.02	0	203.76	0	230.50	0	257.24	0	283.98	0	310.72	0	337.46	0	364.20	0	390.94	0	417.68
0	14.48	0	41.79	0	68.51	0	96.25	0	122.98	0	149.72	0	176.46	0	203.20	0	229.94	0	256.68	0	283.42	0	310.16	0	336.90	0	363.64	0	390.38	0	417.12
0	13.37	0	40.66	0	67.38	0	95.13	0	122.42	0	149.16	0	175.90	0	202.64	0	229.38	0	256.12	0	282.86	0	309.60	0	336.34	0	363.38	0	389.92	0	416.60
0	12.25	0	39.54	0	66.26	0	94.01	0	121.86	0	148.60	0	175.34	0	202.08	0	228.82	0	255.56	0	282.30	0	309.04	0	335.78	0	362.82	0	389.46	0	416.14
0	11.14	0	38.43	0	65.17	0	92.89	0	121.30	0	148.04	0	174.78	0	201.52	0	228.26	0	255.00	0	281.74	0	308.48	0	335.22	0	362.36	0	388.90	0	415.68
0	10.03	0	37.32	0	64.08	0	91.79	0	120.74	0	147.48	0	174.28	0	201.02	0	227.76	0	254.48	0	281.24	0	307.92	0	334.76	0	361.88	0	388.44	0	415.22
0	9.47	0	36.21	0	63.00	0	90.70	0	120.18	0	146.92	0	173.72	0	200.46	0	227.20	0	253.92	0	280.78	0	307.36	0	334.20	0	361.32	0	387.98	0	414.76
0	8.91	0	35.10	0	61.91	0	89.61	0	119.62	0	146.36	0	173.16	0	199.90	0	226.64	0	253.36	0	280.22	0	306.80	0	333.64	0	360.76	0	387.52	0	414.30
0	7.80	0	33.99	0	60.82	0	88.52	0	119.06	0	145.80	0	172.60	0	199.34	0	226.08	0	252.80	0	279.76	0	306.24	0	333.08	0	360.20	0	387.06	0	413.84
0	6.68	0	32.88	0	59.73	0	87.43	0	118.50	0	145.24	0	172.04	0	198.78	0	225.52	0	252.24	0	279.20	0	305.68	0	332.52	0	359.64	0	386.60	0	413.38
0	5.57	0	31.78	0	58.64	0	86.34	0	117.94	0	144.68	0	171.48	0	198.22	0	225.06	0	251.76	0	278.72	0	305.12	0	331.96	0	359.08	0	386.14	0	412.92
0	4.46	0	30.64	0	57.55	0	85.25	0	117.38	0	144.12	0	170.92	0	197.66	0	224.50	0	251.20	0	278.16	0	304.56	0	331.40	0	358.52	0	385.68	0	412.46
0	3.34	0	29.52	0	56.46	0	84.16	0	116.82	0	143.56	0	170.36	0	197.10	0	224.04	0	250.74	0	277.60	0	304.00	0	330.84	0	357.96	0	385.22	0	412.00
0	2.23	0	28.41	0	55.37	0	83.07	0	116.26	0	143.00	0	169.80	0	196.54	0	223.58	0	250.28	0	277.04	0	303.44	0	330.28	0	357.40	0	384.76	0	411.54
0	1.11	0	27.29	0	54.28	0	81.98	0	115.70	0	142.44	0	169.24	0	196.08	0	223.12	0	249.82	0	276.48	0	302.88	0	329.72	0	356.84	0	384.30	0	411.08
0	0.00	0	26.74	0	53.19	0	80.89	0	115.14	0	141.88	0	168.68	0	195.62	0	222.66	0	249.36	0	275.92	0	302.32	0	329.16	0	356.28	0	383.84	0	410.62
0	0.00	0	26.29	0	52.10	0	79.80	0	114.58	0	141.32	0	168.12	0	195.16	0	222.20	0	248.90	0	275.36	0	301.76	0	328.60	0	355.72	0	383.38	0	410.16

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6000"
FLORIDA MARINE
INNAGE TABLE

SLOP TANK
STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0.00	26.81	51.62	77.43	103.24										
1/4	0.64	28.36	52.16	77.97	103.78										
1/2	1.08	28.89	52.69	78.50	104.31										
3/4	1.61	27.42	53.23	78.04	104.85										
1	2.15	27.96	53.77	78.58	105.39										
1 1/4	2.69	28.50	54.31	80.12	105.93										
1 1/2	3.23	29.04	54.85	80.66	106.46										
1 3/4	3.76	29.57	55.38	81.19	107.00										
2	4.30	30.11	55.92	81.73	107.54										
2 1/4	4.84	30.65	56.46	82.27	108.08										
2 1/2	5.38	31.19	57.00	82.81	108.62										
2 3/4	5.91	31.72	57.53	83.34	109.16										
3	6.45	32.26	58.07	83.88	109.69										
3 1/4	6.99	32.80	58.61	84.42	110.23										
3 1/2	7.53	33.34	59.15	84.96	110.77										
3 3/4	8.07	33.88	59.68	85.49	111.30										
4	8.60	34.41	60.22	86.03	111.84										
4 1/4	9.14	34.95	60.76	86.57	112.38										
4 1/2	9.68	35.49	61.30	87.11	112.92										
4 3/4	10.22	36.03	61.84	87.65	113.45										
5	10.75	36.56	62.37	88.18	113.99										
5 1/4	11.29	37.10	62.91	88.72	114.53										
5 1/2	11.83	37.64	63.45	89.26	115.07										
5 3/4	12.37	38.18	63.99	89.80	115.61										
6	12.90	38.71	64.52	90.33	116.14										
6 1/4	13.44	39.26	65.06	90.87	116.68										
6 1/2	13.98	39.79	65.60	91.41	117.22										
6 3/4	14.52	40.33	66.14	91.95	117.76										
7	15.06	40.87	66.67	92.48	118.29										
7 1/4	15.59	41.40	67.21	93.02	118.83										
7 1/2	16.13	41.94	67.75	93.56	119.37										
7 3/4	16.67	42.48	68.29	94.10	119.91										
8	17.21	43.02	68.83	94.64	120.44										
8 1/4	17.74	43.56	69.36	95.17	120.98										
8 1/2	18.28	44.09	69.90	95.71	121.52										
8 3/4	18.82	44.63	70.44	96.25	122.06										
9	19.36	45.17	70.98	96.79	122.60										
9 1/4	19.89	45.70	71.51	97.32	123.13										
9 1/2	20.43	46.24	72.05	97.86	123.67										
9 3/4	20.97	46.78	72.59	98.40	124.21										
10	21.51	47.32	73.13	98.94	124.75										
10 1/4	22.05	47.86	73.66	99.47	125.28										
10 1/2	22.59	48.39	74.20	100.01	125.82										
10 3/4	23.12	48.93	74.74	100.55	126.35										
11	23.66	49.47	75.28	101.09											
11 1/4	24.20	50.01	75.82	101.63											
11 1/2	24.73	50.54	76.35	102.16											
11 3/4	25.27	51.08	76.89	102.70											

STRAPPED: 05/31/2014

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

