

United States of America Department of Homeland Security United States Coast Guard

20 Apr 2020 Certification Date: **Expiration Date:** 20 Apr 2021

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name HTCO 3013	Official Numbe	PT .	IMO Numbe		Call Sign	Tank E	3arge
Hailing Port HOUSTON, TX UNITED STATES	Hull M Ste	Material el	Horsep	ower	Propulsion		
Place Built AMELIA, LA UNITED STATES	Delivery I	Date p1996	Keel Laid Date 13Jun1996	Gross Tons R-1627 I-	Net Tons R-1627 I-	DWT	Length R-299.0 I-0
Owner HIGMAN BARGE LINES IN 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES	NC		1980 HOU			101	
This vessel must be manne 0 Certified Lifeboatmen, 0	ed with the following lic Certified Tankermen,	censed 0 HSC	and unlicensed Type Rating, a	Personne and 0 GMI	el. Included in w DSS Operators.	hich there ı	must be
0 Masters 0 Chief Mates 0 Second Mates 0 Third Mates 0 Master First Class Pilot 0 Mate First Class Pilots In addition, this vessel may	O Licensed Mates O First Class Pilots Radio Officers O Able Seamen O Ordinary Seamen O Deckhands	0 Chief 0 First 0 Seco 0 Third 0 Licer 0 Qual	Engineers Assistant Enginee nd Assistant Engin Assistant Engine ased Engineers ified Member Engi	0 rs neers ers	Oilers	to crew, and	d no Others. Total
Persons allowed: 0 Route Permitted And Co	onditions Of Operation	on:					

--- Lakes, Bays, and Sounds plus Limited Coastwise

LIMITED COASTWISE SERVICE: IN SEAS OF LESS THAN THREE (03) FEET, WIND LESS THAN TWENTY (20) KNOTS AND CLEAR VISIBILITY, NOT MORE THAN TWELVE (12) MILES FROM SHORE BETWEEN ST. MARKS AND CARRABELLE, FLORIDA.

THIS VESSEL HAS BEEN GRANTED A FRESH WATER SERVICE EXAMINATION INTERVAL IN ACCORDANCE WITH 46 CFR TABLE 31.10-21(b); IF THIS VESSEL IS OPERATED IN SALT WATER MORE THAN SIX (6) MONTHS IN ANY TWELVE (12) MONTH PERIOD, THE VESSEL MUST BE INSPECTED USING SALT WATER INTERVALS PER 46 CFR TABLE 31.10-21(a) AND THE COGNIZANT OCMI NOTIFIED IN WRITING AS SOON AS THIS CHANGE IN STATUS OCCURS.

THIS TANK BARGE IS PARTICIPATING IN THE EIGHTH-NINTH COAST GUARD DISTRICT'S TANK BARGE STREAMLINED INSPECTION

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at HOUMA, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Houma, Louisiana certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspec	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	M. M. SPOLANTSET LCDB USCG, By Direction Officer in Charge, Marine Inspection
				Houma, Louisiana
				Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 20 Apr 2020 **Expiration Date:** 20 Apr 2021

Temporary Certificate of Inspection

Vessel Name: HTCO 3013

INSPECTION ACTIVITIES ABOARD THIS BARGE SHALL BE CONDUCTED IN ACCORDANCE WITH ITS TANK BARGE PROGRAM (TBSIP). ACTION PLAN (TAP). INSPECTION ISSUES CONCERNING THIS BARGE SHOULD BE DIRECTED TO THE OCMI HOUMA, LOUISIANA.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Mar2025

20Mar2015

12Oct2006

Internal Structure

31Mar2025

16Apr2020

20Mar2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Flammable/combustible liquids and specified hazardous cargoes.

Total Capacity

Units

Highest Grade Type Part151 Regulated

Yes

Part153 Regulated Part154 Regulated

28366

Barrels

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
3P/S	647	13.500
1P/S	906	13.500
2P/S	906	13.500

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
Ш	4734	11ft 9in	13.5	
II	3491	9ft 3in	13.5	
H	3491	9ft 3in	13.5	
III	4734	11ft 9in	13.5	

Conditions Of Carriage

ONLY THOSE CARGOES NAMED IN THE VESSEL'S CARGO AUTHORITY ATTACHMENT, SERIAL #VN96003976 DATED 17 JUL 2001, MAY BE CARRIED AND THEN ONLY IN THE TANKS INDICATED.

IN ACCORDANCE WITH 46 CFR PART 39, EXCLUDING PART 39.4000, THIS VESSEL'S VAPOR CONTROL SYSTEM HAS BEEN INSPECTED TO THE PLANS APPROVED BY MARINE SAFETY CENTER LETTERS SERIAL # VN96003976 DATED 17 JUL 2001, AND FOUND ACCEPTABLE FOR COLLECTION OF BULK LIQUID CARGO VAPORS ANNOTATED WITH "YES" IN THE CAA'S VCS COLUMN.

IN ACCORDANCE WITH 46 CFR PART 39, EXCLUDING PART 39.4000, THIS VESSEL'S VAPOR CONTROL SYSTEM HAS BEEN INSPECTED TO THE PLANS APPROVED BY MARINE SAFETY CENTER LETTERS SERIAL #C1-9905687 DATED 03NOV99 AND SERIAL #T2-0003317 DATED 21NOV00, AND FOUND ACCEPTABLE FOR COLLECTION OF BULK LIQUID CARGO VAPORS ANNOTATED WITH "YES" IN THE CAA'S VCS COLUMN.

WHEN THE VESSEL IS CARRYING CARGOES CONTAINING GREATER THAN 0.5% BENZENE, THE PERSON IN CHARGE IS RESPONSIBLE FOR ENSURING THE PROVISIONS OF 46 U.S. CODE OF FEDERAL REGUALTIONS PART 197, SUBPART C ARE APPLIED.

CARGO TANK MAXIMUM DESIGN WORKING PRESSURE: 3.00 PSIG

^{*}Vapor Control*



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 20 Apr 2020 Expiration Date: 20 Apr 2021

Temporary Certificate of Inspection

Vessel Name: HTCO 3013

IN ACCORDANCE WITH 46 CFR PART 39.1017 AND 39.5000(e) THIS VESSEL'S VCS HAS BEEN EVALUATED AND APPROVED FOR MULTI-BREASTED TANDEM LOADING WITH OTHER VESSELS SPECIFICALLY APPROVED TO TANDEM LOAD WITH VESSEL.

PER 46 CFR 151.10-15(C)(2) THE MAX TANK WEIGHTS LISTED BELOW REFLECT UNIFORM (WITHIN 5%) LOADING AT THE DEEPEST DRAFT ALLOWED. WHEN CARRYING SUBCHAPER "O" CARGOES AT SHALLOWER DRAFTS, THE BARGE(S) SHOULD ALWAYS BE LOADED UNIFORMLY, WITHIN 5%.ARGO TANKS MUST BE LOADED UNIFORMLY WHENEVER A 46 CFR SUBCHAPTER "O" CARGO IS CARRIED; FOR TRIM PURPOSES, THE WEIGHT OF CARGO IN EACH TANK MAY EXCEED THE UNIFORMLY LOADED TANK CARGO WEIGHT BY AT MOST 5 PERCENT.

--- Inspection Status ---

Cargo Tanks

1									
		Internal Exam			External Exam				
	Tank Id	Previous	Last	Next	Previous	Last	Next		
	3P/S	12Oct2006	20Mar2015	31Mar2025	S T		<u>10</u>		
	1P/S	12Oct2006	20Mar2015	31Mar2025	-	-	-		
-	2P/S	12Oct2006	20Mar2015	31Mar2025	457	-			
				Hydro Test					
	Tank Id	Safety Valves		Previous	Last	Next			
	3P/S	-		₩E	•	-			
	1P/S	-		-	-	Ξ			
	2P/S	-		-	-	-			

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity


Class Type

2

40-B

END

^{*}Stability and Trim*



Serial #: VN96003976 COI Ref: 17-Jul-01



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCD 3013 Official #: D1041644

Page 1 of 2

Shipyard: MCDERMOTT I

Hull #: 398

Cargo Identification					The second second	C	onditions of Carriage
		Coms	194				
Name	Chem Code	Graup No	5c	Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mails of Construction
uthorized Subchapter O Cargoes							
Adipontrile	ADN	37	N	E	U	٧	**e
Anthracene oil (Coaf tar fraction)	AHO	33	N		li li		No.
Alkyl(C?-C9) ritmites	AKH	34	Y		181	November 1990	.89-01, .52-60
Acetonidie	ATN	37	N	C	101	T	200
Sutyraldehyde (ali Isomera)	BAE	19	N	C	111	٧	.88-183
Senzene hydrocarbon mixtures (having 10% Benzene ormore)	BHB	32	94	••••	383	V	.59-40
\$ C V C V V V	BNZ	32	94	C	100	٧	AB-80
Benzene, Toluene, Xylene mixtures (having 10% Benzeneor more)	BTX	32	N	B/C	111	٧	.ap-40
Cerbon tetrschloride	CBT	38	N		111		260
Creosote (all lacmers)	CCW	21	Y	E	888	٧	826
Crude hydrocerbon feedelock (containing Butyraldehydesand Ethylpropyl acrolein)	CHG	0	N	C	314		No.
Comptor oil	CPO	18	N	D	H		No.
Disprobarzana	CRB	38	N	D	818	٧	**
Zkioroform	CRF	36	N	80	OI.	W. 47.111. (47.4	No.
200 to 100 to 10	CRS	21	N	E	81	٧	See Section of the Control of the Co
Cyclopentadiene, Styrene, Berusne mixture	CSB	30	N	D	*	٧	.88-40, .48-1 (b)
,1-Dichloroethene	DCH	36	N	C	III	V	\$ \$\$
Nchioronathana	DCM	38	N	NF	III	A CONTRACTOR OF THE CONTRACTOR	200
Pichloropropena, Dichloropropana mixturea	DMX	15	N		II .	V	No
,1-Olchloropropene	DPB	38	N	C		T	No
,3-Okhloropropane	DPC	38	N	G	181	***	No
,2-Olchioropropane	DPP	35	N	C	181	Y	150
thylana dichloride	EDC	38	Y	C	181	٧	\$6x
Shylene glycol monosityl ethers	EGC	40	N	O/E	193	V	No
Shylene glycol hexyl ether	EGH	40	N	8"	188	dishasaldi danyalda marana ayar	\$\tilde{\chi}
Brylene glycol propyl strer	EGP	40	N	800	1800	htti kallet keli II killillik durmodi	No.
-Einyl-3-propylacrolein	EPA	19	Y	82°	1))	V	939
Shylene cyanchydrin	ETC	20	N	gen Sea Sea	\$18 2.8	٧	No.
Tafural	FFA	19	N	E	111	٧	28-1(6)
ormaldehyde solution (37% to 50%)	FMS	19	٧.	DÆ	161	V	36-1(h)
Sinteraldehyde solution (50% or less)	GTA	19	N	NF	118		50a
lydrocarbon 5-0	HFN	30	N	Λ	110	V	,50-T0(a), ,50-81(a), (b)
soprane	FR	30	N	A	110		.8e-70(a), .50-81(a), (b)
fethylcyclopentadiene dimer	MCK	30	N	C	III	V	Ma
feetly cuide	MSO	18	Y	0	III	V	***
loel ter nechthe solvent	NCT	33	N	D	100	V	A9-73
or 2-Niliropropana	NPN	42	N	D	111	V	20-31
Perchicrosthylane	PER	35	N	NF	888		No
fodium chiorate solution (50% or less)	SDD	0	Υ	NF	10	Eastern management (1999)	.33-73
,2,4-Trichlorobenzane	TCB	38	N	E	888	٧	No
richlerdelfrylene	TCL	36	Υ		818	V	No
,1,2,2-Tetrachiorosinane	TEC	36	N	NF	§18	v 0.1100.000.000.000.000.000.000.000.000.	885
etrahkdrofuran	THE	41	N	C	#15	٧	30-78(5)



Department of Transportation United States Coast Guard

Serial #: VN96003976 COI Ref: 17-Jul-01

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3013

Official#: D1041544 Page 2 of 2 Shipyard: MCDERMOTT I

Hull #: 398

Cargo identification Conditions of Carriage							
Name	Chem Code	Comp Group No	el Exc	Grada	Huli Typs	Note	Special Requirements in 45 CFR 151 General and Matte of Construction

Explanation of terms & symbols used in the Table;

Cargo Identification

The proper shipping same as listed in 46 CFR Table 151.05.

Chem Cade

Exceptions (Exc)

The three letter designation assigned to the cargo in the Chemical Hazarda Response Information System (CHRIS) Manual.

Compatability Group No.

The cargo reactive group number assigned for competibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 48 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the competibility requirements of 46 CFR Part 150 ere met. Cargoes must be checked for competibility using the figures, tables, and appendicus, of 46 CFR 150 in competibility the assigned reactive group number.

Indication of whether or not there are exceptions to the competibility chart for the given carge. See Appendix I to 48 CFR Part 150.

Grade

The cargo classification assigned to each flammable or combusable liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by menufacturers data and secure that the barge is authorized for

A, B, C D, E NA, NF

The cargo classification assigned to each nammative or commissions against the cargo grade based on Manufacturers data and ensure that the pargot is equal to cargo grade based on Manufacturers data and ensure that the pargot is equal to cargos, as defined in 46 CFR 30-10.22.

Combustible liquid cargoss, as defined in 46 CFR 30-10.15.

Those subchapter O cargos which are not described as a filternable or combustible liquid.

No semmability/combustibility grade has been seeigned yet, as the necessary seek point/supor pressure data for such easignments are presently not switsble.

Hull Type

The required barge hull elsestification for serriage of the specified Subchapter O hazardous material cargo, see 45 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to practical the encontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to practical the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

See Certificate of inspection for explaination of symbols used in this column.