



BARGE "HTCO 3071"

ULLAGE TRIM TABLE
HERMETIC

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-3/8	- 01-3/8
1 STBD	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-3/8	- 01-3/8
2 PORT	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2
2 STBD	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2
3 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
4 PORT	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/8	- 01-1/8	01-1/2	- 01-1/2	02-0/8	- 02-0/8	02-3/8	- 02-3/8
4 STBD	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/8	- 01-1/8	01-1/2	- 01-1/2	02-0/8	- 02-0/8	02-3/8	- 02-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/2"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 1/2"

March 19, 2024

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "HTCO 3071"

2 STBD
ULLAGE TABLE
HERMETIC

GAUGE HEIGHT 15'-08 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with 19 columns (IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT., IN, 18 FT., IN, 19 FT.) and 19 rows of capacity data.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED:03/19/2009 INSP.
RECALCULATED:03/29/2019 SW
VERIFIED:03/19/2024

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

Signature of Paul Jacome



BARGE "HTCO 3071"

4 STBD

ULLAGE TABLE

HERMETIC

GAUGE HEIGHT 15'-08 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with columns for ullage height (0, 1/4, 1/2, 3/4, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11) and rows for barge length (0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT.).

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7. CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL. CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK. CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE. GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 45'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC. P.O. Box 2092 Pearland, Texas 77588 http://www.pmacorp.net





BARGE "HTCO 3071"

FWD SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	451	0	903	0	1,354	0	1,805	0		0		0		0		0	
1/4	9	1/4	461	1/4	912	1/4	1,363	1/4	1,815	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	470	1/2	921	1/2	1,373	1/2	1,824	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	480	3/4	931	3/4	1,382	3/4	1,834	3/4		3/4		3/4		3/4		3/4	
1	38	1	489	1	940	1	1,392	1	1,843	1		1		1		1		1	
1/4	47	1/4	498	1/4	950	1/4	1,401	1/4	1,852	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	508	1/2	959	1/2	1,410	1/2	1,862	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	517	3/4	968	3/4	1,420	3/4	1,871	3/4		3/4		3/4		3/4		3/4	
2	75	2	527	2	978	2	1,429	2	1,881	2		2		2		2		2	
1/4	85	1/4	536	1/4	987	1/4	1,439	1/4	1,890	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	545	1/2	997	1/2	1,448	1/2	1,899	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	555	3/4	1,006	3/4	1,457	3/4	1,909	3/4		3/4		3/4		3/4		3/4	
3	113	3	564	3	1,015	3	1,467	3	1,918	3		3		3		3		3	
1/4	122	1/4	574	1/4	1,025	1/4	1,476	1/4	1,928	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	583	1/2	1,034	1/2	1,486	1/2	1,937	1/2		1/2		1/2		1/2		1/2	
3/4	141	3/4	592	3/4	1,044	3/4	1,495	3/4	1,946	3/4		3/4		3/4		3/4		3/4	
4	150	4	602	4	1,053	4	1,504	4	1,956	4		4		4		4		4	
1/4	160	1/4	611	1/4	1,062	1/4	1,514	1/4	1,965	1/4		1/4		1/4		1/4		1/4	
1/2	169	1/2	621	1/2	1,072	1/2	1,523	1/2	1,975	1/2		1/2		1/2		1/2		1/2	
3/4	179	3/4	630	3/4	1,081	3/4	1,533	3/4	1,984	3/4		3/4		3/4		3/4		3/4	
5	188	5	639	5	1,091	5	1,542	5	1,993	5		5		5		5		5	
1/4	197	1/4	649	1/4	1,100	1/4	1,551	1/4	2,003	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	658	1/2	1,110	1/2	1,561	1/2	2,012	1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	668	3/4	1,119	3/4	1,570	3/4	2,022	3/4		3/4		3/4		3/4		3/4	
6	226	6	677	6	1,128	6	1,580	6	2,031	6		6		6		6		6	
1/4	235	1/4	686	1/4	1,138	1/4	1,589	1/4	2,040	1/4		1/4		1/4		1/4		1/4	
1/2	244	1/2	696	1/2	1,147	1/2	1,598	1/2	2,049	1/2		1/2		1/2		1/2		1/2	
3/4	254	3/4	705	3/4	1,157	3/4	1,608	3/4	2,058	3/4		3/4		3/4		3/4		3/4	
7	263	7	715	7	1,166	7	1,617	7	2,067	7		7		7		7		7	
1/4	273	1/4	724	1/4	1,175	1/4	1,627	1/4	2,076	1/4		1/4		1/4		1/4		1/4	
1/2	282	1/2	733	1/2	1,185	1/2	1,636	1/2	2,085	1/2		1/2		1/2		1/2		1/2	
3/4	291	3/4	743	3/4	1,194	3/4	1,645	3/4	2,094	3/4		3/4		3/4		3/4		3/4	
8	301	8	752	8	1,204	8	1,655	8	2,103	8		8		8		8		8	
1/4	310	1/4	762	1/4	1,213	1/4	1,664	1/4	2,112	1/4		1/4		1/4		1/4		1/4	
1/2	320	1/2	771	1/2	1,222	1/2	1,674	1/2	2,121	1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	780	3/4	1,232	3/4	1,683	3/4	2,130	3/4		3/4		3/4		3/4		3/4	
9	338	9	790	9	1,241	9	1,692	9	2,139	9		9		9		9		9	
1/4	348	1/4	799	1/4	1,251	1/4	1,702	1/4	2,148	1/4		1/4		1/4		1/4		1/4	
1/2	357	1/2	809	1/2	1,260	1/2	1,711	1/2	2,157	1/2		1/2		1/2		1/2		1/2	
3/4	367	3/4	818	3/4	1,269	3/4	1,721	3/4	2,166	3/4		3/4		3/4		3/4		3/4	
10	376	10	827	10	1,279	10	1,730	10	2,175	10		10		10		10		10	
1/4	386	1/4	837	1/4	1,288	1/4	1,739	1/4	2,184	1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	846	1/2	1,298	1/2	1,749	1/2	2,193	1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	856	3/4	1,307	3/4	1,758	3/4	2,202	3/4		3/4		3/4		3/4		3/4	
11	414	11	865	11	1,316	11	1,768	11	2,211	11		11		11		11		11	
1/4	423	1/4	874	1/4	1,326	1/4	1,777	1/4	2,220	1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	884	1/2	1,335	1/2	1,786	1/2	2,229	1/2		1/2		1/2		1/2		1/2	
3/4	442	3/4	893	3/4	1,345	3/4	1,796	3/4	2,238	3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

STRAPPED: 03/19/2024 JS
 CALCULATED: 03/20/2024 CL
 PRINTED: 03/20/2024 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 03/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3071"

AFT SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	451	0	903	0	1,354	0	1,805	0		0		0		0		0	
1/4	9	1/4	461	1/4	912	1/4	1,363	1/4	1,815	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	470	1/2	921	1/2	1,373	1/2	1,824	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	480	3/4	931	3/4	1,382	3/4	1,834	3/4		3/4		3/4		3/4		3/4	
1	38	1	489	1	940	1	1,392	1	1,843	1		1		1		1		1	
1/4	47	1/4	498	1/4	950	1/4	1,401	1/4	1,852	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	508	1/2	959	1/2	1,410	1/2	1,862	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	517	3/4	968	3/4	1,420	3/4	1,871	3/4		3/4		3/4		3/4		3/4	
2	75	2	527	2	978	2	1,429	2	1,881	2		2		2		2		2	
1/4	85	1/4	536	1/4	987	1/4	1,439	1/4	1,890	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	545	1/2	997	1/2	1,448	1/2	1,899	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	555	3/4	1,006	3/4	1,457	3/4	1,909	3/4		3/4		3/4		3/4		3/4	
3	113	3	564	3	1,015	3	1,467	3	1,918	3		3		3		3		3	
1/4	122	1/4	574	1/4	1,025	1/4	1,476	1/4	1,928	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	583	1/2	1,034	1/2	1,486	1/2	1,937	1/2		1/2		1/2		1/2		1/2	
3/4	141	3/4	592	3/4	1,044	3/4	1,495	3/4	1,946	3/4		3/4		3/4		3/4		3/4	
4	150	4	602	4	1,053	4	1,504	4	1,956	4		4		4		4		4	
1/4	160	1/4	611	1/4	1,062	1/4	1,514	1/4	1,965	1/4		1/4		1/4		1/4		1/4	
1/2	169	1/2	621	1/2	1,072	1/2	1,523	1/2	1,975	1/2		1/2		1/2		1/2		1/2	
3/4	179	3/4	630	3/4	1,081	3/4	1,533	3/4	1,984	3/4		3/4		3/4		3/4		3/4	
5	188	5	639	5	1,091	5	1,542	5	1,993	5		5		5		5		5	
1/4	197	1/4	649	1/4	1,100	1/4	1,551	1/4	2,003	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	658	1/2	1,110	1/2	1,561	1/2	2,012	1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	668	3/4	1,119	3/4	1,570	3/4	2,022	3/4		3/4		3/4		3/4		3/4	
6	226	6	677	6	1,128	6	1,580	6	2,031	6		6		6		6		6	
1/4	235	1/4	686	1/4	1,138	1/4	1,589	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	244	1/2	696	1/2	1,147	1/2	1,598	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	254	3/4	705	3/4	1,157	3/4	1,608	3/4		3/4		3/4		3/4		3/4		3/4	
7	263	7	715	7	1,166	7	1,617	7		7		7		7		7		7	
1/4	273	1/4	724	1/4	1,175	1/4	1,627	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	282	1/2	733	1/2	1,185	1/2	1,636	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	291	3/4	743	3/4	1,194	3/4	1,645	3/4		3/4		3/4		3/4		3/4		3/4	
8	301	8	752	8	1,204	8	1,655	8		8		8		8		8		8	
1/4	310	1/4	762	1/4	1,213	1/4	1,664	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	320	1/2	771	1/2	1,222	1/2	1,674	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	780	3/4	1,232	3/4	1,683	3/4		3/4		3/4		3/4		3/4		3/4	
9	338	9	790	9	1,241	9	1,692	9		9		9		9		9		9	
1/4	348	1/4	799	1/4	1,251	1/4	1,702	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	357	1/2	809	1/2	1,260	1/2	1,711	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	367	3/4	818	3/4	1,269	3/4	1,721	3/4		3/4		3/4		3/4		3/4		3/4	
10	376	10	827	10	1,279	10	1,730	10		10		10		10		10		10	
1/4	386	1/4	837	1/4	1,288	1/4	1,739	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	395	1/2	846	1/2	1,298	1/2	1,749	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	856	3/4	1,307	3/4	1,758	3/4		3/4		3/4		3/4		3/4		3/4	
11	414	11	865	11	1,316	11	1,768	11		11		11		11		11		11	
1/4	423	1/4	874	1/4	1,326	1/4	1,777	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	884	1/2	1,335	1/2	1,786	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	442	3/4	893	3/4	1,345	3/4	1,796	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

STRAPPED: 03/19/2024 JS
 CALCULATED: 03/20/2024 CL
 PRINTED: 03/20/2024 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 03/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>