

## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Apr 2024 Expiration Date: 22 Apr 2029

## Certificate of Inspection

For shins on international vousines this cartificate fulfills the requirements of SQLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Officia	Number	IMO Numb	•	Call Sign	Service	- TO- TO
HTCO 3071	121	8292				Tank i	Barge
Hailing Port		Hull Material	Horse	power	Propulsion		· · · · · · · · · · · · · · · · · · ·
HOUSTON, TX		Steel					
UNITED STATES							
Place Built		elivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
ASHLAND CITY, TN	1	3Apr2009	03Mar2009	R-1747	R-1747		R-320.0 H0
UNITED STATES				F.	ŀ		~
Owner HIGMAN BARGE LINES 55 WAUGH DR STE 100 HOUSTON, TX 77007 UNITED STATES			1835 CHAI	Y INLAND I MARKET	, TX 77530		
This vessel must be mann 0 Certified Lifeboatmen, 0	ned with the followi	ng licensed nen. 0 HSC	and unlicensed	Personnel	. Included in w	hich there n	nust be
0 Masters	0 Licensed Mates	SUPPLIES OF THE	Engineers	0 Oi			
0 Chief Mates	0 First Class Pilots	0 First A	Assistant Engineer	3			
0 Second Mates	0 Radio Officers	0 Secon	nd Assistant Engir	eers			
0 Third Mates	0 Able Seamen	0 Third	Assistant Enginee	IFS			
0 Master First Class Pilot	0 Ordinary Seamen	0 Licens	sed Engineers				
0 Mate First Class Pilots	0 Deckhands		ied Member Engir	20 (0)			
In addition, this vessel ma Persons allowed: 0	y carry 0 Passeng	ers, 0 Other	Persons in cre	ew, 0 Perso	ns in addition t	o crew, and	no Others. Total
Route Permitted And C	onditions Of Ope	ration:					
Lakes, Bays, and	l Sounds						
Also, in fair weather o	only, coastwise,	not more	than twelve (	12) miles	from shore b	etween St.	Marks and
This vessel has been gr 21(b); if this vessel i	anted a fresh wa	ater servi	ce examinatio	n interval	in accordan	ce with 46	CFR Table 31.10

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined

### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at HOUSTON, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Period	lic/Re-Ins	pection	This certificate issued by
Date	Zone	A/P/R	Signature	Joseph W. Morgania COD. US JANECTION
4-7-25	POST AFFULTY	A	Dilor Belly	Officer in Charge, Marine Inspection
	1/1	12		Sector Houston-Galveston
	•			Inspection Zone
		1 1		



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Apr 2024 Expiration Date: 22 Apr 2029

## Certificate of Inspection

Vessel Name: HTCO 3071

Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to OCMI Sector Houston-Galveston.

#### ---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Mar2029	11Mar2019	13Apr2009
Internal Structure	31Mar2029	16Apr2024	15Mar2019

#### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:	GRADE "A" AND L	OWER AND SPECIFIE	ED HAZARDOUS CAI	RGOES	
Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated

26200	Barrels	Α	Yes	No	Nο

<sup>\*</sup>Hazardous Bulk Solids Authority\*

### \*Loading Constraints - Structural\*

	Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
	1 P/S	615	13.6
ĺ	2 P/S	615	13.6
ı	3 P/S	677	13.6
	4 P/S	638	13.6

#### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	4105	10ft 6in	13.6	R
!!	4105	10ft 6in	13.6	LBS
Ш	4850	12ft 0in	13.6	R
III	4850	12ft 0in	13.6	LBS

#### \*Conditions Of Carriage\*

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial C1-0900804, dated 19MAR2009, may be carried, and then only in the tanks indicated.

As per 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR, Part 150, are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR, Part 150, in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's Cargo Authority.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

In accordance with 46 CFR, Part 39, excluding part 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial C1-0900804 dated 19MAR2009 and the list of authorized cargoes on the CAA, Serial C1-0900804 dated 19MAR2009, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

In accordance with 46 CFR Part 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved by Marine Safety Center letter Serial C1-1505168 dated 18DEC2015, for multi-breasted tandem loading with other vessels specifically



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Apr 2024 Expiration Date: 22 Apr 2029

## Certificate of Inspection

Vessel Name HTCO 3071

approved to tandem load with this vessel.

### --- Inspection Status ---

\*Cargo Tanks\*

	Internal Exam	ı		External Exar	n	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	13Apr2009	15Mar2019	31Mar2029	-	-	-
2 P/S	13Apr2009	15Mar2019	31Mar2029	•	-	-
3 P/S	13Apr2009	15Mar2019	31Mar2029	-	-	-
4 P/S	13Apr2009	15Mar2019	31Mar2029	-		-
			Hydro Test			
Tank Id	Safety Valves	3	Previous	Last	Next	
1 P/S	-		-	13Apr2009	-	
2 P/S	•		-	13Apr2009	-	
3 P/S	-		-	13Apr2009	-	
4 P/S	•		-	13Арг2009	-	

### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

### --- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

2

40-B

\*\*\*END\*\*\*



Serial #: C1-0900804 Dated:

19-Mar-09

## Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO-3071 Official #: 1218292

Shipyard: TRINITY ASHLAND

CITY

Hull #: 4650

46 CFR 151 Tank Group Characteristics Cargo Transfer Cargo Identification Environmental Tank Group Information Tanks Special Requirements Control Cargo Tnk Grp Tanks in Group Protection Handling Seg Materials of Elec Temp Provided Density Press. Temp. Type Vent Tanks Тур Class Cont Space General Construction Haz 13.6 Atmos. Closed .50-60. .50-70(a). 55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), Integral Portable No #4P/S Gravity 2ii 50-70(b), .50-73, .50-81(a), .50-(c), (d), (e), (f), (g),

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

#### **List of Authorized Cargoes**

Cargo Identificatio	n							Condi	tions of Carriage	
							Vapor R	ecovery		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes										
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G
Acrylonitrile	ACN	15 <sup>2</sup>	0	С	П	Α	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	Е	11	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	III	Α	No	N/A	.50-81, .50-86	G
Aminoethylethanolamine	AEE	8	0	E	111	Α	Yes	1	.55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	111	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	111	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 2	0	С	111	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 2	0	С	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	III	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	Ш	Α	No	N/A	No	G
Caustic potash solution	CPS	5 <sup>2</sup>	0	NA	Ш	Α	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	CSS	5 <sup>2</sup>	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD	21	0	E	Ш	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	III	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73	G
Creosote	CCW	21 2	0	Е	Ш	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	Е	Ш	Α	Yes	1	No	G
Cresylate spent caustic	CSC	5	0	NA	Ш	Α	No	N/A	.50-73, .55-1(b)	G
Cresylic acid tar	CRX		0	Е	Ш	Α	Yes	1	.55-1(f)	G
Crotonaldehyde	CTA	19 <sup>2</sup>	0	С	II	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	Ш	Α	No	N/A	No	G
Cyclohexanone	ССН	18	0	D	Ш	Α	Yes	1	.56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 <sup>2</sup>	0	E	111	Α	Yes	1	.56-1 (b)	G
Cyclohexylamine	CHA	7	0	D	111	Α	Yes	1	.56-1(a), (b), (c), (g)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	.50-60, .56-1(b)	G



**United States Coast Guard** 

Serial # C1-0900804 Dated 19-Mar-09

## Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO-3071

Shipyard: TRINITY ASHLAND

Hull #: 4650

Official #: 1218292 Page 2 of 8

Cargo Identification Conditions of Carriage Vapor Recovery Tank Special Requirements in 46 CFR App'd Insp Grade or N) Category Group No. Chapte Type Group 151 General and Mat'ls of .50-70(a), .50-81(a), (b), .55-1(c) Yes IAI O iso-Decyl acrylate III Α G DBX .56-1(a), (b) Dichlorobenzene (all isomers) 36 0 Ε Yes DCH 36 0 C G 1.1-Dichloroethane Yes 2,2'-Dichloroethyl ether DEE 41 0 D 11 Α Yes .55-1(f) G G Dichloromethane DCM 36 0 NA 111 Α Yes 5 G .56-1(a), (b), (c), (q) 2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution DDE 43 0 E 111 A No .56-1(a), (b), (c), (q) G 2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution DAD 0 1,2 0 A 111 Α No .56-1(a), (b), (c), (g) G 2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution DTI 43 2 F N/A 0 111 A No 1.1-Dichloropropane G DPR 36 0 C 111 Α Yes 3 G 1.2-Dichloropropane DPF 36 0 C III Α 3 Yes G 1,3-Dichloropropane DPC 36 0 С 111 3 Α Yes DPU 15 0 D No G 1.3-Dichloropropene 11 Α 4 Yes G Dichloropropene, Dichloropropane mixtures DMX 15 0 С 11 Α Yes Diethanolamine 8 0 Е 111 Α Yes Yes .55-1(c) G Diethylamine 0 C A 3 7 2 55-1(c) G Diethylenetriamine DET 0 Ε Yes DBU 0 D 3 55-1(c) Diisobutylamine 111 G .55-1(c) Diisopropanolamine DIP 0 Ε 111 Yes .55-1(c) G Diisopropylamine DIA 0 C П 3 .56-1(b) N,N-Dimethylacetamide DAC 10 0 E III Yes 3 .56-1(b), (c) DMB Dimethylethanolamine 8 0 D 111 Yes DMF 0 D Ш Dimethylformamide 10 Yes DNA C Di-n-propylamine 0 11 Yes Dodecyldimethylamine, Tetradecyldimethylamine mixture DOT 0 F III N/A No G Dodecyl diphenyl ether disulfonate solution DOS 43 0 # П N/A No EE Glycol Ether Mixture EEG 40 0 D 111 Α N/A No G No .55-1(c) G Ethanolamine MEA 8 0 E Yes G .50-70(a), .50-81(a), (b) Ethyl acrylate EAC 14 C Yes G .55-1(b) Ethylamine solution (72% or less) EAN 7 0 Α 11 Yes G EBA 0 D .55-1(b) N-Ethylbutylamine 111 Α Yes 3 G ECC 0 D 111 Α Yes .55-1(b) N-Ethylcyclohexylamine Ethylene cyanohydrin ETC 20 0 E 111 Α Yes G 7 2 Ethylenediamine EDA 0 D 111 Α Yes G EDC 36 2 0 Ш Α Ethylene dichloride C Yes G **FGH** 40 0 F 111 Α N/A Ethylene glycol hexyl ether No G Ethylene glycol monoalkyl ethers EGC 40 0 D/E 111 A Yes 1 G EGP 40 0 E III Α Ethylene glycol propyl ether Yes .50-70(a), .50-81(a), (b) G EAI 0 E Ш Α Yes 2 14 2-Ethylhexyl acrylate ETM 14 0 D/E Α Yes 2 .50-70(a) G Ethyl methacrylate 2-Ethyl-3-propylacrolein EPA 19<sup>2</sup> 0 E III .55-1(h) **FMS** 19 2 0 D/E 111 Formaldehyde solution (37% to 50%) .55-1(h) FFA 19 0 D 111 Yes G 111 N/A Glutaraldehyde solution (50% or less) GTA 19 0 NA No .55-1(c) G Ш Hexamethylenediamine solution HMC 7 0 F Yes .56-1(b), (c) G 0 C 11 Yes HMI Hexamethyleneimine .50-70(a), .50-81(a), (b) G HEN 0 C Yes Hydrocarbon 5-9 G .50-70(a), .50-81(a), (b) 0 A 111 G .50-70(a), .55-1(c) 0 В III N/A Isoprene, Pentadiene mixture .50-73, .56-1(a), (c), (g) G Kraft pulping liquors (free alkali content 3% or more)(including: Black, 0 NA 111 Α No N/A 5 Green, or White liquor) MSO 18 2 D III G 0 Yes Mesityl oxide

This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection.



Serial #: C1-0900804 Dated:

19-Mar-09

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO-3071

Shipyard: TRINITY ASHLAND CITY

Hull #: 4650

Official #: 1218292 Page 3 of 8

Cargo Identification	n							Condi	tions of Carriage	
	Chara	0	0.1			T		Recovery	0 0	
Name Methyl acrylate	Chem Code MAM	Compat Group No 14	Sub Chapter O	Grade C	Hull Type III	Tank Group A	App'd (Y or N) Yes	VCS Category 2	Special Requirements in 46 CFR 151 General and Mat'ls of .50-70(a), .50-81(a), (b)	Insp. Perio G
Methylcyclopentadiene dimer	MCK	30	0	C.	Ш	Α	Yes	1	No	G
Methyl diethanolamine	MDE	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	0	Е	III	Α	Yes	1	.55-1(e)	G
Methyl methacrylate	MMM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D	111	Α	Yes	3	.55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Morpholine	MPL	7 2	0	D	III	Α	Yes	1	.55-1(c)	G
1- or 2-Nitropropane	NPM	42	0	D	111	Α	Yes	1	.50-81	G
1,3-Pentadiene	PDE	30	0	Α	III	Α	Yes	7	.50-70(a), .50-81	G
Perchloroethylene	PER	36	0	NA	111	Α	No	N/A	No	G
Polyethylene polyamines	PEB	7 2	0	E	III	Α	Yes	1	.55-1(e)	G
iso-Propanolamine	MPA	8	0	E	111	A	Yes	1	.55-1(c)	G
Propanolamine (iso-, n-)	PAX	8	0	E	III	Α	Yes	1	.56-1(b), (c)	G
iso-Propylamine	IPP	7	0	A	11	A	Yes	5	.55-1(c)	G
Pyridine	PRD	9	0	C	111	A	Yes	1	.55-1(e)	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0		111	Α	No	N/A	.50-73, .55-1(j)	G
Sodium aluminate solution (45% or less)	SAU	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	SDD	0 1,2		NA	III	Α	No	N/A	.50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	III	A	No	N/A	.50-73, .56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2		NA	III	A	Yes	1	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2		NA	III	A	No	N/A	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA		Α	No	N/A	.50-73, .55-1(b)	G
Styrene (crude)	STX		0	D	III	Α	Yes	2	No	G
Styrene monomer	STY	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	III	Α	No	N/A	No	G
Tetraethylenepentamine	TTP	7	0	E	111	Α	Yes	1	.55-1(c)	G
Tetrahydrofuran	THE	41	0	С	III	Α	Yes	1	.50-70(b)	G
Toluenediamine	TDA	9	0	Е	11	Α	No	N/A	.50-73, .56-1(a), (b), (c), (g)	G
1,2,4-Trichlorobenzene	TCB	36	0	E	111	Α	Yes	1	No ·	G
1,1,2-Trichloroethane	TCM	36	0	NA	III	A	Yes	1	.50-73, .56-1(a)	G
Trichloroethylene	TCL	36 <sup>2</sup>	0	NA	III	Α	Yes	1	No	G
1,2,3-Trichloropropane	TCN	36	0	E	II.	A	Yes	3	.50-73, .56-1(a)	G
Triethanolamine	TEA	8 2	0	E	111	Α	Yes	1	.55-1(b)	G
Triethylamine	TEN	7	0	C	11	A	Yes	3	.55-1(e)	G
Triethylenetetramine	TET	7 2	0	E	111	A	Yes	1	.55-1(b)	G
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	111	Α	No	N/A	.56-1(a), (b), (c)	G
Trisodium phosphate solution	TSP	5	0	NA	111	A	No	N/A	.50-73, .56-1(a), (c).	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	 III	A	No	N/A	.56-1(b)	G
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	 	A	No	N/A	.50-73, .56-1(a), (c), (g)	G
Vinyl acetate	VAM	13	0	C	111		Yes	2	.50-70(a), .50-81(a), (b)	G
Vinyl neodecanate	VND	13	0	E	111	A	No	N/A	.50-70(a), .50-81(a), (b)	G
VinyItoluene	VNT	13	0	D	111	A	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (	G
Subchapter D Cargoes Authorized for Vapor Contro		10			111		103			
Acetone	ACT	18 <sup>2</sup>	D	С	-	A	Yes	1		
Acetophenone	ACP	18	D	E	,	A	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		A	Yes	1		
, "	/ \l U			-						



Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO-3071

Ethyl cyclohexane

Shipyard: TRI

TRINITY ASHLAND

Serial #:

Dated:

C1-0900804

19-Mar-09

CITY Hull #: 4650

Official #: 1218292

Page 4 of 8

Cargo Identification Conditions of Carriage Chem Compat Sub Hull VCS Tank Special Requirements in 46 CFR App'd Insp. Period Grade Group No Chapter or N) 151 General and Mat'ls of AEC 34 D Amyl acetate (all isomers) D Α Yes Amyl alcohol (iso-, n-, sec-, primary) AAI 20 D D Α Yes BAL 21 D E Α Yes Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) BFX 20 D Е Α Yes glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) Butyl acetate (all isomers) BAX 34 D D Yes Butyl alcohol (iso-) IAL 20 2 D D Α Yes Butyl alcohol (n-) BAN D D Α Yes 1 Butyl alcohol (sec-) BAS C D Α Yes Butyl alcohol (tert-) BAT C  $\Box$ Α Yes Butyl benzyl phthalate BPH 34  $\Box$ F Α Yes 32 D Butyl toluene BUE D Α Yes CLS 22 D Е Caprolactam solutions A Yes Cyclohexane CHX 31 D С Α Yes Cyclohexanol CHN 20 D Е A Yes 1,3-Cyclopentadiene dimer (molten) CPD 30 D D/E Α 2 Yes p-Cymene CMF 32 D D Α Yes iso-Decaldehyde IDA 19 D E Α Yes n-Decaldehyde DAL 19 D Ε Α Yes DCE 30 D D Yes Decyl alcohol (all isomers) DAX 20 2 D Е Yes n-Decylbenzene, see Alkyl(C9+)benzenes DB<sub>2</sub> 32 D F Α Yes Diacetone alcohol DAA 20 2 D D A Yes ortho-Dibutyl phthalate DPA 34 F D Α Yes Diethylbenzene DEB 32 D D A Yes 40 <sup>2</sup> DEG D Yes Diethylene glycol E Α DBL 30 D С Diisobutylene Α Yes Diisobutyl ketone DIK 18 D D Α Yes Diisopropylbenzene (all isomers) DIX 32 D E Α Yes Dimethyl phthalate DTL 34 A Yes DOP Е Dioctyl phthalate 34 D Α Yes DPN 30 D D Dipentene Yes Diphenyl DIL 32 D D/E Α Yes Diphenyl, Diphenyl ether mixtures DDO 33 D E Α Yes Diphenyl ether DPF 41 D {E} Α Yes DPG Dipropylene glycol 40 D E Α Yes Distillates: Flashed feed stocks DEF 33 D F A Yes Distillates: Straight run DSR 33 D F Α Yes Dodecene (all isomers) DOZ 30 D D Α Yes DDB 32 D E Α Yes Dodecylbenzene, see Alkyl(C9+)benzenes 2-Ethoxyethyl acetate EEA 34 D D Α Yes ETG 40 D Ethoxy triglycol (crude) E Ethyl acetate ETA 34 D C Yes Ethyl acetoacetate EAA 34 D F Yes EAL 20 2 C Ethyl alcohol D A Yes ETB D C Ethylbenzene 32 A Yes EBT 20 D D Ethyl butanol Yes EBE 41 C Α Yes Ethyl tert-butyl ether Ethyl butyrate **EBR** 34 D D Yes

D

D

Α

Yes

31

ECY



Dated

## Certificate of Inspection

### Cargo Authority Attachment

Official #: 1218292

Shipvard: TRINITY ASHLAND

Serial #:

C1-0900804

19-Mar-09

Hull #: 4650

Vessel Name: HTCO-3071

Naphtha: Solvent

Page 5 of 8

Cargo Identification **Conditions of Carriage** Vapor Recovery Chem Compat VCS Special Requirements in 46 CFR Insp Grade Chapter Category 151 General and Mat'ls of Group No Type Group or N) Ethylene glycol EGL 20 2 D Yes Ethylene glycol butyl ether acetate **EMA** 34 D Ε A Yes Ethylene glycol diacetate EGY 34 D Ε Α Yes FPF Ethylene glycol phenyl ether 40 D F A Yes Ethyl-3-ethoxypropionate FFP 34 D D Α Yes 2-Ethylhexanol FHX 20 D F Α Yes Ethyl propionate FPR 34 D C Δ Yes Ethyl toluene ETE 32 D D Α Yes FAM 10 D Formamide E A Yes FAL 20 2 D Е Furfuryl alcohol Α Yes Gasoline blending stocks: Alkylates GAK 33 D A/C Α Yes Gasoline blending stocks: Reformates GRE 33 D A/C Α Yes Gasolines: Automotive (containing not over 4.23 grams lead per D С Yes GAV 33 D Gasolines: Aviation (containing not over 4.86 grams of lead per C Yes gallon) Gasolines: Casinghead (natural) GCS 33 D A/C Yes Gasolines: Polymer GPL 33 D A/C Gasolines: Straight run GSR 33 D A/C Yes GCR 20 3 D F Yes Heptane (all isomers), see Alkanes (C6-C9) (all isomers) **HMX** 31 C Yes HEP 4 Heptanoic acid D F Yes Heptanol (all isomers) HTX 20 D D/E Yes С Heptene (all isomers) HPX 30 D Yes HPE 34 Heptyl acetate D E Yes HXS 31 2 D B/C Hexane (all isomers), see Alkanes (C6-C9) Α Yes Hexanoic acid HXO 4 D E Α Yes Hexanol HXN 20 D Α Yes Hexene (all isomers) HEX 30 D C Yes HXG 20 D Ε Hexylene glycol Yes IPH 18<sup>2</sup> D Ε Isophorone Α Jet fuel: JP-4 JPF 33 D Ε Α Yes 1 Jet fuel: JP-5 (kerosene, heavy) JPV 33 D D Α Yes Kerosene KRS 33 D D A Yes D D Methyl acetate MTT 34 A Yes D MAI 20 2 C Α Methyl alcohol Yes MAC 34 D D A Methylamyl acetate Yes 20 D D Α Methylamyl alcohol MAA Yes MAK 18 D D A Yes Methyl amyl ketone Methyl tert-butyl ether 41 2 D C Α Methyl butyl ketone MBK 18 D C MBU D C Methyl butyrate 34 MEK 18 2 D C Yes Methyl ethyl ketone MHK 18 D D Yes Methyl heptyl ketone 18 <sup>2</sup> D C A Methyl isobutyl ketone MIK Yes MNA Methyl naphthalene (molten) 32 D Ε A Yes MNS 33 D D Yes Mineral spirits MRE 30 Yes Myrcene Naphtha: Heavy 33 A Yes PTN 33 D Yes Naphtha: Petroleum

D

D

A

Yes

33

NSV



Serial #: Dated:

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO-3071

Shipyard: TRINITY ASHLAND

C1-0900804

19-Mar-09

CITY

Official #: 1218292

Page 6 of 8

Hull #: 4650

Cargo Identificati	on							Condi	tions of Carriage	
							-	Recovery		
Name Naphtha: Stoddard solvent	Chem Code NSS	Compat Group No 33	Sub Chapter D	Grade	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Naphtha: Varnish makers and painters (75%)	NVM	33	D	C		A	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31		D		A	Yes	1		
Nonene (all isomers)	NON	30	D	D	-	A	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 <sup>2</sup>	D	E		A	Yes	1		
Nonyl phenol	NNP	21	D	E		A	Yes	1	8	
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C		A	Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		A	Yes	1		
Octanol (all isomers)	OCX	20 2	D	 E	-	A	Yes	1		
Octene (all isomers)	OTX	30		C		A	Yes	2		
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1		
Oil, fuel: No. 2-D	OTD	33	D	D			Yes	1		
Oil, fuel: No. 4	OFR	33		D/E			Yes	1		
Oil, fuel: No. 5	OFV	33	D	D/E			Yes	1		
Oil, fuel: No. 6	OSX	33	D	E		A	Yes	1		
Oil, misc: Crude	OIL	33	D	C/D		A	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		A		1		
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes			
Oil, misc: Lubricating	OLB	33	D	E		A A		1		
Oil, misc: Residual	ORL	33	D	E		A A	Yes	1		
Oil, misc: Turbine	OTB	33	D	E		A	Yes			
Pentane (all isomers)	PTY	31	D				Yes	1		
· · · · · · · · · · · · · · · · · · ·				Α		Α	Yes	5		
Pentene (all isomers)	PTX	30	D	A		Α	Yes	5		
alpha-Pinene	PIO	30	D	D		A	Yes	1		
beta-Pinene	PIP	30	D	D	-	Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α .	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1		
Polybutene	PLB	30	D	E		A	Yes	1		
Polypropylene glycol	PGC	40	D	E		A	Yes	1		
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α .	Yes	1		
iso-Propyl alcohol	IPA:	20 2	D	С		Α	Yes	1		
n-Propyl alcohol	PAL	20 2	D	С		A	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α .	Yes	1		
Propylene glycol	PPG	20 2	D	E		A	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1		
Triethylbenzene	TEB	32	D	E		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α .	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		A	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		A	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		

Department of Homeland Security **United States Coast Guard**  Serial #: C1-0900804



UND

XLX

Cargo Identification

Name

Cargo Authority Attachment

Vessel Name: HTCO-3071

Shipyard: TRINITY ASHLAND

Hull #: 4650

Official #: 1218292

1-Undecyl alcohol

Xylenes (ortho-, meta-, para-)

Page 7 of 8

D

					)	Condi	tions of Carriage	
	1	:		i	Vapor F	Recovery		
compat	Sub	Grada	Hull	Tank	App'd	VCS	Special Requirements in 46 CFR	Insp.

Yes



Serial #: C1-0900804

19-Mar-09

Dated:



## Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO-3071 Official #: 1218292

Page 8 of 8

Shipyard: TRINITY ASHL

Hull #: 4650

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Name

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1 Note 2

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Note 3

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1. Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A. B. C.

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15. Note 4

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

NA

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3) Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

#### Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified, cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

#### Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category

Category 1

The specified cargo's provisional classification for vapor control systems

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9

Category 4

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

none

The cargo has not been evaluated/classified for use in vapor control systems