



BARGE "HTCO 3087"

ULLAGE TRIM TABLE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8
1 STBD	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS -00-3/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 5/8"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

July 27, 2022

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "HTCO 3087"

1 PORT
ULLAGE TABLE
HERMETIC

GAUGE HEIGHT 17'-02 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with 18 columns (IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT., IN, 18 FT., IN, 19 FT.) and multiple rows of numerical data representing capacities in barrels.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/03/2012 PMA
RECALCULATED: 07/28/2022 CL
REPRINTED: 07/28/2022 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2022

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net





BARGE "HTCO 3087"

FWD SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,347	0	1,795	0		0							
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	917	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,824	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	945	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,852	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	973	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,880	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,450	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	571	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,478	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	599	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,506	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	627	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,534	5	1,982	5		5		5		5		5	
1/4	197	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,104	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,011	3/4		3/4		3/4		3/4		3/4	
6	225	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,132	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	253	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,160	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	730	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,637	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	758	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,665	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	786	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,693	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	384	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,291	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	412	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,319	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	440	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 05/03/2012 CL - SW
RECALCULATED: 07/27/2022 PMA
REPRINTED: 07/27/2022 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3087"

AFT SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,347	0	1,795	0		0							
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	917	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,824	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	945	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,852	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	973	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,880	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,450	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	571	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,478	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	599	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,506	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	627	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,534	5	1,982	5		5		5		5		5	
1/4	197	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,104	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,011	3/4		3/4		3/4		3/4		3/4	
6	225	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,132	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	253	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,160	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	730	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,637	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	758	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,665	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	786	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,693	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	384	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,291	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	412	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,319	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	440	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 05/03/2012 CL - SW
RECALCULATED: 07/27/2022 PMA
REPRINTED: 07/27/2022 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3087"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-09 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	120	0	298	0	456	0		0		0		0		0		0	
1/4	1	1/4	123	1/4	302	1/4	459	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2	1/2	127	1/2	305	1/2	461	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3	3/4	130	3/4	309	3/4	463	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	3	1	134	1	313	1	466	1	1	1		1	1	1	1	1	1	1	1
1/4	5	1/4	137	1/4	316	1/4	468	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	6	1/2	141	1/2	320	1/2	470	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	8	3/4	144	3/4	324	3/4	472	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	9	2	148	2	327	2	475	2	2	2		2	2	2	2	2	2	2	2
1/4	11	1/4	152	1/4	331	1/4	477	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	13	1/2	155	1/2	335	1/2	478	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	15	3/4	159	3/4	338	3/4	480	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	16	3	162	3	342	3	482	3	3	3		3	3	3	3	3	3	3	3
1/4	19	1/4	166	1/4	346	1/4	484	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21	1/2	170	1/2	349	1/2	485	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23	3/4	173	3/4	353	3/4	487	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	25	4	177	4	356	4	488	4	4	4		4	4	4	4	4	4	4	4
1/4	27	1/4	181	1/4	360	1/4	489	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30	1/2	185	1/2	363	1/2	490	1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32	3/4	188	3/4	367	3/4	491	3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	35	5	192	5	370	5	492	5	5	5		5	5	5	5	5	5	5	5
1/4	37	1/4	196	1/4	374	1/4	493	1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	40	1/2	200	1/2	377	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	42	3/4	203	3/4	381	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	45	6	207	6	384	6		6	6	6		6	6	6	6	6	6	6	6
1/4	48	1/4	211	1/4	387	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	51	1/2	215	1/2	391	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	53	3/4	218	3/4	394	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	56	7	222	7	397	7		7	7	7		7	7	7	7	7	7	7	7
1/4	59	1/4	226	1/4	401	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	62	1/2	230	1/2	404	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	65	3/4	234	3/4	407	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	68	8	237	8	410	8		8	8	8		8	8	8	8	8	8	8	8
1/4	71	1/4	241	1/4	413	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	74	1/2	245	1/2	416	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77	3/4	249	3/4	420	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	80	9	252	9	423	9		9	9	9		9	9	9	9	9	9	9	9
1/4	83	1/4	256	1/4	426	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	87	1/2	260	1/2	429	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	90	3/4	264	3/4	432	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	93	10	268	10	434	10		10	10	10		10	10	10	10	10	10	10	10
1/4	96	1/4	271	1/4	437	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	100	1/2	275	1/2	440	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	103	3/4	279	3/4	443	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	106	11	283	11	446	11		11	11	11		11	11	11	11	11	11	11	11
1/4	110	1/4	287	1/4	448	1/4		1/4	1/4	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	113	1/2	290	1/2	451	1/2		1/2	1/2	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	116	3/4	294	3/4	454	3/4		3/4	3/4	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" STANDPIPE.

STRAPPED: 05/03/2012 CL - SW
RECALCULATED: 07/27/2022
REPRINTED: 07/27/2022 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2022

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>