

United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 16 May 2023 **Expiration Date:** 16 May 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name

Official Number

IMO Number

Call Sign

Service

HTCO 3095

1244558

Tank Barge

Hailing Port

Hull Material

Horsepower

Propulsion

HOUSTON, TX

Steel

UNITED STATES

Place Built

Delivery Date

Keel Laid Date

Gross Tons

Net Tons

DWT

Length

MADISONVILLE, LA

14Mar2013 12Apr2013

R-1619

R-1619

R-297.5

1-0

UNITED STATES

HIGMAN BARGE LINES INC 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES

Operator

Kirby Inland Marine, LP 18350 MARKET ST CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

0 Licensed Mates

0 Chief Engineers

0 Oilers

0 Chief Mates

0 First Class Pilots

0 First Assistant Engineers

0 Second Mates

0 Radio Officers

0 Second Assistant Engineers **0 Third Assistant Engineers**

0 Third Mates 0 Master First Class Pilot

0 Able Seamen 0 Ordinary Seamen

0 Licensed Engineers

0 Mate First Class Pilots

0 Deckhands

0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection Signature A/P/R Zone Date Daylan Lacoste 2/22/24 BTR.LA

This certificate issued by:

J. H. HART COMMANDER, by direction

Officer in Charge, Marine Inspection

Sector New Orleans

Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 16 May 2023 Expiration Date: 16 May 2028

Certificate of Inspection

Vessel Name: HTCO 3095

Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI - Sector Houston-Galveston.

In accordance with 46 CFR Part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

---Hull Exams---

 Exam Type
 Next Exam
 Last Exam
 Prior Exam

 DryDock
 30Apr2033
 28Mar2023
 12Apr2013

 Internal Structure
 30Apr2028
 04Apr2023
 14Apr2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: Grade "A" and lower and Specified Hazardous Cargoes.

Total Capacity Units Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29069 Barrels A Yes No No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	835	13.6
2 P/S	848	13.6
3 P/S	769	13.6

Loading Constraints - Stability

A PERSONAL PROPERTY AND RESERVED TO PROPERTY A	Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
PARTICIPATION AND RESIDENCE	111	4669	11ft 9in	13.60	LBS
ALCO STATE WATER STATE OF THE S	II	3799	10ft 0in	13.60	LBS
**********	II	3799	10ft 0in	13.60	Rivers
	III	4669	11ft 9in	13.60	Rivers

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment(CAA), Serial# C1-1300352, dated 07 February 2013, and Grade "A" and lower may be carried.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 US Code of Federal Regulations Part 197, Subpart C are applied.

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

^{*}Stability and Trim*



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 16 May 2023 Expiration Date: 16 May 2028

Certificate of Inspection

Vessel Name: HTCO 3095

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal.

Vapor Control Authorization

In accordance with 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial# C1-1300352, dated 7 February 2013 and found acceptable for collection bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Tank maximum design working pressure 3.00 psig.

Per 46 CFR 151.10-15(c)(2) the max. tank weights listed below reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

		Internal Exam			External Exam	ı	
	Tank Id	Previous	Last	Next	Previous	Last	Next
	1 P/S	12Apr2013	05Apr2023	30Apr2033	-	-	-
- ANTARREST - ANTA	2 P/S	12Apr2013	05Apr2023	30Apr2033	-		-
VALUE OF STREET	3 P/S	12Apr2013	05Apr2023	30Apr2033	-	_	-
AVAILURA AVAILURA OF				Hydro Test			
	Tank Id	Safety Valves		Previous	Last	Next	
	1 P/S	-		-	-	-	
	2 P/S	-		-1	-1	_	
	3 P/S	-		-	_	_	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type

2 40-B

END





Serial #: C1-1300352 Dated:

07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3095

Shipyard: Trinity Marine

Madisonville

Official #: 12244558

Hull #: 2208-2

Tank Group Information	formation Cargo Identification		Cargo Identification		Cargo	Tanks		Cargo Transfer		Environmental Control		Fire	Special Requirements				
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Sea	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp
A #1 P/S; #2 P/S; #3 P/S	13.6	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Closed	Н	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g).	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identificatio	Conditions of Carriage									
							Vapor Re	ecovery		
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio
Authorized Subchapter O Cargoes										
Acetonitrile	ATN	37	0	С	111	Α	Yes	3	No	G
Acrylonitrile	ACN	15 ²	0	С	11	Α	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	Ε	11	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	Α	No	N/A	.50-81, .50-86	G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	111	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	С	111	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	Ш	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G
Carbon tetrachloride	СВТ	36	0	NA	Ш	Α	No	N/A	No	G
Chemical Oil (refined, containing phenolics)	COD	21	0	Ε	П	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	111	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73	G
Creosote	CCV	V 21 ²	0	Е	111	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	Е	111	Α	Yes	1	No	G
Crotonaldehyde	СТА	19 ²	0	С	11	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	is	0	С	Ш	Α	No	N/A	, No	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	Ε	111	Α	Yes	1	.56-1 (b)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	.50-60, .56-1(b)	G
iso-Decyl acrylate	IAI	14	0	E	111	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G
1,1-Dichloroethane	DCH	36	0	С	III	Α	Yes	1	No	G
Dichloromethane	DCM	1 36	0	NA	111	Α	Yes	5	No	G
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	111	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С	111	Α	Yes	3	No	G
1,3-Dichloropropene	DPU	15	0	D	II	Α	Yes	4	No	G

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical



nited States Coast Guard

Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3095

Shipyard: Trinity Marine

Madisonville

C1-1300352

07-Feb-13

Hull #: 2208-2

Official #: 12244558

Page 2 of 7

Cargo Identifica	Conditions of Carriage									
	Chem	Compat	Sub		Hull	Tank	Vapor F App'd	Recovery	Special Requirements in 46 CFR	less
Name Dichloropropene, Dichloropropane mixtures	Code DMX	Group No		Grade C	Type	Group	(Y or N) Yes	VCS Category 1	151 General and Mat'ls of	Insp. Period G
Diethanolamine	DEA	8	0	E	Ш	Α	Yes	1	.55-1(c)	G
Diethylamine	DEN	7	0	С	Ш	Α	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	7 2	0	Е	Ш	Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	Ш	Α	Yes	3	.55-1(c)	G
Diisopropanolamine	DIP	8	0	Е	111	Α	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7	0	С	11	Α	Yes	3	.55-1(c)	G
N,N-Dimethylacetamide	DAC	10	0	E	Ш	Α	Yes	3	.56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	111	Α	Yes	1	.56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	111	Α	Yes	1	.55-1(e)	G
Di-n-propylamine	DNA	7	0	С	11	Α	Yes	3	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	III	Α	No	N/A	.56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	П	Α	No	N/A		G
EE Glycol Ether Mixture	EEG	40	0	D	Ш	Α	No	N/A		G
Ethanolamine	MEA	8	0	E	111	A	Yes	1	.55-1(c)	G
Ethyl acrylate	EAC	14	0	С	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylene cyanohydrin	ETC	20	0	E		A	Yes	1	No No	G
Ethylenediamine	EDA	7 2	0	D	111	A	Yes	1	.55-1(c)	G
Ethylene dichloride	EDC	36 ²	0	С	III	A	Yes	1	No	G
Ethylene glycol hexyl ether	EGH	40	0	E	III	A	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	111	A	Yes	1	No	G
Ethylene glycol propyl ether	EGP	40	0	E E	111	A	Yes		No	G
2-Ethylhexyl acrylate	EAI	14	0	E	111			1	.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	111	Α	Yes	2	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 2	0	E		A	Yes	2	No No	
Formaldehyde solution (37% to 50%)	FMS	19 2	0	D/E	Ш	A	Yes	1		G
Furfural	FFA	19	0			Α	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA			D		Α .	Yes	1	.55-1(h) No	G
Hexamethylenediamine solution	HMC	19	0	NA	111	A	No	N/A		G
Hexamethyleneimine	HMI	7	0	E	III	Α .	Yes	1	.55-1(c)	G
Hydrocarbon 5-9			0	С	11	Α .	Yes	11	.56-1(b), (c)	G
Isoprene	HFN		0	C		A	Yes	1	.50-70(a), .50-81(a), (b)	G
Isoprene, Pentadiene mixture	IPR	30	0	A	111	A	Yes	7	.50-70(a), .50-81(a), (b)	G
Mesityl oxide	IPN		0	В	111	Α	No	N/A	.50-70(a), .55-1(c)	G
Methyl acrylate	MSO	18 ²	0	D	111	Α	Yes	1	No	G
	MAM	14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer Methyl diethanolamine	MCK	30	0	С	III	Α	Yes	1	No	G
	MDE	8	0	E	III	Α	Yes	1	.56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	0	E	Ш	Α	Yes	1	.55-1(e)	G
Methyl methacrylate	MMM		0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D	Ш	Α	Yes	3	.55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Morpholine	MPL	7 2	0	D	111	Α	Yes	1	.55-1(c)	G
Nitroethane	NTE	42	0	D	П	Α	No	N/A	.50-81, .56-1(b)	G
1- or 2-Nitropropane	NPM	42	0	D	III	Α	Yes	1	.50-81	G
1,3-Pentadiene	PDE	30	0	Α	Ш	Α	Yes	7	.50-70(a), .50-81	G
Perchloroethylene	PER	36	0	NA	Ш	Α	No	N/A	No	G
Polyethylene polyamines	PEB	7 2	0	E	111	Α	Yes	1	.55-1(e)	G
iso-Propanolamine	MPA	8	0	E	Ш	Α	Yes	1	.55-1(c)	G

Department of Homeland Security

Serial #: C1-1300352

07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3095

Shipyard: Trinity Marine

Madisonville

Official #: 12244558

Page 3 of 7

Hull #: 2208-2

Cargo Identification	Conditions of Carriage									
Name Propanolamine (iso-, n-)	Chem Code PAX	Compat Group No 8	Sub Chapte O	r Grade	Hull Type III	Tank Group A	App'd (Y or N) Yes	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of .56-1(b), (c)	Insp. Perior G
iso-Propylamine	IPP	7	0	A	II	Α	Yes	5	.55-1(c)	G
Pyridine	PRD	9	0	С	III	A	Yes	1	.55-1(e)	G
Sodium chlorate solution (50% or less)	SDD	0 1,2		NA	III	Α	No	N/A	.50-73	G
	STX		0	D	111	A	Yes	2	No	G
Styrene (crude)	STY	30	0	D	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Styrene monomer	TEC	36	0	NA	111	A	No	N/A		G
1,1,2,2-Tetrachloroethane	TTP	7	0	E		A	Yes	1	.55-1(c)	G
Tetraethylenepentamine	THF	41	0	С	111	A	Yes	1	.50-70(b)	G
Tetrahydrofuran	TCB		0	E	111	A	Yes	1	No	G
1,2,4-Trichlorobenzene		36 36 ²							No	G
Trichloroethylene	TCL		0	NA	111	A	Yes	1	.55-1(e)	G
Triethylamine	TEN	7	0	С	II.	A	Yes	3		G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	A	No	N/A		G
Vinyl acetate	VAM		0	С		Α	Yes	2	.50-70(a), .50-81(a), (b) .50-70(a), .50-81(a), (b)	G
Vinyl neodecanate	VND	13	0	E	III	Α	No	N/A	.50-70(a), .50-67(a), (b)	
Subchapter D Cargoes Authorized for Vapor Contr			1201					1001		
Acetone	ACT	18 ²	D	C		A	Yes	1		
Acetophenone	ACP	18	D	E		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	Е		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohol	BAL	21	D	E		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	Е		Α	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 2	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 2	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1		
Butyl benzyl phthalate	ВРН	34	D	Е		Α	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		A	Yes	1		
Cyclohexane	CHX	31	D	C		A	Yes	1		
Cyclohexanol	CHN	20	D	E		A	Yes	1		
	CPD	30	D	D/E		A	Yes	2		
1,3-Cyclopentadiene dimer (molten)	CMP	32	D	D/E		A	Yes	1		
p-Cymene	IDA	19		E				1		
iso-Decaldehyde			D			A	Yes			
n-Decaldehyde	DAL	19	D	E D		A	Yes	1		
Decene Decene	DCE	30	D			A	Yes	1		
Decyl alcohol (all isomers)	DAX	20 ²	D	E		A	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1		
Diacetone alcohol	DAA	20 2	D	D		A	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		A	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	1		
Diisobutylene	DBL	30	D	C		Α	Yes	1		



Serial #: C1-1300352

07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3095

Shipyard: Trinity Marine Madisonville

Hull #: 2208-2

Official #: 12244558

Page 4 of 7

Cargo Identificati		Conditions of Carriage								
	Cham Cama : 2 1							apor Recovery		
Diisobutyl ketone	Chem Code DIK	Compat Group No 18	Sub Chapter D	Grade D	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Diisopropylbenzene (all isomers)	DIX	32	D	Е		Α	Yes	1		
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1		
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1		
Dipentene	DPN	30	D	D		Α	Yes	1		
Diphenyl	DIL	32	D	D/E		Α	Yes	1		
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		Α	Yes	1		
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1		
Dipropylene glycol	DPG	40	D	E		Α	Yes	1		
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1		
Distillates: Straight run	DSR	33	D	E		Α	Yes	1		
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1		
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1		
Ethoxy triglycol (crude)	ETG	40	D	E		A	Yes	1		
Ethyl acetate	ETA	34	D	С		A	Yes	1		
Ethyl acetoacetate	EAA	34	D	E		A	Yes	1		
Ethyl alcohol	EAL	20 ²	D	С		A	Yes	1		
Ethylbenzene	ETB	32	D	С		A	Yes	1		
Ethyl butanol	EBT	20	D	D		A	10000			
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes	1		
Ethyl butyrate	EBR	34	D	D			Yes	1		
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1		
Ethylene glycol	EGL	20 2	D	E		A	Yes	1		
Ethylene glycol butyl ether acetate	EMA	34	D	E			Yes	1		
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	1		
Ethylene glycol phenyl ether	EPE	40		E		A	Yes	1		
Ethyl-3-ethoxypropionate	EEP	200.000	D			A	Yes	1		
2-Ethylhexanol		34	D	D		A	Yes	1		
	EHX	20	D	E		A	Yes	1		
Ethyl propionate Ethyl toluene	EPR	34	D	С		A	Yes	1		
Formamide	ETE	32	D	D		A	Yes	1		
	FAM	10	D	E		A	Yes	1		
Furfuryl alcohol	FAL	20 2	D	E		Α	Yes	1		
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1		
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1		
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1		
Glycerine	GCR	20 2	D	E		Α	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1		
Heptanoic acid	HEP	4	D	E		Α	Yes	1		
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1		
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2		
Heptyl acetate	HPE	34	D	E		Α	Yes	1		
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1		



erial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3095

Shipyard: Trinity Marine Madisonville

Madiso 2208-2

Official #: 12244558

Pentane (all isomers)

Page 5 of 7

Cargo Identification Conditions of Carriage Vapor Recovery pecial Requirements in 46 CFR Chem Compat App'd Grade Category 151 General and Mat'ls of Name Code Group No Chapter Type Group Y or N) Yes HXO Hexanoic acid D HXN 20 D Yes Hexanol HEX 30 D C Yes 2 Hexene (all isomers) 20 D Ε HXG Yes Hexylene glycol IPH 18 2 D Ε Yes Isophorone JPF E 33 D Yes Jet fuel: JP-4 JPV D D Jet fuel: JP-5 (kerosene, heavy) 33 Yes KRS 33 D D Yes Kerosene MTT 34 D D Yes Methyl acetate 20 2 D C MAL Yes Methyl alcohol MAC 34 D D Yes Methylamyl acetate MAA 20 D D Yes Methylamyl alcohol MAK 18 D D Α Yes Methyl amyl ketone 41 2 Methyl tert-butyl ether MBE D C Α Yes MBK 18 D C Α Yes Methyl butyl ketone C Methyl butyrate MBU 34 D A Yes MEK 18² D C Yes Methyl ethyl ketone MHK 18 D D Α Yes Methyl heptyl ketone MIK 18² D C Α Methyl isobutyl ketone MNA 32 D E A Methyl naphthalene (molten) MNS 33 D D Yes Mineral spirits MRE 30 D D Α Yes Myrcene 33 D # Α Yes NAG Naphtha: Heavy PTN D # Α Naphtha: Petroleum 33 Yes D NSV 33 D Α Yes Naphtha: Solvent D Naphtha: Stoddard solvent NSS 33 D A Yes NVM 33 D C Α Yes Naphtha: Varnish makers and painters (75%) Nonane (all isomers), see Alkanes (C6-C9) NAX 31 D D Α Yes 1 30 D Α Nonene (all isomers) NON Yes 2 E NNS 20 2 Yes Nonyl alcohol (all isomers) NNP 21 Yes Nonyl phenol NPE 40 D F Α Yes Nonyl phenol poly(4+)ethoxylates OAX 31 D C Α Yes Octane (all isomers), see Alkanes (C6-C9) OAY 4 D F Α Yes Octanoic acid (all isomers) 20 2 Octanol (all isomers) OCX D E A Yes Octene (all isomers) OTX 30 D C A Yes 2 Oil, fuel: No. 2 OTW 33 D D/E Yes OTD 33 D D Α Oil, fuel: No. 2-D OFR D/E 33 A Yes Oil. fuel: No. 4 OFV 33 D D/E A Oil fuel No 5 Yes OSX 33 D A Yes Oil. fuel: No. 6 D C/D OIL 33 A Yes Oil, misc: Crude D 33 D/E A Oil, misc: Diesel ODS Yes A Oil, misc: Gas, high pour OGP 33 D E Yes D A OLB 33 F Yes Oil, misc: Lubricating ORL 33 D E A Yes Oil, misc: Residual Oil, misc: Turbine OTB 33 D E Α Yes

Α

5



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3095

Shipyard: Trinity Marine Madisonville

Hull #: 2208-2

Official #: 12244558

Page 6 of 7

Cargo Identification **Conditions of Carriage** Vapor Recovery Chem Compat Sub VCS Special Requirements in 46 CFR App'd Insp. Period Code Name Grade Chapter Group No Type Group Y or N) Category 151 General and Mat'ls of Pentene (all isomers) 30 D Yes Α n-Pentyl propionate PPE 34 D Α Yes alpha-Pinene PIO 30 D D Α Yes beta-Pinene PIP 30 D D A Yes Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether PAG 40 D E A Yes Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate PAF 34 D E Yes PLB 30 D Ε Yes Polypropylene glycol PGC 40 D F iso-Propyl acetate IAC D C n-Propyl acetate PAT D C Yes iso-Propyl alcohol IPA 20 2 D C Yes n-Propyl alcohol PAL 20 2 D C Yes Propylbenzene (all isomers) PBY 32 D D A Yes iso-Propylcyclohexane IPX D D Yes PPG 20 2 D Ε A Yes Propylene glycol methyl ether acetate **PGN** 34 D D A Yes Propylene tetramer PTT D D 30 A Yes Sulfolane Ε SFL 39 D A Yes Tetraethylene glycol TTG 40 D Ε Α Yes Tetrahydronaphthalene THN 32 D Ε A Yes Toluene TOL 32 D C Yes Tricresyl phosphate (less than 1% of the ortho isomer) TCP 34 D Ε Yes Triethylbenzene TEB 32 D Ε A Yes Triethylene glycol TEG 40 D Ε Α Yes Triethyl phosphate **TPS** 34 D Ε A Yes Trimethylbenzene (all isomers) TRE 32 D {D} A Yes Trixylenyl phosphate TRP D F 34 Α Yes Undecene UDC 30 D D/E A Yes 1-Undecyl alcohol UND 20 D F Α Yes Xylenes (ortho-, meta-, para-)

D

D

XLX





Serial # C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3095 Official #: 12244558

Page 7 of 7

Shipyard: Trinity Marine

Hull #: 2208-2

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

none Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

Note 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

Subchapter D Subchapter O Note 3

Note 1

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 15.05 and 46 CFR Part 153 Table 2

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A, B, C Note 4

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15. The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

NA

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Tank Group

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Vapor Recovery Approved (Y or N)

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Vapor Recoven Approved (Y or N)

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo

No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9 This requirement is in addition to the requirements of Category 1.

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 4 Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

The cargo has not been evaluated/classified for use in vapor control systems.