

United States of America **Department of Homeland Security** United States Coast Guard

Certification Date: 12 Oct 2023 Expiration Date: 12 Oct 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

| Vessel Name HTCO 3099 | Official Numb | | IMO Numi | er | Call Sign | Service Tank B | arge |
|---|---|----------------------------|--|---|--------------------------|-------------------|-------------------------|
| Halling Port HOUSTON, TX UNITED STATES | Hull Ste | Material B Ö | Horse | power. | Propulsion | | |
| Prisco Built MADISONVILLE, LA UNITED STATES | Delivery 31Ju | / Date 2013 | Keel Laid Date 01Jul2013 | Gross Tons R-1519 I- | Nat Tons R-1619 I- | DWT | Length R-297.5 10 |
| Owner HIGMAN BARGE LINES II 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES This vessel must be manner | ad with the following | in in the second | 183 CHA UNI | BY INLANI 50 MARKE ANNELVIE TED STAT | nel. Included in v | which there o | nust be |
| 1 his vessel must be marine 0 Certified Lifeboatmen, 0 0 Masters 0 Chief Mates 0 Second Mates 0 Third Mates 0 Master First Class Pilot 0 Mate First Class Pilots In addition, this vessel ma | O Licensed Males O First Class Pilots O Radio Officers O Able Seamen O Ordinary Seamen | 0 Chlu 0 Firs 0 Sec 0 Thir | ef Engineers t Assistant Engine ond Assistant Engine d Assistant Engine ensed Engineers | ers lineers eers | Ollers | | |
| Persons allowed: 0 Route Permitted And Conclude Persons allowed: 0 Lakes, Bays, and Also, in fair weather of Carrabelle, Florida. This vessel has been gone (2). If this vessel is inspected using salt worting as soon as this | onditions Of Operators of Sounds only, limited coast operated a fresh wattoperated in salt in the coast operated in the coast operate | twise, er ser water 46 CF | not more tha | n twelve | (12) miles fro | m shore bet | ween St. Marks an |

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Freeport, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-inspection

| | | Classius | 61 (6) |
|---------|------|--|--------|
| Date | Zone | A/P/R Signature | |
| 8/7/24 | NOLA | A Daylon La Caste | |
| 0,1,1,7 | | | 8 |
| | | | |
| | | The state of the s | 100 |

B.P. BERGAN CDR, USCG, BY DIRECTION

Officer in Charge, Marine Inspection

Houston-Galveston

Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 12 Oct 2023 12 Oct 2028 **Expiration Date:**

Certificate of Inspection

Vessel Name: HTCO 3099

This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Sep2033

19Sep2023

31Jul2013

Internal Structure

30Sep2028

01Sep2023

07Nov2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE A AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29069

Barrels

Yes

Nο

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

| Tank Number | Max Cargo Weight per Tank (short tons) | Maximum Density (lbs/gal) |
|-------------|--|---------------------------|
| 1 P/S | 835 | 13.6 |
| 2 P/S | 848 | 13.6 |
| 3 P/S | 769 | 13.6 |

Loading Constraints - Stability

| Hull Type | Maximum Load (short tons) | Maximum Draft (ft/in) | Max Density (lbs/gal) | Route Description |
|-----------|---------------------------|-----------------------|--------------------------|-------------------|
| III | 4669 | 11ft 9in | 13.60 | R/LBS |
| 11 | 3799 | 10ft Oin | 13.60 | R/LBS |

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial # C1-1300352, dated February 7, 2013, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.60 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 12 Oct 2023 Expiration Date: 12 Oct 2028

Certificate of Inspection

Vessel Name: HTCO 3099

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system has been inspected to the plans approved by MSC Letter #C1-1300352 dated February 7, 2013 updated by MSC Letter #C1-1801781 dated May 14, 2017 and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS system has been approved with a pressure side of 3 psig P/V valve with Coast Guard Approval 162.017/167/4. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.50 psig.

In accordance with 46 CFR Part 39.5000, this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved by Marine Safety Center letter Serial No. C1-1600601 dated February 18, 2016.

--- Inspection Status ---

Cargo Tanks

| | Internal Exam | 1 | | External Exar | n | |
|---------|---------------|-----------|------------|---------------|------------|-----------|
| Tank Id | Previous | Last | Next | Previous | Last | Next |
| 1 P/S | 31Jul2013 | 01Sep2023 | 30Sep2033 | 07Nov2018 | 01Sep2023 | 30Sep2028 |
| 2 P/S | 31Jul2013 | 01Sep2023 | 30Sep2033 | 07Nov2018 | 01Sep2023 | 30Sep2028 |
| 3 P/S | 31Jul2013 | 01Sep2023 | 30Sep2033 | 07Nov2018 | 01Sep2023 | 30Sep2028 |
| | | | Hydro Test | | | |
| Tank ld | Safety Valves | 6 | Previous | Last | Next | |
| 1 P/S | - | | - | | - | |
| 2 P/S | - | | * | - | - | |
| 3 P/S | - | | _ | - | · <u>-</u> | |

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 2 40-B

END



C1-1300352

Dated:

07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3099

Shipyard: Trinity Marine

Madisonville

Hull #: 2210-2

Official #: 1246723

| 46 CFR 151 Tank 0 | roup (| nara | cterist | ics | | | | | | | | | | | | | |
|---------------------------|----------------------|--------|---------|------|------------|---------------------|------|-------------------|---------------|--------------------------|-------|-------------------|------------------------|---|---|-------------|--------------|
| Tank Group Information | Cargo Identification | | | | Cargo | Tanks | | Cargo Transfer | | Environmental Control | | Fire | Special Requirements | | | | |
| Tnk Grp Tanks in Group | Density | Press. | Temp. | | Sea | _ | Vent | Gauge | Pipe Class | Cont | Tanks | Handling Space | Protection Provided | General | Materials of Construction | Elec Haz | Temp Cont |
| A #1 P/S; #2 P/S; #3 P/S | 13.6 | Atmos. | Amb. | . [] | 1ii 2ii | Integral Gravity | PV | Closed | H | G-1 | NR | NA | Portable | .50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b), | 55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g), | NR | No |

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

| Cargo Identificatio | | Conditions of Carriage | | | | | | | | |
|--|--------------|------------------------|----------------|-------|--------------|---------------|-------------------------------|-----|---|-----------------|
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | Vapor Re App'd (Y or N) | VCS | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Authorized Subchapter O Cargoes | | | | | | | | | | |
| Acetonitrile | ATN | 37 | 0 | С | 111 | Α | Yes | 3 | No | G |
| Acrylonitrile | ACN | . 15 ² | 0 | С | 11 | Α | Yes | 4 | .50-70(a), .55-1(e) | G |
| Adiponitrile | ADN | 37 | 0 | E | 11 | Α | Yes | 1 | No | G |
| Alkyl(C7-C9) nitrates | AKN | 34 2 | 0 | NA | 111 | Α | No | N/A | .50-81, .50-86 | G |
| Anthracene oil (Coal tar fraction) | АНО | 33 | 0 | NA | - 11 | Α | No | N/A | No | G |
| Benzene | BNZ | 32 | 0 | С | 111 | Α | Yes | 1 | .50-60 | G |
| Benzene or hydrocarbon mixtures (having 10% Benzene or more) | ВНВ | 32 2 | 0 | С | Ш | Α | Yes | 1 | .50-60 | G |
| Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more) | ВНА | 32 ² | 0 | С | *11 | Α | Yes | 1 | .50-60, .56-1(b), (d), (f), (g) | G |
| Benzene, Toluene, Xylene mixtures (10% Benzene or more) | BTX | 32 | 0 | B/C | Ш | Α | Yes | 1 | .50-60 | G |
| Butyl acrylate (all isomers) | BAR | 14 | 0 | D | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | · G |
| Butyl methacrylate | ВМН | 14 | 0 | D | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Butyraldehyde (all isomers) | BAE | 19 | 0 | С | 111 | Α | Yes | 1 | .55-1(h) | G |
| Camphor oil (light) | CPO | 18 | 0 | D | 11 | Α | No | N/A | No | G |
| Carbon tetrachloride | CBT | 36 | 0 | NA | 111 | Α | No | N/A | No | G |
| Chemical Oil (refined, containing phenolics) | COD | 21 | 0 | E | - 11 | Α | No | N/A | .50-73 | G |
| Chlorobenzene | CRB | 36 | 0 | D | Ш | A | Yes | 1 | No | G |
| Chloroform | CRF | 36 | 0 | NA | 111 | A | Yes | 3 | No | G |
| Coal tar naphtha solvent | NCT | 33 | 0 | D | Ш | Α | Yes | 1 | .50-73 | G |
| Creosote | CCW | 21 ² | 0 | E | Ш | Α | Yes | 1 | No | G |
| Cresols (all isomers) | CRS | 21 | 0 | E | Ш | Α | Yes | 1 | No | G |
| Crotonaldehyde | CTA | 19 ² | 0 | С | П | Α | Yes | 4 | .55-1(h) | G |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | CHG | | 0 | С | 111 | Α | No | N/A | No | G |
| Cyclohexanone, Cyclohexanol mixture | CYX | 18 ² | 0 | E | 111 | Α | Yes | 1 | .56-1 (b) | G |
| Cyclopentadiene, Styrene, Benzene mixture | CSB | 30 | 0 | D | 111 | Α | Yes | 1 | .50-60, .56-1(b) | G |
| iso-Decyl acrylate | IAI | 14 | 0 | E | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b), .55-1(c) | G |
| 1,1-Dichloroethane | DCH | 36 | 0 | С | 111 | A | Yes | 1 | No | G |
| Dichloromethane | DCM | 36 | 0 | NA | 111 | Α | Yes | 5 | No | G |
| 1,1-Dichloropropane | DPB | 36 | 0 | С | Ш | Α | Yes | 3 | No | G |
| 1,2-Dichloropropane | DPP | 36 | 0 | С | 111 | Α | Yes | 3 | No | G |
| 1,3-Dichloropropane | DPC | 36 | 0 | С | 111 | Α | Yes | 3 | No | G |
| 1,3-Dichloropropene | DPU | 15 | 0 | D | 11 | Α | Yes | 4 | No | G |

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Dated:

Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3099

Official #: 1246723

Page 2 of 7

Shipyard: Trinity Marine Madisonville

| Cargo Identifica | ation | | | | | | Conditions of Carriage | | | | | | |
|---|---------------------|--------------------------|---------------------|------------|----------------|--------------------|--------------------------|----------------------|---|----------------------|--|--|--|
| | ļ | - | | | Vapor Recovery | | | | | | | | |
| Name Dichloropropene, Dichloropropane mixtures | Chem Code DMX | Compat Group No 15 | Sub Chapter O | Grade C | Hull Type | Tank Group A | App'd (Y or N) Yes | VCS Category 1 | Special Requirements in 46 CFR 151 General and Mat'ls of No | Insp. Period G | | | |
| Diethanolamine | DEA | 8 | 0 | Ε | 111 | Α | Yes | 1 | .55-1(c) | G | | | |
| Diethylamine | DEN | 7 | 0 | С | Ш | Α | Yes | 3 | .55-1(c) | G | | | |
| Diethylenetriamine | DET | 7 2 | 0 | Е | 111 | Α | Yes | 1 | .55-1(c) | G | | | |
| Diisobutylamine | DBU | 7 | 0 | D | 111 | Α | Yes | 3 | .55-1(c) | G | | | |
| Diisopropanolamine | DIP | 8 | 0 | Ε | Ш | Α | Yes | 1 | .55-1(c) | G | | | |
| Diisopropylamine | DIA | 7 | 0 | С | П | Α | Yes | 3 | .55-1(c) | G | | | |
| N,N-Dimethylacetamide | DAC | 10 | 0 | E | Ш | A | Yes | 3 | .56-1(b) | G | | | |
| Dimethylethanolamine | DMB | 8 | 0 | D | Ш | A | Yes | 1 | .56-1(b), (c) | G | | | |
| Dimethylformamide | DMF | 10 | 0 | D | 111 | Α | Yes | 1 | .55-1(e) | G | | | |
| Di-n-propylamine | DNA | 7 | 0 | С | 11 | Α | Yes | 3 | .55-1(c) | G | | | |
| Dodecyldimethylamine, Tetradecyldimethylamine mixture | DOT | 7 | 0 | E | <u></u> | A | No | N/A | .56-1(b) | G | | | |
| Dodecyl diphenyl ether disulfonate solution | DOS | 43 | 0 | # | | A | No | N/A | No | G | | | |
| EE Glycol Ether Mixture | EEG | 40 | 0 | D | 111 | Α | No | N/A | No | G | | | |
| Ethanolamine | MEA | 8 | 0 | E | III | Α | Yes | 1 | .55-1(c) | G | | | |
| Ethyl acrylate | EAC | 14 | 0 | C | 111 | Α Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| Ethylene cyanohydrin | ETC | 20 | 0 | E | | Α | Yes | 1 | No | G | | | |
| Ethylenediamine | EDA | 7 2 | 0 | D | III | Α | | 1 | .55-1(c) | G | | | |
| Ethylene dichloride | EDC | 36 ² | 0 | С | | | Yes | | No | | | | |
| Ethylene glycol hexyl ether | EGH | 40 | 0 | E | - 111 | A | Yes | 1 | | G | | | |
| Ethylene glycol monoalkyl ethers | EGC | | | | - 111 | Α | No | N/A | No | G | | | |
| Ethylene glycol propyl ether | | 40 | 0_ | D/E | | A | Yes | 1 | No | G | | | |
| 2-Ethylhexyl acrylate | EGP | 40 | 0 | E | - 111 | Α . | Yes | 1 | No | G | | | |
| Ethyl methacrylate | EAI | 14 | 0 | E | | A | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| 2-Ethyl-3-propylacrolein | ETM | 14 | 0 | D/E | | A | Yes | 2 | .50-70(a) | G | | | |
| Formaldehyde solution (37% to 50%) | EPA | 19 ² | 0 | E | - 111 | Α | Yes | 1 | No | G | | | |
| Furfural | FMS | 19 ² | 0 | D/E | 111 | A | Yes | 1 | .55-1(h) | G | | | |
| | FFA | 19 | 0 | D | - 111 | A | Yes | 1 | .55-1(h) | G | | | |
| Glutaraldehyde solution (50% or less) | GTA | 19 | 0 | NA - | 111 | Α | No | N/A | No | G | | | |
| Hexamethylenediamine solution | HMC | 7 | 0 | E | 111 | Α | Yes | 1 | .55-1(c) | G | | | |
| Hexamethyleneimine | HMI | 7 | 0 | С | - 11 | Α | Yes | 1 | .56-1(b), (c) | G | | | |
| Hydrocarbon 5-9 | HFN | | 0 | С | - 111 | Α | Yes | 1 | .50-70(a), .50-81(a), (b) | G | | | |
| Isoprene | IPR | 30 | 0 | A | | A | Yes | 7 | .50-70(a), .50-81(a), (b) | G | | | |
| Isoprene, Pentadiene mixture | IPN | | 0 | В | 111 | A | No | N/A | .50-70(a), .55-1(c) | G | | | |
| Mesityl oxide | MSO | 18 ² | 0 | D | 111 | A | Yes | 1 | No | G | | | |
| Methyl acrylate | MAM | 14 | 0 | С | Ш | A | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| Methylcyclopentadiene dimer | MCK | 30 | 0 | С | Ш | A | Yes | 1 | No | G | | | |
| Methyl diethanolamine | MDE | 8 | 0 | E | 111 | Α | Yes | 1 | .56-1(b), (c) | G | | | |
| 2-Methyl-5-ethylpyridine | MEP | 9 | 0 | E | 111 | A | Yes | 1 | .55-1(e) | G | | | |
| Methyl methacrylate | MMM | 14 | 0 | С | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| 2-Methylpyridine | MPR | 9 | 0 | D | []] | Α | Yes | 3 | .55-1(c) | G | | | |
| alpha-Methylstyrene | MSR | 30 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| Morpholine | MPL | 7 2 | 0 | D | 111 | Α | Yes | 1 | .55-1(c) | G | | | |
| Nitroethane | NTE | 42 | 0 | D | II | Α | No | N/A | .50-81, .56-1(b) | G | | | |
| 1- or 2-Nitropropane | NPM | 42 | 0 | D | 111 | Α | Yes | 1 | .50-81 | G | | | |
| 1,3-Pentadiene | PDE | 30 | 0 | Α | Ш | Α | Yes | 7 | .50-70(a), .50-81 | G | | | |
| Perchloroethylene | PER | 36 | 0 | NA | Ш | Α | No | N/A | No | G | | | |
| Polyethylene polyamines | PEB | 7 2 | 0 | E | Ш | Α | Yes | 1 | .55-1(e) | G | | | |
| iso-Propanolamine | MPA | 8 | 0 | E | Ш | Α | Yes | 1 | .55-1(c) | G | | | |



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3099

Official #: 1246723

Page 4 of 7

Shipyard: Trinity Marine Madisonville

| Cargo Identificat | tion | | | | | | | Condi | tions of Carriage | |
|--|------|-----------------|---------|------------|--|--------------------|-------------------|-----------------|--|-------------------|
| | Chem | Compat | Sub | | 13.4 | | | Recovery | _ | T |
| Name Diisobutyl ketone | Code | Group No | Chapter | Grade D | Hull Type | Tank Group A | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Diisopropylbenzene (all isomers) | DIX | 32 | D | E | The state of the s | A | Yes | 1 | of a tree production and appropriate to the contract of the co | |
| Dimethyl phthalate | DTL | 34 | D | E | | | Yes | 1 | | |
| Dioctyl phthalate | DOP | 34 | D | E | | Α | | | | |
| Dipentene | DPN | 30 | D | D | | Α | Yes | | er er er sammer om er | |
| Diphenyl | DIL | 32 | D | D/E | | A | Yes | 1 | | |
| Diphenyl, Diphenyl ether mixtures | DDO | 33 | D | E | | | Yes | 1 | and a contract of the first of the contract of | |
| Diphenyl ether | DPE | 41 | D | | | A | Yes | 1 | | |
| Dipropylene glycol | DPG | 40 | D | {E} | | Α | Yes | 1 | | |
| Distillates: Flashed feed stocks | DFF | 33 | D | | | Α | Yes | 1 | | |
| Distillates: Straight run | DSR | 33 | | E | | A | Yes | 1 | | |
| Dodecene (all isomers) | DOZ | | D | E | | A | Yes | 1 | , | |
| Dodecylbenzene, see Alkyl(C9+)benzenes | | 30 | D | D | | A | Yes | 1 | | |
| 2-Ethoxyethyl acetate | DDB | 32 | D | E | | Α | Yes | 1 | | |
| Ethoxy triglycol (crude) | EEA | 34 | D | D | | Α | Yes | 1 | the contract of the contract o | |
| Ethyl acetate | ETG | 40 | D | E | | Α | Yes | 1 | | |
| CONTRACTOR OF THE PROPERTY AND ADDRESS OF THE PROPERTY OF THE | ETA | 34 | D | С | | Α | Yes | 1 | MANUFACTURE CONTRACTOR | |
| Ethyl acetoacetate | EAA | 34 | D | E | | Α | Yes | 1 | | |
| Ethyl alcohol | EAL | 20 2 | D | С | | Α | Yes | 1 | | |
| Ethylbenzene | ETB | 32 | D | С | | Α | Yes | 1 | | |
| Ethyl butanol | EBT | 20 | D | D | | Α | Yes | 1 | | |
| Ethyl tert-butyl ether | EBE | 41 | D | С | | Α | Yes | 1 | | |
| Ethyl butyrate | EBR | 34 | D | D | | Α | Yes | 1 | | |
| Ethyl cyclohexane | ECY | 31 | D | D | | A | Yes | 1 | | |
| Ethylene glycol | EGL | 20 2 | D | E | | Α | Yes | 1 | | |
| Ethylene glycol butyl ether acetate | EMA | 34 | D | E | | Α | Yes | 1 | | |
| Ethylene glycol diacetate | EGY | 34 | D | E | | Α | Yes | 1 | | |
| Ethylene glycol phenyl ether | EPE | 40 | D | E | | Α | Yes | 1 | | |
| Ethyl-3-ethoxypropionate | EEP | 34 | D | D | | Α | Yes | 1 | | |
| 2-Ethylhexanol | EHX | 20 | D | E | | Α | Yes | 1 | | |
| Ethyl propionate | EPR | 34 | D | С | | Α | Yes | 1 | | |
| Ethyl toluene | ETE | 32 | D . | D | | Α | Yes | 1 | | |
| Formamide | FAM | 10 | D | E | | Α | Yes | 1 | | |
| Furfuryl alcohol | FAL | 20 ² | D | E | | Α | Yes | 1 | | |
| Gasoline blending stocks: Alkylates | GAK | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasoline blending stocks: Reformates | GRF | 33 | D | A/C | | Α | Yes | 1 | works and the first section of the section of the section | |
| Gasolines: Automotive (containing not over 4.23 grams lead per gallon) | GAT | 33 | D | С | | A | Yes | 1 | | |
| Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) | GAV | 33 | D | С | | Α | Yes | 1 | | The second second |
| Gasolines: Casinghead (natural) | GCS | 33 | D , | A/C | | A | Yes | 1 | | |
| Gasolines: Polymer | GPL | 33 | | A/C | | A | Yes | 1 | | |
| Gasolines: Straight run | GSR | | | 4/C | | A | Yes | 1 | | |
| Glycerine | GCR | | | = | | A | Yes | 1 | | |
| Heptane (all isomers), see Alkanes (C6-C9) (all isomers) | HMX | | | D | | Α | Yes | | Annual company of the Company of the State of the Company of the C | |
| Heptanoic acid | HEP | | | | | <u>^</u> | Yes | 1 | | |
| Heptanol (all isomers) | HTX | | | D/E . | | <u>^</u> | | | | |
| Heptene (all isomers) | HPX | | |)) | | A A | Yes | 2 | | |
| leptyl acetate | HPE | | D E | | | A | Yes | 1 | | |
| Hexane (all isomers), see Alkanes (C6-C9) | HXS | | | - 3/C | | | | | | |
| The same of the sa | | | | ,,, | | A | Yes | 1 | | |

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3099

Official #: 1246723

Page 3 of 7

Shipyard: Trinity Marine Madisonville

Serial #: C1-1300352

07-Feb-13

| Cargo Identification | n | | | | | | (| Condi | tions of Carriage | |
|--|---------------------|-------------------------|---------------------|---------|--|--------------------|--------------------------|----------------------|--|----------------------|
| | | | | | | | Vapor R | | | |
| Name Propanolamine (iso-, n-) | Chem Code PAX | Compat Group No 8 | Sub Chapter O | Grade E | Hull Type III | Tank Group A | App'd (Y or N) Yes | VCS Category 1 | Special Requirements in 46 CFR 151 General and Mat'ls of .56-1(b), (c) | Insp. Period G |
| iso-Propylamine | IPP | 7 | 0 | Α | | A | Yes | 5 | .55-1(c) | G |
| Pyridine | PRD | 9 | 0 | С | 111 | Α | Yes | 1 | .55-1(e) | G |
| Sodium chlorate solution (50% or less) | SDD | 0 1,2 | 0 | NA | 111 | Α | No | N/A | .50-73 | G |
| Styrene (crude) | STX | | 0 | D | III | Α | Yes | 2 | No | G |
| Styrene monomer | STY | 30 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | 0 | NA | 111 | Α | No | N/A | No | G |
| Tetraethylenepentamine | TTP | 7 | 0 | E | 111 | A | Yes | 1 | .55-1(c) | G |
| Tetrahydrofuran | THF | 41 | 0 | | 111 | A | Yes | 1 | .50-70(b) | G |
| 1,2,4-Trichlorobenzene | TCB | 36 | 0 | E | 111 | A | Yes | 1 | No | - G |
| Trichloroethylene | TCL | 36 ² | 0 | NA | 111 | A | Yes | 1 | No | G |
| Triethylamine | TEN | 7 | 0 | C | 11 | Ä | Yes | 3 | .55-1(e) . | |
| Urea, Ammonium nitrate solution (containing more than 2% NH3) | UAS | 6 | 0 | NA | 111 | | No | N/A | .56-1(b) | G |
| Vinyl acetate | VAM | 13 | 0 | C | | | | | .50-70(a), .50-81(a), (b) | |
| Vinyl neodecanate | VND | 13 | 0 | E | - !!! | Α | Yes | 2 | | G |
| The state of the s | | 13 | | | | Α . | No | N/A | .50-70(a), .50-81(a), (b) | G |
| Subchapter D Cargoes Authorized for Vapor Contr | ol | | | | | | | | | |
| Acetone | ACT | 18 ² | D | С | | Α | Yes | 1 | The second secon | |
| Acetophenone | ACP | 18 | D | E | | Α | Yes | 1 | | |
| Alcohol(C12-C16) poly(1-6)ethoxylates | APU | 20 | D | E | | Α | Yes | 1 | | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates | AEB | 20 | D | E | | Α | Yes | 1 | | |
| Amyl acetate (all isomers) | AEC | 34 | D | D | | Α | Yes | 1 | | |
| Amyl alcohol (iso-, n-, sec-, primary) | AAI | 20 | D | D | | Α | Yes | 1 | | |
| Benzyl alcohol | BAL | 21 | D | Ε | | Α | Yes | 1 | | |
| Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) | BFX | 20 | D | Е | | A | Yes | 1 | | |
| Butyl acetate (all isomers) | BAX | 34 | D | D | TO TAKE AREA SPECIALIZA | Α | Yes | 1 | | |
| Butyl alcohol (iso-) | IAL | 20 ² | D | D | Michael Commission of State of | Α | Yes | 1 | THE RESERVE ASSESSMENT | |
| Butyl alcohol (n-) | BAN | 20 ² | D | D | | Α | Yes | 1 | | |
| Butyl alcohol (sec-) | BAS | 20 ² | D | С | | Α | Yes | 1 | | |
| Butyl alcohol (tert-) | BAT | | D | С | | Α | Yes | 1 | | |
| Butyl benzyl phthalate | BPH | 34 | D | E | | Α | Yes | 1 | | |
| Butyl toluene | BUE | 32 | 9 | D | | Α | Yes | 1 | the analysis of the second | |
| Caprolactam solutions | CLS | 22 | D | E | | Α | Yes | 1 | Market and a property of the same and the same as | |
| Cyclohexane | CHX | 31 | | С | | A | Yes | 1 | | |
| Cyclohexanol | CHN | 20 | | E | | Α | Yes | 1 | and the contract of the contra | |
| 1,3-Cyclopentadiene dimer (molten) | CPD | 30 | | D/E | | Α | Yes | 2 | | |
| p-Cymene | CMP | 32 | | D | | Α | Yes | 1 | | |
| iso-Decaldehyde | IDA | 19 | | E | | Α | Yes | 1 | | |
| n-Decaldehyde | DAL | 19 | | E | | A | Yes | 1 | The state of the s | |
| Decene | DCE | 30 | | D | | A | Yes | | | |
| Decyl alcohol (all isomers) | DAX | 20 ² | | E | | A | Yes | 1 | | |
| n-Decylbenzene, see Alkyl(C9+)benzenes | DBZ | 32 | | E | | A | | 1 | | |
| Diacetone alcohol | DAA | 20 ² | | D D | | | Yes | | | |
| ortho-Dibutyl phthalate | DPA | 34 | | E | | Α | Yes | 1 | | |
| Diethylbenzene | DEB | 32 | | | | Α | Yes | 1 | er i erriri de | |
| Diethylene glycol | DEG | 40 ² | | D E | | A | Yes | 1 | | |
| Diisobutylene | DBL | 30 | | C | | A | Yes Yes | 1 | | |



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3099
Official #: 1246723

Page 5 of 7

Shipyard: Trinity Marine Madisonville

| Cargo Identi | fication | | | | | | | Condi | tions of Carriage | |
|--|---|--------------------|--------------|----------|------|-------|-----------------|---------------|--|--------|
| | | 1 | 1. | | | | | Recovery | - Carriago | 1 |
| Name | Chem | Compat Group No | Sub | Grade | Hull | Tank | App'd | VCS | Special Requirements in 46 CFR | Insp. |
| Hexanoic acid | HXO | 4 | Chapter D | E | Type | Group | (Y or N) Yes | Category 1 | 151 General and Mat'ls of | Period |
| Hexanol | HXN | 20 | D | D | | Α | Yes | 1 | A MANAGEMENT AND THE CONTRACT OF THE PARTY AND THE PARTY A | |
| Hexene (all isomers) | HEX | 30 | D | С | | A | Yes | 2 | | |
| Hexylene glycol | HXG | 20 | D | E | | Α | Yes | 1 | A REPORT OF THE PARTY OF THE PA | |
| Isophorone | IPH | 18 ² | D | E | | Α | Yes | 1 | | |
| Jet fuel: JP-4 | JPF | 33 | D | Ε | | Α | Yes | 1 | | |
| Jet fuel: JP-5 (kerosene, heavy) | JPV | 33 | D | D | | Α | Yes | 1 | CONTRACTOR OF THE PROPERTY OF | |
| Kerosene | KRS | 33 | D | D | | A | Yes | 1 | | |
| Methyl acetate | MTT | 34 | D | D | | Α | Yes | 1 | 9 | |
| Methyl alcohol | MAL | 20 ² | D | C | | Α | Yes | 1 | CONTRACTOR OF THE STATE OF THE | |
| Methylamyl acetate | MAC | 34 | D | D | | Α | Yes | 1 | | |
| Methylamyl alcohol | MAA | 20 | D | D | | Α | Yes | 1 | | |
| Methyl amyl ketone | MAK | 18 | | D | | | Yes | 1 | | |
| Methyl tert-butyl ether | MBE | 41 2 | D | С | | | | | | |
| Methyl butyl ketone | MBK | 18 | D | | | A | Yes | 1 | | |
| Methyl butyrate | MBU | 34 | D | C | | A | Yes | 1 | | |
| Methyl ethyl ketone | MEK | 18 ² | | | | A | Yes | | | |
| Methyl heptyl ketone | $\mathcal{A} = \mathcal{A} = \{1, \dots, m \in \mathbb{N} \mid m \in \mathbb{N} \mid$ | | D | C | | A | Yes | 1 | | |
| Methyl isobutyl ketone | MHK | 18 | D | D | | Α | Yes | 1 | | |
| Methyl naphthalene (molten) | MIK | 18 ² | D | <u>c</u> | | Α | Yes | 1 | | |
| Mineral spirits | MNA | 32 | D | E | | Α | Yes | 1 | | |
| Myrcene | MNS | 33 | D | D | | A | Yes | 11 | | |
| Naphtha: Heavy | MRE | 30 | D | D | | Α . | Yes | 1 | | |
| Naphtha: Petroleum | NAG | 33 | D | # | | Α | Yes | 1 | | |
| Naphtha: Solvent | PTN | 33 | D | # | | A | Yes | 1 | | |
| The same of the sa | NSV | 33 | D | D | | Α | Yes | . 1 | | |
| Naphtha: Stoddard solvent | NSS | 33 | D | D | | Α | Yes | 1 | to the second of | |
| Naphtha: Vamish makers and painters (75%) | NVM | 33 | . D | С | | Α | Yes | 1 | | |
| Nonane (all isomers), see Alkanes (C6-C9) | NAX | 31 | D | D | | Α | Yes | 1 | | |
| Nonene (all isomers) | NON | 30 | D | D | | Α | Yes | 2 | | |
| Nonyl alcohol (all isomers) | NNS | 20 ² | D | E | | Α | Yes | 1 | The second secon | |
| Nonyl phenol | NNP | 21 | D | E | | Α | Yes | 1 | | |
| Nonyl phenol poly(4+)ethoxylates | NPE | 40 | D | E | | Α | Yes | 1 | | |
| Octane (all isomers), see Alkanes (C6-C9) | OAX | 31 | D | С | | Α | Yes | 1 | | |
| Octanoic acid (all isomers) | OAY | 4 | D | E | | Α | Yes | 1 | | |
| Octanol (all isomers) | OCX | 20 2 | D | E | | Α | Yes | 1 | | |
| Octene (all isomers) | OTX | 30 | D | С | | Α | Yes | 2 | | |
| Oil, fuel: No. 2 | OTW | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 2-D | OTD | 33 | D | D | | A | Yes | 1 | | |
| Oil, fuel: No. 4 | OFR | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 5 | OFV | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 6 | OSX | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Crude | OIL | 33 | D | C/D | | Α | Yes | 1 | The state of the s | |
| Oil, misc: Diesel | ODS | 33 | D | D/E | | Α | Yes | 1 | CONTRACTOR OF THE PART CONTRACTOR AND A CONTRACTOR OF THE PART CONTR | |
| Oil, misc: Gas, high pour | OGP | 33 | D | E_ | | Α | Yes | 1 | | |
| Oil, misc: Lubricating | OLB | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Residual | ORL | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Turbine | OTB | 33 | D | E | | Α | Yes | 1 | | |
| Pentane (all isomers) | PTY | 31 | D . | A | | Α | Yes | 5 | | |



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3099
Official #: 1246723

Page 6 of 7

Shipyard: Trinity Marine Madisonville

| Cargo Identific | ation | | | | | | | Condi | tions of Carriage | |
|---|---------------------|-----------------|---------------------|---------|-------------------|--------------------|--------------------------|----------------------|--|------------------|
| | | | | | | | | Recovery | | 1 |
| Pentene (all isomers) | Chem Code PTX | Group No 30 | Sub Chapter D | Grade A | Hull Type | Tank Group A | App'd (Y or N) Yes | VCS Category 5 | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. |
| n-Pentyl propionate | PPE | 34 | D | D | | Α | Yes | 1 | A STATE A REST OF STREET, STRE | |
| alpha-Pinene | PIO | 30 | | D | | | Yes | 1 | | |
| beta-Pinene | PIP | 30 | D | D | | A | Yes | | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether | PAG | 40 | D | E | ** ** ** ** ** ** | Α | Yes | 1 | The face was a second or the second of the s | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate | PAF | 34 | D | E | | A | Yes | 1 | | |
| Polybutene | PLB | 30 | D | E | | Α | Yes | 1 | | |
| Polypropylene glycol | PGC | 40 | D | E | | Α | Yes | 1 | | |
| iso-Propyl acetate | IAC | 34 | D | C | | Α | Yes | 1 | | |
| n-Propyl acetate | PAT | 34 | D | С | | Α | Yes | 1 | | ** * * * * * * * |
| so-Propyl alcohol | IPA | 20 ² | D | С | | Α | Yes | 1 | | |
| n-Propyl alcohol | PAL | 20 ² | D | C | | Α | Yes | 1 | | |
| Propylbenzene (all isomers) | PBY | 32 | | D | | Α | Yes | 1 | | |
| iso-Propylcyclohexane | IPX | 31 | D | D | | Α | Yes | 1 | | |
| Propylene glycol | PPG | 20 ² | D | E | | Α | Yes | 1 | | |
| Propylene glycol methyl ether acetate | PGN | 34 | D | D | | Α | Yes | 1 | | |
| Propylene tetramer | PTT | 30 | D | D | | Α | Yes | 1 | | |
| Sulfolane | SFL | 39 | D | E | | Α | Yes | ' | | |
| Tetraethylene glycol | TTG | 40 | D | Е | | A | Yes | 1 | | |
| Tetrahydronaphthalene | THN | 32 | D | E | | Α | Yes | 1 | | |
| Toluene | TOL | 32 | D | С | | Α | Yes | 1 | | |
| Tricresyl phosphate (less than 1% of the ortho isomer) | TCP | 34 | D | E | | Α | Yes | 1 | | |
| Triethylbenzene | TEB | 32 | D | E | | Α | Yes | 1 | | |
| Friethylene glycol | TEG | 40 | D | E | | A | Yes | 1 | | |
| Triethyl phosphate | TPS | 34 | D | E | | Α | Yes | 1 | | |
| rimethylbenzene (all isomers) | TRE | 32 | D | {D} | | Α | Yes | 1 | Control of the state of the sta | |
| rixylenyl phosphate | TRP | 34 | D | E | | A | Yes | 1 | | |
| Indecene | UDC | 30 | D | D/E | 200 | A | Yes | 1 | | |
| -Undecyl alcohol | UND | 20 | D | E | | A | Yes | 1 | | |
| (ylenes (ortho-, meta-, para-) | XLX | 32 | D | D | | Α | Yes | 1 | | |



Department of Homeland Security **United States Coast Guard**

Serial #: C1-1300352

Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3099 Official #: 1246723

Page 7 of 7

Shipyard: Trinity Marine

Hull #: 2210-2

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 1 Note 2

Subchapter D Subchapter O Note 3

Grade

A, B, C D, E Note 4

NA

Hull Type

Subchapter

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Those flammable and combustible fluids listed in 46 CFR Table 30.25-1.

Those flammable and combustible fluids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N)

The vessel's tank group (as defined in Section 4) which is authorized for carnage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Vapor Recoven Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

none

The cargo has not been evaluated/classified for use in vapor control systems