

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Sep 2023 Expiration Date: 27 Sep 2024

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

	said vessel of the original cer	tificate of inspe	ection, this certificate i	n no case to be va	alid after one year from	the date of inspectio	n.	
Vessel Name	Official Nu	ımber	IMO Num	per	Call Sign	Service		
HTCO 3100	12467	24				Tank B	arge	
Hailing Port HOUSTON, TX		ull Material	Horse	power	Propulsion None			
UNITED STATES								
Place Built MADISONVILLE, LA		ery Date	Keel Laid Date 09Jul2013	Gross Tons R-1619	Net Tons R-1619	DWT	Length R-297.5	11.3
UNITED STATES	-				1-		1-0	
Owner HIGMAN BARGE LINES IN 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES	IC		1835 CHA	Y INLAND 0 MARKET	/, TX 77530	2		
This vessel must be manner 0 Certified Lifeboatmen, 0 C	d with the following Certified Tankermer	licensed n, 0 HSC	and unlicensed Type Rating, a	d Personnel and 0 GMD	I. Included in v SS Operators.	which there mu	ust be	
0 Masters	0 Licensed Mates	0 Chief	Engineers	00	ilers			
0 Chief Mates	0 First Class Pilots	0 First A	Assistant Enginee	rs				
0 Second Mates	0 Radio Officers	0 Secon	nd Assistant Engir	neers				

0 Second Mates 0 Radio Officers 0 Second Assistant Engineers
0 Third Mates 0 Able Seamen 0 Third Assistant Engineers
0 Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers

0 Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers 0 Mate First Class Pilots 0 Deckhands 0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspec	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	L. L. WOODMAN, CDR, USCG, By direction
- 1		Tell_lest	The state of	Officer in Charge, Marine Inspection
				Marine Safety Unit Port Arthur
	-			Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Sep 2023 Expiration Date: 27 Sep 2024

Temporary Certificate of Inspection

Vessel Name: HTCO 3100

(TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Sep2033

27Sep2023

09Aug2013

Internal Structure

30Sep2028

27Sep2023

25Sep2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated

ed Part153 Regulated

Part154 Regulated

29069

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 P/S

835

13.6

2 P/S

848

13.6

3 P/S

769

13.6

Loading Constraints - Stability

Hull Type	

Maximum Load (short tons)

Maximum Draft

Max Density

Route Description

11

3799

4669

(ft/in) 10ft 0in (lbs/gal) 13.60

R, LBS

Ш

11ft 9in

13.60

R. LBS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # C1-1300352, dated 07 Feb 2013, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Vapor Control Authorization

Per 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial # C1-1300352, dated 07 Feb 2013, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Stability and Trim

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Sep 2023 Expiration Date: 27 Sep 2024

Temporary Certificate of Inspection

Vessel Name: HTCO 3100

Cargo Tanks	•					
	Internal Exam	ı		External Exa	ım	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/\$	09Aug2013	27Sep2023	30Sep2033	-	-	-
2 P/S	09Aug2013	27Sep2023	30Sep2033	-	-	-
3 P/S	09Aug2013	27Sep2023	30Sep2033	-	-	-
			Hydro Test			
Tank ld	Safety Valves	;	Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		-	-	-	
3 P/S	-		-	-	-	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

END

Department United Sta

Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3100
Official #: 1246724

Shipyard: Trinity Marine Madisonville

Hull #: 2210-3

46 CFR 151 Tank 0	roup	Chara	cteris	tics													
Tank Group Information	Group Information Cargo Identification				Cargo		Tanks		Cargo Transfer		Environmental Control		Fire	Special Requirements			
Trik Grp Tanks In Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1 P/S; #2 P/S; #3 P/S	13.6	Atmos.	Amb.	II	1il 2ii	Integral Gravity	PV	Closed	П	G-1	NR	NA	Portable	.50- 60 , .50-70(a), .50-70(b), .50-73, .50-81(a), .50-	55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identification	n					Conditions of Carriage						
	1						Vapor R					
Name	Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes												
Acetonitrile	ATN	37	0	С	111	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	- 11	Α	Yes	4	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 ²	0	NA	III	Α	No	N/A	.50-81, .50-86	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	- II	Α	No	N/A	No	G		
Senzene	BNZ	32	0	C	111	Α	Yes	1	.50-60	g		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 ²	0	С	III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	1)(Α	Yes	1	.50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	IH	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	вмн	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	C	III	Α	Yes	1	.66-1(h)	G		
Camphor oil (light)	CPO	18	0	D	II	Α	No	N/A	No	G		
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	17	Α	No	N/A	.50-73	G		
Chlorobenzene	CRB	36	0	D	[[]	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	III	Α	Yes	1	.50-73	G		
Creosote .	CCW	21 ²	0	E	III	Α	Yes	1	No	G		
Cresois (all isomers)	CRS	21	0	Е	Ш	Α	Yes	1	No	G		
Crotonaldehyde	CTA	19 ²	0	C.	- 11	Α	Yes	4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	C	111	Α	No	N/A	No	G		
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	Ε	111	Α	Yes	1	.56-1 (b)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	.50-60, .56-1(b)	G		
iso-Decyl acrylate	IAI	14	0	E	111	A	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G		
1,1-Dichloroethane	DCH	36	0	С	III	Α	Yes	1	No	g		
Dichloromethane	DCM	36	0	NA	III	Α	Yes	5	No	G		
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	С	H	Α	Yes	3	No	G		
1,3-Dichloropropane	DPC	36	0	С	111	Α	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	Ш	Α	Yes	4	No	G		

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3100

Official #: 1246724

Page 2 of 7

Shipyard: Trinity Marine Madisonville

Hull #: 2210-3

Cargo Identifica		Conditions of Carriage								
	Ohan	0	0.1				Vapor R			1.
Name Dichloropropene, Dichloropropane mixtures	Chem Code DMX	Compat Group No 15	Sub Chapter O	Grade C	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of No	Insp. Period G
Diethanolamine	DEA	8	0	E	111	Α	Yes	1	.55-1(c)	G
Diethylamine	DEN	7	0	С	111	Α	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	72	0	E	BI	Α	Yes	1	.55-1(c)	G
Dilsobutylamine	DBU	7	0	D	III	Α	Yes	3	.55-1(c)	G
Disopropanolamine	DIP	8	0	E	Ш	Α	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7	0	С	H	Α	Yes	3	.55-1(c)	G
N,N-Dimethylacetamide	DAC	10	0	E	- III	Α	Yes	3	.56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	m	Α	Yes	1	.56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	IH	A	Yes	1	.55-1(e)	G
Di-n-propylamine	DNA	7	0	C	II	Α	Yes	3	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	JII	Α	No	N/A	.56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	II	Α	No	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0	D	10	Α	No	N/A	No	G
Ethanolamine	MEA	8	0	E	111	A	Yes	1	.55-1(c)	G
Ethyl acrylate	EAC	14	0	С	Ш	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylene cyanohydrin	ETC	20	0	E	III	A	Yes	1	No	G
Ethylenediamine	EDA	7 2	0	D	111	A	Yes	1	.55-1(c)	G
Ethylene dichloride	EDC	36 ²	0	C	III		Yes	1	No	G
Ethylene glycol hexyl ether	EGH	40	0	E	111	A	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E		A	Yes	1	No	g
Ethylene glycol propyl ether	EGP	40	0	E	111	A	Yes	1	No	G
2-Ethylhexyl acrylate	EAI	14	0	E	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	101	A	Yes	2	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 2		E	10	A	Yes	1	No	G
Formaldehyde solution (37% to 50%)	FMS	19 2	0	D/E	_ _	A	Yes	1	.55-1(h)	G
Furfural	FFA	19	0	D	III	A	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	- DI	A	No	N/A	No	g
Hexamethylenediamine solution	HMC	7	0	E	111	A	Yes	1	.55-1(c)	g
Hexamethyleneimine	HMI	7	0	C		A	Yes	1	.56-1(b), (c)	
Hydrocarbon 5-9	HFN		-0	C	111	A	Yes	1	.50-70(a), .50-81(a), (b)	
Isoprene	IPR	30	-0	A	HI	A	Yes	7	.50-70(a), .50-81(a), (b)	
Isoprene, Pentadiene mixture	IPN	30	0	В	- AH	A	No	N/A	.50-70(a), .55-1(c)	
Mesityl oxide	MSO	18 ²	0	D	111	A	Yes	1	No	
Methyl acrylate	MAM	14	-0	C	 III	A	Yes	2	.50-70(a), .50-81(a), (b)	
Methylcyclopentadiene dimer	MCK	30	0	c	_ <u>;;;</u>	A	Yes	1	No	
Methyl diethanolamine	MDE	8	-0	E	-111		Yes	1	.56-1(b), (c)	
	MEP	9	0	E	-'''-	A	Yes	1	.55-1(e)	
2-Methyl-5-ethylpyridine Methyl methacrylate	MMM		0	C				2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	MPR	14	-0	D	- 111	A	Yes	3	.55-1(c)	
	MSR	30	0	D	111			-	.50-70(a), .50-81(a), (b)	
alpha-Methylstyrene Morpholine	MPL	7 2	0		- 131	A	Yes	1	.55-1(p)	G
Nitroethane	-			D	111	A	Yes		.50-81, .56-1(b)	
1- or 2-Nitropropane	NTE	42	0	D	II.	A	No	N/A	.50-81	G
	NPM	42	0	D		Α	Yes	1 7	,50-70(a), .50-81	G
1,3-Pentadiene	PDE	30	0	A	III	A	Yes	7	No	<u> </u>
Perchloroethylene Perkethylene zekamines	PER	36	0	NA	111	A	No	N/A		G G
Polyethylene polyamines	PEB	7 2	0	E		<u>A</u>	Yes	1	,55-1(e)	
iso-Propanolamine	MPA	8	0	E	111	A	Yes	1	.55-1(c)	G



C1-1300352 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3100

Shipyard: Trinity Marine Madisonville

Hull #: 2210-3

Official #: 1246724

Page 3 of 7

0 11 15 15								0 11			
Cargo Identificatio	n						Conditions of Carriage				
Name Propanolamine (iso-, n-)	Chem Code PAX	Compat Group No	Sub Chapter O	Grade	Hull Tvoe	Tank Group A	App'd (Y or N) Yes	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of .56-1(b), (c)	Insp. Periori G	
iso-Propylamine	IPP	7	0	Α	11	Α	Yes	5	.55-1(c)	G	
Pyridine	PRD	9	0	C	111	A	Yes	1	.55-1(e)	G	
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	III	A	No	N/A	.50-73	G	
Styrene (crude)	STX		0	D	111	A	Yes	2	No	G	
Styrene monomer	STY	30	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
1.1.2.2-Tetrachloroethane	TEC	36	0	NA	111	A	No	N/A	No	G	
Tetraethylenepentamine	TTP	7	0	E	III	A	Yes	1	.55-1(c)	G	
Tetrahydrofuran	THE	41	0		III	A	Yes	1	.50-70(b)	G	
1,2,4-Trichlorobenzene	TCB	36	0	E	111	A	Yes	1	No	G	
Trichloroethylene	TCL	36 ²	0	NA.	10	A	Yes	1	No	G	
Triethylamine	TEN	7	0	C	II.	A	Yes	3	,55-1(e)	G	
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	111	A	No	N/A	.56-1(b)	G	
Vinyl acetate	VAM	13	0	C	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G	
Vinyl neodecanate	VND	13	0	E	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G	
YANYI HOOGECONOC	VIID	,,,			""		140	1071			
Subchapter D Cargoes Authorized for Vapor Contro	ol										
Acetone	ACT	18 ²	D	С		Α	Yes	1			
Acetophenone	ACP	18	D	Ε		Α	Yes	1			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1			
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1			
Benzyl alcohol	BAL	21	D	E		Α	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1			
Butyl alcohol (Iso-)	IAL	20 ²	D	D		Α	Yes	1			
Butyl alcoho! (n-)	BAN	20 ²	D	D		Α	Yes	1			
Butyl alcohol (sec-)	BAS	20 ²	D	C		Α	Yes	1			
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1			
Butyl benzyl phthalate	BPH	34	D	E		A	Yes	1			
Butyl toluene	BUE	32	Đ	D		Α	Yes	1			
Caprolactam solutions	CLS	22	D	E		Α	Yes	1			
Cyclohexane	CHX	31	D	С		Α	Yes	1			
Cyclohexenol	CHN	20	D	E		Α	Yes	1			
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		A	Yes	2			
p-Cymene	CMP	32	D	D		A	Yes	1			
iso-Decaldehyde	IDA	19	D	E		A	Yes	1			
n-Decaldehyde	DAL	19	D	Е		Α	Yes	1	` <u> </u>		
Decene	DCE	30	D	D		Α	Yes	1			
Decyl alcohol (all isomers)	DAX	20 ²	D	E		Α	Yes	1			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	Е		Α	Yes	1			
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1			
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1			
Diethylbenzene	DEB	32	D	D		Α	Yes	1			
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	_1			
Diisobutylene	DBL	30	D	C		Α	Yes	1			



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3100

Hexane (all isomers), see Alkanes (C6-C9)

Shipyard: Trinity Marine Madisonville

Hull #: 2210-3

Official #: 1246724

Page 4 of 7

Cargo Identification Conditions of Carriage Compat Tank App'd Special Requirements in 46 CFR Insp. Grade Name Code Group No Chapter Type Group or Mi Category 151 General and Mat'ls of Diisobutyl ketone DIK 18 D Α Yes DIX 32 D E Diisopropylbenzene (all isomers) Α Yes 1 Dimethyl phthalate DTL Ë 34 D Α Yes DOP 34 Dioctyl phthalate D E Α Yes Dipentene DPN 30 D D Α Yes Diphenyl DIL 32 D D/E Α Yes Diphenyl, Diphenyl ether mixtures DDO 33 D Ė Α Yes Diphenyl ether DPE {E} Α Yes Dipropylene glycol DPG D Ε A Yes Distillates: Flashed feed stocks DFF 33 D Ε Α Yes Distillates: Straight run DSR 33 E Α D Yes Dodecene (all isomers) D DOZ 30 D Α Yes Dodecylbenzene, see Alkyl(C9+)benzenes DDB 32 D E Α Yes 2-Ethoxyethyl acetate EEA 34 D D Yes D Ε A Ethoxy triglycol (crude) A Ethyl acetoacetate Yes Α Ethyl alcohol D C Α Yes ETB 32 D C Ethylbenzene Α Yes EBT D D 20 Yes Ethyl butanol Α EBE 41 C Ethyl tert-butyl ether \Box Α Yes FBR Ethyl butyrate 34 D D Α Yes ECY Ethyl cyclohexane 31 D \Box Α Yes Ethylene glycol EGI. 20.2 D Е Α Yes Ethylene glycol butyl ether acetate **EMA** 34 D Е Ethylene glycol diacetate EGY 34 D Ε Ethylene glycol phenyl ether Yes Ethyl-3-ethoxypropionate Yes 2-Ethylhexanol EHX 20 D Ε Yes Ethyl propionate EPR 34 D C A Yes Ethyl toluene ETE 32 D D Α Yes Formamide FAM 10 E Yes Furfuryl alcohol FAL 20 2 Ε Yes Gasoline blending stocks: Alkylates **GAK** 33 Gasoline blending stocks: Reformates GRF 33 D A/C Yes Gasolines: Automotive (containing not over 4.23 grams lead per GAT Ď Ç Gasolines: Aviation (containing not over 4.86 grams of lead per GAV 33 D С Α Yes Gasolines: Casinghead (natural) GCS D A/C D Gasolines: Polymer Gasolines: Straight run A Glycerine D Ε Α Yes Heptane (all isomers), see Alkanes (C6-C9) (all isomers) 31 D C Α Yes Heotanoic acid HEP 4 D Ε Α Yes D D/E Heptanol (all isomers) HTX 20 Α Yes HPX D 30 Ċ. Heptene (all isomers) Α Yes HPE 34 D Ë Heptyl acetate Α Yes

D

B/C

Α

Yes

31 2



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3100
Official #: 1246724

Page 5 of 7

Shipyard: Trinity Marine Madisonville

Hull #: 2210-3

Cargo Identifica	tion							Condi	tions of Carriage	
							Vapor F	Recovery		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS	Special Requirements In 46 CFR 151 General and Mat'ls of	Insp. Period
Hexanoic acid	НХО	4	D	E		Α	Yes	1		, , , , , , , , , , , , , , , , , , , ,
Hexanol	HXN	20	D	D		Α	Yes	1		
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2		
Hexylene glycol	HXG	20	D	Ε		Α	Yes	1		
Isophorone	IPH	18 ²	D	Ε		Α	Yes	1		
Jet fuel: JP-4	JPF	33	D	Е		Α	Yes	. 1		
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		
Kerosene	KRS	33	D	D		Α	Yes	1		
Methyl acetate	MTT	34	D	D		Α	Yes	1		
Methyl alcohol	MAL	20 ²	D	C		Α	Yes	1		
Methylamyl acetate	MAC	34	D	D		Α	Yes	1		
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1		
Methyl arnyl ketone	MAK	18	D	D		A	Yes	1		
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1		
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1		
Methyl butyrate	MBU	34	D	C		Α	Yes	1		
Methyl ethyl ketone	MEK	18 ²	D	Ç		Α	Yes	1		
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1		
Methyl isobutyl ketone	MIK	18 2	D	С		Α	Yes	1		
Methyl nachthalene (molten)	MNA	32	D	ε		Α	Yes	1		
Mineral spirits	MNS	33	D	D		Α	Yes	1		
Myrcene	MRE	30	D	D		A	Yes	1		
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		A	Yes	1	<u> </u>	
Naphtha: Solvent	NSV	33	D	D		A	Yes	1		
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	C		A	Yes	1		
Nonane (all isomers), see Aikanes (C6-C9)	NAX	31	D	D		A	Yes	1		
Nonene (all Isomers)	NON	30	D	D		A	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		A	Yes	1		
Nonyl phenol	NNP	21	D	Ē .		A	Yes	1	· · · · · · · · · · · · · · · · · · ·	
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C			Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		A	Yes	1		
Octanol (all Isomers)	OCX	20 2	D	E		A	Yes	1		
Octane (all isomers)	OTX	30	D	c		- A	Yes	2		
Oil, fuel; No. 2	OTW	33	D	D/E		A	Yes	1		
Oil, fuel: No. 2-D	OTD	33	D	D		-		1		
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	1		
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1		
	OSX	33	D	E		A		1		
Oil, fuel: No. 6	OIL	33	D	C/D			Yes	1		
Oll, misc: Crude	ODS	33	D	D/E			Yes			
Oll, misc; Diesel	OGP					A		1		
Oil, misc: Gas, high pour		33	D	E		A	Yes	1	·	
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1		
Oil, misc: Residual	ORL	33	D	E		A	Yes	1		
Oil, misc: Turbine	OTB	33	D	E		A	Yes	1		
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5		



rial #: C1-1300352 ated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3100

Shipyard: Trinity Marine Madisonville

Hull #: 2210-3

Official #: 1246724

Page 6 of 7

Cargo Identifica	ation					Conditions of Carriage						
Name Pentene (all isomers)	Chem Code PTX	Compat Group No 30	Sub Chapte D	- Grade A	Hull Type	Tank Group A	App'd (Y or N) Yes	Recovery VCS Cateoory 5	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1				
alpha-Pinene	PIO	30	D	D		Α	Yes	1				
beta-Pinene	PIP	30	D	D		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Е		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1				
Polybutene	PLB	30	D	E		Α	Yes	1				
Polypropylene glycol	PGC	40	D	Е		Α	Yes	1				
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1				
n-Propyl acetate	PAT	34	D	С		Α	Yes	1				
iso-Propyl alcohol	IPA	20 ²	D	C		Α	Yes	1				
n-Propyl alcohol	PAL	20 ²	D	С		Α	Yes	1				
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1				
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1				
Propylene glycol	PPG	20 ²	D	Е		Α	Yes	1				
Propylene glycol methyl other acetate	PGN	34	D	D		Α	Yes	1				
Propylene tetramer	PTT	30	D	Ď		Α	Yes	1				
Sulfolane	SFL	39	D	Е		Α	Yes	1				
Tetraethylene glycol	TTG	40	D	Е		A	Yes	1				
Tetrahydronaphthalene	THN	32	D	Е		Α	Yes	1				
Toluene	TOL	32	D	С		Α	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1				
Triethylbenzene	TEB	32	D	Е		Α	Yes	1				
Triethylene glycol	TEG	40	D	Е		Α	Yes	1				
Triethyl phosphate	TPS	34	D	Ε		Α	Yes	1				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1				
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1	<u> </u>			
Undecene	UDC	30	D	D/E		Α	Yes	1				
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1				
Xyienes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1				



Department of Homeland Security

Serial #: C1-1300352 Dated:

07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3100 Official #: 1246724

Page 7 of 7

Shipyard: Trinity Marine

Hull #: 2210-3

Explanation of terms & symbols used in the Table:

Cargo Identification

Name Chem Code The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150, 130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1 Note 2

Subchapter D

Subchapter O Note 3

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility and. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart,

Subchanter

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30,25-1

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

A, B, C Note 4 Flammable liquid carages, as defined in 48 CFR 30-10 22.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reld vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

NA Hull Type

Ш

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recove Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in defonation arrester.

Category 3

Category 4

(Highly toxlo) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 38,20-9. This requirement is in addition to the requirements of Category 1.

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems