

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Nov 2023 Expiration Date: 15 Nov 2028

Certificate of Inspection

For ships on international coveres this certificate fuells, the requirements of SOLAS T4 as amended, requirement VT4, for a SAFE MANNAS DOCUMENT.

Vessel Name HTCO 3101	Official Number 1246725	IMO Plum	tier	Call Sign	Tank I	3arge
Holling Port HOUSTON, TX UNITED STATES	Hull Material Steel	Hors	epower	Propulsion		
Place Bulk MADISONVILLE, LA UNITED STATES	Delivery Date 19Aug2013	Keel Laid Date 18Jul2013	Gross Tons R-1619 I-	Net Tans R-1619	DWT	Length R-297.5 LO

KIRBY INLAND MARINE, LP 18350 MARKET STREET

CHANNELVIEW, TX 77530

UNITED STATES

UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be

0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators

STATE OF THE PARTY			
0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

HIGMAN BARGE LINES INC

55 WAUGH DR STE 1000

HOUSTON, TX 77007

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognitant OCMI notified in writing as soon as this change in status occurs.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Freeport, TX. UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed their under.

	Annual/Perio	dic/Re-Ins	spection	This pertificate issued by: 87 Began
Date	Zone	A/P/R	Signature	B.P. BERGAN CDR, USCG, BY DIRECTION
3-061-2024	co103C+115H	A	Daniel Eswin	Officer in Charge, Marine Inspection
		0 (000)		Houston-Galveston
				Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Nov 2023 Expiration Date: 15 Nov 2028

Certificate of Inspection

Vessel Name: HTCO 3101

This tank barge is participating in the Eighth-Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI - Sector Houston-Galveston

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Oct2033	25Oct2023	19Aug2013
Internal Structure	31Oct2028	06Oct2023	17Sep2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity Units Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29069 A Yes No No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	835	13.6
2 P/S	848	13.6
3 P/S	769	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
***	3799	10ft 0in	13.60	LBS
111	4669	11ft 9in	13.60	LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-1300352 dated February 7, 2013 may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatability group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Nov 2023 Expiration Date: 15 Nov 2028

Certificate of Inspection

Vessel Name: HTCO 3101

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system has been inspected to the plans approved by MSC Letter C1-1300352 dated February 7, 2013 and updated by MSC letter C1-1801781, dated 14 May 2018, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column of the vessel's CAA. The VCS system has been approved with a pressure side 3.0 psig P/V valve with Coast Guard Approval 162.017/167/4. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.50 psig.

In accordance with 46 CFR Part 39.1017 and 39.5000, this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved by Marine Safety Center letter Serial No. C1-1600601 dated February 18, 2016.

--- Inspection Status ---

Cargo Tanks

	Internal Exam	1		External Exar	n	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	19Aug2013	06Oct2023	31Oct2033	17Sep2018	06Oct2023	31Oct2028
2 P/S	19Aug2013	06Oct2023	31Oct2033	17Sep2018	06Oct2023	31Oct2028
3 P/S	19Aug2013	06Oct2023	31Oct2033	17Sep2018	06Oct2023	31Oct2028
			Hydro Test			
Tank Id	Safety Valves	s	Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		-	-	-	
3 P/S	-		-		-	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 2 40-B

END



Official #: 1246725

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3101

Shipyard: Trinity Marine

Madisonville

Dated:

C1-1300352

07-Feb-13

Hull #: 2210-4

46 CFR 151 Tank Group Characteristics

Tank Group Information	Cargo I	dentificati	on		Corgo		Tanks		Carg Tran		Enviror Control		Fire	Special Require	ments		
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull	Cargo Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction		Temp Cont
A #1 P/S; #2 P/S; #3 P/S	13.6	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identificatio	Conditions of Carriage									
							Vapor R	ecovery		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes										
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G
Acrylonitrile	ACN	15 ²	0	С	П	Α	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	Е	П	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 ²	0	NA	Ш	Α	No	N/A	.50-81, .50-86	G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	П	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	Ш	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	BHB	32 ²	0	С	Ш	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	Ш	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	BMH	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	CPO	18	0	D	Ш	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	Ш	Α	No	N/A	No	G
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	Ш	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	Ш	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73	G
Creosote	CCW	21 ²	0	Е	Ш	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	Е	Ш	Α	Yes	1	No	G
Crotonaldehyde	CTA	19 ²	0	С	П	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	Ш	Α	No	N/A	No	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	Е	Ш	Α	Yes	1	.56-1 (b)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	Α	Yes	1	.50-60, .56-1(b)	G
iso-Decyl acrylate	IAI	14	0	Е	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G
1,1-Dichloroethane	DCH	36	0	С	Ш	Α	Yes	1	No	G
Dichloromethane	DCM	36	0	NA	Ш	Α	Yes	5	No	G
1,1-Dichloropropane	DPB	36	0	С	Ш	Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	Ш	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G
1,3-Dichloropropene	DPU	15	0	D	Ш	Α	Yes	4	No	G

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3101

Shipyard: Trinity Marine

Madisonville

07-Feb-13

 Official #:
 1246725
 Page 2 of 7
 Hull #:
 2210-4

Cargo Identification								Condi	tions of Carriage	
							Vapor R			
Name Dichloropropene, Dichloropropane mixtures	Chem Code DMX	Compat Group No 15	Sub Chapter O	Grade C	Hull Type II	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of No	Insp. Period G
Diethanolamine	DEA	8	0	Е	Ш	Α	Yes	1	.55-1(c)	G
Diethylamine	DEN	7	0	С	III	Α	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	7 ²	0	Е	Ш	Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	Ш	Α	Yes	3	.55-1(c)	G
Diisopropanolamine	DIP	8	0	Е	Ш	Α	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7	0	С	Ш	Α	Yes	3	.55-1(c)	G
N,N-Dimethylacetamide	DAC	10	0	Е	Ш	Α	Yes	3	.56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	III	Α	Yes	1	.56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	III	Α	Yes	1	.55-1(e)	G
Di-n-propylamine	DNA	7	0	С	II	Α	Yes	3	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	III	Α	No	N/A	.56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	II	Α	No	N/A		G
EE Glycol Ether Mixture	EEG	40	0	n D	III	Α	No	N/A		G
Ethanolamine	MEA	8	0	E	III	A	Yes	1	.55-1(c)	G
Ethyl acrylate	EAC	14	0	С	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
	ETC	20	0	E	 	A	Yes	1	No	G
Ethylene cyanohydrin	EDA	7 2	0		 	A	Yes	<u>'</u> 1	.55-1(c)	G
Ethylenediamine Thylene diablarida	EDC	36 ²	0	С	III	A	Yes	1	No No	G
Ethylene dichloride				E				N/A		G
Ethylene glycol hexyl ether	EGH	40	0		III	Α	No		No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	III	A	Yes	1	No	G
Ethylene glycol propyl ether	EGP	40	0	E	III	A	Yes	1		G
2-Ethylhexyl acrylate	EAI	14	0	E	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	III	A	Yes	2	.50-70(a)	
2-Ethyl-3-propylacrolein	EPA	19 ²	0	Е	III	Α	Yes	1	No	G
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	III	Α	Yes	1	.55-1(h)	G
Furfural	FFA	19	0	D	III	Α	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	Ш	Α	No	N/A		G
Hexamethylenediamine solution	HMC	7	0	Е	Ш	Α	Yes	1	.55-1(c)	G
Hexamethyleneimine	HMI	7	0	С	Ш	Α	Yes	1	.56-1(b), (c)	G
Hydrocarbon 5-9	HFN		0	С	Ш	Α	Yes	1	.50-70(a), .50-81(a), (b)	G
Isoprene	IPR	30	0	Α	Ш	Α	Yes	7	.50-70(a), .50-81(a), (b)	G
Isoprene, Pentadiene mixture	IPN		0	В	Ш	Α	No	N/A	.50-70(a), .55-1(c)	G
Mesityl oxide	MSO	18 ²	0	D	Ш	Α	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	Ш	Α	Yes	1	No	G
Methyl diethanolamine	MDE	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	0	Е	Ш	Α	Yes	1	.55-1(e)	G
Methyl methacrylate	MMM	14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D	Ш	Α	Yes	3	.55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Morpholine	MPL	7 2	0	D	III	Α	Yes	1	.55-1(c)	G
Nitroethane	NTE	42	0	D	II	Α	No	N/A	.50-81, .56-1(b)	G
1- or 2-Nitropropane	NPM	42	0	D	III	Α	Yes	1	.50-81	G
1,3-Pentadiene	PDE	30	0	A	III	A	Yes	7	.50-70(a), .50-81	G
Perchloroethylene	PER	36	0	NA	III	A	No	N/A		G
Polyethylene polyamines	PEB	7 ²	0	E	III	Α	Yes	1	.55-1(e)	G
iso-Propanolamine	MPA	8	0	E	III	A	Yes	1	.55-1(c)	G
150-F TOPATIOIATHINE	IVIF'A	U	0	_	111	^	162	'	V*/	



rial #: C1-1300352 ated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3101

Shipyard: Trinity Marine

Madisonville

 Official #:
 1246725
 Page 3 of 7
 Hull #:
 2210-4

Cargo Identification	Conditions of Carriage									
	Ch	Comment	C t.		116-0	Tent		ecovery	Chariel Demoirements in 40 CER	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio
Propanolamine (iso-, n-)	PAX	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G
iso-Propylamine	IPP	7	0	Α	II	Α	Yes	5	.55-1(c)	G
Pyridine	PRD	9	0	С	Ш	Α	Yes	1	.55-1(e)	G
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	Ш	Α	No	N/A	.50-73	G
Styrene (crude)	STX		0	D	Ш	Α	Yes	2	No	G
Styrene monomer	STY	30	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	Ш	Α	No	N/A	No	G
Tetraethylenepentamine	TTP	7	0	Е	Ш	Α	Yes	1	.55-1(c)	G
Tetrahydrofuran	THF	41	0	С	Ш	Α	Yes	1	.50-70(b)	G
1,2,4-Trichlorobenzene	TCB	36	0	Е	Ш	Α	Yes	1	No	G
Trichloroethylene	TCL	36 ²	0	NA	Ш	Α	Yes	1	No	G
Triethylamine	TEN	7	0	С	Ш	Α	Yes	3	.55-1(e)	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	Ш	Α	No	N/A	.56-1(b)	G
Vinyl acetate	VAM	13	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Vinyl neodecanate	VND	13	0	Е	III	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
•										
Subchapter D Cargoes Authorized for Vapor Contr	ol									
Acetone	ACT	18 ²	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	Е		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	Е		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohol	BAL	21	D	E		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT			С		Α	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		A	Yes	1		
Butyl toluene	BUE	32	D	D		A	Yes	1		
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cyclohexane	CHX	31	D	C		A	Yes	1		
Cyclohexanol	CHN	20	D	E		A	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		A	Yes	2		
	CMP	32	D	D/L D		A	Yes	1		
p-Cymene iso-Decaldehyde	IDA	19	D	E		A	Yes	1		
	DAL	19	D	E		A	Yes	1		
n-Decaldehyde Decene	DCE	30	D	D		A	Yes	1		
	DAX	20 ²	D	E				1		
Decyl alcohol (all isomers)						Α	Yes			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1		
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		A	Yes	1		
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3101

Shipyard: Trinity Marine

Madisonville

Dated:

Serial #: C1-1300352

07-Feb-13

Official #: 1246725 Page 4 of 7 Hull #: 2210-4

Cargo Identification								Conditions of Carriage						
	01		0.1					Recovery	0 110 1 110000					
Name Diisobutyl ketone	Chem Code DIK	Compat Group No 18	Sub Chapter D	Grade D	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period				
Diisopropylbenzene (all isomers)	DIX	32	D	E		Α	Yes	1						
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1						
Dioctyl phthalate	DOP	34	D	Е		Α	Yes	1						
Dipentene	DPN	30	D	D		Α	Yes	1						
Diphenyl	DIL	32	D	D/E		Α	Yes	1						
Diphenyl, Diphenyl ether mixtures	DDO	33	D	Е		Α	Yes	1						
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1						
Dipropylene glycol	DPG	40	D	Е		Α	Yes	1						
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1						
Distillates: Straight run	DSR	33	D	Е		Α	Yes	1						
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1						
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	Е		Α	Yes	1						
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1						
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1						
Ethyl acetate	ETA	34	D	С		Α	Yes	1						
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1						
Ethyl alcohol	EAL	20 ²	D	C		Α	Yes	1						
Ethylbenzene	ETB	32		С		A	Yes	1						
Ethyl butanol	EBT	20	D	D		A	Yes	1						
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes	1						
Ethyl butyrate	EBR	34	D	D		A	Yes	1						
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1						
3	EGL	20 ²	D	E		A	Yes	1						
Ethylene glycol Ethylene glycol butyl other acetate	EMA	34	D	E		A	Yes	1						
Ethylene glycol butyl ether acetate Ethylene glycol discetate	EGY	34	D	E		A	Yes	1						
Ethylene glycol diacetate	EPE	40	D	E		A	Yes							
Ethylene glycol phenyl ether	EEP	34	D	D		A	Yes	1						
Ethyl-3-ethoxypropionate														
2-Ethylhexanol	EHX	20	D	E		A	Yes	1						
Ethyl propionate	EPR	34	D	С		Α	Yes	1						
Ethyl toluene	ETE	32	D	D		A	Yes	1						
Formamide	FAM	10	D	E		A	Yes	1						
Furfuryl alcohol	FAL	20 ²	D	E		A	Yes	1						
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes	1						
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1						
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		A	Yes	1						
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1						
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1						
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1						
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1						
Glycerine	GCR	20 ²	D	E		Α	Yes	1						
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1						
Heptanoic acid	HEP	4	D	E		Α	Yes	1						
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1						
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2						
Heptyl acetate	HPE	34	D	Е		Α	Yes	1						
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1						



rial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3101

Shipyard: Trinity Marine

Madisonville

Cargo Identification							Conditions of Carriage					
								Recovery				
Name Hexanoic acid	Chem Code HXO	Compat Group No 4	Sub Chapter D	Grade E	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Hexanol	HXN	20	D	D		Α	Yes	1				
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2				
Hexylene glycol	HXG	20	D	Е		Α	Yes	1				
Isophorone	IPH	18 ²	D	Е		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	Е		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1				
Kerosene	KRS	33	D	D		Α	Yes	1				
Methyl acetate	MTT	34		D		A	Yes	1				
Methyl alcohol	MAL	20 ²	D	С		A	Yes	1				
Methylamyl acetate	MAC	34	D	D		A	Yes	1				
Methylamyl alcohol	MAA	20	D	D		A	Yes	1				
	MAK	18	D	D		A	Yes	1				
Methyl amyl ketone	MBE	41 ²	D	С		A	Yes	1				
Methyl tert-butyl ether			D	С								
Methyl butyl ketone	MBK	18				A	Yes	1				
Methyl butyrate	MBU	34	D	С		Α .	Yes	1				
Methyl ethyl ketone	MEK	18 ²	D	С		A	Yes	1				
Methyl heptyl ketone	MHK	18	D	D		A	Yes	1				
Methyl isobutyl ketone	MIK	18 ²	D	С		Α	Yes	1				
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1				
Mineral spirits	MNS	33	D	D		Α	Yes	1				
Myrcene	MRE	30	D	D		Α	Yes	1				
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1				
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1				
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1				
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1				
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1				
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1				
Nonene (all isomers)	NON	30	D	D		Α	Yes	2				
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		Α	Yes	1				
Nonyl phenol	NNP	21	D	E		Α	Yes	1				
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		Α	Yes	1				
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1				
Octanoic acid (all isomers)	OAY	4	D	Е		Α	Yes	1				
Octanol (all isomers)	OCX	20 ²	D	Е		Α	Yes	1				
Octene (all isomers)	OTX	30	D	С		Α	Yes	2				
Oil, fuel: No. 2	OTW	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1				
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 6	OSX	33		E		A	Yes	1				
Oil, misc: Crude	OIL	33	D	C/D		A	Yes	1				
Oil, misc: Cidde Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1				
	OGP	33	D	E E		A	Yes	1				
Oil, misc: Gas, high pour	OLB	33	D	E		A	Yes	1				
Oil, misc: Lubricating								1				
Oil, misc: Residual	ORL	33	D	E		A	Yes					
Oil, misc: Turbine	OTB	33	D	E		Α	Yes	1				
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5				



rial #: C1-1300352 ated: 07-Feb-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3101

Shipyard: Trinity Marine

Madisonville

Cargo Identification						Conditions of Carriage					
								Recovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Pentene (all isomers)	PTX	30	D	Α	.,,,,,	A	Yes	5	Tro Ponoral and Mario of	. I GIRKI	
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1			
alpha-Pinene	PIO	30	D	D		Α	Yes	1			
beta-Pinene	PIP	30	D	D		Α	Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	Е		Α	Yes	1			
Polybutene	PLB	30	D	Е		Α	Yes	1			
Polypropylene glycol	PGC	40	D	Е		Α	Yes	1			
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1			
n-Propyl acetate	PAT	34	D	С		Α	Yes	1			
iso-Propyl alcohol	IPA	20 ²	D	С		Α	Yes	1			
n-Propyl alcohol	PAL	20 ²	D	С		Α	Yes	1			
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1			
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1			
Propylene glycol	PPG	20 ²	D	Е		Α	Yes	1			
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1			
Propylene tetramer	PTT	30	D	D		Α	Yes	1			
Sulfolane	SFL	39	D	Е		Α	Yes	1			
Tetraethylene glycol	TTG	40	D	Е		Α	Yes	1			
Tetrahydronaphthalene	THN	32	D	Е		Α	Yes	1			
Toluene	TOL	32	D	С		Α	Yes	1			
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		Α	Yes	1			
Triethylbenzene	TEB	32	D	Е		Α	Yes	1			
Triethylene glycol	TEG	40	D	Е		Α	Yes	1			
Triethyl phosphate	TPS	34	D	Е		Α	Yes	1			
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1			
Trixylenyl phosphate	TRP	34	D	Е		Α	Yes	1			
Undecene	UDC	30	D	D/E		Α	Yes	1			
1-Undecyl alcohol	UND	20	D	Е		Α	Yes	1			
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1			



Serial #: C1-1300352 Dated: 07-Feb-13

Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3101 Shipyard: Trinity Marine Official #: 1246725 Hull #: 2210-4

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Note 1

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 2

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchapter O The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified. Those flammable and combustible liquids listed in 46 CFR Table 30.25-1 Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

ABC

D, E

Note 4

Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid. No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category:

The specified cargo's provisional classification for vapor control systems.

Category 1 (No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33

and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3,

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This

requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5,

The cargo has not been evaluated/classified for use in vapor control systems