



BARGE "HTCO 3104"

ULLAGE TRIM TABLE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
1 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 PORT	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8
3 STBD	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

October 25, 2023

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "HTCO 3104"

AFT SLOP TANK ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	1,627	0	1,178	0	730	0	281	0		0		0		0	
1/4	1/4	1/4	1/4	1/4	1,618	1/4	1,169	1/4	720	1/4	271	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1,609	1/2	1,160	1/2	711	1/2	262	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	1,599	3/4	1,150	3/4	702	3/4	253	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1,590	1	1,141	1	692	1	243	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1,581	1/4	1,132	1/4	683	1/4	234	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	2,020	1/2	1,571	1/2	1,122	1/2	673	1/2	225	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	2,011	3/4	1,562	3/4	1,113	3/4	664	3/4	215	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2,001	2	1,552	2	1,104	2	655	2	206	2	2	2	2	2	2	2	2	2
1/4	1/4	1,992	1/4	1,543	1/4	1,094	1/4	645	1/4	197	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,983	1/2	1,534	1/2	1,085	1/2	636	1/2	187	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,973	3/4	1,524	3/4	1,076	3/4	627	3/4	178	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	1,964	3	1,515	3	1,066	3	617	3	169	3	3	3	3	3	3	3	3	3
1/4	1/4	1,955	1/4	1,506	1/4	1,057	1/4	608	1/4	159	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,945	1/2	1,496	1/2	1,048	1/2	599	1/2	150	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,936	3/4	1,487	3/4	1,038	3/4	589	3/4	140	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	1,926	4	1,478	4	1,029	4	580	4	131	4	4	4	4	4	4	4	4	4
1/4	1/4	1,917	1/4	1,468	1/4	1,019	1/4	571	1/4	122	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,908	1/2	1,459	1/2	1,010	1/2	561	1/2	112	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,898	3/4	1,450	3/4	1,001	3/4	552	3/4	103	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	1,889	5	1,440	5	991	5	543	5	94	5	5	5	5	5	5	5	5	5
1/4	1/4	1,880	1/4	1,431	1/4	982	1/4	533	1/4	84	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,870	1/2	1,422	1/2	973	1/2	524	1/2	75	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,861	3/4	1,412	3/4	963	3/4	515	3/4	66	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	1,852	6	1,403	6	954	6	505	6	56	6	6	6	6	6	6	6	6	6
1/4	1/4	1,842	1/4	1,394	1/4	945	1/4	496	1/4	47	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,833	1/2	1,384	1/2	935	1/2	486	1/2	38	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,824	3/4	1,375	3/4	926	3/4	477	3/4	28	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	1,814	7	1,365	7	917	7	468	7	19	7	7	7	7	7	7	7	7	7
1/4	1/4	1,805	1/4	1,356	1/4	907	1/4	458	1/4	9	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,796	1/2	1,347	1/2	898	1/2	449	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,786	3/4	1,337	3/4	889	3/4	440	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	1,777	8	1,328	8	879	8	430	8		8	8	8	8	8	8	8	8	8
1/4	1/4	1,768	1/4	1,319	1/4	870	1/4	421	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,758	1/2	1,309	1/2	861	1/2	412	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,749	3/4	1,300	3/4	851	3/4	402	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	1,739	9	1,291	9	842	9	393	9		9	9	9	9	9	9	9	9	9
1/4	1/4	1,730	1/4	1,281	1/4	832	1/4	384	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,721	1/2	1,272	1/2	823	1/2	374	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,711	3/4	1,263	3/4	814	3/4	365	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	1,702	10	1,253	10	804	10	356	10		10	10	10	10	10	10	10	10	10
1/4	1/4	1,693	1/4	1,244	1/4	795	1/4	346	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,683	1/2	1,235	1/2	786	1/2	337	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,674	3/4	1,225	3/4	776	3/4	328	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	1,665	11	1,216	11	767	11	318	11		11	11	11	11	11	11	11	11	11
1/4	1/4	1,655	1/4	1,206	1/4	758	1/4	309	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,646	1/2	1,197	1/2	748	1/2	299	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,637	3/4	1,188	3/4	739	3/4	290	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 09/04/2013 CL
 CALCULATED: 09/04/2013 CL
 VERIFIED: 10/25/2023 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 10/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3104"

FWD SLOP TANK ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	1,627	0	1,178	0	730	0	281	0		0		0		0	
1/4	1/4	1/4	1/4	1/4	1,618	1/4	1,169	1/4	720	1/4	271	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1,609	1/2	1,160	1/2	711	1/2	262	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	1,599	3/4	1,150	3/4	702	3/4	253	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1,590	1	1,141	1	692	1	243	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1,581	1/4	1,132	1/4	683	1/4	234	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	2,020	1/2	1,571	1/2	1,122	1/2	673	1/2	225	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	2,011	3/4	1,562	3/4	1,113	3/4	664	3/4	215	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2,001	2	1,552	2	1,104	2	655	2	206	2	2	2	2	2	2	2	2	2
1/4	1/4	1,992	1/4	1,543	1/4	1,094	1/4	645	1/4	197	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,983	1/2	1,534	1/2	1,085	1/2	636	1/2	187	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,973	3/4	1,524	3/4	1,076	3/4	627	3/4	178	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	1,964	3	1,515	3	1,066	3	617	3	169	3	3	3	3	3	3	3	3	3
1/4	1/4	1,955	1/4	1,506	1/4	1,057	1/4	608	1/4	159	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,945	1/2	1,496	1/2	1,048	1/2	599	1/2	150	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,936	3/4	1,487	3/4	1,038	3/4	589	3/4	140	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	1,926	4	1,478	4	1,029	4	580	4	131	4	4	4	4	4	4	4	4	4
1/4	1/4	1,917	1/4	1,468	1/4	1,019	1/4	571	1/4	122	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,908	1/2	1,459	1/2	1,010	1/2	561	1/2	112	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,898	3/4	1,450	3/4	1,001	3/4	552	3/4	103	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	1,889	5	1,440	5	991	5	543	5	94	5	5	5	5	5	5	5	5	5
1/4	1/4	1,880	1/4	1,431	1/4	982	1/4	533	1/4	84	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,870	1/2	1,422	1/2	973	1/2	524	1/2	75	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,861	3/4	1,412	3/4	963	3/4	515	3/4	66	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	1,852	6	1,403	6	954	6	505	6	56	6	6	6	6	6	6	6	6	6
1/4	1/4	1,842	1/4	1,394	1/4	945	1/4	496	1/4	47	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,833	1/2	1,384	1/2	935	1/2	486	1/2	38	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,824	3/4	1,375	3/4	926	3/4	477	3/4	28	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	1,814	7	1,365	7	917	7	468	7	19	7	7	7	7	7	7	7	7	7
1/4	1/4	1,805	1/4	1,356	1/4	907	1/4	458	1/4	9	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,796	1/2	1,347	1/2	898	1/2	449	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,786	3/4	1,337	3/4	889	3/4	440	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	1,777	8	1,328	8	879	8	430	8		8	8	8	8	8	8	8	8	8
1/4	1/4	1,768	1/4	1,319	1/4	870	1/4	421	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,758	1/2	1,309	1/2	861	1/2	412	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,749	3/4	1,300	3/4	851	3/4	402	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	1,739	9	1,291	9	842	9	393	9		9	9	9	9	9	9	9	9	9
1/4	1/4	1,730	1/4	1,281	1/4	832	1/4	384	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,721	1/2	1,272	1/2	823	1/2	374	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,711	3/4	1,263	3/4	814	3/4	365	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	1,702	10	1,253	10	804	10	356	10		10	10	10	10	10	10	10	10	10
1/4	1/4	1,693	1/4	1,244	1/4	795	1/4	346	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,683	1/2	1,235	1/2	786	1/2	337	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,674	3/4	1,225	3/4	776	3/4	328	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	1,665	11	1,216	11	767	11	318	11		11	11	11	11	11	11	11	11	11
1/4	1/4	1,655	1/4	1,206	1/4	758	1/4	309	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1,646	1/2	1,197	1/2	748	1/2	299	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	1,637	3/4	1,188	3/4	739	3/4	290	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 09/04/2013 CL
CALCULATED: 09/04/2013 CL
VERIFIED: 10/25/2023 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3104"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-11"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	120	0	298	0	456	0		0		0		0		0		0	
1/4	1	1/4	123	1/4	302	1/4	459	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2	1/2	127	1/2	305	1/2	461	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3	3/4	130	3/4	309	3/4	463	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	134	1	313	1	466	1		1		1		1		1		1	
1/4	5	1/4	137	1/4	316	1/4	468	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6	1/2	141	1/2	320	1/2	470	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	8	3/4	144	3/4	324	3/4	472	3/4		3/4		3/4		3/4		3/4		3/4	
2	9	2	148	2	327	2	475	2		2		2		2		2		2	
1/4	11	1/4	152	1/4	331	1/4	477	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	13	1/2	155	1/2	335	1/2	478	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	15	3/4	159	3/4	338	3/4	480	3/4		3/4		3/4		3/4		3/4		3/4	
3	16	3	162	3	342	3	482	3		3		3		3		3		3	
1/4	19	1/4	166	1/4	346	1/4	484	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21	1/2	170	1/2	349	1/2	485	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	23	3/4	173	3/4	353	3/4	487	3/4		3/4		3/4		3/4		3/4		3/4	
4	25	4	177	4	356	4	488	4		4		4		4		4		4	
1/4	27	1/4	181	1/4	360	1/4	489	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	30	1/2	185	1/2	363	1/2	490	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	32	3/4	188	3/4	367	3/4	491	3/4		3/4		3/4		3/4		3/4		3/4	
5	35	5	192	5	370	5	492	5		5		5		5		5		5	
1/4	37	1/4	196	1/4	374	1/4	493	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	40	1/2	200	1/2	377	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	42	3/4	203	3/4	381	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	45	6	207	6	384	6		6		6		6		6		6		6	
1/4	48	1/4	211	1/4	387	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	51	1/2	215	1/2	391	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	53	3/4	218	3/4	394	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	56	7	222	7	397	7		7		7		7		7		7		7	
1/4	59	1/4	226	1/4	401	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	230	1/2	404	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	234	3/4	407	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	68	8	237	8	410	8		8		8		8		8		8		8	
1/4	71	1/4	241	1/4	413	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	74	1/2	245	1/2	416	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	77	3/4	249	3/4	420	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	80	9	252	9	423	9		9		9		9		9		9		9	
1/4	83	1/4	256	1/4	426	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	87	1/2	260	1/2	429	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	90	3/4	264	3/4	432	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	93	10	268	10	434	10		10		10		10		10		10		10	
1/4	96	1/4	271	1/4	437	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	100	1/2	275	1/2	440	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	279	3/4	443	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	106	11	283	11	446	11		11		11		11		11		11		11	
1/4	110	1/4	287	1/4	448	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	113	1/2	290	1/2	451	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	116	3/4	294	3/4	454	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE.

STRAPPED: 09/04/2013 CL
CALCULATED: 09/04/2013 CL
VERIFIED: 10/25/2023 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>