

## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Mar 2024 Expiration Date: 27 Mar 2029

## **Certificate of Inspection**

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official N	ımber	IMO Numb	per	Call Sign	Service	
HTCO 3108	12483	81				Tank	Barge
Hailing Port	ŀ	Iuli Material	Horse	power	Propulsion		
HOUSTON, TX		Steel					
UNITED STATES							
Place Built	Deliv	ery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
MADISIONVILLE, LA	121	Jay2012	12Oct2013	R-1619	R-1619		R-297.5
LINUTED OTATES	131	1002013	120012013	<b> -</b>	I-		1-0
UNITED STATES							
Owner	110		Operato		MADINE LD		
HIGMAN BARGE LINES 55 WAUGH DR STE 100				O MARKET	MARINE, LP		
HOUSTON, TX 77007	O				, TX 77530		
UNITED STATES				ED STATE			
This vessel must be mann 0 Certified Lifeboatmen, 0						hich there n	nust be
0 Masters	0 Licensed Mates	0 Chief	Engineers	00	ilers		
0 Chief Mates	0 First Class Pilots	0 First A	Assistant Enginee	rs			
0 Second Mates	0 Radio Officers	0 Secor	nd Assistant Engir	neers			
0 Third Mates	0 Able Seamen	0 Third	Assistant Enginee	ers			
0 Master First Class Pilot	0 Ordinary Seamen	0 Licen:	sed Engineers				
0 Mate First Class Pilots	0 Deckhands	0 Qualif	ied Member Engir	neer			
In addition, this vessel ma Persons allowed: 0	y carry 0 Passenger	s, 0 Other	Persons in cre	ew, 0 Perso	ns in addition t	o crew, and	no Others. Total
Route Permitted And C	onditions Of Opera	tion:					
Lakes, Bays, and	•						
Also, in fair weather of Carrabelle, Florida.	only, limited coas	twise, n	ot more than	twelve (12	?) miles from	shore betw	ween St. Marks a
This vessel has been gi (2). If this vessel is vessel must be inspecte notified in writing as	operated in salt ed using salt wate	water mo r interv	re than six ( als per 46 CE	(6) months R 31.10-21	in any twelv-	e (12) mont	h period, the

### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at Freeport, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Period	dic/Re-Inspe	ection	This certificate issued by: <b>B.P. Buyer</b> B.P. BERGAN CDR, USCG, BY DIRECTION
Date	Zone	A/P/R	Signature	B.P. BERGAN CDR, USCG, BY DIRECTION
				Officer in Charge, Marine Inspection
				Houston-Galveston
				Inspection Zone



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Mar 2024 Expiration Date: 27 Mar 2029

## **Certificate of Inspection**

Vessel Name: HTCO 310

This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

### ---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Mar2034	12Mar2024	18Nov2013
Internal Structure	31Jan2029	10Jan2024	28Dec2018

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:	GRADE A AND LOWER	AND SPECIFED HAZARDOUS CARG	OES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
----------------	-------	--------------------	-------------------	-------------------	-------------------

29069 Barrels A Yes No No

### \*Hazardous Bulk Solids Authority\*

Not Authorized

#### \*Loading Constraints - Structural\*

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	835	13.6
2 P/S	848	13.6
3 P/S	769	13.6

### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	3799	10ft 0in	13.60	
III	4669	11ft 9in	13.60	

#### \*Conditions Of Carriage\*

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial # C1-1300352, dated February 7th, 2013, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Mar 2024 Expiration Date: 27 Mar 2029

### **Certificate of Inspection**

Vessel Name: HTCO 3108

\*Vapor Control Authorization\*

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system (VCS) has been inspected to the plans approved by MSC Letter #C1-1300352 dated February 7th, 2013 and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS system has been approved with a pressure side of 1.5 psig P/V valve with Coast Guard Approval 162.017/144/3. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3 psig.

In accordance with 46 CFR Part 39.5000, this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved by Marine Safety Center letter Serial No. C1-1600601 dated February 18th, 2016.

### --- Inspection Status ---

### \*Cargo Tanks\*

	Internal Exam			External Exan	n	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	13Nov2013	10Jan2024	31Jan2034	28Dec2018	10Jan2024	31Jan2029
2 P/S	13Nov2013	10Jan2024	31Jan2034	28Dec2018	10Jan2024	31Jan2029
3 P/S	13Nov2013	10Jan2024	31Jan2034	28Dec2018	10Jan2024	31Jan2029
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		•	•	-	
3 P/S	_		_	-		

### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

### --- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*


Quantity

Class Type

2

40-B

\*\*\*END\*\*\*



Serial #: C1-1300352 Dated:

07-Feb-13



Cargo Authority Attachment

Shipyard: Trinity Marine

Madisonville

Hull #: 2210-13

Tank Group Information	Cargo I	dentificati	on		0	1	Tanks		Carg Trans		Enviror Control		Fire	Special Require	ments		
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Cargo Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp
A #1 P/S; #2 P/S; #3 P/S	13.6	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Closed	П	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks

**List of Authorized Cargoes** 

Vessel Name: HTCO 3108

Official #: 1248381

Cargo Identification	n						(	Condi	tions of Carriage	
	1						Vapor Re			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes										
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	
Acrylonitrile	ACN	15 <sup>2</sup>	0	С	11	Α	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 <sup>2</sup>	0	NA	111	Α	No	N/A		G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A		G
Benzene	BNZ	32	0	С	111	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 <sup>2</sup>	0	С	Ш	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	<b>32</b> <sup>2</sup>	0	С	Ш	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	CPC	18	0	D	11	Α	No	N/A	No No	G
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No No	G
Chemical Oil (refined, containing phenolics)	COL	21	0	E	11	Α	No	N/A	.50-73	G
Chlorobenzene	CRE	36	0	D	Ш	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	III	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73	G
Creosote	CCV	V 21 <sup>2</sup>	0	Е	Ш	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	Е	111	Α	Yes	1	No	G
Crotonaldehyde	CTA	19 <sup>2</sup>	0	С	II	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	СНО	9	0	С	111	Α	No	N//	d No	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 2	0	E	111	Α	Yes	1	.56-1 (b)	G
Cyclopentadiene, Styrene, Benzene mixture	CSE	3 30	0	D	Ш	Α	Yes	1	.50-60, .56-1(b)	G
iso-Decyl acrylate	IAI	14	0	E	111	Α	Yes	3 2	.50-70(a), .50-81(a), (b), .55-1(c)	G
1,1-Dichloroethane	DCI	H 36	0	С	111	Α	Yes	1	No	G
Dichloromethane	DCI	И 36	0	NA	Ш	Α	Yes	5	No	G
1,1-Dichloropropane	DPE	3 36	0	С	111	Α	Yes	3	No	G
1,2-Dichloropropane	DPF	36	0	С	111	Α	Yes	3	No	G
1,3-Dichloropropane	DP	36	0	С	111	Α	Yes	s 3	No	G
1,3-Dichloropropene	DPI	J 15	0	D	11	Α	Ye	s 4	No	G

<sup>2.</sup> Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

<sup>3.</sup> Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Serial #: C1-1300352 Dated: 07-Feb-13

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO 3108
Official #: 1248381

Page 2 of 7

Shipyard: Trinity Marine Madisonville

Hull #: 2210-13

Cargo Identification	on					Conditions of Carriage					
•							Vapor R	ecovery			
Name Dichloropropene, Dichloropropane mixtures	Chem Code DMX	Compat Group No 15	Sub Chapter O	Grade C	Hull Type II	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of No	Insp. Perio G	
Diethanolamine	DEA	8	0	E	Ш	Α	Yes	1	.55-1(c)	G	
Diethylamine	DEN	7	0	С	Ш	Α	Yes	3	.55-1(c)	G	
Diethylenetriamine	DET	7 2	0	E	Ш	Α	Yes	1	.55-1(c)	G	
Disobutylamine	DBU	7	0			A	Yes	3	.55-1(c)	G	
Disopropanolamine	DIP	8	0	E	111	Α	Yes	1	.55-1(c)	G	
	DIA	7	0	C		A	Yes	3	.55-1(c)	G	
)iisopropylamine I,N-Dimethylacetamide	DAC	10	0	E	 	A	Yes	3	.56-1(b)	G	
	DMB	8	0	D	 III	A	Yes	1	.56-1(b), (c)	G	
Dimethylethanolamine	DMF	10	0		111	A	Yes	1	.55-1(e)	G	
Dimethylformamide	DNA	7	0	С	11	A	Yes	3	.55-1(c)	G	
Di-n-propylamine		7	0	E	111			- N/A		G	
Oodecyldimethylamine, Tetradecyldimethylamine mixture	DOT					Α	No			G	
Oodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	A	No	N/A		G	
EE Glycol Ether Mixture	EEG	40	0	D	111	A	No	N/A	.55-1(c)	G	
Ethanolamine	MEA	8	0	E	111	A	Yes	1		G	
Ethyl acrylate	EAC	14	0	C		Α .	Yes	2	.50-70(a), .50-81(a), (b)	G	
Ethylene cyanohydrin	ETC	20	0	E	111	Α	Yes	1	No 55 4(1)		
Ethylenediamine	EDA	7 2	0	D	111	Α	Yes	1	.55-1(c)	G	
Ethylene dichloride	EDC	36 <sup>2</sup>	0	С	111	Α	Yes	1	No	G	
Ethylene glycol hexyl ether	EGH	40	0	E	111	Α	No	N/A		G	
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	111	Α	Yes	1	No	G	
Ethylene glycol propyl ether	EGP	40	0	E	111	Α	Yes	1	No	G	
2-Ethylhexyl acrylate	EAI	14	0	E	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
Ethyl methacrylate	ETM	14	0	D/E		A	Yes	2	.50-70(a)	G	
2-Ethyl-3-propylacrolein	EPA	19 <sup>2</sup>	0	Е	Ш	Α	Yes	1	No	G	
Formaldehyde solution (37% to 50%)	FMS	19 <sup>2</sup>	0	D/E	Ш	Α	Yes	1	.55-1(h)	G	
Furfural	FFA	19	0	D	Ш	Α	Yes	1	.55-1(h)	G	
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	III	Α	No	N/A	No	G	
Hexamethylenediamine solution	HMC	7	0	E	Ш	Α	Yes	1	.55-1(c)	G	
Hexamethyleneimine	НМІ	7	0	С	П	Α	Yes	1	.56-1(b), (c)	G	
Hydrocarbon 5-9	HFN		0	С	III	Α	Yes	1	.50-70(a), .50-81(a), (b)	G	
soprene	IPR	30	0	Α	111	Α	Yes	7	.50-70(a), .50-81(a), (b)	G	
soprene. Pentadiene mixture	IPN	6	0	В	111	Α	No	N/A	.50-70(a), .55-1(c)	G	
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	Ш	Α	Yes	1	No	G	
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
Methylcyclopentadiene dimer	MCK	30	0	С	III	Α	Yes	1	No	G	
Methyl diethanolamine	MDE	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G	
2-Methyl-5-ethylpyridine	MEP		0	E	III	Α	Yes	1	.55-1(e)	G	
Methyl methacrylate	MMN		0	C	111	A	Yes		.50-70(a), .50-81(a), (b)	G	
2-Methylpyridine	MPR		0	D	III	Α	Yes		.55-1(c)	G	
	MSR		0		III	A	Yes		.50-70(a), .50-81(a), (b)	G	
alpha-Methylstyrene	MPL			D	111	A	Yes		.55-1(c)	G	
Morpholine Nitroethane	NTE		0	D	II	A	No	N/A	A .50-81, .56-1(b)	G	
	NPM		0	D	111	Α	Yes		.50-81	G	
1- or 2-Nitropropane	PDE	-	0	Α	111	Α	Yes		.50-70(a), .50-81	G	
1,3-Pentadiene	PER		0	NA	101	A	No	N//	A No	G	
Perchioroethylene	FER									G	
Polyethylene polyamines	PEB	7 2	0	E	111	Α	Yes	1	.55-1(e)	_	



Serial #: C1-1300352

07-Feb-13

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO 3108 Official #: 1248381

Page 3 of 7

Shipyard: Trinity Marine Madisonville

Hull #: 2210-13

Cargo Identification	1						Conditions of Carriage				
							Vapor F	Recovery			
Name Propanolamine (iso-, n-)	Chem Code PAX	Compat Group No 8	Sub Chapter O	Grade E	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of .56-1(b), (c)	Insp. Period G	
so-Propylamine	IPP	7	0	A		Α	Yes	5	.55-1(c)	G	
Pyridine	PRD	9	0	C	111	A	Yes	1	.55-1(e)	G	
Sodium chlorate solution (50% or less)	SDD	0 1,2		NA	 III	A	No	N/A	.50-73	G	
	STX		0	D	 III	Α	Yes	2	No	G	
Styrene (crude)	STY	30	0	D	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G	
Styrene monomer	TEC	36	0	NA NA	<u>   </u>	A	No	N/A		G	
1,1,2,2-Tetrachloroethane	TTP	7	0	E	111	A	Yes	1	.55-1(c)	G	
Tetraethylenepentamine			0	С		A			.50-70(b)	G	
Tetrahydrofuran	THE	41			111		Yes		No	G	
1,2,4-Trichlorobenzene	TCB	36	0	E	111	A	Yes	1	No	G	
Trichloroethylene	TCL	36 <sup>2</sup>	0	NA		A	Yes	1	.55-1(e)	G	
Triethylamine	TEN	7	0	C	<u> </u>	A	Yes	3		G	
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	Ш	Α	No	N/A		G	
Vinyl acetate	VAM	13	0	С	111	Α	Yes		.50-70(a), .50-81(a), (b)	G	
Vinyl neodecanate	VND	13	0	Е	111	Α	No	N/A	.50-70(a), .50-81(a), (b)		
Subchapter D Cargoes Authorized for Vapor Contr	ol	=									
Acetone	ACT	18 <sup>2</sup>	D	С		Α	Yes	1			
Acetophenone	ACP	18	D	E		Α	Yes	1			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1			
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1			
Benzyl alcohol	BAL	21	D	E		Α	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1			
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	D		Α	Yes	1			
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	1			
Butyl alcohol (sec-)	BAS	20 <sup>2</sup>	D	С		Α	Yes	1			
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1		_	
Butyl benzyl phthalate	BPH	34	D.	E		Α	Yes	1			
Butyl toluene	BUE	32	D	D		Α	Yes	1			
Caprolactam solutions	CLS	22	D	Е		Α	Yes	1			
Cyclohexane	CHX	31	D	С		Α	Yes	1			
Cyclohexanol	CHN	20	D	Е		Α	Yes	1			
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2			
	CMP	32	D	D		Α	Yes	1			
p-Cymene iso-Decaldehyde	IDA	19	D	E		Α	Yes	1			
n-Decaldehyde	DAL	19	D	E		Α	Yes	1			
Decene	DCE	30	D	D		Α	Yes	1			
Decyl alcohol (all isomers)	DAX	20 <sup>2</sup>	D	E		Α	Yes	1			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	Е		Α	Yes	1			
Diacetone alcohol	DAA	20 <sup>2</sup>	D	D		Α	Yes	1			
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1			
Diethylbenzene	DEB	32	D	D		Α	Yes	1			
Diethylene glycol	DEG	40 <sup>2</sup>	D	E		Α	Yes				
Distriction gryson	DBL	30	D	С		Α	Yes				



Serial #: C1-1300352

07-Feb-13

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO 3108 Official #: 1248381

Page 4 of 7

Shipyard: Trinity Marine Madisonville

Hull #: 2210-13

Cargo Identification								Conditions of Carriage						
						Vapor Recovery								
Name Diisobutyl ketone	Chem Code DIK	Compat Group No 18	Sub Chapter D	Grade D	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period				
Disopropylbenzene (all isomers)	DIX	32		E		A	Yes	1						
	DTL	34	D	E		A	Yes	1						
Dimethyl phthalate	DOP	34	D	 E		A	Yes	<u>·</u> 1		***************************************				
Dioctyl phthalate	DPN	30	D	D	-	Α	Yes	1						
Dipentene	DIL	32	D	D/E		A	Yes	1						
Diphenyl		33	D	E		A	Yes	1						
Diphenyl, Diphenyl ether mixtures	DDO					A A	Yes	1						
Diphenyl ether	DPE	41	D	{E}	-		Yes	1						
Dipropylene glycol	DPG	40	D	E		A								
Distillates: Flashed feed stocks	DFF	33	D	E		A	Yes	1						
Distillates: Straight run	DSR	33	D	E		Α	Yes	1	ALL MANUFACTURE THE STATE OF TH					
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1						
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1						
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1						
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1						
Ethyl acetate	ETA	34	D	С		Α	Yes	1						
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1						
Ethyl alcohol	EAL	20 <sup>2</sup>	D	С		Α	Yes	1						
Ethylbenzene	ETB	32	D	С		Α	Yes	1						
Ethyl butanol	EBT	20	D	D		Α	Yes	1						
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1						
Ethyl butyrate	EBR	34	D	D		Α	Yes	1						
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	11						
Ethylene glycol	EGL	20 <sup>2</sup>	D	E		Α	Yes	1						
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	11						
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1						
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1						
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1						
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1						
Ethyl propionate	EPR	34	D	С		Α	Yes	1						
Ethyl toluene	ETE	32	D	D		Α	Yes	1						
Formamide	FAM	10	D	E		Α	Yes	1						
Furfuryl alcohol	FAL	20 <sup>2</sup>	D	E		Α	Yes	1	1					
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1						
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1						
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1						
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1						
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1						
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1						
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1						
Glycerine	GCR	20 2	D	E		Α	Yes	1						
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ		D	С		Α	Yes	. 1						
Heptanoic acid	HEP		D	E		Α	Yes	1						
Heptanol (all isomers)	HTX		D	D/E		Α	Yes	1						
Heptene (all isomers)	HPX		D	С		Α	Yes	2						
rieptorio (dii isomoro)			D	E		Α	Yes	1						
Heptyl acetate	HPE	34				~	100							



Serial #: C1-1300352 07-Feb-13

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: HTCO 3108

Shipyard: Trinity Marine

Madisonville

Hull #: 2210-13

Official #: 1248381 Page 5 of 7

Cargo Identification							Conditions of Carriage						
							-	Recovery					
Name Hexanoic acid	Chem Code HXO	Group No 4	Sub Chapter D	Grade E	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Hexanol	HXN	20	D	D		Α	Yes	1					
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2					
Hexylene glycol	HXG	20	D	E		Α	Yes	1					
Isophorone	IPH	18 <sup>2</sup>	D	E		Α	Yes	1					
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1					
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	 D	and the second s	A	Yes	1	The state of the s				
Kerosene	KRS	33	D	D		A	Yes	1					
	MTT	34	D D	D		A	Yes	1					
Methyl clocks!	MAL	20 2	D	C		A	Yes	1					
Methyl alcohol			D	D			Yes	1					
Methylamyl acetate	MAC	34				Α							
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1					
Methyl amyl ketone	MAK	18	D	D		A	Yes	1					
Methyl tert-butyl ether	MBE	41 2		С		A	Yes	1					
Methyl butyl ketone	MBK	18	D	С		A	Yes	1					
Methyl butyrate	MBU	34	D	С		A	Yes	1					
Methyl ethyl ketone	MEK	18 <sup>2</sup>	D	С		Α	Yes	1					
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1					
Methyl isobutyl ketone	MIK	18 <sup>2</sup>	D	С		Α	Yes	1					
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1					
Mineral spirits	MNS	33	D	D		Α	Yes	1					
Myrcene	MRE	30	D	D		Α	Yes	11					
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1					
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1					
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1					
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1					
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1					
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1					
Nonene (all isomers)	NON	30	D	D		Α	Yes	2					
Nonyl alcohol (all isomers)	NNS	20 <sup>2</sup>	D	E		Α	Yes	1					
Nonyl phenol	NNP	21	D	Е		Α	Yes	1					
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		Α	Yes	1					
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1	0				
Octanoic acid (all isomers)	OAY	4	D	Ε		Α	Yes	1					
Octanol (all isomers)	OCX	20 <sup>2</sup>	D	E		Α	Yes	1					
Octene (all isomers)	OTX	30	D	С		Α	Yes	2					
Oil, fuel: No. 2	OTW		D	D/E		Α	Yes	1					
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1					
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1					
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes						
	OSX		D	E		A	Yes						
Oil, fuel: No. 6	OIL	33	 D	C/D		Α	Yes						
Oil, misc: Crude	ODS		D	D/E		Α	Yes						
Oil, misc: Diesel	OGP		D	E		Α	Yes						
Oil, misc: Gas, high pour	OLB	33		 E		A	Yes						
Oil, misc: Lubricating	ORL		D	E		A	Yes						
Oil, misc: Residual	OTB		D	E		A	Yes						
Oil, misc: Turbine	PTY	31	D	Α		A	Yes						

Serial #: C1-1300352

07-Feb-13

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3108


Shipyard: Trinity Marine Madisonville

Hull #: 2210-13

Official #: 1248381

Page 6 of 7

Cargo Identification							Conditions of Carriage						
Name Pentene (all isomers)	Chem Code PTX	Compat Group No 30	Sub Chapter D	Grade A	Hull Type	Tank Group A	App'd (Y or N) Yes	Recovery VCS Category 5	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.			
n-Pentyl propionate	PPE	34		D		Α	Yes	1					
alpha-Pinene	PIO	30	D	D		Α	Yes	1					
beta-Pinene	PIP	30				Α	Yes	1					
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1					
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1					
Polybutene	PLB	30	D	E	-	Α	Yes	1					
Polypropylene glycol	PGC	40	D	E		Α	Yes	1					
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1					
n-Propyl acetate	PAT	34	D	С		Α	Yes	1					
iso-Propyl alcohol	IPA	20 <sup>2</sup>	D	С		Α	Yes	1					
n-Propyl alcohol	PAL	20 <sup>2</sup>	D	С		Α	Yes	1					
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1					
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1					
Propylene glycol	PPG	20 <sup>2</sup>	D	E		Α	Yes	1					
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1					
Propylene tetramer	PTT	30	D	D		Α	Yes	1					
Sulfolane	SFL	39	D	E		Α	Yes	1					
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1					
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1					
Toluene	TOL	32	D	С		Α	Yes	1					
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1					
Triethylbenzene	TEB	32	D	E		Α	Yes	1					
Triethylene glycol	TEG	40	D	E		Α	Yes	1					
Triethyl phosphate	TPS	34	D	E		Α	Yes	1					
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1					
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1					
Undecene	UDC	30	D	D/E		Α	Yes	1					
1-Undecyl alcohol	UND	20	D	Е		Α	Yes	1					
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1					



Serial #: C1-1300352 Dated:

07-Feb-13

## Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: HTCO 3108 Official #: 1248381

Page 7 of 7

Shipyard: Trinity Marine

Hull #: 2210-13

#### Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, table

Note 1 Note 2 and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Note 3

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

A, B, C D, E Note 4 Flammable liquid cargoes, as defined in 46 CFR 30-10.22 Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

NA

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available

Hull Type 11

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

#### Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

#### Conditions of Carriage

Tank Group Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category

The specified cargo's provisional classification for vapor control systems

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) Category 1

must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

Category 7 none

The cargo has not been evaluated/classified for use in vapor control systems