



BARGE "HTCO 3109"

ULLAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2
1 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2
2 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-1/2	00-1/2
2 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-1/2	00-1/2
3 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2
3 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00 1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

January 9, 2024

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "HTCO 3109"

1 PORT
ULLAGE TABLE
HERMETIC

GAUGE HEIGHT 17'-03 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with columns for capacity in barrels (0 to 19 FT.) and rows for gauge height (0 to 3/4). Each cell contains a numerical value representing capacity.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/11/2013 PMA
RECALCULATED: 11/29/2018 SW
VERIFIED: 01/09/2024 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

Precision Measurement & Analysis, Inc.

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2024



BARGE "HTCO 3109"

2 PORT ULLAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-03 3/4"

Table with 18 columns representing gauge heights from 10 FT. to 19 FT. and 18 rows representing capacity values. Each cell contains a numerical value for capacity in barrels.

STRAPPED: 11/11/2013 PMA RECALCULATED: 11/29/2018 SW VERIFIED: 01/09/2024 CL

CANCELS AND SUPERCEDES ALL PRIOR TO 01/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC. P.O. Box 2092 Pearland, Texas 77588 http://www.pmacorp.net

Handwritten signature of the company representative.



BARGE "HTCO 3109"

3 STBD
ULLAGE TABLE
HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-03 3/4"

Table with 18 columns representing ullage heights from 0 FT. to 9 FT. and 18 rows representing liquid levels from 0 to 3/4. Each cell contains capacity values in barrels of 42 U.S. gallons.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7. CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL. CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK. CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" DEVICE. GAUGE POINT: (HERMETIC) LOCATED 12'-09" OFF CENTERLINE AND 41'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC. P.O. Box 2092 Pearland, Texas 77588 http://www.pmacorp.net

Signature of Precision Measurement & Analysis, Inc.



BARGE "HTCO 3109"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-11 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	120	0	298	0	456	0		0		0		0		0		0	
1/4	1	1/4	123	1/4	302	1/4	459	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2	1/2	127	1/2	305	1/2	461	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3	3/4	130	3/4	309	3/4	463	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	134	1	313	1	466	1		1		1		1		1		1	
1/4	5	1/4	137	1/4	316	1/4	468	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6	1/2	141	1/2	320	1/2	470	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	8	3/4	144	3/4	324	3/4	472	3/4		3/4		3/4		3/4		3/4		3/4	
2	9	2	148	2	327	2	475	2		2		2		2		2		2	
1/4	11	1/4	152	1/4	331	1/4	477	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	13	1/2	155	1/2	335	1/2	478	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	15	3/4	159	3/4	338	3/4	480	3/4		3/4		3/4		3/4		3/4		3/4	
3	16	3	162	3	342	3	482	3		3		3		3		3		3	
1/4	19	1/4	166	1/4	346	1/4	484	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21	1/2	170	1/2	349	1/2	485	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	23	3/4	173	3/4	353	3/4	487	3/4		3/4		3/4		3/4		3/4		3/4	
4	25	4	177	4	356	4	488	4		4		4		4		4		4	
1/4	27	1/4	181	1/4	360	1/4	489	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	30	1/2	185	1/2	363	1/2	490	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	32	3/4	188	3/4	367	3/4	491	3/4		3/4		3/4		3/4		3/4		3/4	
5	35	5	192	5	370	5	492	5		5		5		5		5		5	
1/4	37	1/4	196	1/4	374	1/4	493	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	40	1/2	200	1/2	377	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	42	3/4	203	3/4	381	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	45	6	207	6	384	6		6		6		6		6		6		6	
1/4	48	1/4	211	1/4	387	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	51	1/2	215	1/2	391	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	53	3/4	218	3/4	394	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	56	7	222	7	397	7		7		7		7		7		7		7	
1/4	59	1/4	226	1/4	401	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	230	1/2	404	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	234	3/4	407	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	68	8	237	8	410	8		8		8		8		8		8		8	
1/4	71	1/4	241	1/4	413	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	74	1/2	245	1/2	416	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	77	3/4	249	3/4	420	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	80	9	252	9	423	9		9		9		9		9		9		9	
1/4	83	1/4	256	1/4	426	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	87	1/2	260	1/2	429	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	90	3/4	264	3/4	432	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	93	10	268	10	434	10		10		10		10		10		10		10	
1/4	96	1/4	271	1/4	437	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	100	1/2	275	1/2	440	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	279	3/4	443	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	106	11	283	11	446	11		11		11		11		11		11		11	
1/4	110	1/4	287	1/4	448	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	113	1/2	290	1/2	451	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	116	3/4	294	3/4	454	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE.

STRAPPED: 11/04/2013 CL
CALCULATED: 11/05/2013 CL
VERIFIED: 01/09/2024 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3109"

FWD SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,347	0	1,795	0		0		0		0		0	
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	917	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,824	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	945	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,852	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	973	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,880	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,450	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	571	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,478	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	599	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,506	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	627	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,534	5	1,982	5		5		5		5		5	
1/4	197	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,104	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,011	3/4		3/4		3/4		3/4		3/4	
6	225	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,132	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	253	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,160	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	730	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,637	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	758	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,665	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	786	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,693	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	384	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,291	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	412	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,319	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	440	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 11/04/2013 CL
 CALCULATED: 11/05/2013 CL
 VERIFIED: 01/09/2024 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 01/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3109"

AFT SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,347	0	1,795	0		0		0		0		0	
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	917	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,824	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	945	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,852	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	973	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,880	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,450	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	571	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,478	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	599	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,506	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	627	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,534	5	1,982	5		5		5		5		5	
1/4	197	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,104	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,011	3/4		3/4		3/4		3/4		3/4	
6	225	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,132	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	253	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,160	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	730	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,637	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	758	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,665	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	786	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,693	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	384	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,291	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	412	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,319	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	440	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 11/04/2013 SW
CALCULATED: 11/05/2013 CL
VERIFIED: 01/09/2024 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>