



BARGE "HTCO 3119"

ULLAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
1 STBD	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
2 PORT	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8
2 STBD	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8
3 PORT	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8
3 STBD	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-3/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 5/8"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

February 8, 2024

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "HTCO 3119"

2 STBD

ULLAGE TABLE

HERMETIC

GAUGE HEIGHT 17'-03 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with columns for height (0 FT. to 9 FT.) and depth (0, 1/4, 1/2, 3/4) showing capacity values in barrels.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 12'-09" OFF CENTERLINE AND 46'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT & ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net





BARGE "HTCO 3119"

FWD SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,347	0	1,795	0		0		0		0		0	
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	917	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,824	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	945	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,852	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	973	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,880	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,450	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	571	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,478	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	599	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,506	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	627	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,534	5	1,982	5		5		5		5		5	
1/4	197	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,104	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,011	3/4		3/4		3/4		3/4		3/4	
6	225	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,132	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	253	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,160	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	730	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,637	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	758	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,665	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	786	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,693	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	384	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,291	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	412	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,319	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	440	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 02/08/2024 JS
 CALCULATED: 02/09/2024 CL
 VERIFIED: 02/09/2024 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 02/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3119"

AFT SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	449	0	898	0	1,347	0	1,795	0		0		0		0		0	
1/4	9	1/4	458	1/4	907	1/4	1,356	1/4	1,805	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	468	1/2	917	1/2	1,365	1/2	1,814	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	477	3/4	926	3/4	1,375	3/4	1,824	3/4		3/4		3/4		3/4		3/4	
1	37	1	486	1	935	1	1,384	1	1,833	1		1		1		1		1	
1/4	47	1/4	496	1/4	945	1/4	1,393	1/4	1,842	1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	505	1/2	954	1/2	1,403	1/2	1,852	1/2		1/2		1/2		1/2		1/2	
3/4	65	3/4	514	3/4	963	3/4	1,412	3/4	1,861	3/4		3/4		3/4		3/4		3/4	
2	75	2	524	2	973	2	1,421	2	1,870	2		2		2		2		2	
1/4	84	1/4	533	1/4	982	1/4	1,431	1/4	1,880	1/4		1/4		1/4		1/4		1/4	
1/2	94	1/2	542	1/2	991	1/2	1,440	1/2	1,889	1/2		1/2		1/2		1/2		1/2	
3/4	103	3/4	552	3/4	1,001	3/4	1,450	3/4	1,898	3/4		3/4		3/4		3/4		3/4	
3	112	3	561	3	1,010	3	1,459	3	1,908	3		3		3		3		3	
1/4	122	1/4	571	1/4	1,019	1/4	1,468	1/4	1,917	1/4		1/4		1/4		1/4		1/4	
1/2	131	1/2	580	1/2	1,029	1/2	1,478	1/2	1,926	1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	589	3/4	1,038	3/4	1,487	3/4	1,936	3/4		3/4		3/4		3/4		3/4	
4	150	4	599	4	1,047	4	1,496	4	1,945	4		4		4		4		4	
1/4	159	1/4	608	1/4	1,057	1/4	1,506	1/4	1,954	1/4		1/4		1/4		1/4		1/4	
1/2	168	1/2	617	1/2	1,066	1/2	1,515	1/2	1,964	1/2		1/2		1/2		1/2		1/2	
3/4	178	3/4	627	3/4	1,075	3/4	1,524	3/4	1,973	3/4		3/4		3/4		3/4		3/4	
5	187	5	636	5	1,085	5	1,534	5	1,982	5		5		5		5		5	
1/4	197	1/4	645	1/4	1,094	1/4	1,543	1/4	1,992	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	655	1/2	1,104	1/2	1,552	1/2	2,001	1/2		1/2		1/2		1/2		1/2	
3/4	215	3/4	664	3/4	1,113	3/4	1,562	3/4	2,011	3/4		3/4		3/4		3/4		3/4	
6	225	6	673	6	1,122	6	1,571	6	2,020	6		6		6		6		6	
1/4	234	1/4	683	1/4	1,132	1/4	1,580	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	692	1/2	1,141	1/2	1,590	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	253	3/4	701	3/4	1,150	3/4	1,599	3/4		3/4		3/4		3/4		3/4		3/4	
7	262	7	711	7	1,160	7	1,608	7		7		7		7		7		7	
1/4	271	1/4	720	1/4	1,169	1/4	1,618	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	281	1/2	730	1/2	1,178	1/2	1,627	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	290	3/4	739	3/4	1,188	3/4	1,637	3/4		3/4		3/4		3/4		3/4		3/4	
8	299	8	748	8	1,197	8	1,646	8		8		8		8		8		8	
1/4	309	1/4	758	1/4	1,206	1/4	1,655	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	318	1/2	767	1/2	1,216	1/2	1,665	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	776	3/4	1,225	3/4	1,674	3/4		3/4		3/4		3/4		3/4		3/4	
9	337	9	786	9	1,234	9	1,683	9		9		9		9		9		9	
1/4	346	1/4	795	1/4	1,244	1/4	1,693	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	355	1/2	804	1/2	1,253	1/2	1,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	814	3/4	1,262	3/4	1,711	3/4		3/4		3/4		3/4		3/4		3/4	
10	374	10	823	10	1,272	10	1,721	10		10		10		10		10		10	
1/4	384	1/4	832	1/4	1,281	1/4	1,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	842	1/2	1,291	1/2	1,739	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	851	3/4	1,300	3/4	1,749	3/4		3/4		3/4		3/4		3/4		3/4	
11	412	11	860	11	1,309	11	1,758	11		11		11		11		11		11	
1/4	421	1/4	870	1/4	1,319	1/4	1,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	879	1/2	1,328	1/2	1,777	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	440	3/4	888	3/4	1,337	3/4	1,786	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

STRAPPED: 02/08/2024 JS
 CALCULATED: 02/09/2024 CL
 VERIFIED: 02/09/2024 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 02/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>