



BARGE "HTCO 3123"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8
1 STBD	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 PORT	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8
3 STBD	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-3/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 5/8"

LENGTH BETWEEN DRAFT MARKS: 237'-09"

November 28, 2023

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "HTCO 3123"

FWD SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	454	0	908	0	1,361	0	1,815	0		0		0		0		0	
1/4	9	1/4	463	1/4	917	1/4	1,371	1/4	1,825	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	473	1/2	927	1/2	1,380	1/2	1,834	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	482	3/4	936	3/4	1,390	3/4	1,844	3/4		3/4		3/4		3/4		3/4	
1	38	1	492	1	945	1	1,399	1	1,853	1		1		1		1		1	
1/4	47	1/4	501	1/4	955	1/4	1,409	1/4	1,863	1/4		1/4		1/4		1/4		1/4	
1/2	57	1/2	511	1/2	964	1/2	1,418	1/2	1,872	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	520	3/4	974	3/4	1,428	3/4	1,881	3/4		3/4		3/4		3/4		3/4	
2	76	2	529	2	983	2	1,437	2	1,891	2		2		2		2		2	
1/4	85	1/4	539	1/4	993	1/4	1,447	1/4	1,900	1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	548	1/2	1,002	1/2	1,456	1/2	1,910	1/2		1/2		1/2		1/2		1/2	
3/4	104	3/4	558	3/4	1,012	3/4	1,465	3/4	1,919	3/4		3/4		3/4		3/4		3/4	
3	113	3	567	3	1,021	3	1,475	3	1,929	3		3		3		3		3	
1/4	123	1/4	577	1/4	1,031	1/4	1,484	1/4	1,938	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	586	1/2	1,040	1/2	1,494	1/2	1,948	1/2		1/2		1/2		1/2		1/2	
3/4	142	3/4	596	3/4	1,049	3/4	1,503	3/4	1,957	3/4		3/4		3/4		3/4		3/4	
4	151	4	605	4	1,059	4	1,513	4	1,967	4		4		4		4		4	
1/4	161	1/4	615	1/4	1,068	1/4	1,522	1/4	1,976	1/4		1/4		1/4		1/4		1/4	
1/2	170	1/2	624	1/2	1,078	1/2	1,532	1/2	1,985	1/2		1/2		1/2		1/2		1/2	
3/4	180	3/4	633	3/4	1,087	3/4	1,541	3/4	1,995	3/4		3/4		3/4		3/4		3/4	
5	189	5	643	5	1,097	5	1,551	5	2,004	5		5		5		5		5	
1/4	199	1/4	652	1/4	1,106	1/4	1,560	1/4	2,014	1/4		1/4		1/4		1/4		1/4	
1/2	208	1/2	662	1/2	1,116	1/2	1,569	1/2	2,023	1/2		1/2		1/2		1/2		1/2	
3/4	217	3/4	671	3/4	1,125	3/4	1,579	3/4	2,033	3/4		3/4		3/4		3/4		3/4	
6	227	6	681	6	1,135	6	1,588	6	2,042	6		6		6		6		6	
1/4	236	1/4	690	1/4	1,144	1/4	1,598	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	246	1/2	700	1/2	1,153	1/2	1,607	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	255	3/4	709	3/4	1,163	3/4	1,617	3/4		3/4		3/4		3/4		3/4		3/4	
7	265	7	719	7	1,172	7	1,626	7		7		7		7		7		7	
1/4	274	1/4	728	1/4	1,182	1/4	1,636	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	284	1/2	737	1/2	1,191	1/2	1,645	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	293	3/4	747	3/4	1,201	3/4	1,655	3/4		3/4		3/4		3/4		3/4		3/4	
8	303	8	756	8	1,210	8	1,664	8		8		8		8		8		8	
1/4	312	1/4	766	1/4	1,220	1/4	1,673	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	321	1/2	775	1/2	1,229	1/2	1,683	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	331	3/4	785	3/4	1,239	3/4	1,692	3/4		3/4		3/4		3/4		3/4		3/4	
9	340	9	794	9	1,248	9	1,702	9		9		9		9		9		9	
1/4	350	1/4	804	1/4	1,257	1/4	1,711	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	359	1/2	813	1/2	1,267	1/2	1,721	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	369	3/4	823	3/4	1,276	3/4	1,730	3/4		3/4		3/4		3/4		3/4		3/4	
10	378	10	832	10	1,286	10	1,740	10		10		10		10		10		10	
1/4	388	1/4	841	1/4	1,295	1/4	1,749	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	397	1/2	851	1/2	1,305	1/2	1,759	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	407	3/4	860	3/4	1,314	3/4	1,768	3/4		3/4		3/4		3/4		3/4		3/4	
11	416	11	870	11	1,324	11	1,777	11		11		11		11		11		11	
1/4	425	1/4	879	1/4	1,333	1/4	1,787	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	435	1/2	889	1/2	1,343	1/2	1,796	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	444	3/4	898	3/4	1,352	3/4	1,806	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 11/28/2023 JS
 CALCULATED: 11/29/2023 CL
 PRINTED: 11/29/2023 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 11/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "HTCO 3123"

AFT SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	454	0	908	0	1,361	0	1,815	0		0		0		0		0	
1/4	9	1/4	463	1/4	917	1/4	1,371	1/4	1,825	1/4		1/4		1/4		1/4		1/4	
1/2	19	1/2	473	1/2	927	1/2	1,380	1/2	1,834	1/2		1/2		1/2		1/2		1/2	
3/4	28	3/4	482	3/4	936	3/4	1,390	3/4	1,844	3/4		3/4		3/4		3/4		3/4	
1	38	1	492	1	945	1	1,399	1	1,853	1		1		1		1		1	
1/4	47	1/4	501	1/4	955	1/4	1,409	1/4	1,863	1/4		1/4		1/4		1/4		1/4	
1/2	57	1/2	511	1/2	964	1/2	1,418	1/2	1,872	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	520	3/4	974	3/4	1,428	3/4	1,881	3/4		3/4		3/4		3/4		3/4	
2	76	2	529	2	983	2	1,437	2	1,891	2		2		2		2		2	
1/4	85	1/4	539	1/4	993	1/4	1,447	1/4	1,900	1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	548	1/2	1,002	1/2	1,456	1/2	1,910	1/2		1/2		1/2		1/2		1/2	
3/4	104	3/4	558	3/4	1,012	3/4	1,465	3/4	1,919	3/4		3/4		3/4		3/4		3/4	
3	113	3	567	3	1,021	3	1,475	3	1,929	3		3		3		3		3	
1/4	123	1/4	577	1/4	1,031	1/4	1,484	1/4	1,938	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	586	1/2	1,040	1/2	1,494	1/2	1,948	1/2		1/2		1/2		1/2		1/2	
3/4	142	3/4	596	3/4	1,049	3/4	1,503	3/4	1,957	3/4		3/4		3/4		3/4		3/4	
4	151	4	605	4	1,059	4	1,513	4	1,967	4		4		4		4		4	
1/4	161	1/4	615	1/4	1,068	1/4	1,522	1/4	1,976	1/4		1/4		1/4		1/4		1/4	
1/2	170	1/2	624	1/2	1,078	1/2	1,532	1/2	1,985	1/2		1/2		1/2		1/2		1/2	
3/4	180	3/4	633	3/4	1,087	3/4	1,541	3/4	1,995	3/4		3/4		3/4		3/4		3/4	
5	189	5	643	5	1,097	5	1,551	5	2,004	5		5		5		5		5	
1/4	199	1/4	652	1/4	1,106	1/4	1,560	1/4	2,014	1/4		1/4		1/4		1/4		1/4	
1/2	208	1/2	662	1/2	1,116	1/2	1,569	1/2	2,023	1/2		1/2		1/2		1/2		1/2	
3/4	217	3/4	671	3/4	1,125	3/4	1,579	3/4	2,033	3/4		3/4		3/4		3/4		3/4	
6	227	6	681	6	1,135	6	1,588	6	2,042	6		6		6		6		6	
1/4	236	1/4	690	1/4	1,144	1/4	1,598	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	246	1/2	700	1/2	1,153	1/2	1,607	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	255	3/4	709	3/4	1,163	3/4	1,617	3/4		3/4		3/4		3/4		3/4		3/4	
7	265	7	719	7	1,172	7	1,626	7		7		7		7		7		7	
1/4	274	1/4	728	1/4	1,182	1/4	1,636	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	284	1/2	737	1/2	1,191	1/2	1,645	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	293	3/4	747	3/4	1,201	3/4	1,655	3/4		3/4		3/4		3/4		3/4		3/4	
8	303	8	756	8	1,210	8	1,664	8		8		8		8		8		8	
1/4	312	1/4	766	1/4	1,220	1/4	1,673	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	321	1/2	775	1/2	1,229	1/2	1,683	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	331	3/4	785	3/4	1,239	3/4	1,692	3/4		3/4		3/4		3/4		3/4		3/4	
9	340	9	794	9	1,248	9	1,702	9		9		9		9		9		9	
1/4	350	1/4	804	1/4	1,257	1/4	1,711	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	359	1/2	813	1/2	1,267	1/2	1,721	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	369	3/4	823	3/4	1,276	3/4	1,730	3/4		3/4		3/4		3/4		3/4		3/4	
10	378	10	832	10	1,286	10	1,740	10		10		10		10		10		10	
1/4	388	1/4	841	1/4	1,295	1/4	1,749	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	397	1/2	851	1/2	1,305	1/2	1,759	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	407	3/4	860	3/4	1,314	3/4	1,768	3/4		3/4		3/4		3/4		3/4		3/4	
11	416	11	870	11	1,324	11	1,777	11		11		11		11		11		11	
1/4	425	1/4	879	1/4	1,333	1/4	1,787	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	435	1/2	889	1/2	1,343	1/2	1,796	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	444	3/4	898	3/4	1,352	3/4	1,806	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 11/28/2023 JS
CALCULATED: 11/29/2023 CL
PRINTED: 11/29/2023 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2023

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>