

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Aug 2024 Expiration Date: 13 Aug 2029

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official	Number	IMO Numb	er	Call Sign	Service	
HTCO 3131	1251	1263				Tank B	3arge
Hailing Port					62 4.1.		
HOUSTON, TX		Hull Material	Horse	power	Proputsion		
		Steel					
UNITED STATES							
							<u> </u>
Place Built	De	elivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
ASHLAND CITY, TN	2	7Mar2014	25Feb2014	R-1619	R-1619		R-297 5
UNITED STATES				F	l-		1-0
Owner			Operato				
HIGMAN BARGE LINES I				Inland Mar			
55 WAUGH DR STE 1000 HOUSTON, TX 77007	,) MARKET VNFI VIEW	ا کا ا , TX 77530		
UNITED STATES				ED STATE			
This vessel must be manne 0 Certified Lifeboatmen, 0	ed with the followir Certified Tankerm	ng licensed Ien, 0 HSC	and unlicensed Type Rating, a	l Personne and 0 GMD	 Included in w SS Operators. 	hich there m	nust be
0 Masters	0 Licensed Mates	0 Chief	Engineers	0.0	ilers		
0 Chief Mates	0 First Class Pilots	0 First /	Assistant Engineer	's			
0 Second Mates	0 Radio Officers	0 Secon	nd Assistant Engir	eers			
0 Third Mates	0 Able Seamen	0 Third	Assistant Enginee	ers			
0 Master First Class Pilot	0 Ordinary Seamen	0 Licen	sed Engineers				
0 Mate First Class Pilots	0 Deckhands		fied Member Engir				
In addition, this vessel may Persons allowed: 0	/ carry 0 Passenge	ers, 0 Other	r Persons in cre	ew, 0 Perso	ons in addition t	o crew, and	no Others. Total
Route Permitted And Co	onditions Of Ope	ration:					
Lakes, Bays, and	l Sounds plus	Limited	d Coastwise	e			
Also, in fair weather o Florida.	only, not more th	nan twelve	(12) miles f	rom shore	between St.	Marks and C	Carrabelle,
This vessel has been gr (2). If this vessel is vessel must be inspecte	operated in salt d using salt was	water mo ter interv	re than six (als per 46 CF	6) months	in any twelv	e (12) mont	h period, the

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Freeport, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Perio	dic/Re-Inspe	ection	This Amended certificate issued by: B. P. Bugan B.P. BERGAN CDR, USCG, BY DIRECTION
Date	Zone	A/P/R	Signature	B.P. BERGAN CDR, USCG, BY DIRECTION
				Officer in Charge, Marine Inspection
			<u>.</u>	Houston-Galveston
				Inspection Zone
	<u> </u>			



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Aug 2024 Expiration Date: 13 Aug 2029

Certificate of Inspection

Vessel Name: HTCO 3131

This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Jul2034	18Jul2024	
Internal Structure	30Jun2029	18Jun2024	29May2019

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
I Otal Capacity	OTRIS	I lightest Orage Type	I BILLO I INCHUIBLES	i ditioo itegulatea	I allion regulated

29500 Barrels A Yes No No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	838	13.58
2 P/S	851	13.58
3 P/S	764	13.58

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
П	3801	10ft 0in	13.58	R,LBS
III	4672	11ft 9in	13.58	R,LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial # C1-1400419, dated November 19, 2013, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 13 Aug 2024 **Expiration Date:** 13 Aug 2029

Certificate of Inspection

Vessel Name: HTCO 3131

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding part 39,4000, this vessel's vapor collection system has been inspected to the plans approved by MSC Letter #C1-1400419 dated February 7, 2014 updated by MSC Letter #C1-1902891 dated September 3, 2019 and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS system has been approved with a pressure side of 3 psig P/V valve with Coast Guard Approval 162.017/139/1. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.5 psig.

In accordance with 46 CFR Part 39.5000, this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved by Marine Safety Center letter Serial No. C1-1600601 dated Febraury 18, 2016.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exan	n	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	27Mar2014	18Jun2024	30Jun2034	29May2019	18Jun2024	30Jun2029
2 P/S	27Mar2014	18Jun2024	30Jun2034	29May2019	18Jun2024	30Jun2029
3 P/S	27Mar2014	18Jun2024	30Jun2034	29May2019	18Jun2024	30Jun2029
			Hydro Test			
Tank Id	Safety Valves	;	Previous	Last	Next	
1 P/S	•		-	-	-	
2 P/S	-		-	•		
3 P/S	-		-	-	140	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

40-B

--- Certificate Amendments---

Amending Unit

Amendment Date

Amendment Remark

Marine Safety Unit Texas City 28Jan2025

Change of Owner

END



Dated:

C1-1400419 19-Nov-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3131

Official #: 1251263

Shipyard: Trinity Ashland

Hull #: 5030

Fank Group Information Cargo Identification		ion		Cargo	Tanks		Cargo Transfer		Environmental Control		Fire	Special Requirements					
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	II Seg	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Ter Haz Co	Temp
A #1P/S, #2 P/S, #3 P/S	13.6	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Closed	Ш	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identification	n					Conditions of Carriage						
							Vapor R					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes							8					
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	11	Α	Yes	4	50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	Α	No	N/A	.50-81, .50-86	G		
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	II	Α	No	N/A	No	G		
Benzene	BNZ	32	0	С	111	Α	Yes	1	50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	С	111	Α	Yes	1	50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	Ш	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	ВМН	14	0	D	111	Α	Yes	2	50-70(a), 50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	СРО	18	0	D	11	Α	No	N/A	No	G		
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	П	Α	No	N/A	.50-73	G		
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	III	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	.50-73	G		
Creosote	CCW	/ 21 ²	0	E	111	Α	Yes	1	No	G		
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No	G		
Crotonaldehyde	СТА	19 ²	0	С	11	Α	Yes	4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	111	Α	No	N/A	No	G		
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	111	Α	Yes	1	.56-1 (b)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	Α	Yes	1	.50-60, .56-1(b)	G		
iso-Decyl acrylate	IAI	14	0	E	111	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G		
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No	G		
Dichloromethane	DCM	36	0	NA	111	Α	Yes	5	No	G		
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	С	Ш	Α	Yes	3	No	G		
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	11	Α	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	11	Α	Yes	1	No	G		

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Serial #: C1-1400419

19-Nov-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3131 Official #: 1251263

Page 2 of 7

Shipyard: Trinity Ashland

Cargo Identifica	ition							Condi	tions of Carriage	Conditions of Carriage						
								ecovery								
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio						
Diethanolamine	DEA	8	0	Е	111	Α	Yes	1	.55-1(c)	G						
Diethylamine	DEN	7	0	С	111	Α	Yes	3	.55-1(c)	G						
Diethylenetriamine	DET	7 2	0	E	Ш	Α	Yes	1	.55-1(c)	G						
Diisobutylamine	DBU	7	0	D	111	Α	Yes	3	.55-1(c)	G						
Diisopropanolamine	DIP	8	0	Е	111	Α	Yes	1	.55-1(c)	G						
Diisopropylamine	DIA	7	0	С	П	Α	Yes	3	.55-1(c)	G						
N,N-Dimethylacetamide	DAC	10	0	Е	111	Α	Yes	3	.56-1(b)	G						
Dimethylethanolamine	DMB	8	0	D	III	Α	Yes	1	.56-1(b), (c)	G						
Dimethylformamide	DMF	10	0	D	111	Α	Yes	1	.55-1(e)	G						
Di-n-propylamine	DNA	7	0	C	11	Α	Yes	3	.55-1(c)	G						
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	111	A	No	N/A	.56-1(b)	G						
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	'''	A	No	N/A	No	G						
EE Glycol Ether Mixture	EEG	40	0	,,,	111	A			No	G						
Ethanolamine	MEA	8	0	E			No	N/A	.55-1(c)							
Ethyl acrylate					- !!!	Α	Yes	1		G						
	EAC	14	0	C		A	Yes	2	.50-70(a), .50-81(a), (b)	G						
Ethylene cyanohydrin	ETC	20	0	E		Α	Yes	1	No .	G						
Ethylenediamine	EDA	7 2	0	D	Ш	Α	Yes	1	.55-1(c)	G						
Ethylene dichloride	EDC	36 ²	0	С	Ш	Α	Yes	1	No	G						
Ethylene glycol hexyl ether	EGH	40	0	E	111	Α	No	N/A	No	G						
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	111	Α	Yes	1	No	G						
Ethylene glycol propyl ether	EGP	40	0	E	111	Α	Yes	1	No	G						
2-Ethylhexyl acrylate	EAI	14	0	E	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G						
Ethyl methacrylate	ETM	14	0	D/E	Ш	Α	Yes	2	.50-70(a)	G						
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	Ш	Α	Yes	1	No	G						
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	Ш	Α	Yes	1	.55-1(h)	G						
Furfural	FFA	19	0	D	Ш	Α	Yes	1	.55-1(h)	G						
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	111	Α	No	N/A	No	G						
Hexamethylenediamine solution	НМС	7	0	E	111	Α	Yes	1	.55-1(c)	G						
Hexamethyleneimine	HMI	7	0	С	П	Α	Yes	1	.56-1(b), (c)	G						
Hydrocarbon 5-9	HFN		0	С	Ш	Α	Yes	1	.50-70(a), .50-81(a), (b)	G						
Isoprene	IPR	30	0	Α	III	Α	Yes	7	.50-70(a), .50-81(a), (b)	G						
Isoprene, Pentadiene mixture	IPN		0	В	III	A	No	N/A	.50-70(a), .55-1(c)	G						
Mesityl oxide	MSO	18 ²	0	D	111	Α	Yes	1	No	G						
Methyl acrylate	MAM	14	0	С	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G						
Methylcyclopentadiene dimer	MCK	30	0	C	III	A	Yes	1	No	G						
Methyl diethanolamine	MDE	8	0	E	111	A	Yes	1	56-1(b), (c)	G						
2-Methyl-5-ethylpyridine	MEP	9	0	E	111	A	Yes		55-1(e)	G						
Methyl methacrylate	MMM							1	.50-70(a), .50-81(a), (b)	G						
2-Methylpyridine	MPR	14 9	0	С	111	A	Yes	2	55-1(c)	G						
			0	D	- 111	A	Yes	3								
alpha-Methylstyrene	MSR	30	<u> </u>	D		A	Yes	2	.50-70(a), .50-81(a), (b)	G						
Morpholine	MPL	7 2	0	D	111	A	Yes	1	55-1(c)	G						
Nitroethane	NTE	42	0	D	!!	A	No	N/A	50-81, .56-1(b)	G						
1- or 2-Nitropropane	NPM	42	0	D	111	Α	Yes	1	.50-81	G						
1,3-Pentadiene	PDE	30	0	Α		Α	Yes	7	.50-70(a), .50-81	G						
Perchloroethylene	PER	36	0	NA	111	Α	No	N/A	No	G						
Polyethylene polyamines	PEB	7 2	0	E	111	Α	Yes	1	.55-1(e)	G						
iso-Propanolamine	MPA	8	0	E	111	Α	Yes	1	55-1(c)	G						
Propanolamine (iso-, n-)	PAX	8	0	E	111	Α	Yes	1	.56-1(b), (c)	G						

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Serial #: C1-1400419 Dated: 19-Nov-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3131 Official #: 1251263

Page 3 of 7

Shipyard: Trinity Ashland

Caraa Idantifaatia	n							<u> </u>				
Cargo Identificatio	n					Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.		
iso-Propylamine	IPP	7	0	Α	11	Α	Yes	5	.55-1(c)	G		
Pyridine	PRD	9	0	С	Ш	Α	Yes	1	.55-1(e)	G		
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	Ш	Α	No	N/A	.50-73	G		
Styrene (crude)	STX		0	D	Ш	Α	Yes	2	No	G		
Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	Α	No	N/A	No	G		
Tetraethylenepentamine	TTP	7	0	Е	Ш	Α	Yes	1	.55-1(c)	G		
Tetrahydrofuran	THF	41	0	С	111	Α	Yes	1	.50-70(b)	G		
1,2,4-Trichlorobenzene	TCB	36	0	E	III	Α	Yes	1	No	G		
Trichloroethylene	TCL	36 ²	0	NA	III	Α	Yes	1	No	G		
Triethylamine	TEN	7	0	С	П	Α	Yes	3	.55-1(e)	G		
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	Α	No	N/A	56-1(b)	G		
Vinyl acetate	VAM	13	0	C	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Vinyl neodecanate	VND	13	0	E	111	A	No	N/A	.50-70(a), .50-81(a), (b)	G		
Tilly Hoodocalida	VIID	10					NO	IN/A				
Subchapter D Cargoes Authorized for Vapor Cont	rol											
Acetone	ACT	18 ²	D	С		Α	Yes	1				
Acetophenone	ACP	18	D	E		Α	Yes	1				
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1	The second secon			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	Е		Α	Yes	1				
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1				
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1				
Benzyl alcohol	BAL	21	D	E		Α	Yes	1				
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1				
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1				
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1	The second secon			
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1				
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1				
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1				
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1				
Butyl toluene	BUE	32	D	D		Α	Yes	1				
Caprolactam solutions	CLS	22	D	E		Α	Yes	1				
Cyclohexane	CHX	31	D	С		A	Yes	1				
Cyclohexanol	CHN	20	D	E		Α	Yes	1				
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		A	Yes	2				
p-Cymene	CMP	32	D	D		A	Yes	1				
iso-Decaldehyde	IDA	19	D	 E		Α	Yes	<u>·</u>				
n-Decaldehyde	DAL	19	D	E		A	Yes	1				
Decene	DCE	30	D	D		A	Yes	1				
Decyl alcohol (all isomers)	DAX	20 2	D	E		A	Yes	1				
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1				
Diacetone alcohol	DAA	20 2	D	D		A	Yes	1	92			
ortho-Dibutyl phthalate	DPA	34	D	E		A	Yes	1				
	DEB	32	D	D		A	Yes	1				
Diethylpen glycol	DEG	40 ²	D	E				1				
Diethylene glycol						A	Yes					
Diisobutylene Diisobutyl ketone	DBL	30 18	D D	C D		A A	Yes	1				

C1-1400419

19-Nov-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3131 Official #: 1251263

Page 4 of 7

Shipyard: Trinity Ashland

Cargo Identification							Conditions of Carriage					
							Recovery					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Diisopropylbenzene (all isomers)	DIX	32	D	E	-	Α	Yes	1	<u></u>			
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1				
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1	The second secon			
Dipentene	DPN	30	D	D		Α	Yes	1				
Diphenyl	DIL	32	D	D/E		Α	Yes	1	THE RESERVE AND ADDRESS OF THE PARTY OF THE			
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		Α	Yes	1				
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1	THE R. LEWIS CO., LANSING MICHIGAN PRINCIPLE AND RESIDENCE			
Dipropylene glycol	DPG	40	D	E		Α	Yes	1				
Distillates: Flashed feed stocks	DFF	33	D	E		A	Yes	1	Alternative and a second secon			
Distillates: Straight run	DSR	33		E		Α	Yes	1				
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1				
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		A	Yes	1	THE THE PARTY OF T			
2-Ethoxyethyl acetate	EEA	34	D	D		A						
Ethoxy triglycol (crude)	ETG	40	D	E			Yes	1				
Ethyl acetate	ETA	34	. D			Α	Yes	11				
					- 17	Α	Yes	1				
Ethyl alcohol	EAA	34	D	E	<u> </u>	Α	Yes	1				
Larry diodioi	EAL	20 ²	D	C		A	Yes	1				
Ethylbenzene	ETB	32	D	С		Α	Yes	1				
Ethyl butanol	EBT	20	D	D		Α	Yes	1				
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes	1				
Ethyl butyrate	EBR	34	D	D		Α	Yes	1	4 H			
Ethyl cyclohexane	ECY	31	D	. D	20.0	Α	Yes	1,,				
Ethylene glycol	EGL	20 2	D .	E	8	Α	Yes	_ 1	<u>, , , , , , , , , , , , , , , , , , , </u>			
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1				
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1				
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	D	D	7 7 7	Α	Yes	- 1	8 77 S 8			
2-Ethylhexanol	EHX	20	D	Е		Α	Yes	1				
Ethyl propionate	EPR	34	D	С		Α	Yes	1				
Ethyl toluene	ETE	32	D	D		Α	Yes	1				
Formamide	FAM	10	D	Ε		Α	Yes	1				
Furfuryl alcohol	FAL	20 ²	Ď	E		A	Yes	1				
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1				
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1				
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1	TO STATE OF THE ST			
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1				
Glycerine	GCR	20 ²	D	E	+	Α	Yes	1				
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1				
Heptanoic acid	HEP	4	D	E		Α	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E		A	Yes	1				
Heptene (all isomers)	HPX	30	D	C		Α .	Yes	2				
Heptyl acetate	HPE	34	D	E		A	Yes	1	i , 			
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31.2	D	B/C		Α	Yes	1				
Hexanoic acid	HXO	4	D	E	- 1		-		to the second se			
I IONALIUIO dolu	IIVO	-+	U	_		Α	Yes	1				

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



C1-1400419

19-Nov-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3131 Official #: 1251263

Page 5 of 7

Shipyard: Trinity Ashland

Cargo Identification							Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Hexanol	HXN	20	D	D		Α	Yes	1		<u> </u>			
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2					
Hexylene glycol	HXG	20	D	E		Α	Yes	1	CONTRACTOR OF THE PARTY OF THE				
Isophorone	IPH	18 ²	D	E		Α	Yes	1					
Jet fuel: JP-4	JPF	33	D	Е		Α	Yes	1					
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1					
Kerosene	KRS	33	D	D		A	Yes	1					
Methyl acetate	MTT	34	D	D		A	Yes	1					
Methyl alcohol	MAL	20 ²	D	С		Α	Yes	1					
Methylamyl acetate	MAC	34	D	D		A	Yes	1					
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1					
Methyl amyl ketone	MAK	18	D	D		A	Yes	1					
Methyl tert-butyl ether	MBE	41 2	D	С		A	Yes	1					
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1					
Methyl butyrate	MBU	34	D	C		A	Yes	1					
Methyl ethyl ketone	MEK	18 2	D	C		A	Yes	<u>'</u>					
Methyl heptyl ketone	MHK	18	D	D	* 1000000000000000000000000000000000000	A	Yes	1					
Methyl isobutyl ketone	MIK	18 ²	D	С		A	Yes	1					
Methyl naphthalene (molten)	MNA	32	D	E		A	Yes	1	The second secon				
Mineral spirits	MNS	33	D	D		A	Yes	1					
Myrcene	MRE	30	D	D		A	Yes	1					
Naphtha: Heavy	NAG	33	D	#		A A	Yes	1					
Naphtha: Petroleum	PTN	33	D	#		A A	Yes	1					
Naphtha: Solvent	NSV	33	D	 D		A	Yes	1					
Naphtha: Stoddard solvent	NSS	33	D	D		A	Yes	1					
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		A	Yes	1					
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		A A	Yes	1					
Nonene (all isomers)	NON	30	D	D		A	Yes	2					
	NNS	20 2	D	E									
Nonyl alcohol (all isomers)	NNP					A	Yes	1					
Nonyl phonol poly(4) othowyletes		21 40	D D	E		Α	Yes	1					
Nonyl phenol poly(4+)ethoxylates	NPE					A	Yes	1	Э.				
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		A	Yes	1					
Octanoic acid (all isomers)	OAY	4	D	E		A	Yes	1					
Octanol (all isomers)	OCX	20 ²	D	E		A	Yes	1					
Octene (all isomers)	OTX	30	D	C		Α	Yes	2					
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1					
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1					
Oil, fuel: No. 4	OFR	33	D	D/E		Α .	Yes	1					
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1	William Control of the Control of th				
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	1					
Oil, misc: Crude	OIL	33	D	C/D		Α	Yes	1					
Oil, misc: Diesel	ODS	33	D	D/E	and the second	A	Yes	1					
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1					
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1					
Oil, misc: Residual	ORL	33	D	E		A	Yes	1					
Oil, misc: Turbine	OTB	33	D	E		A	Yes	1					
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5					
Pentene (all isomers)	PTX	30	D	Α		Α	Yes	5					



19-Nov-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3131 Official #: 1251263

Page 6 of 7

Shipyard: Trinity Ashland

Cargo Identification							Conditions of Carriage					
Name				r Grade	Hull Type			Recovery	Special Requirements in 46 CFR			
	Chem Code	Compat Group No	Sub Chapter			Tank Group	App'd (Y or N)	VCS Category		Insp. Perio		
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1				
alpha-Pinene	PIO	30	D	D		Α	Yes	1				
beta-Pinene	PIP	30	D	D		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1	THE RESERVE THE PROPERTY OF THE PARTY OF THE			
Polybutene	PLB	30	D	E		Α	Yes	1				
Polypropylene glycol	PGC	40	D	E		Α	Yes	1				
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1				
n-Propyl acetate	PAT	34	D	С		Α	Yes	1	of the control of the state of			
iso-Propyl alcohol	IPA	20 ²	D	С		Α	Yes	1				
n-Propyl alcohol	PAL	20 ²	D	С		Α	Yes	1				
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1				
iso-Propylcyclohexane	IPX	31	D	D	-	Α	Yes	1	makes the second second second second second second second second second			
Propylene glycol	PPG	20 ²	D	E		Α	Yes	1				
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1				
Propylene tetramer	PTT	30	D	D		Α	Yes	1				
Sulfolane	SFL	39	D	E		Α	Yes	1				
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1	THE RESERVE TO SERVE THE PROPERTY OF THE PROPE			
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		****		
Toluene	TOL	32	D	С		Α	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1	A SEC AND A SECURITION OF THE PARTY OF THE P			
Triethylbenzene	TEB	32	D	E		Α	Yes	1				
Triethylene glycol	TEG	40	D	Ε		Α	Yes	1				
Triethyl phosphate	TPS	34	D	E		Α	Yes	1				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1				
Trixylenyl phosphate	TRP	34	D	Ε		Α	Yes	1				
Undecene	UDC	30	D	D/E		Α	Yes	1				
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1				
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1				



Department of Homeland Security **United States Coast Guard**

Serial #: C1-1400419

Dated: 19-Nov-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HTCO 3131

Official #: 1251263

Page 7 of 7

Shipyard: Trinity Ashland

Hull #: 5030

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number

Note 2

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

Subchapter Subchapter D Note 3

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1. Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A, B, C Note 4

Flammable liquid cargoes, as defined in 46 CFR 30-10 22 Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Vapor Recoven Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

Category 7

The cargo has not been evaluated/classified for use in vapor control systems