(22-3)	E)		Departm Unite	ed States of ent of Home d States Coa	and Securi		Certification Date	
	Por ships on inter	Cert	certificate fulfills the res	te of surrements of SOLAS	Insp	pect	ION SAFE MANNING DOCUM	MENT.
Vessel Name HTCO 3142	2	Shine of the	Official Number 1257308	IMO Nur	nber	Call Sign	Service Tank B	arge
A last	1	-	a strange	- Standard		1	<u></u>	
Hailing Port HOUSTON,			Hull Material Steel	Hor	sepower	Propulsio	n	
UNITED ST	ATES							E ASSA
Place Built ASHLAND C	CITY, TN		Delivery Date 21Jan2015	Keel Laid Date	Gross Tons R-1619	Net Tons R-1619	DWT 905	Length R-297.5
UNITED STA	ATES				۲	•		ю
		1000 C		1835 CHA	A BY INLAND 50 MARKET NNELVIEW TED STATE	STREET , TX 7753		
his vessel mu	ust be manned	d with the follo	owing licensed ermen, 0 HSC	and unlicense	d Personnel	I. Included	in which there m	nust be
0 Masters		0 Licensed Mat		Engineers		)ilers	013.	all and a second
0 Chief Mates		0 First Class Pi		Assistant Enginee	irs			
0 Second Mate		0 Radio Officers		d Assistant Engi				
0 Third Mates 0 Master First		0 Able Seamen		Assistant Engine	ers			
0 Mate First Cl		0 Ordinary Sear 0 Deckhands		ed Engineers ied Member Engi				
	vessel may c					ons in addit	ion to crew, and	no Others. Total
	ted And Con	ditions Of O	peration:	2000		S ALL D	S. S. C. S. C. N. N.	
The second second			us Limited	Cosetuie				
MITED COASTW SIBILITY, NO S TANK BARG GRAM (TBSIP	VISE SERVICE DT MORE THAN DE IS PARTICI	IN SEAS OF TWELVE (12)	F LESS THAN T MILES FROM THE EIGHTH-NI	HREE (03) FI SHORE BETWEN	SET, WIND I EN ST. MARH	KS AND CAN	RRABELLE, FLOR	LINED INSPECTION
VESTON.		100 100060	CONCERNING	THIS BARGE	HOULD BE I	DIRECTED 1	TO THE OCMI SE	CTOR HOUSTON-
			WATER SERVIC				RDANCE WITH 46	CFR TABLE
this Inspectie	on for Certific a, Louisiana	ation having	been complet	ad at Llaura	LA LONGT	D OTAT	S, the Officer in plicable vessel i	Charge, Marine nspection laws and
	ulations preso Annual/Period	noca alerea	nuci,	ATT IS NOT THE R.	0 8.8	15 MIL 1	VI true	
ate	Zone	A/P/R	Signature		his certificat			
	Pus Christy		LAS D. J	1 0 -	M. M.S	SPULARIC	H, LCDR USC	G, By Direction
·2022 (00	pus christy		ichne/W.J.	Ansa D	icer in Charge M	a martin and	140.11.800	Contraction of the second
1.23 144	a churks		:11on Be	- N	28/10	H	ouma, Louisiana	
	PUSCHISH				pection Zone	Martin Providence	Children and the second s	



United States of America Department of Homeland Security United States Coast Guard Certification Date: 02 Mar 2020 Expiration Date: 02 Mar 2025

# Certificate of Inspection

#### Vessel Name: HTCO 3142

---Hull Exams---

31.10-21(b); IF THIS VESSEL IS OPERATED IN SALT WATER MORE THAN SIX (6) MONTHS IN ANY TWELVE (12) MONTH PERIOD, THE VESSEL MUST BE INSPECTED USING SALT WATER INTERVALS PER 46 CFR TABLE 31.10-21(a) AND THE COGNIZANT OCMI NOTIFIED IN WRITING AS SOON AS THIS CHANGE IN STATUS OCCURS.

Han Exame			
Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Jan2025	21Jan2015	
Internal Structure	31Jan2025	10Feb2020	21Jan2015

## --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES.

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
29440	Barrels	А	Yes	No	No

### \*Hazardous Bulk Solids Authority\*

### \*Loading Constraints - Structural\*

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	839	13.57
2 P/S	851	13.57
3 P/S	765	13.57
the adviser Occupation in the Oten littlet		

### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
П	3804	10ft 0in	13.57	R, LBS, LC 0-12
ш	4675	11ft 9in	13.57	R, LBS, LC 0-12

### \*Conditions Of Carriage\*

ONLY THOSE CARGOES NAMED IN THE VESSEL'S CARGO AUTHORITY ATTACHMENT, SERIAL #C1-1404421 DATED 05 DEC 2014, MAY BE CARRIED AND THEN ONLY IN THE TANKS INDICATED.

PER 46 CFR 150.130, THE PERSON IN CHARGE OF THE BARGE IS RESPONSIBLE FOR ENSURING THAT THE COMPATIBILITY REQUIREMENTS OF 46 CFR 150 ARE MET. CARGOES MUST BE CHECKED FOR COMPATIBILITY USING THE FIGURES, TABLES, AND APPENDICES OF 46 CFR 150 IN CONJUNCTION WITH THE COMPATABILITY GROUP NUMBERS FROM THE "COMPAT GRP" COLUMN LISTED ABOVE IN THE "SPECIFIED HAZARDOUS CARGO AUTHORITY" SECTION.

PER 46 CFR 151.10-15(c)(2) THE MAX TANK WEIGHTS LISTED BELOW REFLECT UNIFORM (WITHIN 5%) LOADING AT THE DEEPEST DRAFT ALLOWED. WHEN CARRYING SUBCHAPER "O" CARGOES AT SHALLOWER DRAFTS, THE BARGE(S) SHOULD ALWAYS BE LOADED UNIFORMLY, WITHIN 5%.

THE MAXIMUM DESIGN DENSITY OF CARGO WHICH MAY BE FILLED TO THE TANK TOP IS 8.74 LBS/GAL. CARGOES WITH HIGHER DENSITIES, UP TO 13.57 LBS/GAL, MAY BE CARRIED AS SLACK LOADS, BUT SHALL NOT EXCEED THE TANK WEIGHT LIMITS AS LISTED ABOVE.

### \*VAPRO CONTROL AUTHORIZATION\*

IN ACCORDANCE WITH 46 CFR PART 39, EXCLUDING PART 39.4000, THIS VESSEL'S VAPOR CONTROL SYSTEM HAS BEEN INSPECTED TO THE PLANS APPROVED BY MARINE SAFETY CENTER LETTERS SERIAL #C1-1404421 DATED 05 DEC 2014, AND FOUND ACCEPTABLE FOR COLLECTION OF BULK LIQUID CARGO VAPORS



United States of America Department of Homeland Security United States Coast Guard Certification Date: 02 Mar 2020 Expiration Date: 02 Mar 2025

Certificate of Inspection

Vessel Name: HTCO 3142

ANNOTATED WITH "YES" IN THE CAA'S VCS COLUMN. THE VCS SYSTEM HAS BEEN APPROVED WITH A PRESSURE SIDE 1.5 PSIG P/V VALVE WITH COAST GUARD APPROVAL 162.017/144/3. THE CARGO TANK TOP IS SUITABLE FOR A MAXIMUM ALLOWABLE WORKING PRESSURE (MAWP) OF 3 PSI.

IN ACCORDANCE WITH 46 CFR PART 39.1017 AND 39.5000(e) THIS VESSEL'S VCS HAS BEEN EVALUATED AND APPROVED FOR MULTI-BREASTED TANDEM LOADING WITH OTHER VESSELS SPECIFICALLY APPROVED TO TANDEM LOAD WITH VESSEL.

VESSEL NOT AUTHORIZED TO CARRY BENZENE OR BENZENE CONTAINING CARGOES WITH A BENZENE CONCENTRATION OF 0.5% OR MORE.

### --- Inspection Status ---

*Fuel Tanks*						
	Internal Exar	minations				
Tank ID	Previous	Last	Next			
aft	-	21Jan2015	-			
aft/slop	-	21Jan2015	-			
*Cargo Tanks*						
	Internal Exar	n		External Exa	m	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	-	21Jan2015	31Jan2025	-	-	-
2 P/S	-	21Jan2015	31Jan2025	-	-	-
3 P/S	-	21Jan2015	31Jan2025	-	-	-
			Hydro Test			
Tank Id	Safety Valve	S	Previous	Last	Next	
1 P/S	-		-	21Jan2015	-	
2 P/S	-		-	21Jan2015	-	
3 P/S	-		-	21Jan2015	-	
Conditional Porta	ble Fire Ext	inguisher R	equirement	S		
Required Only During Trans	sfer of Cargo or	Operation of Ba	arge Machinery			
Fire Fighting Equ	ipment					
*Fire Extinguishers - Han	d portable and	semi-portable	k	8 (2		
Quantity		Class Ty	ре			
2		40-B				
***END***						



## Certificate of Inspection Cargo Authority Attachment

#### Vessel Name: HTCO 3142

Official #: 1257308

Shipyard: Trinity Ashland City Hull # 5058

#### 46 CFR 151 Tank Group Characteristics

Tank Group Information	Cargo I	dentificati	ion				Cargo Environmental Transfer Contro			Fire	Special Requirements						
Tnk Grp Tanks in Group	Density	Press.	Temp	Hull Typ		_	Vent		Handling Space	Protection Provided	General	Materials of Construction	Elec 1 Haz (				
A #1P/S #2P/S #3P/S	13.6	Atmos.	Amb	0	1= 2=	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	50-60, .50-70(a) 50-70(b), 50-73 50-81(a), 50-	55-1(c), (e), (h), 56- 1(b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space. NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3 Under Electrical Hazard Class. NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

### **List of Authorized Cargoes**

Cargo Identificatio	n					Conditions of Carriage					
							Vapor Recovery				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Maths of	Insp. Perio	
Authorized Subchapter O Cargoes											
Acetonitrile	ATN	37	0	С	III	Α	Yes	3	No	G	
Acrylonitrite	ACN	15 2	0	С	П	A	Yes	4	50-70(a). 55-1(e)	G	
Adiponitrile	ADN	37	0	E	- 11	Α	Yes	1	No	G	
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	A	No	N/A	.50-81, .50-86	G	
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	- 11	А	No	N/A	No	G	
Benzene	BNZ	32	0	С		Α	Yes	1	.50-60	Ģ	
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	BHB	32 2	0	С	III	Α	Yes	1	50-60	G	
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	BHA	32 2	0	С	Ш	А	Yes	1	.50-60, .56-1(b), (d), (f), (g)	0	
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	А	Yes	1	.50-60	G	
Butyl acrylate (all isomers)	8AR	14	0	D		А	Yes	2	50-70(a), 50-81(a), (b)	G	
Butyl methacrylate	ВМН	14	0	D	111	A	Yes	2	50-70(a), 50-81(a), (b)	G	
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	55-1(h)	G	
Camphor oil (light)	CPO	18	0	D	Ш	Α	No	N/A	No	G	
Carbon tetrachloride	CBT	36	0	NA	111	A	No	N/A	No	G	
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	н	A	No	N/A	50-73	G	
Chlorobenzene	CRB	36	0	D	Ш	А	Yes	1	No	G	
Chloroform	CRF	36	0	NA	- 111	A	Yes	3	No	G	
Coal tar naphtha solvent	NCT	33	0	D	Ш	A	Yes	1	50-73	G	
Creosote	CCM	212	0	Е	111	А	Yes	1	No	G	
Cresols (all isomers)	CRS	21	0	E	111	А	Yes	1	No	G	
Crotonaldehyde	CTA	19 2	0	С	И	A	Yes	4	55-1(h)	G	
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	Ш	A	Yes	1	No	G	
Cyclohexanone, Cyclohexanol mixture	CYX	18.2	0	ε	10	Α	Yes	1	.56-1 (b)	G	
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D		Α	Yes	1	.50-60, 56-1(b)	G	
iso-Decyl acrylate	IAI	14	0	E	111	Α	Yes	2	50-70(a), 50-81(a), (b), 55-1(c)	Ģ	
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No	G	
Dichloromethane	DCM	36	0	NA	10	А	Yes	5	No	G	
1,1-Dichloropropane	OPB	36	0	С	111	А	Yes	3	No	G	
1,2-Dichloropropane	DPP	36	0	С	Ш	А	Yes	3	No	G	
1,3-Dichloropropane	DPC	36	0	С	- 10	A	Yes	3	No	G	
1,3-Dichloropropene	DPU	15	0	D	Н.	А	Yes	4	No	G	
Dichloropropene. Dichloropropane mixtures	DMX	15	0	С	н	A	Yes	1	No	G	



Serial #: C1-1404421 Dated: 05-Dec-14

## Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3142 Official #: 1257308

Page 2 of 7

Shipyard: Trinity Ashland City Hull #: 5058

Cargo Identifica						Conditions of Carriage						
		<b>1</b> .			1.58		Vapor Recovery			1		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Matils of	Insp. Period		
Diethanolamine	DEA	8	0	Е	10	Α	Yes	1	55-1(c)	G		
Diethylamine	DEN	7	0	С	- 111	Α	Yes	3	.55-1(c)	G		
Diethylenetriamine	DET	72	0	E	10	А	Yes	1	.55-1(c)	G		
Diisobutylamine	DBU	7	0	D	NI.	A	Yes	3	55-1(c)	G		
Diisopropanolamine	DIP	8	0	Е	Ш	A	Yes	1	.55-1(c)	G		
Diisopropylamine	DIA	7	0	С	Ш	Α	Yes	3	55-1(c)	G		
N,N-Dimethylacetamide	DAC	10	0	ε	Ш	А	Yes	3	56-1(b)	G		
Dimethylethanolamine	DMB	8	0	D	Ш	A	Yes	1	56-1(b). (c)	G		
Dimethylformamide	DMF	10	0	D	HI	A	Yes	1	55-1(e)	G		
Di-n-propylamine	DNA	7	0	С	Ш	Α	Yes	3	55-1(c)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	ε	- III	Α	No	N/A	56-1(b)	G		
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	A	No	N/A	No	G		
EE Glycol Ether Mixture	EEG	40	0	D	Ш	Α	No	N/A	No. of the second se	G		
Ethanolamine	MEA	8	0	E	111	A	Yes	1	55-1(c)	G		
Ethyl acrylate	EAC	14	0	С	111	A	Yes	2	50-70(a), 50-81(a), (b)	G		
Ethylene cyanohydrin	ETC	20	0	E	111	A	Yes	1	No	G		
Ethylenediamine	EDA	7 2	ō	D	UD UD	A	Yes	1	.55-1(c)	G		
Ethylene dichloride	EDC	36 2	0	С	10	A	Yes	1	No	G		
Ethylene glycol hexyl ether	EGH	40	o	E		A	No	N/A	No	G		
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	10	A	Yes	1	No	G		
Ethylene glycol propyl ether	EGP	40	0	E	10	A		1	No	G		
2-Ethylhexyl acrylate	EAI	14	0	E	UF.	A	Yes		50-70(a), 50-81(a), (b)	G		
	ETM		0				Yes	2				
Ethyl methacrylate	EPA	14		D/E	III	A	Yes	2	50-70(a)	G		
2-Ethyl-3-propylacrolein		19 2	0	E	H	A	Yes	1	No	G		
Formaldehyde solution (37% to 50%)	FMS	19 2	0	D/E	HL	A	Yes	1	55-1(h)	G		
Furfural	FFA	19	0	D	H	A	Yes	1	55-1(h)	G		
Glutaraldehyde solution (50% or less)	GTA	19	0	NA		A	No	N/A	No	G		
Hexamethylenediamine solution	HMC	7	0	E	H	A	Yes	1	55-1(c)	G		
Hexamethyleneimine	HM	7	0	С	н	A	Yes	1	56-1(b). (c)	G		
Hydrocarbon 5-9	HFN	-3302-	0	С	ш	A	Yes	1	50-70(a), .50-81(a) (b)	G		
Isoprene	IPR	30	0	A	III	Α	Yes	7	50-70(a)50-81(a), (b)	G		
Isoprene, Pentadiene mixture	IPN		0	8	11	A	No	N/A	50-70(a). 55-1(c)	G		
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	III	A	Yes	1	No	G		
Methyl acrylate	MAM		0	С	111	A	Yes	2	50-70(a), .50-81(a), (b)	G		
Methylcyclopentadiene dimer	MCK	30	0	С	- 111	А	Yes	1	No	G		
Methyl diethanolamine	MDE	8	0	Е	111	A	Yes	1	56-1(b), (c)	G		
2-Methyl-5-ethylpyridine	MEP	9	0	E	- 11	Α	Yes	1	55-1(e)	G		
Methyl methacrylate	MMM	1 14	0	С	- 10	Α	Yes	2	50-70(a), 50-81(a), (b)	G		
2-Methylpyridine	MPR	9	0	D	- 10	A	Yes	3	55-1(c)	G		
alpha-Methylstyrene	MSR	30	0	D	- 11	A	Yes	2	50-70(a), 50-81(a), (b)	G		
Morpholine	MPL	7 2	0	D	H	Α	Yes	1	.55-1(c)	G		
Nitroethane	NTE	42	0	D	1	А	No	N/A	.50-81, 56-1(b)	G		
1- or 2-Nitropropane	NPM	42	0	D	Ш	А	Yes	1	.50-81	G		
1,3-Pentadiene	PDE	30	0	А	10	Α	Yes	7	.50-70(a), 50-81	G		
Perchloroethylene	PER	36	0	NA	111	Α	No	N/A	No	G		
Polyethylene polyamines	PEB	72	0	Е	III	А	Yes	1	.55-1(e)	G		
iso-Propanolamine	MPA	8	0	Е	H	А	Yes	1	55-1(c)	G		
Propanolamine (iso-, n-)	PAX	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G		



## Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3142 Official #: 1257308

Page 3 of 7

Shipyard: Trinity Ashland City Hull #: 5058

Cargo Identificatio	n							Condi	tions of Carriage	
							Vapor F			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hutl Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
iso-Propylamine	IPP	7	0	Α	11	Α	Yes	5	55-1(c)	Ģ
Pyridine	PRO	9	0	С	10	Α	Yes	1	.55-1(e)	G
Sodium chlorate solution (50% or less)	SDD	0 1.2	0	NA	111	А	No	N/A	.50-73	G
Styrene (crude)	STX	30	0	D	III	А	Yes	2	No	G
Styrene monomer	STY	30	0	D	H	А	Yes	2	.50-70(a), .50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	Ш	Α	No	N/A	No	G
Tetraethylenepentamine	TTP	7	0	E	111	А	Yes	1	.55-1(c)	G
Tetrahydrofuran	THE	41	0	С	ш	А	Yes	1	.50-70(b)	G
1,2,4-Trichlorobenzene	тсв	36	0	Е	Ш	А	Yes	1	No	G
Trichloroethylene	TCL	36 2	0	NA	- 111	A	Yes		No	G
Triethylamine	TEN	7	0	С	H	A	Yes		.55-1(e)	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	HI	A	No	N/A		G
Vinyl acetate	VAM		0	C		A	Yes	2	.50-70(a), .50-81(a). (b)	G
Vinyl neodecanate	VND	13	0	E	HI	A	No	2		G
		13	0	E	HI	A	INO	N/A	30-10(a), 30-04(a), (b)	0
Subchapter D Cargoes Authorized for Vapor Contr			_							
Acetone	ACT	18 2	D	С		A	Yes	1		
Acetophenone	ACP	18	D	ε		A	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		A	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E	_	A	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohol	BAL	21	D	ε		A	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	ε		A	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		А	Yes	1		
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	Ð		A	Yes	1		
Butyl alcohol (n-)	BAN	20 ²	D	D		A	Yes	1		
Butyl alcohol (sec-)	BAS	20 2	D	С		А	Yes	1		
Butyl alcohol (tert-)	BAT	20 <sup>2</sup>	D	с		A	Yes	1		
Butyl benzyl phthalate	8PH	34	D	E		A	Yes	1		
Butyl toluene	BUE	32	D	D		A	Yes	1		
Caprolactam solutions	CLS	22	D	E		A	Yes	1		
Cyclohexane	CHX	31	D	c		A	Yes	1		
Cyclohexanol	CHN	20	D	E		A	Yes	1		
	CPD	30	D	D/E						
1,3-Cyclopentadiene dimer (molten)			D	D		A	Yes	2		
p-Cymene	CMP	32				A	Yes	1		
iso-Decaldehyde	IDA	19	D	Ę		A	Yes	1		_
n-Decaldehyde	DAL	19	Ð	E		A	Yes	1		
Decene	DCE	30	D	D		A	Yes	1		
Decyl alcohol (all isomers)	DAX	20 <sup>2</sup>	D	E		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20 2	D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	Е		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
Diethylene glycol	DEG	40 <sup>2</sup>	D	E		Α	Yes	1		
Diisobutylene	DBL	30	D	С		Α	Yes	1		
Diisabutyl ketone	DIK	18	D	D		A	Yes	1		



## Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3142 Official #: 1257308

Page 4 of 7

Shipyard: Trinity Ashland City Hull #: 5058

Cargo Identificatio	on					Conditions of Carriage					
					33			Vapor Recovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VC\$ Category	Special Requirements in 46 CFR 151 General and Mat'ls of	insp. Period	
Diisopropylbenzene (all isomers)	DIX	32	Ð	Е		Α	Yes	1			
Dimethyl phthalate	DTL	34	D	ε		Α	Yes	1			
Dioctyl phthalate	DOP	34	D	ε		Α	Yes	1			
Dipentene	DPN	30	D	D		A	Yes	1			
Diphenyl	DIL	32	D	D/E		A	Yes	1			
Diphenyl, Diphenyl ether mixtures	DĐO	33	D	E		Α	Yes	1			
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1			
Dipropylene glycol	DPG	40	D	E		A	Yes	1			
Distillates: Flashed feed stocks	DFF	33	D	E		A	Yes	1			
Distillates: Straight run	DSR	33	D	Е		Α	Yes	1			
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1			
Dodecylbenzene, see Alkyl(C9+)benzenes	DD8	32	D	E		A	Yes	1			
2-Ethoxyethyl acetate	EEA	34	D	D		A	Yes	1			
Ethoxy triglycol (crude)	ETG	40	D	E		A	Yes	1			
Ethyl acetate	ETA	34	D	С		A	Yes	1			
Ethyl acetoacetate	EAA	34	D	E		A	Yes	1		ç.	
Ethyl alcohol	EAL	20 2	D	С		A	Yes	1			
Ethylbenzene	ETB	32	D	C		A	Yes	1			
Ethyl butanol	EBT	20	D	D		A	Yes	1			
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes	1			
Ethyl butyrate	EBR	34	D	D		A	Yes	1			
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1			
Ethylene glycol	EGL	20 2	D	E		A	Yes	1			
Ethylene glycol butyl ether acetate	EMA	34	D	E		A	Yes	1			
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	1			
Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1			
Ethyl-3-ethoxypropionate	EEP	34	D	D		A	Yes	1			
2-Ethylhexanol	EHX	20	D	E		A	Yes	1			
Ethyl propionate	EPR	34	D	c		A	Yes	1			
Ethyl toluene	ETE	32	D	D		A	Yes	1			
Formamide	FAM	10	D	E		A	Yes	1			
Furfuryl alcohol	FAL	20 2	D	E		A	Yes	1			
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes	1			
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A					
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	C		A	Yes Yes	1			
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	с		A	Yes	1			
Gasolines: Casinghead (natural)	GCS	33	D	A/C		A	Yes	1			
Gasolines: Polymer	GPL	33	D	A/C		A	Yes	1			
Gasolines: Straight run	GSR	33	Ð	A/C		A	Yes	1			
Glycerine	GCR	20 2	D	E		A	Yes	1			
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	c		A	Yes	1			
Heptanoic acid	HEP	4	D	E		A	Yes	1			
Heptanol (all isomers)	HTX	20	D	D/E		A	Yes	1			
Heptene (all isomers)	HPX	30	D	C		A	Yes	2			
Heptyl acetate	HPE	34	D	E	2	A	Yes	1			
- ropty acousto			_								
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		A	Yes	1			



## Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3142 Official #: 1257308

Page 5 of 7

Shipyard: Trinity Ashland City Hull #: 5058

Cargo Ident	incation					Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hul Type	Tank Group	Vapor App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp Period	
Hexanol	HXN	20	D	D		A	Yes	1		1	
Hexene (all isomers)	HEX	30	D	C		A	Yes	2			
Hexylene glycol	HXG	20	D	E		A	Yes	1			
Isophorone	IPH	18 <sup>2</sup>	D	ε		A	Yes	1			
Jet fuel: JP-4	JPF	33	D	E		A	Yes	1			
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	1			
Kerosene	KRS	33	D	D		A	Yes	1			
Methyl acetate	MTT	34	D	D		A	Yes	1			
Methyl alcohol	MAL	20 2	D	c		A	Yes	1			
Methylamyl acetate	MAC	34	Ð	D		A	Yes	1			
Methylamyl alcohol	MAA	20	D	D		A	Yes	1			
Melhyl amyl ketone	MAK	18	D	D		A	Yes	1			
Methyl tert-butyl ether	MBE	41 2	D	С		A	Yes	1		-	
Methyl butyl ketone	MBK	18	D	c		A	Yes	1			
Methyl butyrate	MBU	34	D	c		A	Yes	1			
Methyl ethyl ketone	MEK	18 2	D	c		A	Yes	1			
Methyl heptyl ketone	МНК	18	D	D		A	Yes	1			
Methyl isobutyl ketone	MIK	18 2	D	С		A	Yes	1			
Methyl naphthalene (molten)	MNA	32	D	E		A	Yes	1			
Mineral spirits	MNS	33	D	D		A	Yes	1			
Myrcene	MRE	30	D	D		A	Yes	1	· · · · · · · · · · · · · · · · · · ·		
Naphtha: Heavy	NAG	33	D	#		A	Yes	1			
Naphtha: Petroleum	PTN	33	D	#		A	Yes	1	1001		
Naphtha: Solvent	NSV	33	D	D D		A	Yes	1			
Naphtha: Stoddard solvent	NSS	33	D	D		A	Yes	1			
Naphtha: Varnish makers and painters (75%)	NVM	33	D	c		A	Yes	1			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		A					
Nonene (all isomers)	NON	30	D	D		A	Yes	1			
	NNS	20 2	D	E		A	Yes	2			
Nonyl alcohol (all isomers) Nonyl phenol	NNP	20 -	D				Yes	1			
	NPE		Ð	E		A	Yes	1			
Nonyl phenol poly(4+)ethoxylates	OAX	40 31		E C		A	Yes	1			
Octane (all isomers), see Alkanes (C6-C9)	OAX	4	D	E		A	Yes	1		_	
Octanoic acid (all isomers)	OCX	20 2	D			A	Yes	1			
Octanol (all isomers)				E		A	Yes	1			
Octene (all isomers)	OTX	30	D	C		A	Yes	2			
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1			
Oil, fuel: No. 2-D	OTD	33	D	D		A	Yes	1			
Oil, fuel: No. 4	OFR	33	Ð	D/E		A	Yes	1			
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1			
Oil, fuel: No. 6	OSX	33	D	E		A	Yes	1			
Oil, misc: Crude	OIL	33	D	A/D		A	Yes	1			
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1			
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1			
Oil, mise: Lubricating	OLB	33	D	E		A	Yes	1			
Oil, misc: Residual	ORL	33	D	E		A	Yes	1			
Oil, misc: Turbine	OTB	33	D	E		A	Yes	1			
Pentane (all isomers)	PTY	31	D	A		A	Yes	5			
Pentene (all isomers)	PTX	30	D	Α		A	Yes	5			



Serial #: C1-1404421 Dated: 05-Dec-14

## Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3142 Official #: 1257308

Page 6 of 7

Shipyard: Trinity Ashland City Hull #: 5058

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VC\$ Category	Special Requirements in 46 CFR 151 General and Matts of	linsp. Period
n-Pentyl propionate	PPE	34	D	D	_	A	Yes	1		
alpha-Pinene	PIO	30	D	D		А	Yes	1		
beta-Pinene	PIP	30	D	D		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	Е		Α	Yes	1		
Polybutene	PLB	30	D	Е		А	Yes	1		
Polypropylene glycol	PGC	40	D	ε		Α	Yes	1		
iso-Propyl acetate	IAC	34	D	С		А	Yes	1		
n-Propyl acetate	PAT	34	D	С	2.52	Α	Yes	1		
iso-Propyl alcohol	IPA	20 <sup>2</sup>	D	С	1100	Α	Yes	1		
n-Propyl alcohol	PAL	20 2	D	С		А	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D		А	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		А	Yes	1		
Propylene glycol	PPG	20 <sup>2</sup>	D	ε		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		A	Yes	1		
Sulfolane	SFL	39	D	ε		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	Е		A	Yes	1		
Toluene	TOL	32	D	С		A	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1		
Triethylbenzene	TEB	32	D	E		A	Yes	1		
Triethylene glycol	TEG	40	D	ε		А	Yes	1		
Triethyl phosphate	TPS	34	D	Е	-	A	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		А	Yes	1		
Undecene	UDC	30	D	D/E		A	Yes	1		
1-Undecyl alcohol	UND	20	D	Е		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Serial #: C1-1404421 Dated: 05-Dec-14

## Certificate of Inspection Cargo Authority Attachment

Vessel Name: HTCO 3142 Official #: 1257308

Page 7 of 7

Shipyard: Trinity Ashland Hull #: 5058

#### Explanation of terms & symbols used in the Table:

Cargo Identification	
Name Obase Galda	The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.
Chem Code none	The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.
Compatability Group No.	The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, lables, and appendices of 46 CFR 150.150 in conjunction with the assigned reactive group number.
Note 1 Note 2	Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone
NOLE 2	(202) 372-1425. See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.
Subchapter	The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.
Subchapter D Subchapter O	Those flammable and combustible liquids listed in 46 CFR Table 30.25-1. Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.
Note 3	Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.
Grade	The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ )" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
A. B. C	Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
D. E Note 4	Combustible liquid cargoes, as defined in 46 CFR 30-10.15. The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the
NA	cargo grade based on Manufacturers data and ensure that the barge is a sultorized for carriage of that grade of cargo. Those subchapter O cargoes which are not classified as a flammable or combustible linuid
#	No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.
Hult Type	The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
I II	Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
in .	Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).
NA	Not applicable to barges certificated under Subchapter D.
Conditions of Carriage	
Tank Group Vapor Recovery	The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.
Approved (Y or N)	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified, cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified, cargo.
Conditions of Carriage	
Tank Group	The vessel's tank group (as defined under the *46 CFR Tank Group Characteristics* listed on page 1) which is authorized for carriage of the named cargo.
Vapor Recovery Approved (Y or N)	Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.
VCS Category:	The specified cargo's provisional classification for vapor control systems.
Category 1	(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155, 750, 33 CFR 156, 120, 33 CFR 156, 170, 46 CFR 35, 35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39, 320-11) and the pressure drop calculations (46 CFR 39, 30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.
Category 2	(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge. Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.
Category 3	(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1
Category 4	(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.
Category 5	(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into actiount increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.
Category 6	(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5
Category 7	(High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5
none	The cargo has not been evaluated/classified for use in vapor control systems.