

United States of America Department of Homeland Security United States Coast Guard

20 Dec 2022 Certification Date: **Expiration Date:** 20 Dec 2023

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the

This Temporary Certificate of Inspection is issued under to receipt on board said vessel of the	e original certificate of inspe	ection, this certificate in	no case to be va	lid after one year from the	date of inspection.	
Vessel Name	Official Number	IMO Numbe		Call Sign	Service	
KIRBY 10056	1258666				Tank Ba	rge
Hailing Port WILMINGTON, DE	Hull Material Steel	Horsep	ower	Propulsion		
UNITED STATES		2			¥	28
Place Built ASHLAND CITY, TN UNITED STATES	Delivery Date 16Apr2015	Keel Laid Date 25Mar2015	Gross Tons R-705 I-	Net Tons R-705 I-	DWT	Length R-200.0 I-0
Owner KIRBY INLAND MARINE LP 55 WAUGH DRIVE SUITE 1000 HOUSTON, TX 77007 UNITED STATES		18350 CHAN	Y INLAND MARKET	√, TX 77530		

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 00.1				
0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers	95
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	ě:	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers		
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers		
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers		
Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer		
In addition, this vessel may	/ carry 0 Passengers	0 Other Persons in crew, 0 F	Persons in addition to crew, ar	nd no Others. Total

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Sector Houston, Texas.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspec	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	J. H. HART COMMANDER, by direction
-				Officer in Charge, Marine Inspection
	(*)			Sector New Orleans
				Inspection Zone
				<u></u>



United States of America Department of Homeland Security United States Coast Guard

20 Dec 2022 Certification Date: 20 Dec 2023 **Expiration Date:**

Temporary Certificate of Inspection

Vessel Name: KIRBY 10056

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Apr2032

18Nov2022

16Apr2015

Internal Structure

31Mar2027

21Nov2022

19Mar2020

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS IN 46 CFR TABLE 30.25-1 AND SPECIFIED HAZARDOUS

CARGOES.

Total Capacity

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

10295

Units Barrels

Α

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	598	13.58
2	551	13.58
3	547	13.58

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	(2	Route Description
l II	1453	9ft 0in	13.58		R,LBS,LC 0-12
111	1615	9ft 9in	13.58		R,LBS,LC 0-12

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment, Serial No. C1-1500951, dated March 11, 2015 may be carried and then only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat GRP" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 9.99 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Note: per 46 CFR 151.10-15 (c) (2) the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial No. C1-1500951, dated March 6, 2015, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the vessel's Cargo Authority Attachment's (CAA's) VCS column.

When the vessel is carrying cargoes containing 0.5% or more benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR Part 197, subpart C are applied.

In accordance with 46 CFR Part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 20 Dec 2022 Expiration Date: 20 Dec 2023

Next

Temporary Certificate of Inspection

Vessel Name: KIRBY 10056

	Ins	pection	Status	
--	-----	---------	---------------	--

Fuel Tanks

Internal Examinations

Tank ID

Previous

Last

Next

16Apr2015

MACHINERY DECK

16Apr2015

Cargo Tanks

	Internal Exam		į.	External Exan	n	
Tank ld	Previous	Last	Next	Previous	Last	
1	16Apr2015	21Nov2022	30Apr2032	*	·=:	
2	16Apr2015	21Nov2022	30Apr2032	E	· ·	
3	16Apr2015	21Nov2022	30Apr2032	-	~	
			Hydro Test	9		
Tank ld	Safety Valves	;	Previous	Last	Next	
1	=		72	16Apr2015	:#	
2	_		: = :	16Apr2015	2	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

3

B-II

END



Dated:

C1-1500951

11-Mar-15



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056

Shipyard: TRINITY MARINE,

ASHLAND CITY, TN

Hull #: 5109

Official #: 1258666

46 CFR 151 Tank Tank Group Information		dentificati					Tanks		Carg Tran		Enviror Control		Fire	Special Require			**
Tnk Gro Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Cont
A #1, #2, #3	13.6	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA 9d	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	n						-	Condi	tions of Carriage	
	T						Vapor Re		10.050	leen
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes									No	G
Acetonitrile	ATN	37	0	С	- []]	A	Yes	3	50-70(a), 55-1(e)	G
Acrylonitrile	ACN	15 ²	0_	С	li	A	Yes		No No	G
Adiponitrile	ADN	37	0	E	II.	A	Yes	1		G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	III	Α -	No	N/A 1	.55-1(b)	G
Aminoethylethanolamine	AEE	8	0	E	IH_	A	Yes	N/A		G
Ammonium bisulfite solution (70% or less)	ABX	43 ²	0	NA	HI	A	No	N/A		G
Ammonium hydroxide (28% or less NH3)	AMH		0	NA	- 111	A	No	N/A		G
Anthracene oil (Coal tar fraction)	AHO		0	NA	H	A	No	1 1 N/A	50-60	G
Benzene	BNZ		0	С	Ш	A	Yes		50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв		0	С		_ A	Yes	= 1	50-60, 56-1(b), (d), (f), (g)	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	C		Α	Yes			G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	III	A	Yes	1	,50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	[]]	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	BMF	14	0	D	101	Α	Yes		50-70(a), 50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	III	A	Yes		55-1(h) No	G
Camphor oil (light)	CPC	18	0	D	11	A	No	N/A		G
Carbon tetrachloride	CBT		0	NA	III	A	No	N/A		G
Caustic potash solution	CPS	5 ²	0	NA	111	A	No	N/A		G
Caustic soda solution	CSS	5 ²	0	NA	DH.	A	No	N/A		G
Chemical Oil (refined, containing phenolics)	COE	21	0	E)[Α	No	N/A		G
Chlorobenzene	CRE	36	0	D	III	Α	Yes		No No	G
Chloroform	CRF	36	0	NA	ļli	Α	Yes		.50-73	G
Coal tar naphtha solvent	NCT	33	0	D		Α	Yes		No	G
Creosote	CCV	V 21 ²		E	311	A	Yes		No	G
Cresols (all isomers)	CRS	21	0	E	III	Α	Yes			G
Cresylate spent caustic	csc	5	0	NA	501	A	No	N/A		G
Cresylic acid tar	CRX	(21	0	E	III	Α	Yes		.55-1(f) .55-1(h)	G
Crotonaldehyde	CTA	19 ²		С	- 11	Α	Yes		.55-1(n)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHO	3	0	С	III	Α	Yes			G
Cyclohexanone	CCH	18	0	D	181	Α	Yes		56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	(18 ²	0	Ε	111	. A	Yes	1	.56-1 (b)	

Department of Homeland Security **United States Coast Guard** C1-1500951

11-Mar-15



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056

Shipyard: TRINITY MARINE, ASHLAND CITY, TN

Hull #: 5109

Official #: 1258666

Page 2 of 8

Cargo Identification	n					Conditions of Carriage							
1 870 A28 ♥ D.C.					0		Vapor R		O - del Deservicione de CCD	lana			
Name	Chem Code	Compat Group No		Grade	Hull Tvpe	Tank Group A	App'd (Y or N) Yes	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of ,56-1(a), (b), (c), (g)	Insp. Period G			
Cyclohexylamine	CHA	7	0	D.	-	C	Yes	1	.50-60, .56-1(b)	G			
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	E	Ш	A	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G			
so-Decyl acrylate	IAI	14				A	Yes	3	56-1(a), (b)	G			
Dichlorobenzene (all isomers)	DBX	36	0	E	101	A	Yes	. 1	No	G			
,1-Dichloroethane	DCH	36	0	С		A	Yes	1	.55-1(f)	G			
2,2'-Dichloroethyl ether	DEE	41	0	D	II.	A	Yes	5	No	G			
Dichloromethane	DCM	36	. 0	NA -	Ш		No	N/A		G			
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	111	A	No	N/A		G			
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2		Α	118			N/A		G			
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	0	E	(A .	No	3	No	G			
1,1-Dichloropropane	DPB	36	0	С	- 111	A	Yes	3	No	G			
1,2-Dichloropropane	DPP	36	0	С		A	Yes	3	No	G			
1,3-Dichloropropane	DPC	36	0	С	III	A	Yes	4	No	G			
1,3-Dichloropropene	DPU	15	0	D	II	Α.	Yes		No	G			
Dichloropropene, Dichloropropane mixtures	DMX		0	С	11	Α.	Yes	1	.55-1(c)	G			
Diethanolamine	DEA	8	0	Ε	- 101	A	Yes	1	.55-1(c)	G			
Diethylamine	DEN		0	С	300	Α .	Yes	3	.55-1(c)	G			
Diethylenetriamine	DET	7 2	0	E	111	A	Yes		55-1(c)	G			
Diisobutylamine	DBU	7	0	D	m	Α	Yes		55-1(c)	G			
Diisopropanolamine	DIP	8	0	E	.111	A	Yes			G			
Diisopropylamine	DIA	7	0	С	- II	Α	Yes		55-1(c)	G			
N,N-Dimethylacetamide	DAC	10	0	Ę	H	Α	Yes		56-1(b)	G			
Dimethylethanolamine	DMB	8	0	D	111	A	Yes	1	.56-1(b), (c)	Ğ			
Dimethylformamide	DMF	10	0	D	113	Α	Yes		.55-1(e)	G			
Di-n-propylamine	DNA	. 7	0	С	ll .	A	Yes		55-1(c)	G			
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	Е	Ш	Α	No	N//		G			
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	II	Α	No	N//					
EE Glycol Ether Mixture	EEG	40	0	D	Ш	Α	No	N/A		G			
Ethanolamine	MEA	. 8	0	Е	IB	Α	Yes	1	,55-1(c)				
Ethyl acrylate	EAC	14	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
Ethylamine solution (72% or less)	EAN	7	0	Α	II	Α	Yes	6	.55-1(b)	G			
N-Ethylbutylamine	EBA	. 7	0	D	III	Α	Yes	3	.55-1(b)	G			
N-Ethylcyclohexylamine	ECC	7	0	D	118	Α	Yes	1	55-1(b)	G			
Ethylene cyanohydrin	ETC	20	0	Е	III	Α	Yes	1	No	G			
Eth/lenediamine	EDA	72	0	D	ill	Α	Yes	1	,55-1(c)	G			
	EDC	36 ²	0	C	III	Α	Yes	3 1	No	G			
Ethylene dichloride	EGH	1 40	0	E	HI	Α	No	N/	A No	G			
Ethylene glycol hexyl ether	EGO	3 40	0	D/E	III	Α	Yes	s 1	No	G			
Ethylene glycol monoalkyl ethers	EGF		0	Е	111	Α	Yes	s 1	No	G			
Ethylene glycol propyl ether	EAI	14	0	E	III	Α	Yes	s 2	.50-70(a), .50-81(a), (b)	G			
2-Ethylhexyl acrylate	ETN		0	D/E	_	Α	Ye	s 2	50-70(a)	G			
Ethyl methacrylate	EPA			E	lli		Ye	s 1	No	G			
2-Ethyl-3-propylacrolein	FMS			D/E				_	55-1(h)	G			
Formaldehyde solution (37% to 50%)	FFA		0	D	III				.55-1(h)	G			
Furfural	GTA		0	NA NA					A No	G			
Glutaraldehyde solution (50% or less)			0	E	JII				55-1(c)	G			
Hexamethylenediamine solution	HM			C	11	. A			.56-1(b), (c)	G			
Hexamethyleneimine	HMI	7	0	C	10				50-70(a), 50-81(a), (b)	G			

Serial #: 0
Dated:

C1-1500951

11-Mar-15



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056

Shipyard: TRINITY MARINE, ASHLAND_CITY, TN

Hull #: 5109

Official #: 1258666

Page 3 of 8

Cargo Identification								Condi	tions of Carriage			
							Vapor Recovery					
Name	Chem Code IPR	Compat Group No 30	Sub Chapter O	Grade A	Hull Type III	Tank Group A	App'd (Y or N) Yes	VCS Category 7	Special Requirements in 46 CFR 151 General and Mat'is of .50-70(a), .50-81(a), (b)	Insp. Period G		
soprene	IPN		0	В	[]]	A	No	N/A	50-70(a), 55-1(c)	G		
soprene, Pentadiene mixture	KPL	5	0	NA NA	111	A	No	N/A	50-73, 56-1(a), (c), (g)	G		
(raft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)							Yes	1	No	G		
Mesityl oxide	MSO	18 ²	0	D	111	A	Yes		.50-70(a), .50-81(a), (b)	G		
Methyl acrylate	MAM		0	C	- 111			1000	No	G		
Nethylcyclopentadiene dimer	MCK	30	0	С	III	A	Yes		.56-1(b), (c)	G		
Methyl diethanolamine	MDE	8	0	E	111	A.	Yes		.55-1(e)	G		
2-Methyl-5-ethylpyridine	MEP	9	0	E	III	Α.	Yes		50-70(a), 50-81(a), (b)	G		
Methyl methacrylate	MMN	14	0	C	III	A	Yes		.55-1(c)	G		
2-Methylpyridine	MPR	9	0	D	111	Α	Yes		50-70(a), .50-81(a), (b)	G		
alpha-Methylstyrene	MSR	30	0	D	10	A	Yes			G		
Morpholine	MPL	7 2	0	D	JII	A	Yes		,55-1(c)	G		
Nitroethane	NTE	42	0	D	ll	Α	No	N/A		G		
1- or 2-Nitropropane	NPM	42	0	D	III	Α	Yes		.50-81	G		
1,3-Pentadiene	PDE	30	0	Α	- 111	Α	Yes		50-70(a), 50-81	G		
Perchloroethylene	PER	36	0	NA	III	Α	No	N/A				
	PEB	7 2	0	E	III	Α	Yes	11	55-1(e)	G		
Polyethylene polyamines	MPA	8	0	E	III	Α	Yes	5 1	55-1(c)	G		
so-Propanolamine	PAX	8	0	Ε	III.	Α	Yes	3 1	56-1(b), (c)	G		
Propanolamine (iso-, n-)	IPP	7	0	Α	Ш	Α	Yes	5 5	55-1(c)	G		
iso-Propylamine	PRD		0	С	111	Α	Yes	s 1	.55-1(e)	. G		
Pyridine Coding Hydrovid		5	0		111	Α	No	N/A	.50-73, .55-1(j)	G		
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxid	SAU	-	0	NA	111	Α	No	N/A	50-73, 56-1(a), (b), (c)	G		
Sodium aluminate solution (45% or less)	SDD			NA	10	A	No		50-73	G		
Sodium chlorate solution (50% or less)	-0.56	- (4.4)	0	NA	III	A	No		50-73, 56-1(a), (b)	G		
Sodium hypochlorite solution (20% or less)	SHC			NA	101	A	Ye		,50-73, ,55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,		NA NA	101	A	No		50-73, 55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI							2.		G		
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,		NA		A	No		No No	G		
Styrene (crude)	STX	30	0	D	III	A	Ye		.50-70(a), .50-81(a), (b)	G		
Styrene monomer	STY	30	0	D	H	A	Ye		the second secon	G		
1.1.2.2-Tetrachloroethane	TEC	36	0	NA	III	A	No			G		
Tetraethylenepentamine	TTP	7	0	Е	KI	Α	Ye		,55-1(c)	G		
Tetrahydrofuran	THE	41	0	С	III	Α	Ye		50-70(b)	G		
Toluenediamine	TDA	9	0	E		Α	No	N/4				
1,2,4-Trichlorobenzene	TCE	36	0	E	III	Α	Ye	s 1	No	G		
1,1,2-Trichloroethane	TCN	4 36	0	NA	III	Α	Ye	s 1	.50-73, .56-1(a)	G		
	TCL	36 ²	0	NA	III	Α	Ye	s 1	No	G		
Trichloroethylene	TCN	36	0	E	П	Α	Ye	es 3	.50-73, 56-1(a)	Ğ		
1,2,3-Trichloropropane	TEA		0	E	111	Α	Ye	es 1	55-1(b)	G		
Triethanolamine	TEN		0	С	II	Α	Υe	es 3	,55-1(e)	G		
Triethylamine	TET			E	III	Α	Ye	es 1	.55-1(b)	G		
Triethylenetetramine	TPE	_	0	NA	_) N/	A 56-1(a), (b), (c)	G		
Triphenylborane (10% or less), caustic soda solution	TSF		0	NA					A 50-73, 58-1(a), (c)	G		
Trisodium phosphate solution			0	NA						G		
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS		0	NA						G		
Vanillin black liquor (free alkali content, 3% or more).	VBL		0	C				es 2	50-70(a), 50-81(a), (b)	G		
Vinyl acetate	VAI	v 13	U	E	- 111	· · · · ·	. No			G		

Serial #:

C1-1500951

: 11-Mar-15



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056

Official #: 1258666

Page 4 of 8

Shipyard: TRINITY MARINE, ASHLAND CITY, TN

Hull #: 5109

Cargo Identificatio	n			- 3				Condi	tions of Carriage	
	1							Recovery		
Name Vinyltoluene	Chem Code VNT	Compat Group No 13	Sub Chapter O	Grade D	Hull Type III	Tank Group A	App'd (Y or N) Yes		Special Requirements in 46 CFR 151 General and Mat'ls of 50-70(a), 50-81, 56-1(a), (b), (c), (Insp. Period G
Subchapter D Cargoes Authorized for Vapor Cont	rol									- 2
Acetone	ACT	18 ²	D	С		A	Yes	1		
Acetophenone	ACP	18	D	E		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E	= 100	Α	Yes	_1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohol	BAL	21	D	E		- A	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E	-	A	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1_		_
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 2	D	D		A	Yes	. 1	TO 150 100 100 100	8 3
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT	20 ²	D	С		Α	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1		_
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	Е		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes			
Cyclohexanol	CHN	20	D	Е		Α	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
p-Cymene	CMP	32	D	D		Α	Yes	1		
	IDA	19	D	E		Α	Yes	1		
iso-Decaldehyde	DAL	19	D	E		Α	Yes	1		
n-Decaldehyde	DCE	30	D	D		Α	Yes	1		
Decene Desired elected (ellipsymers)	DAX	20 ²	D	Е		Α	Yes	1		
Decyl alcohol (all isomers)	DBZ	32	D	E		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DAA	20 ²	D	D		Α	Yes	1		
Diacetone alcohol	DPA	34	D	E		Α	Yes	1		
ortho-Dibutyl phthalate	DEB	32	D			A	Yes	1.		
Diethylbenzene	DEG			E		Α	Yes	. 1		
Diethylene glycol	DBL	30	D	c		Α	Yes			301-00,150
Diisobutylene	DIK	18	D	D		Α	Yes	1		
Diisobutyl ketone	DIX	32	D	E		A	Yes			
Diisopropylbenzene (all isomers)	DTL	34		E		A	Yes			
Dimethyl phthalate	DOP		D	E		A	Yes	1	(4	
Dioctyl phthalate	DPN			D		A	Yes			
Dipentene			D	D/E		A	Yes			
Diphenyl	DIL	32		E		A	Yes		10	
Diphenyl, Diphenyl ether mixtures	DDC		D			A	Yes	- 7		
Diphenyl ether	DPE		D	{E}	_	A	Yes	21		
Dipropylene glycol	DPG		D	E				-		
Distillates: Flashed feed stocks	DFF	33	D	E		A	Yes	(3)		
Distillates: Straight run	DSR		D	E		A	Yes			
Dodecene (all isomers)	DOZ		D	D		A	Yes			
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB		D	E		A	Yes			
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1		

Department of Homeland Security

Dated:

11-Mar-15



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056 Official #: 1258666

Page 5 of 8

Shipyard: TRINITY MARINE, ASHLAND CITY, TN

Hull #: 5109

Cargo Identification								Condi	tions of Carriage	_
								Recovery		
Name	Chem Code ETG	Compat Group No 40	Sub Chapter D	Grade E	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category		nsp. Period
Ethoxy triglycol (crude)	ETA	34	D	C	-	Α.	Yes	1		-
Ethyl acetate		34	D	E		A	Yes	1		
Ethyl acetoacetate	EAA	20 2	D	C	-	A	Yes	1		
Ethyl alcohol	EAL					A	Yes	1		
Ethylbenzene	ETB	32	D	D		A	Yes	1		
Ethyl butanol	EBT	20	D	С	_	A	Yes	1		
Ethyl tert-butyl ether	EBE	41	D		-	A:	Yes	_ <u>-</u> -		
Ethyl butyrate	EBR	34	D	D			Yes	+		
Ethyl cyclohexane	ECY	31	D	D		Α		1		
Ethylene glycol	EGL	20 2	D	E		A	Yes			_
Ethylene glycol butyl ether acetate	EMA	34	D	E		A	Yes	_!_		_
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	_1_		_
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1		
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1		_
2-Ethylhexanol	EHX	20	D	E		A	Yes	_1_		
Ethyl propionate	EPR	34	D	С		Α	Yes	1_		ä s
Ethyl toluene	ETE	32	D	D		Α	Yes	1		
Formamide	FAM	10	D	E		Α	Yes	1		
Furfuryl alcohol	FAL	20 ²	D	E		Α	Yes	1	184 A	-
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1		_
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1		_
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1		_
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	111		_
Glycerine	GCR	20 ²	D	Ε		Α	Yes	- 1		_
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1		_
Heptanoic acid	HEP	4	D	Ε		Α	Yes	1		
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1		
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2		
Heptyl acetate	HPE	34	D	Е		A	Yes	1	*	
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1		
	HXO	4	Q	E		Α	Yes	1		
Hexanoic acid	HXN	20	D	D		Α	Yes	1		
Hexanol	HEX		D	С		Α	Yes	2		
Hexene (all isomers)	HXG			E		Α	Yes	1	λ	
Hexylene glycol	IPH	18 ²	D	E		Α	Yes	1745		
Isophorone		33	D	E		A	Yes			
Jet fuel: JP-4	JPF	33		D		A	Yes	101		
Jet fuel: JP-5 (kerosene, heavy)	JPV			D		A	Yes			
Kerosene	KRS		D		_	A	Yes			
Methyl acetate	MTT		D	D		_		- 10		
Methyl alcohol	MAL		D	С		Α	Yes			
Methylamyl acetate	MAC		D	D		A	Yes	714		
Methylamyl alcohol	MAA		. D	D		Α .	Yes			
Methyl amyl ketone	MAK	18	D	D		Α	Yes			_

Serial #:

C1-1500951

1-Mar-15



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056

Shipyard: TRINITY MARINE, ASHLAND CITY, TN

Hull #: 5109

Official #: 1258666

Page 6 of 8

Cargo Identification						Conditions of Carriage				
					180	Totals	The second second	Recovery	Special Requirements in 46 CFR	Insp.
Name	Chem Code MBK	Compat Group No 18	Sub Chapter D	Grade C	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	151 General and Mat'ls of	Period
Methyl butyl ketone	MBU	34	D	С	-	Α	Yes	1		
Methyl butyrate	MEK	18 ²	D	С		Α	Yes	1		
Methyl ethyl ketone	MHK	18	D	D		Α	Yes	1		
Methyl heptyl ketone	MIK	18 ²	D	С		Α	Yes	1		8
Methyl isobutyl ketone	MNA	32		E		A	Yes	1		
Methyl naphthalene (molten)	MNS	33	D			A	Yes	1		
Mineral spirits	MRE	30	D	D		A	Yes	1		
Myrcene	NAG	33	D	#		Α	Yes	1		
Naphtha: Heavy	PTN	33		#		A	Yes	1		
Naphtha: Petroleum	NSV	33	D	D		A	Yes	1		
Naphtha: Solvent				D		A	Yes	1		
Naphtha: Stoddard solvent	NSS	33	D D	С			Yes	1		
Naphtha: Varnish makers and painters (75%)	NVM	33		D		A	Yes			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		- A	Yes	2		
Nonene (all isomers)	NON	30	D			A	Yes	1		
Nonyl alcohol (all isomers)	NNS	20 ²	D	E	5		Yes	1	11 12 E. T.	
Nonyl phenol	NNP	21	D	E	-	Α	Yes	-		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A		1		_
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C		Α	Yes	100		
Octanoic acid (all isomers)	OAY	4	D	E		Α .	Yes	1		45
Octanol (all isomers)	OCX	20 ²	D	E		Α	Yes	1		
Octene (all isomers)	OTX	30	D	С		Α	Yes	2		
Oil, fuel: No. 2	OTW	33	D	D/E		Α	Yes	- 1		===
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	11		
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	1		-
Oil, fuel: No. 5	OFV	33	D	D/Ε		A	Yes	1		
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	1		
Oil, misc: Crude	OIL	33	D	A/D		Α	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	_1		
Oil, misc: Gas, high pour	OGP	33	D	Е		Α	Yes	1		
Oil, misc: Lubricating	OLB	33	D	Е		Α	Yes	1		
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	Е		Α	Yes	1		
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5		
strength and Proposed the Control of	PTX	30	D	Α	-	Α	Yes	5	700 HARVES	*
Pentene (all isomers)	PPE	34	D	D		Α	Yes	1		
n-Pentyl propionate	PIO	30	D	D		Α	Yes	1		
alpha-Pinene	PIP	30	D	D		Α	Yes	1		
beta-Pinene	PAG		D	E		Α	Yes	- 20		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAF	34	D	E		A	Yes	310		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	30	D	E		A	Yes		e e e e e e e e e e e e e e e e e e e	
Polybutene			D	E	-	A	Yes			
Polypropylene glycol	PGC	34	D	C		A-	Yes			
iso-Propyl acetate	IAC		D	C		A	Yes			
n-Propyl acetate	PAT					A	Yes			
iso-Propyl alcohol	IPA	20 2	D	С			Yes			
n-Propyl alcohol	PAL	20 ²	D	С		A				
Propylbenzene (all isomers)	PBY		D	D		A	Yes			
iso-Propylcyclohexane	IPX	31	D	D		A	Yes	1		

C1-1500951



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056

Shipyard: TRINITY MARINE,

ASHLAND CITY, TN

Hull #: 5109

Official #: 1258666

Page 7 of 8

Cargo Identification						Conditions of Carriage						
- Cargo racinanto			_				Vapor Recovery					
Name	Chem Code PPG	Compat Group No 20 ²	D	E	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Propylene glycol Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1				
Propylene tetramer	PTT	30	D	D		Α	Yes	Ť.				
Sulfolane	SFL	39	D	Е		Α	Yes	1				
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1				
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1				
Toluene	TOL	32	D	С		Α	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP.	34	D	E		Α	Yes	1				
Triethylbenzene	TEB	32	D	Е		Α	Yes	1				
Triethylene glycol	TEG	40	D	E		Α	Yes	1	W			
Triethyl phosphate	TPS	34	D	E		Α	Yes	1				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1				
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1				
Undecene	UDC	30	D	D/E		Α	Yes	1				
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1				
Xylenes (ortho-, meta-, para-)	XLX	32	D	D	-	A	Yes	. 1	x × → = +:	-		

Serial #:

C1-1500951

11-Mar-15



United States Coast Guard

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10056

Official #: 1258666

Page 8 of 8

Shipyard: TRINITY MARI

Hull #: 5109

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 1

Note 2

Subchapter Subchapter D

Subchapter O

Grade

A, B, C

Note 4

NA

III

Hull Type

NA

Conditions of Carriage

Tank Group Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N)

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo. The specified cargo's provisional classification for vapor control systems.

VCS Category: Category 1

Category 2

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 48 CFR 35.35 and 46 CFR 39 The cargo last varieties and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 CFR 156.120, 33 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

This requirement is in addition to the requirements of Category 1

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

Category 4 Category 5

Category 6

Category 7

mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1. (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and $5_{\mbox{\tiny H}}$

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

(High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5. The cargo has not been evaluated/classified for use in vapor control systems.

The proper shipping name as listed in 46 CFR Table 30,25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Telephone (202) 372-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reld vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9.

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air

Not applicable to barges certificated under Subchapter D.