



# BARGE "KIRBY 10072"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-3/8	00-3/8	- 00-5/8	00-5/8	- 01-0/8	01-0/8	- 01-1/4	01-1/4	- 01-5/8	01-5/8	- 02-0/8	02-0/8
2 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4
3 CENTER	- 00-3/8	00-3/8	- 00-3/4	00-3/4	- 01-0/8	01-0/8	- 01-3/8	01-3/8	- 01-3/4	01-3/4	- 02-1/8	02-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-5/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 5/8"

LENGTH BETWEEN DRAFT MARKS: 155'-03"

February 14, 2024

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "KIRBY 10072"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,458.92	0	1,203.82	0	948.72	0	697.95	0	444.90	0	189.66	0		0		0		0	
1/4	1,453.60	1/4	1,198.50	1/4	943.40	1/4	692.80	1/4	439.58	1/4	184.34	1/4		1/4		1/4		1/4	
1/2	1,448.29	1/2	1,193.19	1/2	938.09	1/2	687.66	1/2	434.26	1/2	179.03	1/2		1/2		1/2		1/2	
3/4	1,442.97	3/4	1,187.87	3/4	932.77	3/4	682.51	3/4	428.94	3/4	173.71	3/4		3/4		3/4		3/4	
1	1,437.66	1	1,182.56	1	927.46	1	677.37	1	423.63	1	168.39	1		1		1		1	
1/4	1,432.34	1/4	1,177.24	1/4	922.14	1/4	672.22	1/4	418.31	1/4	163.07	1/4		1/4		1/4		1/4	
1/2	1,427.03	1/2	1,171.93	1/2	916.83	1/2	667.07	1/2	412.99	1/2	157.76	1/2		1/2		1/2		1/2	
3/4	1,421.72	3/4	1,166.61	3/4	911.51	3/4	661.93	3/4	407.67	3/4	152.44	3/4		3/4		3/4		3/4	
2	1,416.40	2	1,161.30	2	906.20	2	656.78	2	402.36	2	147.12	2		2		2		2	
1/4	1,411.09	1/4	1,155.99	1/4	900.88	1/4	651.64	1/4	397.04	1/4	141.80	1/4		1/4		1/4		1/4	
1/2	1,405.77	1/2	1,150.67	1/2	895.57	1/2	646.49	1/2	391.72	1/2	136.49	1/2		1/2		1/2		1/2	
3/4	1,400.46	3/4	1,145.36	3/4	890.26	3/4	641.21	3/4	386.40	3/4	131.17	3/4		3/4		3/4		3/4	
3	1,395.14	3	1,140.04	3	884.94	3	635.93	3	381.09	3	125.85	3		3		3		3	
1/4	1,389.83	1/4	1,134.73	1/4	879.63	1/4	630.65	1/4	375.77	1/4	120.53	1/4		1/4		1/4		1/4	
1/2	1,384.51	1/2	1,129.41	1/2	874.31	1/2	625.38	1/2	370.45	1/2	115.22	1/2		1/2		1/2		1/2	
3/4	1,379.20	3/4	1,124.10	3/4	869.00	3/4	620.10	3/4	365.13	3/4	109.90	3/4		3/4		3/4		3/4	
4	1,373.88	4	1,118.78	4	863.68	4	614.82	4	359.82	4	104.58	4		4		4		4	
1/4	1,368.57	1/4	1,113.47	1/4	858.37	1/4	609.54	1/4	354.50	1/4	99.26	1/4		1/4		1/4		1/4	
1/2	1,363.25	1/2	1,108.15	1/2	853.05	1/2	604.26	1/2	349.18	1/2	93.95	1/2		1/2		1/2		1/2	
3/4	1,357.94	3/4	1,102.84	3/4	847.77	3/4	598.98	3/4	343.86	3/4	88.63	3/4		3/4		3/4		3/4	
5	1,352.63	5	1,097.52	5	842.69	5	593.70	5	338.55	5	83.31	5		5		5		5	
1/4	1,347.31	1/4	1,092.21	1/4	837.51	1/4	588.43	1/4	333.23	1/4	77.99	1/4		1/4		1/4		1/4	
1/2	1,342.00	1/2	1,086.90	1/2	832.32	1/2	583.15	1/2	327.91	1/2	72.68	1/2		1/2		1/2		1/2	
3/4	1,336.68	3/4	1,081.58	3/4	827.14	3/4	577.83	3/4	322.60	3/4	67.69	3/4		3/4		3/4		3/4	
6	1,331.37	6	1,076.27	6	821.96	6	572.51	6	317.28	6	62.70	6		6		6		6	
1/4	1,326.05	1/4	1,070.95	1/4	816.78	1/4	567.20	1/4	311.96	1/4	57.72	1/4		1/4		1/4		1/4	
1/2	1,320.74	1/2	1,065.64	1/2	811.60	1/2	561.88	1/2	306.64	1/2	52.73	1/2		1/2		1/2		1/2	
3/4	1,315.42	3/4	1,060.32	3/4	806.41	3/4	556.56	3/4	301.33	3/4	47.65	3/4		3/4		3/4		3/4	
7	1,310.11	7	1,055.01	7	801.23	7	551.24	7	296.01	7	42.58	7		7		7		7	
1/4	1,304.79	1/4	1,049.69	1/4	796.05	1/4	545.93	1/4	290.69	1/4	37.50	1/4		1/4		1/4		1/4	
1/2	1,299.48	1/2	1,044.38	1/2	790.87	1/2	540.61	1/2	285.37	1/2	32.42	1/2		1/2		1/2		1/2	
3/4	1,294.16	3/4	1,039.06	3/4	785.69	3/4	535.29	3/4	280.06	3/4	27.66	3/4		3/4		3/4		3/4	
8	1,288.85	8	1,033.75	8	780.50	8	529.97	8	274.74	8	22.91	8		8		8		8	
1/4	1,283.54	1/4	1,028.43	1/4	775.32	1/4	524.66	1/4	269.42	1/4	18.15	1/4		1/4		1/4		1/4	
1/2	1,278.22	1/2	1,023.12	1/2	770.14	1/2	519.34	1/2	264.10	1/2	13.39	1/2		1/2		1/2		1/2	
3/4	1,272.91	3/4	1,017.81	3/4	764.96	3/4	514.02	3/4	258.79	3/4	10.29	3/4		3/4		3/4		3/4	
9	1,267.59	9	1,012.49	9	759.77	9	508.70	9	253.47	9	7.18	9		9		9		9	
1/4	1,262.28	1/4	1,007.18	1/4	754.59	1/4	503.39	1/4	248.15	1/4	4.07	1/4		1/4		1/4		1/4	
1/2	1,256.96	1/2	1,001.86	1/2	749.41	1/2	498.07	1/2	242.83	1/2	0.97	1/2		1/2		1/2		1/2	
3/4	1,251.65	3/4	996.55	3/4	744.26	3/4	492.75	3/4	237.52	3/4	0.84	3/4		3/4		3/4		3/4	
10	1,246.33	10	991.23	10	739.12	10	487.43	10	232.20	10	0.71	10		10		10		10	
1/4	1,241.02	1/4	985.92	1/4	733.97	1/4	482.12	1/4	226.88	1/4	0.58	1/4		1/4		1/4		1/4	
1/2	1,235.70	1/2	980.60	1/2	728.82	1/2	476.80	1/2	221.56	1/2	0.46	1/2		1/2		1/2		1/2	
3/4	1,230.39	3/4	975.29	3/4	723.68	3/4	471.48	3/4	216.25	3/4		3/4		3/4		3/4		3/4	
11	1,225.08	11	969.97	11	718.53	11	466.17	11	210.93	11		11		11		11		11	
1/4	1,219.76	1/4	964.66	1/4	713.39	1/4	460.85	1/4	205.61	1/4		1/4		1/4		1/4		1/4	
1/2	1,214.45	1/2	959.35	1/2	708.24	1/2	455.53	1/2	200.29	1/2		1/2		1/2		1/2		1/2	
3/4	1,209.13	3/4	954.03	3/4	703.09	3/4	450.21	3/4	194.98	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/03/2008 CL - SW  
CALCULATED: 11/04/2008 CL  
VERIFIED: 02/14/2024 JS

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10072"

## 2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-10 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,655.17	0	1,367.24	0	1,079.31	0	794.62	0	510.31	0	222.40	0		0		0		0	
1/4	1,649.17	1/4	1,361.24	1/4	1,073.31	1/4	788.79	1/4	504.32	1/4	216.40	1/4		1/4		1/4		1/4	
1/2	1,643.18	1/2	1,355.24	1/2	1,067.31	1/2	782.97	1/2	498.32	1/2	210.40	1/2		1/2		1/2		1/2	
3/4	1,637.18	3/4	1,349.24	3/4	1,061.31	3/4	777.14	3/4	492.32	3/4	204.40	3/4		3/4		3/4		3/4	
1	1,631.18	1	1,343.25	1	1,055.31	1	771.32	1	486.32	1	198.40	1		1		1		1	
1/4	1,625.18	1/4	1,337.25	1/4	1,049.31	1/4	765.49	1/4	480.32	1/4	192.40	1/4		1/4		1/4		1/4	
1/2	1,619.18	1/2	1,331.25	1/2	1,043.32	1/2	759.66	1/2	474.33	1/2	186.41	1/2		1/2		1/2		1/2	
3/4	1,613.18	3/4	1,325.25	3/4	1,037.32	3/4	753.84	3/4	468.33	3/4	180.41	3/4		3/4		3/4		3/4	
2	1,607.18	2	1,319.25	2	1,031.32	2	748.01	2	462.33	2	174.41	2		2		2		2	
1/4	1,601.19	1/4	1,313.25	1/4	1,025.32	1/4	742.18	1/4	456.33	1/4	168.41	1/4		1/4		1/4		1/4	
1/2	1,595.19	1/2	1,307.25	1/2	1,019.32	1/2	736.36	1/2	450.33	1/2	162.41	1/2		1/2		1/2		1/2	
3/4	1,589.19	3/4	1,301.26	3/4	1,013.32	3/4	730.53	3/4	444.33	3/4	156.42	3/4		3/4		3/4		3/4	
3	1,583.19	3	1,295.26	3	1,007.32	3	724.71	3	438.34	3	150.42	3		3		3		3	
1/4	1,577.19	1/4	1,289.26	1/4	1,001.33	1/4	718.88	1/4	432.34	1/4	144.42	1/4		1/4		1/4		1/4	
1/2	1,571.19	1/2	1,283.26	1/2	995.33	1/2	713.05	1/2	426.34	1/2	138.42	1/2		1/2		1/2		1/2	
3/4	1,565.19	3/4	1,277.26	3/4	989.33	3/4	707.23	3/4	420.34	3/4	132.42	3/4		3/4		3/4		3/4	
4	1,559.20	4	1,271.26	4	983.33	4	701.40	4	414.34	4	126.42	4		4		4		4	
1/4	1,553.20	1/4	1,265.26	1/4	977.33	1/4	695.57	1/4	408.34	1/4	120.43	1/4		1/4		1/4		1/4	
1/2	1,547.20	1/2	1,259.27	1/2	971.33	1/2	689.75	1/2	402.35	1/2	114.43	1/2		1/2		1/2		1/2	
3/4	1,541.20	3/4	1,253.27	3/4	965.33	3/4	683.92	3/4	396.35	3/4	108.43	3/4		3/4		3/4		3/4	
5	1,535.20	5	1,247.27	5	959.34	5	678.10	5	390.35	5	102.43	5		5		5		5	
1/4	1,529.20	1/4	1,241.27	1/4	953.34	1/4	672.27	1/4	384.35	1/4	96.43	1/4		1/4		1/4		1/4	
1/2	1,523.20	1/2	1,235.27	1/2	947.34	1/2	666.27	1/2	378.35	1/2	90.43	1/2		1/2		1/2		1/2	
3/4	1,517.21	3/4	1,229.27	3/4	941.34	3/4	660.27	3/4	372.35	3/4	84.44	3/4		3/4		3/4		3/4	
6	1,511.21	6	1,223.27	6	935.34	6	654.27	6	366.36	6	78.44	6		6		6		6	
1/4	1,505.21	1/4	1,217.28	1/4	929.34	1/4	648.28	1/4	360.36	1/4	72.44	1/4		1/4		1/4		1/4	
1/2	1,499.21	1/2	1,211.28	1/2	923.34	1/2	642.28	1/2	354.36	1/2	66.44	1/2		1/2		1/2		1/2	
3/4	1,493.21	3/4	1,205.28	3/4	917.35	3/4	636.28	3/4	348.36	3/4	60.44	3/4		3/4		3/4		3/4	
7	1,487.21	7	1,199.28	7	911.35	7	630.28	7	342.36	7	54.44	7		7		7		7	
1/4	1,481.21	1/4	1,193.28	1/4	905.35	1/4	624.28	1/4	336.36	1/4	48.45	1/4		1/4		1/4		1/4	
1/2	1,475.22	1/2	1,187.28	1/2	899.52	1/2	618.28	1/2	330.37	1/2	42.45	1/2		1/2		1/2		1/2	
3/4	1,469.22	3/4	1,181.28	3/4	893.69	3/4	612.29	3/4	324.37	3/4	36.45	3/4		3/4		3/4		3/4	
8	1,463.22	8	1,175.29	8	887.86	8	606.29	8	318.37	8	30.45	8		8		8		8	
1/4	1,457.22	1/4	1,169.29	1/4	882.03	1/4	600.29	1/4	312.37	1/4	24.45	1/4		1/4		1/4		1/4	
1/2	1,451.22	1/2	1,163.29	1/2	876.20	1/2	594.29	1/2	306.37	1/2	19.95	1/2		1/2		1/2		1/2	
3/4	1,445.22	3/4	1,157.29	3/4	870.37	3/4	588.29	3/4	300.37	3/4	15.46	3/4		3/4		3/4		3/4	
9	1,439.22	9	1,151.29	9	864.54	9	582.29	9	294.38	9	10.96	9		9		9		9	
1/4	1,433.22	1/4	1,145.29	1/4	858.71	1/4	576.30	1/4	288.38	1/4	6.46	1/4		1/4		1/4		1/4	
1/2	1,427.23	1/2	1,139.29	1/2	852.88	1/2	570.30	1/2	282.38	1/2	4.96	1/2		1/2		1/2		1/2	
3/4	1,421.23	3/4	1,133.29	3/4	847.06	3/4	564.30	3/4	276.38	3/4	3.46	3/4		3/4		3/4		3/4	
10	1,415.23	10	1,127.30	10	841.23	10	558.30	10	270.38	10	1.96	10		10		10		10	
1/4	1,409.23	1/4	1,121.30	1/4	835.41	1/4	552.30	1/4	264.38	1/4	0.46	1/4		1/4		1/4		1/4	
1/2	1,403.23	1/2	1,115.30	1/2	829.58	1/2	546.30	1/2	258.39	1/2		1/2		1/2		1/2		1/2	
3/4	1,397.23	3/4	1,109.30	3/4	823.75	3/4	540.31	3/4	252.39	3/4		3/4		3/4		3/4		3/4	
11	1,391.23	11	1,103.30	11	817.93	11	534.31	11	246.39	11		11		11		11		11	
1/4	1,385.24	1/4	1,097.30	1/4	812.10	1/4	528.31	1/4	240.39	1/4		1/4		1/4		1/4		1/4	
1/2	1,379.24	1/2	1,091.30	1/2	806.27	1/2	522.31	1/2	234.39	1/2		1/2		1/2		1/2		1/2	
3/4	1,373.24	3/4	1,085.31	3/4	800.45	3/4	516.31	3/4	228.39	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/03/2008 CL - SW  
CALCULATED: 11/04/2008 CL  
VERIFIED: 02/14/2024 JS

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024





# BARGE "KIRBY 10072"

## 3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-10 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,484.00	0	1,226.72	0	969.44	0	712.54	0	456.03	0	198.77	0		0		0		0	
1/4	1,478.64	1/4	1,221.36	1/4	964.08	1/4	707.21	1/4	450.67	1/4	193.41	1/4		1/4		1/4		1/4	
1/2	1,473.28	1/2	1,216.00	1/2	958.72	1/2	701.88	1/2	445.31	1/2	188.05	1/2		1/2		1/2		1/2	
3/4	1,467.92	3/4	1,210.64	3/4	953.36	3/4	696.55	3/4	439.95	3/4	182.69	3/4		3/4		3/4		3/4	
1	1,462.56	1	1,205.28	1	948.00	1	691.22	1	434.59	1	177.33	1		1		1		1	
1/4	1,457.20	1/4	1,199.92	1/4	942.64	1/4	685.88	1/4	429.23	1/4	171.97	1/4		1/4		1/4		1/4	
1/2	1,451.84	1/2	1,194.56	1/2	937.28	1/2	680.55	1/2	423.88	1/2	166.61	1/2		1/2		1/2		1/2	
3/4	1,446.48	3/4	1,189.20	3/4	931.92	3/4	675.22	3/4	418.52	3/4	161.25	3/4		3/4		3/4		3/4	
2	1,441.12	2	1,183.84	2	926.56	2	669.89	2	413.16	2	155.89	2		2		2		2	
1/4	1,435.76	1/4	1,178.48	1/4	921.20	1/4	664.56	1/4	407.80	1/4	150.53	1/4		1/4		1/4		1/4	
1/2	1,430.40	1/2	1,173.12	1/2	915.84	1/2	659.23	1/2	402.44	1/2	145.17	1/2		1/2		1/2		1/2	
3/4	1,425.04	3/4	1,167.76	3/4	910.48	3/4	653.90	3/4	397.08	3/4	139.81	3/4		3/4		3/4		3/4	
3	1,419.68	3	1,162.40	3	905.12	3	648.57	3	391.72	3	134.45	3		3		3		3	
1/4	1,414.32	1/4	1,157.04	1/4	899.76	1/4	643.24	1/4	386.36	1/4	129.09	1/4		1/4		1/4		1/4	
1/2	1,408.96	1/2	1,151.68	1/2	894.40	1/2	637.91	1/2	381.00	1/2	123.73	1/2		1/2		1/2		1/2	
3/4	1,403.60	3/4	1,146.32	3/4	889.04	3/4	632.58	3/4	375.64	3/4	118.37	3/4		3/4		3/4		3/4	
4	1,398.24	4	1,140.96	4	883.68	4	627.25	4	370.28	4	113.01	4		4		4		4	
1/4	1,392.88	1/4	1,135.60	1/4	878.32	1/4	621.92	1/4	364.92	1/4	107.65	1/4		1/4		1/4		1/4	
1/2	1,387.52	1/2	1,130.24	1/2	872.96	1/2	616.59	1/2	359.56	1/2	102.29	1/2		1/2		1/2		1/2	
3/4	1,382.16	3/4	1,124.88	3/4	867.60	3/4	611.25	3/4	354.20	3/4	96.93	3/4		3/4		3/4		3/4	
5	1,376.80	5	1,119.52	5	862.24	5	605.92	5	348.84	5	91.57	5		5		5		5	
1/4	1,371.44	1/4	1,114.16	1/4	856.88	1/4	600.59	1/4	343.48	1/4	86.21	1/4		1/4		1/4		1/4	
1/2	1,366.08	1/2	1,108.80	1/2	851.52	1/2	595.26	1/2	338.12	1/2	80.85	1/2		1/2		1/2		1/2	
3/4	1,360.72	3/4	1,103.44	3/4	846.16	3/4	589.92	3/4	332.76	3/4	75.49	3/4		3/4		3/4		3/4	
6	1,355.36	6	1,098.08	6	840.80	6	584.59	6	327.40	6	70.13	6		6		6		6	
1/4	1,350.00	1/4	1,092.72	1/4	835.44	1/4	579.26	1/4	322.04	1/4	64.78	1/4		1/4		1/4		1/4	
1/2	1,344.64	1/2	1,087.36	1/2	830.08	1/2	573.91	1/2	316.68	1/2	59.42	1/2		1/2		1/2		1/2	
3/4	1,339.28	3/4	1,082.00	3/4	824.72	3/4	568.56	3/4	311.32	3/4	54.06	3/4		3/4		3/4		3/4	
7	1,333.92	7	1,076.64	7	819.36	7	563.21	7	305.96	7	48.70	7		7		7		7	
1/4	1,328.56	1/4	1,071.28	1/4	814.00	1/4	557.87	1/4	300.60	1/4	43.34	1/4		1/4		1/4		1/4	
1/2	1,323.20	1/2	1,065.92	1/2	808.64	1/2	552.51	1/2	295.24	1/2	37.98	1/2		1/2		1/2		1/2	
3/4	1,317.84	3/4	1,060.56	3/4	803.28	3/4	547.15	3/4	289.88	3/4	32.62	3/4		3/4		3/4		3/4	
8	1,312.48	8	1,055.20	8	797.92	8	541.79	8	284.52	8	27.26	8		8		8		8	
1/4	1,307.12	1/4	1,049.84	1/4	792.56	1/4	536.43	1/4	279.16	1/4	21.90	1/4		1/4		1/4		1/4	
1/2	1,301.76	1/2	1,044.48	1/2	787.22	1/2	531.07	1/2	273.80	1/2	17.88	1/2		1/2		1/2		1/2	
3/4	1,296.40	3/4	1,039.12	3/4	781.87	3/4	525.71	3/4	268.44	3/4	13.86	3/4		3/4		3/4		3/4	
9	1,291.04	9	1,033.76	9	776.52	9	520.35	9	263.08	9	9.84	9		9		9		9	
1/4	1,285.68	1/4	1,028.40	1/4	771.18	1/4	514.99	1/4	257.72	1/4	5.82	1/4		1/4		1/4		1/4	
1/2	1,280.32	1/2	1,023.04	1/2	765.84	1/2	509.63	1/2	252.36	1/2	4.48	1/2		1/2		1/2		1/2	
3/4	1,274.96	3/4	1,017.68	3/4	760.51	3/4	504.27	3/4	247.01	3/4	3.14	3/4		3/4		3/4		3/4	
10	1,269.60	10	1,012.32	10	755.18	10	498.91	10	241.65	10	1.80	10		10		10		10	
1/4	1,264.24	1/4	1,006.96	1/4	749.85	1/4	493.55	1/4	236.29	1/4	0.46	1/4		1/4		1/4		1/4	
1/2	1,258.88	1/2	1,001.60	1/2	744.52	1/2	488.19	1/2	230.93	1/2		1/2		1/2		1/2		1/2	
3/4	1,253.52	3/4	996.24	3/4	739.19	3/4	482.83	3/4	225.57	3/4		3/4		3/4		3/4		3/4	
11	1,248.16	11	990.88	11	733.86	11	477.47	11	220.21	11		11		11		11		11	
1/4	1,242.80	1/4	985.52	1/4	728.53	1/4	472.11	1/4	214.85	1/4		1/4		1/4		1/4		1/4	
1/2	1,237.44	1/2	980.16	1/2	723.20	1/2	466.75	1/2	209.49	1/2		1/2		1/2		1/2		1/2	
3/4	1,232.08	3/4	974.80	3/4	717.87	3/4	461.39	3/4	204.13	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/03/2008 CL - SW  
CALCULATED: 11/04/2008 CL  
VERIFIED: 02/14/2024 JS

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024