



BARGE "KIRBY 10104"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-6/8	- 00-6/8	00-7/8	- 00-7/8
2 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

April 10, 2024

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 10104"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,898.92	0	1,602.82	0	1,306.53	0	1,010.24	0	719.77	0	423.55	0	127.05	0		0		0	
1/4	1,892.76	1/4	1,596.65	1/4	1,300.36	1/4	1,004.07	1/4	713.70	1/4	417.38	1/4	120.88	1/4	1/4	1/4		1/4	
1/2	1,886.60	1/2	1,590.48	1/2	1,294.19	1/2	997.89	1/2	707.62	1/2	411.20	1/2	114.71	1/2	1/2	1/2		1/2	
3/4	1,880.43	3/4	1,584.31	3/4	1,288.01	3/4	991.72	3/4	701.46	3/4	405.02	3/4	108.56	3/4	3/4	3/4		3/4	
1	1,874.27	1	1,578.14	1	1,281.84	1	985.55	1	695.30	1	398.84	1	102.41	1	1	1		1	
1/4	1,868.10	1/4	1,571.96	1/4	1,275.67	1/4	979.37	1/4	689.14	1/4	392.67	1/4	96.26	1/4	1/4	1/4		1/4	
1/2	1,861.94	1/2	1,565.79	1/2	1,269.50	1/2	973.20	1/2	682.98	1/2	386.49	1/2	90.11	1/2	1/2	1/2		1/2	
3/4	1,855.77	3/4	1,559.62	3/4	1,263.32	3/4	967.09	3/4	676.81	3/4	380.31	3/4	83.99	3/4	3/4	3/4		3/4	
2	1,849.61	2	1,553.44	2	1,257.15	2	960.98	2	670.63	2	374.14	2	77.88	2	2	2		2	
1/4	1,843.45	1/4	1,547.27	1/4	1,250.98	1/4	954.87	1/4	664.46	1/4	367.96	1/4	71.76	1/4	1/4	1/4		1/4	
1/2	1,837.28	1/2	1,541.10	1/2	1,244.80	1/2	948.76	1/2	658.28	1/2	361.78	1/2	65.64	1/2	1/2	1/2		1/2	
3/4	1,831.12	3/4	1,534.93	3/4	1,238.63	3/4	942.71	3/4	652.10	3/4	355.61	3/4	59.58	3/4	3/4	3/4		3/4	
3	1,824.95	3	1,528.75	3	1,232.46	3	936.67	3	645.93	3	349.43	3	53.52	3	3	3		3	
1/4	1,818.79	1/4	1,522.58	1/4	1,226.29	1/4	930.62	1/4	639.75	1/4	343.25	1/4	47.46	1/4	1/4	1/4		1/4	
1/2	1,812.63	1/2	1,516.41	1/2	1,220.11	1/2	924.57	1/2	633.57	1/2	337.07	1/2	41.40	1/2	1/2	1/2		1/2	
3/4	1,806.45	3/4	1,510.23	3/4	1,213.94	3/4	918.53	3/4	627.40	3/4	330.90	3/4	36.25	3/4	3/4	3/4		3/4	
4	1,800.28	4	1,504.06	4	1,207.77	4	912.48	4	621.22	4	324.72	4	31.10	4	4	4		4	
1/4	1,794.11	1/4	1,497.89	1/4	1,201.59	1/4	906.43	1/4	615.04	1/4	318.54	1/4	25.95	1/4	1/4	1/4		1/4	
1/2	1,787.94	1/2	1,491.72	1/2	1,195.42	1/2	900.39	1/2	608.87	1/2	312.37	1/2	20.80	1/2	1/2	1/2		1/2	
3/4	1,781.76	3/4	1,485.54	3/4	1,189.25	3/4	894.36	3/4	602.69	3/4	306.19	3/4	17.71	3/4	3/4	3/4		3/4	
5	1,775.59	5	1,479.37	5	1,183.08	5	888.33	5	596.51	5	300.01	5	14.62	5	5	5		5	
1/4	1,769.42	1/4	1,473.20	1/4	1,176.90	1/4	882.30	1/4	590.34	1/4	293.83	1/4	11.52	1/4	1/4	1/4		1/4	
1/2	1,763.24	1/2	1,467.03	1/2	1,170.73	1/2	876.27	1/2	584.16	1/2	287.66	1/2	8.43	1/2	1/2	1/2		1/2	
3/4	1,757.07	3/4	1,460.85	3/4	1,164.56	3/4	870.25	3/4	577.98	3/4	281.48	3/4	7.40	3/4	3/4	3/4		3/4	
6	1,750.90	6	1,454.68	6	1,158.39	6	864.24	6	571.80	6	275.30	6	6.37	6	6	6		6	
1/4	1,744.73	1/4	1,448.51	1/4	1,152.21	1/4	858.22	1/4	565.63	1/4	269.13	1/4	5.34	1/4	1/4	1/4		1/4	
1/2	1,738.55	1/2	1,442.33	1/2	1,146.04	1/2	852.21	1/2	559.45	1/2	262.95	1/2	4.30	1/2	1/2	1/2		1/2	
3/4	1,732.38	3/4	1,436.16	3/4	1,139.87	3/4	846.20	3/4	553.27	3/4	256.77	3/4		3/4	3/4	3/4		3/4	
7	1,726.21	7	1,429.99	7	1,133.69	7	840.18	7	547.10	7	250.59	7		7	7	7		7	
1/4	1,720.04	1/4	1,423.82	1/4	1,127.52	1/4	834.17	1/4	540.92	1/4	244.42	1/4		1/4	1/4	1/4		1/4	
1/2	1,713.87	1/2	1,417.64	1/2	1,121.35	1/2	828.15	1/2	534.74	1/2	238.24	1/2		1/2	1/2	1/2		1/2	
3/4	1,707.70	3/4	1,411.47	3/4	1,115.18	3/4	822.14	3/4	528.56	3/4	232.06	3/4		3/4	3/4	3/4		3/4	
8	1,701.53	8	1,405.30	8	1,109.00	8	816.13	8	522.39	8	225.89	8		8	8	8		8	
1/4	1,695.36	1/4	1,399.12	1/4	1,102.83	1/4	810.11	1/4	516.21	1/4	219.71	1/4		1/4	1/4	1/4		1/4	
1/2	1,689.19	1/2	1,392.95	1/2	1,096.66	1/2	804.10	1/2	510.03	1/2	213.53	1/2		1/2	1/2	1/2		1/2	
3/4	1,683.02	3/4	1,386.78	3/4	1,090.48	3/4	798.08	3/4	503.86	3/4	207.35	3/4		3/4	3/4	3/4		3/4	
9	1,676.85	9	1,380.61	9	1,084.31	9	792.07	9	497.68	9	201.18	9		9	9	9		9	
1/4	1,670.68	1/4	1,374.43	1/4	1,078.14	1/4	786.06	1/4	491.50	1/4	195.00	1/4		1/4	1/4	1/4		1/4	
1/2	1,664.51	1/2	1,368.26	1/2	1,071.97	1/2	780.04	1/2	485.32	1/2	188.82	1/2		1/2	1/2	1/2		1/2	
3/4	1,658.34	3/4	1,362.09	3/4	1,065.79	3/4	774.03	3/4	479.15	3/4	182.65	3/4		3/4	3/4	3/4		3/4	
10	1,652.18	10	1,355.91	10	1,059.62	10	768.01	10	472.97	10	176.47	10		10	10	10		10	
1/4	1,646.01	1/4	1,349.74	1/4	1,053.45	1/4	762.00	1/4	466.79	1/4	170.29	1/4		1/4	1/4	1/4		1/4	
1/2	1,639.84	1/2	1,343.57	1/2	1,047.27	1/2	755.99	1/2	460.62	1/2	164.12	1/2		1/2	1/2	1/2		1/2	
3/4	1,633.67	3/4	1,337.40	3/4	1,041.10	3/4	749.97	3/4	454.44	3/4	157.94	3/4		3/4	3/4	3/4		3/4	
11	1,627.50	11	1,331.22	11	1,034.93	11	743.96	11	448.26	11	151.75	11		11	11	11		11	
1/4	1,621.33	1/4	1,325.05	1/4	1,028.76	1/4	737.94	1/4	442.08	1/4	145.57	1/4		1/4	1/4	1/4		1/4	
1/2	1,615.16	1/2	1,318.88	1/2	1,022.58	1/2	731.93	1/2	435.91	1/2	139.39	1/2		1/2	1/2	1/2		1/2	
3/4	1,608.99	3/4	1,312.71	3/4	1,016.41	3/4	725.85	3/4	429.73	3/4	133.22	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/12/2014 CL
CALCULATED: 02/13/2014 CL
VERIFIED: 04/09/2024 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10104"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,693.45	0	1,430.40	0	1,167.21	0	905.52	0	646.55	0	383.53	0	120.36	0		0		0	
1/4	1,687.97	1/4	1,424.92	1/4	1,161.72	1/4	900.12	1/4	641.11	1/4	378.05	1/4	114.90	1/4		1/4		1/4	
1/2	1,682.49	1/2	1,419.44	1/2	1,156.24	1/2	894.72	1/2	635.67	1/2	372.56	1/2	109.43	1/2		1/2		1/2	
3/4	1,677.01	3/4	1,413.96	3/4	1,150.75	3/4	889.32	3/4	630.23	3/4	367.08	3/4	103.96	3/4		3/4		3/4	
1	1,671.53	1	1,408.48	1	1,145.27	1	883.92	1	624.79	1	361.60	1	98.50	1		1		1	
1/4	1,666.05	1/4	1,403.00	1/4	1,139.79	1/4	878.52	1/4	619.31	1/4	356.12	1/4	93.05	1/4		1/4		1/4	
1/2	1,660.57	1/2	1,397.52	1/2	1,134.30	1/2	873.12	1/2	613.82	1/2	350.63	1/2	87.60	1/2		1/2		1/2	
3/4	1,655.09	3/4	1,392.03	3/4	1,128.82	3/4	867.73	3/4	608.34	3/4	345.15	3/4	82.15	3/4		3/4		3/4	
2	1,649.61	2	1,386.55	2	1,123.34	2	862.33	2	602.86	2	339.67	2	76.70	2		2		2	
1/4	1,644.13	1/4	1,381.07	1/4	1,117.85	1/4	856.93	1/4	597.38	1/4	334.18	1/4	71.28	1/4		1/4		1/4	
1/2	1,638.65	1/2	1,375.58	1/2	1,112.37	1/2	851.53	1/2	591.89	1/2	328.70	1/2	65.86	1/2		1/2		1/2	
3/4	1,633.17	3/4	1,370.10	3/4	1,106.89	3/4	846.13	3/4	586.41	3/4	323.22	3/4	60.44	3/4		3/4		3/4	
3	1,627.69	3	1,364.61	3	1,101.40	3	840.73	3	580.93	3	317.73	3	55.02	3		3		3	
1/4	1,622.21	1/4	1,359.13	1/4	1,095.92	1/4	835.33	1/4	575.44	1/4	312.25	1/4	49.65	1/4		1/4		1/4	
1/2	1,616.73	1/2	1,353.65	1/2	1,090.43	1/2	829.93	1/2	569.96	1/2	306.77	1/2	44.28	1/2		1/2		1/2	
3/4	1,611.25	3/4	1,348.16	3/4	1,084.95	3/4	824.54	3/4	564.48	3/4	301.28	3/4	38.91	3/4		3/4		3/4	
4	1,605.77	4	1,342.68	4	1,079.47	4	819.14	4	558.99	4	295.80	4	33.54	4		4		4	
1/4	1,600.29	1/4	1,337.20	1/4	1,073.98	1/4	813.74	1/4	553.51	1/4	290.32	1/4	28.98	1/4		1/4		1/4	
1/2	1,594.81	1/2	1,331.71	1/2	1,068.50	1/2	808.35	1/2	548.03	1/2	284.83	1/2	24.42	1/2		1/2		1/2	
3/4	1,589.33	3/4	1,326.23	3/4	1,063.02	3/4	802.96	3/4	542.54	3/4	279.35	3/4	19.86	3/4		3/4		3/4	
5	1,583.85	5	1,320.75	5	1,057.53	5	797.56	5	537.06	5	273.87	5	15.30	5		5		5	
1/4	1,578.37	1/4	1,315.26	1/4	1,052.05	1/4	792.17	1/4	531.58	1/4	268.38	1/4	12.56	1/4		1/4		1/4	
1/2	1,572.89	1/2	1,309.78	1/2	1,046.57	1/2	786.78	1/2	526.09	1/2	262.90	1/2	9.82	1/2		1/2		1/2	
3/4	1,567.41	3/4	1,304.30	3/4	1,041.08	3/4	781.38	3/4	520.61	3/4	257.42	3/4	7.07	3/4		3/4		3/4	
6	1,561.93	6	1,298.81	6	1,035.60	6	775.99	6	515.13	6	251.93	6	4.33	6		6		6	
1/4	1,556.45	1/4	1,293.33	1/4	1,030.12	1/4	770.60	1/4	509.64	1/4	246.45	1/4	3.42	1/4		1/4		1/4	
1/2	1,550.97	1/2	1,287.84	1/2	1,024.63	1/2	765.20	1/2	504.16	1/2	240.97	1/2	2.51	1/2		1/2		1/2	
3/4	1,545.49	3/4	1,282.36	3/4	1,019.15	3/4	759.81	3/4	498.68	3/4	235.48	3/4	1.59	3/4		3/4		3/4	
7	1,540.01	7	1,276.88	7	1,013.66	7	754.41	7	493.20	7	230.00	7	0.68	7		7		7	
1/4	1,534.53	1/4	1,271.39	1/4	1,008.22	1/4	749.02	1/4	487.71	1/4	224.52	1/4		1/4		1/4		1/4	
1/2	1,529.05	1/2	1,265.91	1/2	1,002.78	1/2	743.63	1/2	482.23	1/2	219.04	1/2		1/2		1/2		1/2	
3/4	1,523.57	3/4	1,260.43	3/4	997.34	3/4	738.23	3/4	476.75	3/4	213.55	3/4		3/4		3/4		3/4	
8	1,518.09	8	1,254.94	8	991.90	8	732.84	8	471.26	8	208.07	8		8		8		8	
1/4	1,512.61	1/4	1,249.46	1/4	986.50	1/4	727.45	1/4	465.78	1/4	202.59	1/4		1/4		1/4		1/4	
1/2	1,507.13	1/2	1,243.98	1/2	981.10	1/2	722.05	1/2	460.30	1/2	197.10	1/2		1/2		1/2		1/2	
3/4	1,501.65	3/4	1,238.49	3/4	975.70	3/4	716.66	3/4	454.81	3/4	191.62	3/4		3/4		3/4		3/4	
9	1,496.17	9	1,233.01	9	970.30	9	711.27	9	449.33	9	186.14	9		9		9		9	
1/4	1,490.69	1/4	1,227.52	1/4	964.90	1/4	705.87	1/4	443.85	1/4	180.65	1/4		1/4		1/4		1/4	
1/2	1,485.21	1/2	1,222.04	1/2	959.51	1/2	700.48	1/2	438.36	1/2	175.17	1/2		1/2		1/2		1/2	
3/4	1,479.73	3/4	1,216.56	3/4	954.11	3/4	695.09	3/4	432.88	3/4	169.69	3/4		3/4		3/4		3/4	
10	1,474.24	10	1,211.07	10	948.71	10	689.69	10	427.40	10	164.20	10		10		10		10	
1/4	1,468.76	1/4	1,205.59	1/4	943.31	1/4	684.30	1/4	421.91	1/4	158.72	1/4		1/4		1/4		1/4	
1/2	1,463.28	1/2	1,200.11	1/2	937.91	1/2	678.91	1/2	416.43	1/2	153.24	1/2		1/2		1/2		1/2	
3/4	1,457.80	3/4	1,194.62	3/4	932.51	3/4	673.51	3/4	410.95	3/4	147.76	3/4		3/4		3/4		3/4	
11	1,452.32	11	1,189.14	11	927.11	11	668.12	11	405.46	11	142.27	11		11		11		11	
1/4	1,446.84	1/4	1,183.66	1/4	921.71	1/4	662.73	1/4	399.98	1/4	136.80	1/4		1/4		1/4		1/4	
1/2	1,441.36	1/2	1,178.17	1/2	916.32	1/2	657.33	1/2	394.50	1/2	131.32	1/2		1/2		1/2		1/2	
3/4	1,435.88	3/4	1,172.69	3/4	910.92	3/4	651.94	3/4	389.01	3/4	125.84	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/12/2014 CL
CALCULATED: 02/13/2014 CL
VERIFIED: 04/09/2024 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10104"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,691.73	0	1,429.62	0	1,167.35	0	905.80	0	644.43	0	382.17	0	119.94	0		0		0	
1/4	1,686.27	1/4	1,424.15	1/4	1,161.89	1/4	900.38	1/4	638.97	1/4	376.71	1/4	114.49	1/4	1/4	1/4		1/4	
1/2	1,680.81	1/2	1,418.69	1/2	1,156.42	1/2	894.95	1/2	633.50	1/2	371.25	1/2	109.05	1/2	1/2	1/2		1/2	
3/4	1,675.35	3/4	1,413.23	3/4	1,150.96	3/4	889.52	3/4	628.04	3/4	365.78	3/4	103.60	3/4	3/4	3/4		3/4	
1	1,669.89	1	1,407.77	1	1,145.50	1	884.09	1	622.58	1	360.32	1	98.15	1	1	1		1	
1/4	1,664.43	1/4	1,402.31	1/4	1,140.03	1/4	878.66	1/4	617.11	1/4	354.86	1/4	92.72	1/4	1/4	1/4		1/4	
1/2	1,658.96	1/2	1,396.84	1/2	1,134.57	1/2	873.24	1/2	611.65	1/2	349.39	1/2	87.29	1/2	1/2	1/2		1/2	
3/4	1,653.50	3/4	1,391.38	3/4	1,129.10	3/4	867.81	3/4	606.19	3/4	343.93	3/4	81.86	3/4	3/4	3/4		3/4	
2	1,648.04	2	1,385.92	2	1,123.64	2	862.38	2	600.72	2	338.46	2	76.44	2	2	2		2	
1/4	1,642.58	1/4	1,380.45	1/4	1,118.18	1/4	856.95	1/4	595.26	1/4	333.00	1/4	71.03	1/4	1/4	1/4		1/4	
1/2	1,637.12	1/2	1,374.99	1/2	1,112.71	1/2	851.53	1/2	589.79	1/2	327.54	1/2	65.63	1/2	1/2	1/2		1/2	
3/4	1,631.66	3/4	1,369.52	3/4	1,107.25	3/4	846.10	3/4	584.33	3/4	322.07	3/4	60.23	3/4	3/4	3/4		3/4	
3	1,626.20	3	1,364.06	3	1,101.78	3	840.67	3	578.87	3	316.61	3	54.83	3	3	3		3	
1/4	1,620.74	1/4	1,358.60	1/4	1,096.32	1/4	835.24	1/4	573.40	1/4	311.15	1/4	49.48	1/4	1/4	1/4		1/4	
1/2	1,615.28	1/2	1,353.13	1/2	1,090.85	1/2	829.82	1/2	567.94	1/2	305.68	1/2	44.13	1/2	1/2	1/2		1/2	
3/4	1,609.82	3/4	1,347.67	3/4	1,085.39	3/4	824.39	3/4	562.48	3/4	300.22	3/4	38.78	3/4	3/4	3/4		3/4	
4	1,604.36	4	1,342.20	4	1,079.93	4	818.96	4	557.01	4	294.76	4	33.43	4	4	4		4	
1/4	1,598.90	1/4	1,336.74	1/4	1,074.46	1/4	813.54	1/4	551.55	1/4	289.29	1/4	28.88	1/4	1/4	1/4		1/4	
1/2	1,593.44	1/2	1,331.28	1/2	1,069.00	1/2	808.11	1/2	546.09	1/2	283.83	1/2	24.34	1/2	1/2	1/2		1/2	
3/4	1,587.98	3/4	1,325.81	3/4	1,063.53	3/4	802.69	3/4	540.62	3/4	278.36	3/4	19.79	3/4	3/4	3/4		3/4	
5	1,582.52	5	1,320.35	5	1,058.07	5	797.27	5	535.16	5	272.90	5	15.25	5	5	5		5	
1/4	1,577.05	1/4	1,314.88	1/4	1,052.61	1/4	791.81	1/4	529.69	1/4	267.44	1/4	12.52	1/4	1/4	1/4		1/4	
1/2	1,571.59	1/2	1,309.42	1/2	1,047.14	1/2	786.35	1/2	524.23	1/2	261.97	1/2	9.78	1/2	1/2	1/2		1/2	
3/4	1,566.13	3/4	1,303.95	3/4	1,041.68	3/4	780.89	3/4	518.77	3/4	256.51	3/4	7.05	3/4	3/4	3/4		3/4	
6	1,560.67	6	1,298.49	6	1,036.21	6	775.43	6	513.30	6	251.05	6	4.32	6	6	6		6	
1/4	1,555.21	1/4	1,293.03	1/4	1,030.75	1/4	769.98	1/4	507.84	1/4	245.58	1/4	3.41	1/4	1/4	1/4		1/4	
1/2	1,549.75	1/2	1,287.56	1/2	1,025.29	1/2	764.52	1/2	502.38	1/2	240.12	1/2	2.50	1/2	1/2	1/2		1/2	
3/4	1,544.29	3/4	1,282.10	3/4	1,019.82	3/4	759.06	3/4	496.91	3/4	234.65	3/4	1.59	3/4	3/4	3/4		3/4	
7	1,538.83	7	1,276.63	7	1,014.36	7	753.60	7	491.45	7	229.19	7	0.68	7	7	7		7	
1/4	1,533.37	1/4	1,271.17	1/4	1,008.93	1/4	748.14	1/4	485.98	1/4	223.73	1/4		1/4	1/4	1/4		1/4	
1/2	1,527.91	1/2	1,265.71	1/2	1,003.50	1/2	742.68	1/2	480.52	1/2	218.26	1/2		1/2	1/2	1/2		1/2	
3/4	1,522.45	3/4	1,260.24	3/4	998.07	3/4	737.22	3/4	475.06	3/4	212.80	3/4		3/4	3/4	3/4		3/4	
8	1,516.99	8	1,254.78	8	992.65	8	731.77	8	469.59	8	207.34	8		8	8	8		8	
1/4	1,511.53	1/4	1,249.31	1/4	987.22	1/4	726.31	1/4	464.13	1/4	201.87	1/4		1/4	1/4	1/4		1/4	
1/2	1,506.07	1/2	1,243.85	1/2	981.79	1/2	720.85	1/2	458.67	1/2	196.41	1/2		1/2	1/2	1/2		1/2	
3/4	1,500.60	3/4	1,238.39	3/4	976.36	3/4	715.39	3/4	453.20	3/4	190.94	3/4		3/4	3/4	3/4		3/4	
9	1,495.14	9	1,232.92	9	970.94	9	709.93	9	447.74	9	185.48	9		9	9	9		9	
1/4	1,489.68	1/4	1,227.46	1/4	965.51	1/4	704.47	1/4	442.27	1/4	180.02	1/4		1/4	1/4	1/4		1/4	
1/2	1,484.22	1/2	1,221.99	1/2	960.08	1/2	699.01	1/2	436.81	1/2	174.55	1/2		1/2	1/2	1/2		1/2	
3/4	1,478.76	3/4	1,216.53	3/4	954.65	3/4	693.55	3/4	431.35	3/4	169.09	3/4		3/4	3/4	3/4		3/4	
10	1,473.30	10	1,211.07	10	949.23	10	688.10	10	425.88	10	163.63	10		10	10	10		10	
1/4	1,467.84	1/4	1,205.60	1/4	943.80	1/4	682.64	1/4	420.42	1/4	158.16	1/4		1/4	1/4	1/4		1/4	
1/2	1,462.38	1/2	1,200.14	1/2	938.37	1/2	677.18	1/2	414.96	1/2	152.70	1/2		1/2	1/2	1/2		1/2	
3/4	1,456.92	3/4	1,194.67	3/4	932.94	3/4	671.72	3/4	409.49	3/4	147.24	3/4		3/4	3/4	3/4		3/4	
11	1,451.46	11	1,189.21	11	927.51	11	666.26	11	404.03	11	141.77	11		11	11	11		11	
1/4	1,446.00	1/4	1,183.74	1/4	922.09	1/4	660.80	1/4	398.57	1/4	136.32	1/4		1/4	1/4	1/4		1/4	
1/2	1,440.54	1/2	1,178.28	1/2	916.66	1/2	655.35	1/2	393.10	1/2	130.86	1/2		1/2	1/2	1/2		1/2	
3/4	1,435.08	3/4	1,172.82	3/4	911.23	3/4	649.89	3/4	387.64	3/4	125.40	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/12/2014 CL
CALCULATED: 02/13/2014 CL
VERIFIED: 04/09/2024 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>