



BARGE "KIRBY 10200"

ULLAGE TRIM TABLE

FORMERLY "HFL 200S"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8
2 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 CENTER IS - 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 2 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 161'-00"

January 22, 2024

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 10200"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HFL 200S"

GAUGE HEIGHT 15'-06 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,336.24	0	1,089.72	0	843.19	0	596.43	0	355.99	0	108.76	0		0		0		0	
1/4	1,331.11	1/4	1,084.58	1/4	838.05	1/4	591.43	1/4	350.84	1/4	103.61	1/4		1/4		1/4		1/4	
1/2	1,325.97	1/2	1,079.44	1/2	832.92	1/2	586.44	1/2	345.70	1/2	98.46	1/2		1/2		1/2		1/2	
3/4	1,320.84	3/4	1,074.31	3/4	827.78	3/4	581.44	3/4	340.55	3/4	93.31	3/4		3/4		3/4		3/4	
1	1,315.70	1	1,069.17	1	822.64	1	576.47	1	335.40	1	88.16	1		1		1		1	
1/4	1,310.56	1/4	1,064.04	1/4	817.51	1/4	571.49	1/4	330.25	1/4	83.01	1/4		1/4		1/4		1/4	
1/2	1,305.43	1/2	1,058.90	1/2	812.37	1/2	566.52	1/2	325.10	1/2	77.86	1/2		1/2		1/2		1/2	
3/4	1,300.29	3/4	1,053.76	3/4	807.24	3/4	561.55	3/4	319.95	3/4	72.71	3/4		3/4		3/4		3/4	
2	1,295.16	2	1,048.63	2	802.10	2	556.57	2	314.80	2	67.57	2		2		2		2	
1/4	1,290.02	1/4	1,043.49	1/4	796.96	1/4	551.60	1/4	309.65	1/4	62.43	1/4		1/4		1/4		1/4	
1/2	1,284.88	1/2	1,038.36	1/2	791.83	1/2	546.63	1/2	304.50	1/2	57.29	1/2		1/2		1/2		1/2	
3/4	1,279.75	3/4	1,033.22	3/4	786.69	3/4	541.65	3/4	299.34	3/4	52.16	3/4		3/4		3/4		3/4	
3	1,274.61	3	1,028.08	3	781.56	3	536.68	3	294.19	3	46.86	3		3		3		3	
1/4	1,269.48	1/4	1,022.95	1/4	776.42	1/4	531.71	1/4	289.04	1/4	41.57	1/4		1/4		1/4		1/4	
1/2	1,264.34	1/2	1,017.81	1/2	771.28	1/2	526.73	1/2	283.89	1/2	36.65	1/2		1/2		1/2		1/2	
3/4	1,259.20	3/4	1,012.68	3/4	766.15	3/4	521.76	3/4	278.74	3/4	31.73	3/4		3/4		3/4		3/4	
4	1,254.07	4	1,007.54	4	761.00	4	516.79	4	273.59	4	27.44	4		4		4		4	
1/4	1,248.93	1/4	1,002.40	1/4	755.85	1/4	511.81	1/4	268.44	1/4	23.15	1/4		1/4		1/4		1/4	
1/2	1,243.80	1/2	997.27	1/2	750.70	1/2	506.84	1/2	263.29	1/2	18.86	1/2		1/2		1/2		1/2	
3/4	1,238.66	3/4	992.13	3/4	745.56	3/4	501.87	3/4	258.14	3/4	14.57	3/4		3/4		3/4		3/4	
5	1,233.52	5	987.00	5	740.41	5	496.89	5	252.98	5	11.99	5		5		5		5	
1/4	1,228.39	1/4	981.86	1/4	735.26	1/4	491.92	1/4	247.83	1/4	9.42	1/4		1/4		1/4		1/4	
1/2	1,223.25	1/2	976.72	1/2	730.11	1/2	486.95	1/2	242.68	1/2	6.84	1/2		1/2		1/2		1/2	
3/4	1,218.12	3/4	971.59	3/4	724.97	3/4	481.97	3/4	237.53	3/4	4.26	3/4		3/4		3/4		3/4	
6	1,212.98	6	966.45	6	719.82	6	477.00	6	232.38	6	3.41	6		6		6		6	
1/4	1,207.84	1/4	961.32	1/4	714.67	1/4	472.03	1/4	227.23	1/4	2.55	1/4		1/4		1/4		1/4	
1/2	1,202.71	1/2	956.18	1/2	709.52	1/2	467.05	1/2	222.08	1/2	1.69	1/2		1/2		1/2		1/2	
3/4	1,197.57	3/4	951.04	3/4	704.38	3/4	462.08	3/4	216.93	3/4	0.83	3/4		3/4		3/4		3/4	
7	1,192.44	7	945.91	7	699.23	7	457.11	7	211.77	7		7		7		7		7	
1/4	1,187.30	1/4	940.77	1/4	694.08	1/4	452.13	1/4	206.62	1/4		1/4		1/4		1/4		1/4	
1/2	1,182.16	1/2	935.64	1/2	688.93	1/2	447.16	1/2	201.47	1/2		1/2		1/2		1/2		1/2	
3/4	1,177.03	3/4	930.50	3/4	683.79	3/4	442.19	3/4	196.32	3/4		3/4		3/4		3/4		3/4	
8	1,171.89	8	925.36	8	678.64	8	437.21	8	191.17	8		8		8		8		8	
1/4	1,166.76	1/4	920.23	1/4	673.49	1/4	432.24	1/4	186.02	1/4		1/4		1/4		1/4		1/4	
1/2	1,161.62	1/2	915.09	1/2	668.34	1/2	427.26	1/2	180.87	1/2		1/2		1/2		1/2		1/2	
3/4	1,156.48	3/4	909.96	3/4	663.20	3/4	422.29	3/4	175.72	3/4		3/4		3/4		3/4		3/4	
9	1,151.35	9	904.82	9	658.05	9	417.29	9	170.57	9		9		9		9		9	
1/4	1,146.21	1/4	899.68	1/4	652.90	1/4	412.29	1/4	165.42	1/4		1/4		1/4		1/4		1/4	
1/2	1,141.08	1/2	894.55	1/2	647.75	1/2	407.30	1/2	160.27	1/2		1/2		1/2		1/2		1/2	
3/4	1,135.94	3/4	889.41	3/4	642.61	3/4	402.30	3/4	155.12	3/4		3/4		3/4		3/4		3/4	
10	1,130.80	10	884.28	10	637.46	10	397.15	10	149.97	10		10		10		10		10	
1/4	1,125.67	1/4	879.14	1/4	632.31	1/4	392.00	1/4	144.82	1/4		1/4		1/4		1/4		1/4	
1/2	1,120.53	1/2	874.00	1/2	627.16	1/2	386.84	1/2	139.67	1/2		1/2		1/2		1/2		1/2	
3/4	1,115.40	3/4	868.87	3/4	622.02	3/4	381.69	3/4	134.52	3/4		3/4		3/4		3/4		3/4	
11	1,110.26	11	863.73	11	616.87	11	376.55	11	129.37	11		11		11		11		11	
1/4	1,105.12	1/4	858.60	1/4	611.72	1/4	371.41	1/4	124.21	1/4		1/4		1/4		1/4		1/4	
1/2	1,099.99	1/2	853.46	1/2	606.57	1/2	366.27	1/2	119.06	1/2		1/2		1/2		1/2		1/2	
3/4	1,094.85	3/4	848.32	3/4	601.43	3/4	361.14	3/4	113.91	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2008 CL - SW
CALCULATED: 08/07/2008 CL
VERIFIED: 01/19/2024 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10200"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HFL 200S"

GAUGE HEIGHT 15'-07 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,506.74	0	1,230.52	0	954.30	0	678.08	0	409.12	0	132.91	0		0		0		0	
1/4	1,500.99	1/4	1,224.77	1/4	948.55	1/4	672.32	1/4	403.36	1/4	127.15	1/4		1/4		1/4		1/4	
1/2	1,495.23	1/2	1,219.01	1/2	942.79	1/2	666.74	1/2	397.61	1/2	121.40	1/2		1/2		1/2		1/2	
3/4	1,489.48	3/4	1,213.26	3/4	937.04	3/4	661.16	3/4	391.86	3/4	115.65	3/4		3/4		3/4		3/4	
1	1,483.72	1	1,207.50	1	931.28	1	655.58	1	386.10	1	109.89	1		1		1		1	
1/4	1,477.97	1/4	1,201.75	1/4	925.53	1/4	650.00	1/4	380.34	1/4	104.14	1/4		1/4		1/4		1/4	
1/2	1,472.21	1/2	1,195.99	1/2	919.77	1/2	644.43	1/2	374.59	1/2	98.38	1/2		1/2		1/2		1/2	
3/4	1,466.46	3/4	1,190.24	3/4	914.02	3/4	638.86	3/4	368.84	3/4	92.63	3/4		3/4		3/4		3/4	
2	1,460.70	2	1,184.48	2	908.26	2	633.29	2	363.08	2	86.88	2		2		2		2	
1/4	1,454.95	1/4	1,178.73	1/4	902.51	1/4	627.72	1/4	357.33	1/4	81.13	1/4		1/4		1/4		1/4	
1/2	1,449.20	1/2	1,172.97	1/2	896.75	1/2	622.14	1/2	351.57	1/2	75.39	1/2		1/2		1/2		1/2	
3/4	1,443.44	3/4	1,167.22	3/4	891.00	3/4	616.57	3/4	345.82	3/4	69.65	3/4		3/4		3/4		3/4	
3	1,437.69	3	1,161.47	3	885.24	3	611.00	3	340.06	3	63.91	3		3		3		3	
1/4	1,431.93	1/4	1,155.71	1/4	879.49	1/4	605.43	1/4	334.31	1/4	58.17	1/4		1/4		1/4		1/4	
1/2	1,426.18	1/2	1,149.96	1/2	873.74	1/2	599.86	1/2	328.55	1/2	52.25	1/2		1/2		1/2		1/2	
3/4	1,420.42	3/4	1,144.20	3/4	867.98	3/4	594.29	3/4	322.80	3/4	46.34	3/4		3/4		3/4		3/4	
4	1,414.67	4	1,138.45	4	862.23	4	588.72	4	317.05	4	40.84	4		4		4		4	
1/4	1,408.91	1/4	1,132.69	1/4	856.47	1/4	583.15	1/4	311.29	1/4	35.35	1/4		1/4		1/4		1/4	
1/2	1,403.16	1/2	1,126.94	1/2	850.72	1/2	577.57	1/2	305.54	1/2	30.56	1/2		1/2		1/2		1/2	
3/4	1,397.40	3/4	1,121.18	3/4	844.96	3/4	572.00	3/4	299.78	3/4	25.76	3/4		3/4		3/4		3/4	
5	1,391.65	5	1,115.43	5	839.21	5	566.43	5	294.03	5	20.97	5		5		5		5	
1/4	1,385.89	1/4	1,109.67	1/4	833.45	1/4	560.86	1/4	288.27	1/4	16.18	1/4		1/4		1/4		1/4	
1/2	1,380.14	1/2	1,103.92	1/2	827.70	1/2	555.29	1/2	282.52	1/2	13.30	1/2		1/2		1/2		1/2	
3/4	1,374.39	3/4	1,098.16	3/4	821.94	3/4	549.72	3/4	276.77	3/4	10.42	3/4		3/4		3/4		3/4	
6	1,368.63	6	1,092.41	6	816.19	6	544.15	6	271.01	6	7.55	6		6		6		6	
1/4	1,362.88	1/4	1,086.66	1/4	810.43	1/4	538.58	1/4	265.26	1/4	4.67	1/4		1/4		1/4		1/4	
1/2	1,357.12	1/2	1,080.90	1/2	804.68	1/2	533.00	1/2	259.50	1/2	3.71	1/2		1/2		1/2		1/2	
3/4	1,351.37	3/4	1,075.15	3/4	798.93	3/4	527.43	3/4	253.75	3/4	2.75	3/4		3/4		3/4		3/4	
7	1,345.61	7	1,069.39	7	793.17	7	521.86	7	247.99	7	1.79	7		7		7		7	
1/4	1,339.86	1/4	1,063.64	1/4	787.42	1/4	516.29	1/4	242.24	1/4	0.83	1/4		1/4		1/4		1/4	
1/2	1,334.10	1/2	1,057.88	1/2	781.66	1/2	510.72	1/2	236.49	1/2		1/2		1/2		1/2		1/2	
3/4	1,328.35	3/4	1,052.13	3/4	775.91	3/4	505.15	3/4	230.73	3/4		3/4		3/4		3/4		3/4	
8	1,322.59	8	1,046.37	8	770.15	8	499.58	8	224.98	8		8		8		8		8	
1/4	1,316.84	1/4	1,040.62	1/4	764.40	1/4	494.00	1/4	219.22	1/4		1/4		1/4		1/4		1/4	
1/2	1,311.08	1/2	1,034.86	1/2	758.64	1/2	488.43	1/2	213.47	1/2		1/2		1/2		1/2		1/2	
3/4	1,305.33	3/4	1,029.11	3/4	752.89	3/4	482.86	3/4	207.71	3/4		3/4		3/4		3/4		3/4	
9	1,299.58	9	1,023.35	9	747.13	9	477.29	9	201.96	9		9		9		9		9	
1/4	1,293.82	1/4	1,017.60	1/4	741.38	1/4	471.72	1/4	196.21	1/4		1/4		1/4		1/4		1/4	
1/2	1,288.07	1/2	1,011.85	1/2	735.62	1/2	466.14	1/2	190.45	1/2		1/2		1/2		1/2		1/2	
3/4	1,282.31	3/4	1,006.09	3/4	729.87	3/4	460.56	3/4	184.70	3/4		3/4		3/4		3/4		3/4	
10	1,276.56	10	1,000.34	10	724.12	10	454.98	10	178.94	10		10		10		10		10	
1/4	1,270.80	1/4	994.58	1/4	718.36	1/4	449.40	1/4	173.19	1/4		1/4		1/4		1/4		1/4	
1/2	1,265.05	1/2	988.83	1/2	712.61	1/2	443.64	1/2	167.43	1/2		1/2		1/2		1/2		1/2	
3/4	1,259.29	3/4	983.07	3/4	706.85	3/4	437.89	3/4	161.68	3/4		3/4		3/4		3/4		3/4	
11	1,253.54	11	977.32	11	701.10	11	432.13	11	155.93	11		11		11		11		11	
1/4	1,247.78	1/4	971.56	1/4	695.34	1/4	426.38	1/4	150.17	1/4		1/4		1/4		1/4		1/4	
1/2	1,242.03	1/2	965.81	1/2	689.59	1/2	420.63	1/2	144.42	1/2		1/2		1/2		1/2		1/2	
3/4	1,236.28	3/4	960.05	3/4	683.83	3/4	414.87	3/4	138.66	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2008 CL - SW
CALCULATED: 08/07/2008 CL
VERIFIED: 01/19/2024 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10200"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HFL 200S"

GAUGE HEIGHT 15'-07 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,336.54	0	1,092.63	0	848.73	0	604.83	0	361.35	0	117.45	0		0		0		0	
1/4	1,331.45	1/4	1,087.55	1/4	843.65	1/4	599.75	1/4	356.26	1/4	112.37	1/4		1/4		1/4		1/4	
1/2	1,326.37	1/2	1,082.47	1/2	838.57	1/2	594.67	1/2	351.18	1/2	107.29	1/2		1/2		1/2		1/2	
3/4	1,321.29	3/4	1,077.39	3/4	833.49	3/4	589.60	3/4	346.10	3/4	102.21	3/4		3/4		3/4		3/4	
1	1,316.21	1	1,072.31	1	828.41	1	584.53	1	341.02	1	97.13	1		1		1		1	
1/4	1,311.13	1/4	1,067.23	1/4	823.32	1/4	579.45	1/4	335.94	1/4	92.05	1/4		1/4		1/4		1/4	
1/2	1,306.05	1/2	1,062.15	1/2	818.24	1/2	574.38	1/2	330.86	1/2	86.97	1/2		1/2		1/2		1/2	
3/4	1,300.97	3/4	1,057.06	3/4	813.16	3/4	569.31	3/4	325.78	3/4	81.89	3/4		3/4		3/4		3/4	
2	1,295.89	2	1,051.98	2	808.08	2	564.24	2	320.70	2	76.81	2		2		2		2	
1/4	1,290.80	1/4	1,046.90	1/4	803.00	1/4	559.17	1/4	315.62	1/4	71.73	1/4		1/4		1/4		1/4	
1/2	1,285.72	1/2	1,041.82	1/2	797.92	1/2	554.10	1/2	310.53	1/2	66.66	1/2		1/2		1/2		1/2	
3/4	1,280.64	3/4	1,036.74	3/4	792.84	3/4	549.03	3/4	305.45	3/4	61.59	3/4		3/4		3/4		3/4	
3	1,275.56	3	1,031.66	3	787.76	3	543.96	3	300.37	3	56.52	3		3		3		3	
1/4	1,270.48	1/4	1,026.58	1/4	782.67	1/4	538.89	1/4	295.29	1/4	51.46	1/4		1/4		1/4		1/4	
1/2	1,265.40	1/2	1,021.50	1/2	777.59	1/2	533.82	1/2	290.21	1/2	46.23	1/2		1/2		1/2		1/2	
3/4	1,260.32	3/4	1,016.41	3/4	772.51	3/4	528.75	3/4	285.13	3/4	41.01	3/4		3/4		3/4		3/4	
4	1,255.24	4	1,011.33	4	767.43	4	523.68	4	280.05	4	36.16	4		4		4		4	
1/4	1,250.15	1/4	1,006.25	1/4	762.35	1/4	518.61	1/4	274.97	1/4	31.31	1/4		1/4		1/4		1/4	
1/2	1,245.07	1/2	1,001.17	1/2	757.27	1/2	513.54	1/2	269.89	1/2	27.07	1/2		1/2		1/2		1/2	
3/4	1,239.99	3/4	996.09	3/4	752.19	3/4	508.47	3/4	264.80	3/4	22.84	3/4		3/4		3/4		3/4	
5	1,234.91	5	991.01	5	747.11	5	503.40	5	259.72	5	18.61	5		5		5		5	
1/4	1,229.83	1/4	985.93	1/4	742.02	1/4	498.33	1/4	254.64	1/4	14.38	1/4		1/4		1/4		1/4	
1/2	1,224.75	1/2	980.85	1/2	736.94	1/2	493.26	1/2	249.56	1/2	11.84	1/2		1/2		1/2		1/2	
3/4	1,219.67	3/4	975.76	3/4	731.86	3/4	488.19	3/4	244.48	3/4	9.30	3/4		3/4		3/4		3/4	
6	1,214.58	6	970.68	6	726.78	6	483.12	6	239.40	6	6.76	6		6		6		6	
1/4	1,209.50	1/4	965.60	1/4	721.70	1/4	478.05	1/4	234.32	1/4	4.22	1/4		1/4		1/4		1/4	
1/2	1,204.42	1/2	960.52	1/2	716.62	1/2	472.98	1/2	229.24	1/2	3.37	1/2		1/2		1/2		1/2	
3/4	1,199.34	3/4	955.44	3/4	711.54	3/4	467.91	3/4	224.16	3/4	2.52	3/4		3/4		3/4		3/4	
7	1,194.26	7	950.36	7	706.45	7	462.84	7	219.07	7	1.68	7		7		7		7	
1/4	1,189.18	1/4	945.28	1/4	701.37	1/4	457.77	1/4	213.99	1/4	0.83	1/4		1/4		1/4		1/4	
1/2	1,184.10	1/2	940.19	1/2	696.29	1/2	452.70	1/2	208.91	1/2		1/2		1/2		1/2		1/2	
3/4	1,179.02	3/4	935.11	3/4	691.21	3/4	447.63	3/4	203.83	3/4		3/4		3/4		3/4		3/4	
8	1,173.93	8	930.03	8	686.13	8	442.56	8	198.75	8		8		8		8		8	
1/4	1,168.85	1/4	924.95	1/4	681.05	1/4	437.49	1/4	193.67	1/4		1/4		1/4		1/4		1/4	
1/2	1,163.77	1/2	919.87	1/2	675.97	1/2	432.42	1/2	188.59	1/2		1/2		1/2		1/2		1/2	
3/4	1,158.69	3/4	914.79	3/4	670.89	3/4	427.35	3/4	183.51	3/4		3/4		3/4		3/4		3/4	
9	1,153.61	9	909.71	9	665.80	9	422.28	9	178.43	9		9		9		9		9	
1/4	1,148.53	1/4	904.63	1/4	660.72	1/4	417.21	1/4	173.34	1/4		1/4		1/4		1/4		1/4	
1/2	1,143.45	1/2	899.54	1/2	655.64	1/2	412.14	1/2	168.26	1/2		1/2		1/2		1/2		1/2	
3/4	1,138.37	3/4	894.46	3/4	650.56	3/4	407.06	3/4	163.18	3/4		3/4		3/4		3/4		3/4	
10	1,133.28	10	889.38	10	645.48	10	401.99	10	158.10	10		10		10		10		10	
1/4	1,128.20	1/4	884.30	1/4	640.40	1/4	396.91	1/4	153.02	1/4		1/4		1/4		1/4		1/4	
1/2	1,123.12	1/2	879.22	1/2	635.32	1/2	391.83	1/2	147.94	1/2		1/2		1/2		1/2		1/2	
3/4	1,118.04	3/4	874.14	3/4	630.24	3/4	386.75	3/4	142.86	3/4		3/4		3/4		3/4		3/4	
11	1,112.96	11	869.06	11	625.15	11	381.67	11	137.78	11		11		11		11		11	
1/4	1,107.88	1/4	863.98	1/4	620.07	1/4	376.59	1/4	132.70	1/4		1/4		1/4		1/4		1/4	
1/2	1,102.80	1/2	858.89	1/2	614.99	1/2	371.51	1/2	127.61	1/2		1/2		1/2		1/2		1/2	
3/4	1,097.72	3/4	853.81	3/4	609.91	3/4	366.43	3/4	122.53	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/07/2008 CL - SW
CALCULATED: 08/07/2008 CL
VERIFIED: 01/19/2024 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>