



# BARGE "KIRBY 10205"

ULLAGE TRIM TABLE

FORMERLY "HFL 210"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2
2 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
3 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 160'-06"

May 7, 2024

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "KIRBY 10205"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HFL 210"

GAUGE HEIGHT 15'-06 7/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,338.08	0	1,091.69	0	845.30	0	598.60	0	358.37	0	111.28	0		0		0		0	
1/4	1,332.95	1/4	1,086.56	1/4	840.16	1/4	593.61	1/4	353.23	1/4	106.13	1/4		1/4		1/4		1/4	
1/2	1,327.82	1/2	1,081.42	1/2	835.03	1/2	588.62	1/2	348.08	1/2	100.98	1/2		1/2		1/2		1/2	
3/4	1,322.68	3/4	1,076.29	3/4	829.90	3/4	583.62	3/4	342.94	3/4	95.83	3/4		3/4		3/4		3/4	
1	1,317.55	1	1,071.16	1	824.76	1	578.64	1	337.80	1	90.68	1		1		1		1	
1/4	1,312.42	1/4	1,066.02	1/4	819.63	1/4	573.67	1/4	332.65	1/4	85.54	1/4		1/4		1/4		1/4	
1/2	1,307.28	1/2	1,060.89	1/2	814.50	1/2	568.70	1/2	327.50	1/2	80.39	1/2		1/2		1/2		1/2	
3/4	1,302.15	3/4	1,055.76	3/4	809.36	3/4	563.73	3/4	322.35	3/4	75.24	3/4		3/4		3/4		3/4	
2	1,297.02	2	1,050.62	2	804.23	2	558.76	2	317.20	2	70.10	2		2		2		2	
1/4	1,291.88	1/4	1,045.49	1/4	799.10	1/4	553.79	1/4	312.05	1/4	64.97	1/4		1/4		1/4		1/4	
1/2	1,286.75	1/2	1,040.36	1/2	793.96	1/2	548.82	1/2	306.90	1/2	59.83	1/2		1/2		1/2		1/2	
3/4	1,281.62	3/4	1,035.22	3/4	788.83	3/4	543.84	3/4	301.76	3/4	54.69	3/4		3/4		3/4		3/4	
3	1,276.48	3	1,030.09	3	783.70	3	538.87	3	296.61	3	49.48	3		3		3		3	
1/4	1,271.35	1/4	1,024.96	1/4	778.56	1/4	533.90	1/4	291.46	1/4	44.19	1/4		1/4		1/4		1/4	
1/2	1,266.22	1/2	1,019.82	1/2	773.43	1/2	528.93	1/2	286.31	1/2	39.09	1/2		1/2		1/2		1/2	
3/4	1,261.08	3/4	1,014.69	3/4	768.30	3/4	523.96	3/4	281.16	3/4	34.17	3/4		3/4		3/4		3/4	
4	1,255.95	4	1,009.56	4	763.16	4	518.99	4	276.01	4	29.57	4		4		4		4	
1/4	1,250.82	1/4	1,004.42	1/4	758.01	1/4	514.02	1/4	270.87	1/4	25.28	1/4		1/4		1/4		1/4	
1/2	1,245.69	1/2	999.29	1/2	752.87	1/2	509.05	1/2	265.72	1/2	20.99	1/2		1/2		1/2		1/2	
3/4	1,240.55	3/4	994.16	3/4	747.72	3/4	504.08	3/4	260.57	3/4	16.70	3/4		3/4		3/4		3/4	
5	1,235.42	5	989.03	5	742.58	5	499.11	5	255.42	5	13.27	5		5		5		5	
1/4	1,230.29	1/4	983.89	1/4	737.43	1/4	494.14	1/4	250.27	1/4	10.70	1/4		1/4		1/4		1/4	
1/2	1,225.15	1/2	978.76	1/2	732.29	1/2	489.17	1/2	245.12	1/2	8.12	1/2		1/2		1/2		1/2	
3/4	1,220.02	3/4	973.63	3/4	727.15	3/4	484.20	3/4	239.98	3/4	5.55	3/4		3/4		3/4		3/4	
6	1,214.89	6	968.49	6	722.00	6	479.23	6	234.83	6	3.83	6		6		6		6	
1/4	1,209.75	1/4	963.36	1/4	716.86	1/4	474.25	1/4	229.68	1/4	2.98	1/4		1/4		1/4		1/4	
1/2	1,204.62	1/2	958.23	1/2	711.71	1/2	469.28	1/2	224.53	1/2	2.12	1/2		1/2		1/2		1/2	
3/4	1,199.49	3/4	953.09	3/4	706.57	3/4	464.31	3/4	219.38	3/4	1.26	3/4		3/4		3/4		3/4	
7	1,194.35	7	947.96	7	701.42	7	459.34	7	214.23	7/8	0.83	7		7		7		7	
1/4	1,189.22	1/4	942.83	1/4	696.28	1/4	454.37	1/4	209.09	1/4		1/4		1/4		1/4		1/4	
1/2	1,184.09	1/2	937.69	1/2	691.13	1/2	449.40	1/2	203.94	1/2		1/2		1/2		1/2		1/2	
3/4	1,178.95	3/4	932.56	3/4	685.99	3/4	444.43	3/4	198.79	3/4		3/4		3/4		3/4		3/4	
8	1,173.82	8	927.43	8	680.84	8	439.46	8	193.64	8		8		8		8		8	
1/4	1,168.69	1/4	922.29	1/4	675.70	1/4	434.49	1/4	188.50	1/4		1/4		1/4		1/4		1/4	
1/2	1,163.55	1/2	917.16	1/2	670.55	1/2	429.52	1/2	183.35	1/2		1/2		1/2		1/2		1/2	
3/4	1,158.42	3/4	912.03	3/4	665.41	3/4	424.55	3/4	178.20	3/4		3/4		3/4		3/4		3/4	
9	1,153.29	9	906.89	9	660.26	9	419.56	9	173.05	9		9		9		9		9	
1/4	1,148.15	1/4	901.76	1/4	655.12	1/4	414.57	1/4	167.91	1/4		1/4		1/4		1/4		1/4	
1/2	1,143.02	1/2	896.63	1/2	649.98	1/2	409.57	1/2	162.76	1/2		1/2		1/2		1/2		1/2	
3/4	1,137.89	3/4	891.49	3/4	644.83	3/4	404.58	3/4	157.61	3/4		3/4		3/4		3/4		3/4	
10	1,132.75	10	886.36	10	639.69	10	399.51	10	152.46	10		10		10		10		10	
1/4	1,127.62	1/4	881.23	1/4	634.54	1/4	394.36	1/4	147.31	1/4		1/4		1/4		1/4		1/4	
1/2	1,122.49	1/2	876.09	1/2	629.40	1/2	389.21	1/2	142.17	1/2		1/2		1/2		1/2		1/2	
3/4	1,117.36	3/4	870.96	3/4	624.25	3/4	384.06	3/4	137.02	3/4		3/4		3/4		3/4		3/4	
11	1,112.22	11	865.83	11	619.11	11	378.92	11	131.87	11		11		11		11		11	
1/4	1,107.09	1/4	860.70	1/4	613.96	1/4	373.78	1/4	126.72	1/4		1/4		1/4		1/4		1/4	
1/2	1,101.96	1/2	855.56	1/2	608.82	1/2	368.64	1/2	121.57	1/2		1/2		1/2		1/2		1/2	
3/4	1,096.82	3/4	850.43	3/4	603.67	3/4	363.51	3/4	116.42	3/4		3/4		3/4		3/4		3/4	

STRAPPED: 01/21/2009 CL - SW  
CALCULATED: 01/21/2009 CL  
VERIFIED: 05/07/2024

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10205"

## 2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HFL 210"

GAUGE HEIGHT 15'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,491.02	0	1,214.52	0	938.01	0	661.85	0	392.27	0	115.76	0		0		0		0	
1/4	1,485.26	1/4	1,208.76	1/4	932.25	1/4	656.26	1/4	386.50	1/4	110.00	1/4		1/4		1/4		1/4	
1/2	1,479.50	1/2	1,202.99	1/2	926.49	1/2	650.67	1/2	380.74	1/2	104.24	1/2		1/2		1/2		1/2	
3/4	1,473.74	3/4	1,197.23	3/4	920.73	3/4	645.10	3/4	374.98	3/4	98.49	3/4		3/4		3/4		3/4	
1	1,467.98	1	1,191.47	1	914.96	1	639.52	1	369.22	1	92.73	1		1		1		1	
1/4	1,462.22	1/4	1,185.71	1/4	909.20	1/4	633.94	1/4	363.45	1/4	86.97	1/4		1/4		1/4		1/4	
1/2	1,456.46	1/2	1,179.95	1/2	903.44	1/2	628.37	1/2	357.69	1/2	81.21	1/2		1/2		1/2		1/2	
3/4	1,450.70	3/4	1,174.19	3/4	897.68	3/4	622.79	3/4	351.93	3/4	75.46	3/4		3/4		3/4		3/4	
2	1,444.94	2	1,168.43	2	891.92	2	617.21	2	346.17	2	69.72	2		2		2		2	
1/4	1,439.18	1/4	1,162.67	1/4	886.16	1/4	611.63	1/4	340.41	1/4	63.97	1/4		1/4		1/4		1/4	
1/2	1,433.42	1/2	1,156.91	1/2	880.40	1/2	606.06	1/2	334.65	1/2	58.23	1/2		1/2		1/2		1/2	
3/4	1,427.66	3/4	1,151.15	3/4	874.64	3/4	600.48	3/4	328.89	3/4	52.31	3/4		3/4		3/4		3/4	
3	1,421.90	3	1,145.39	3	868.88	3	594.90	3	323.13	3	46.39	3		3		3		3	
1/4	1,416.14	1/4	1,139.63	1/4	863.12	1/4	589.33	1/4	317.37	1/4	40.88	1/4		1/4		1/4		1/4	
1/2	1,410.38	1/2	1,133.87	1/2	857.36	1/2	583.75	1/2	311.61	1/2	35.38	1/2		1/2		1/2		1/2	
3/4	1,404.62	3/4	1,128.11	3/4	851.60	3/4	578.17	3/4	305.85	3/4	30.59	3/4		3/4		3/4		3/4	
4	1,398.85	4	1,122.35	4	845.84	4	572.60	4	300.09	4	25.79	4		4		4		4	
1/4	1,393.09	1/4	1,116.59	1/4	840.08	1/4	567.02	1/4	294.33	1/4	20.99	1/4		1/4		1/4		1/4	
1/2	1,387.33	1/2	1,110.82	1/2	834.32	1/2	561.44	1/2	288.57	1/2	16.19	1/2		1/2		1/2		1/2	
3/4	1,381.57	3/4	1,105.06	3/4	828.56	3/4	555.86	3/4	282.81	3/4	13.31	3/4		3/4		3/4		3/4	
5	1,375.81	5	1,099.30	5	822.79	5	550.29	5	277.05	5	10.43	5		5		5		5	
1/4	1,370.05	1/4	1,093.54	1/4	817.03	1/4	544.71	1/4	271.29	1/4	7.55	1/4		1/4		1/4		1/4	
1/2	1,364.29	1/2	1,087.78	1/2	811.27	1/2	539.13	1/2	265.53	1/2	4.67	1/2		1/2		1/2		1/2	
3/4	1,358.53	3/4	1,082.02	3/4	805.51	3/4	533.56	3/4	259.77	3/4	3.71	3/4		3/4		3/4		3/4	
6	1,352.77	6	1,076.26	6	799.75	6	527.98	6	254.01	6	2.75	6		6		6		6	
1/4	1,347.01	1/4	1,070.50	1/4	793.99	1/4	522.40	1/4	248.25	1/4	1.79	1/4		1/4		1/4		1/4	
1/2	1,341.25	1/2	1,064.74	1/2	788.23	1/2	516.82	1/2	242.49	1/2	0.83	1/2		1/2		1/2		1/2	
3/4	1,335.49	3/4	1,058.98	3/4	782.47	3/4	511.25	3/4	236.73	3/4		3/4		3/4		3/4		3/4	
7	1,329.73	7	1,053.22	7	776.71	7	505.67	7	230.97	7		7		7		7		7	
1/4	1,323.97	1/4	1,047.46	1/4	770.95	1/4	500.09	1/4	225.21	1/4		1/4		1/4		1/4		1/4	
1/2	1,318.21	1/2	1,041.70	1/2	765.19	1/2	494.52	1/2	219.45	1/2		1/2		1/2		1/2		1/2	
3/4	1,312.45	3/4	1,035.94	3/4	759.43	3/4	488.94	3/4	213.69	3/4		3/4		3/4		3/4		3/4	
8	1,306.69	8	1,030.18	8	753.67	8	483.36	8	207.93	8		8		8		8		8	
1/4	1,300.92	1/4	1,024.42	1/4	747.91	1/4	477.78	1/4	202.17	1/4		1/4		1/4		1/4		1/4	
1/2	1,295.16	1/2	1,018.66	1/2	742.15	1/2	472.21	1/2	196.41	1/2		1/2		1/2		1/2		1/2	
3/4	1,289.40	3/4	1,012.89	3/4	736.39	3/4	466.62	3/4	190.65	3/4		3/4		3/4		3/4		3/4	
9	1,283.64	9	1,007.13	9	730.63	9	461.03	9	184.89	9		9		9		9		9	
1/4	1,277.88	1/4	1,001.37	1/4	724.86	1/4	455.45	1/4	179.13	1/4		1/4		1/4		1/4		1/4	
1/2	1,272.12	1/2	995.61	1/2	719.10	1/2	449.86	1/2	173.37	1/2		1/2		1/2		1/2		1/2	
3/4	1,266.36	3/4	989.85	3/4	713.34	3/4	444.10	3/4	167.61	3/4		3/4		3/4		3/4		3/4	
10	1,260.60	10	984.09	10	707.58	10	438.34	10	161.85	10		10		10		10		10	
1/4	1,254.84	1/4	978.33	1/4	701.82	1/4	432.58	1/4	156.09	1/4		1/4		1/4		1/4		1/4	
1/2	1,249.08	1/2	972.57	1/2	696.06	1/2	426.82	1/2	150.33	1/2		1/2		1/2		1/2		1/2	
3/4	1,243.32	3/4	966.81	3/4	690.30	3/4	421.06	3/4	144.57	3/4		3/4		3/4		3/4		3/4	
11	1,237.56	11	961.05	11	684.54	11	415.30	11	138.81	11		11		11		11		11	
1/4	1,231.80	1/4	955.29	1/4	678.78	1/4	409.54	1/4	133.05	1/4		1/4		1/4		1/4		1/4	
1/2	1,226.04	1/2	949.53	1/2	673.02	1/2	403.78	1/2	127.29	1/2		1/2		1/2		1/2		1/2	
3/4	1,220.28	3/4	943.77	3/4	667.43	3/4	398.02	3/4	121.52	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/21/2009 CL - SW  
CALCULATED: 01/21/2009 CL  
VERIFIED: 05/07/2024

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10205"

## 3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HFL 210"

GAUGE HEIGHT 15'-07 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,342.38	0	1,097.41	0	852.44	0	607.47	0	362.92	0	117.97	0		0		0		0	
1/4	1,337.27	1/4	1,092.30	1/4	847.34	1/4	602.37	1/4	357.82	1/4	112.86	1/4		1/4		1/4		1/4	
1/2	1,332.17	1/2	1,087.20	1/2	842.23	1/2	597.27	1/2	352.72	1/2	107.76	1/2		1/2		1/2		1/2	
3/4	1,327.06	3/4	1,082.10	3/4	837.13	3/4	592.18	3/4	347.61	3/4	102.66	3/4		3/4		3/4		3/4	
1	1,321.96	1	1,076.99	1	832.03	1	587.08	1	342.51	1	97.55	1		1		1		1	
1/4	1,316.86	1/4	1,071.89	1/4	826.92	1/4	581.98	1/4	337.41	1/4	92.45	1/4		1/4		1/4		1/4	
1/2	1,311.75	1/2	1,066.79	1/2	821.82	1/2	576.89	1/2	332.30	1/2	87.35	1/2		1/2		1/2		1/2	
3/4	1,306.65	3/4	1,061.68	3/4	816.71	3/4	571.80	3/4	327.20	3/4	82.25	3/4		3/4		3/4		3/4	
2	1,301.55	2	1,056.58	2	811.61	2	566.71	2	322.10	2	77.14	2		2		2		2	
1/4	1,296.44	1/4	1,051.48	1/4	806.51	1/4	561.61	1/4	316.99	1/4	72.04	1/4		1/4		1/4		1/4	
1/2	1,291.34	1/2	1,046.37	1/2	801.40	1/2	556.52	1/2	311.89	1/2	66.95	1/2		1/2		1/2		1/2	
3/4	1,286.24	3/4	1,041.27	3/4	796.30	3/4	551.43	3/4	306.79	3/4	61.86	3/4		3/4		3/4		3/4	
3	1,281.13	3	1,036.17	3	791.20	3	546.34	3	301.68	3	56.77	3		3		3		3	
1/4	1,276.03	1/4	1,031.06	1/4	786.09	1/4	541.25	1/4	296.58	1/4	51.68	1/4		1/4		1/4		1/4	
1/2	1,270.93	1/2	1,025.96	1/2	780.99	1/2	536.15	1/2	291.48	1/2	46.43	1/2		1/2		1/2		1/2	
3/4	1,265.82	3/4	1,020.85	3/4	775.89	3/4	531.06	3/4	286.37	3/4	41.19	3/4		3/4		3/4		3/4	
4	1,260.72	4	1,015.75	4	770.78	4	525.97	4	281.27	4	36.32	4		4		4		4	
1/4	1,255.62	1/4	1,010.65	1/4	765.68	1/4	520.88	1/4	276.17	1/4	31.44	1/4		1/4		1/4		1/4	
1/2	1,250.51	1/2	1,005.54	1/2	760.58	1/2	515.78	1/2	271.06	1/2	27.19	1/2		1/2		1/2		1/2	
3/4	1,245.41	3/4	1,000.44	3/4	755.47	3/4	510.69	3/4	265.96	3/4	22.94	3/4		3/4		3/4		3/4	
5	1,240.31	5	995.34	5	750.37	5	505.60	5	260.86	5	18.69	5		5		5		5	
1/4	1,235.20	1/4	990.23	1/4	745.27	1/4	500.51	1/4	255.75	1/4	14.44	1/4		1/4		1/4		1/4	
1/2	1,230.10	1/2	985.13	1/2	740.16	1/2	495.42	1/2	250.65	1/2	11.89	1/2		1/2		1/2		1/2	
3/4	1,224.99	3/4	980.03	3/4	735.06	3/4	490.32	3/4	245.55	3/4	9.34	3/4		3/4		3/4		3/4	
6	1,219.89	6	974.92	6	729.96	6	485.23	6	240.44	6	6.79	6		6		6		6	
1/4	1,214.79	1/4	969.82	1/4	724.85	1/4	480.14	1/4	235.34	1/4	4.23	1/4		1/4		1/4		1/4	
1/2	1,209.68	1/2	964.72	1/2	719.75	1/2	475.05	1/2	230.24	1/2	3.38	1/2		1/2		1/2		1/2	
3/4	1,204.58	3/4	959.61	3/4	714.64	3/4	469.95	3/4	225.13	3/4	2.53	3/4		3/4		3/4		3/4	
7	1,199.48	7	954.51	7	709.54	7	464.86	7	220.03	7	1.68	7		7		7		7	
1/4	1,194.37	1/4	949.41	1/4	704.44	1/4	459.77	1/4	214.93	1/4	0.83	1/4		1/4		1/4		1/4	
1/2	1,189.27	1/2	944.30	1/2	699.33	1/2	454.68	1/2	209.83	1/2		1/2		1/2		1/2		1/2	
3/4	1,184.17	3/4	939.20	3/4	694.23	3/4	449.59	3/4	204.72	3/4		3/4		3/4		3/4		3/4	
8	1,179.06	8	934.10	8	689.13	8	444.49	8	199.62	8		8		8		8		8	
1/4	1,173.96	1/4	928.99	1/4	684.02	1/4	439.40	1/4	194.52	1/4		1/4		1/4		1/4		1/4	
1/2	1,168.86	1/2	923.89	1/2	678.92	1/2	434.31	1/2	189.41	1/2		1/2		1/2		1/2		1/2	
3/4	1,163.75	3/4	918.78	3/4	673.82	3/4	429.22	3/4	184.31	3/4		3/4		3/4		3/4		3/4	
9	1,158.65	9	913.68	9	668.71	9	424.12	9	179.21	9		9		9		9		9	
1/4	1,153.55	1/4	908.58	1/4	663.61	1/4	419.03	1/4	174.10	1/4		1/4		1/4		1/4		1/4	
1/2	1,148.44	1/2	903.47	1/2	658.51	1/2	413.94	1/2	169.00	1/2		1/2		1/2		1/2		1/2	
3/4	1,143.34	3/4	898.37	3/4	653.40	3/4	408.84	3/4	163.90	3/4		3/4		3/4		3/4		3/4	
10	1,138.24	10	893.27	10	648.30	10	403.74	10	158.79	10		10		10		10		10	
1/4	1,133.13	1/4	888.16	1/4	643.20	1/4	398.65	1/4	153.69	1/4		1/4		1/4		1/4		1/4	
1/2	1,128.03	1/2	883.06	1/2	638.09	1/2	393.54	1/2	148.59	1/2		1/2		1/2		1/2		1/2	
3/4	1,122.92	3/4	877.96	3/4	632.99	3/4	388.44	3/4	143.48	3/4		3/4		3/4		3/4		3/4	
11	1,117.82	11	872.85	11	627.89	11	383.34	11	138.38	11		11		11		11		11	
1/4	1,112.72	1/4	867.75	1/4	622.78	1/4	378.23	1/4	133.28	1/4		1/4		1/4		1/4		1/4	
1/2	1,107.61	1/2	862.65	1/2	617.68	1/2	373.13	1/2	128.17	1/2		1/2		1/2		1/2		1/2	
3/4	1,102.51	3/4	857.54	3/4	612.57	3/4	368.03	3/4	123.07	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/21/2009 CL - SW  
CALCULATED: 01/21/2009 CL  
VERIFIED: 05/07/2024

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>