



STARBOARD

NOTE 1: CONTAINMENT P/S

- | | | | |
|-----------|---------------------------|-----------|----------------------------|
| NO | DESCRIPTION | NO | DESCRIPTION |
| 7V | 8" HEADER VALVE | 19V | EMERGENCY ENGINE SHUT DOWN |
| 8V | 8" VENT STACK VALVE | 21V | HERMETIC GAUGE |
| 10V | HIGH LEVEL/OVERFILL ALARM | 28V | DOCK CONNECTION ALARM |
| 11V | GAUGE STICK | 39V | 6" PRESSURE/VACUUM VALVE |
| 14V | SIGHT GLASS W/GAUGE TREE | 38V | 8" VAPOR PENETRATION (⊙) |
| 15V | 2" INSPECTION PORT | 50V | 8" VAPOR HEADER |
| 15Vo | 8" INSPECTION PORT | 51V | 8" VAPOR PIPELINE |
| 16V | 8" VAPOR VENT STACK | 59V | PRESS/VAC GAUGE |
| 17V | 20" BUTTERWORTH | — | — ABOVE DECK PIPING |

TRINITY MARINE PRODUCTS - BARREL CAPACITY=10732

KIRBY INLAND MARINE 

**VAPOR
PIPING FLOW DIAGRAM**

| | | | | | |
|------|----------|----|-----|-----|----------------------|
| 0 | 01/08/10 | RB | RB | RJ | FOR APPROVAL |
| REV. | DATE | BY | CHK | APP | REVISION DESCRIPTION |

SCALE: NONE
PAGE: 2 OF 3

KIRBY 10214 REV. **0**

