

STARBOARD

NOTE 1: CONTAINMENT P/S

NO	DESCRIPTION	NO	DESCRIPTION
7V	8" HEADER VALVE	19V	EMERGENCY ENGINE SHUT DOWN
8V	8" VENT STACK VALVE	21V	HERMETIC GAUGE
10V	HIGH LEVEL/OVERFILL ALARM	28V	DOCK CONNECTION ALARM
11V	GAUGE STICK	39V	6" PRESSURE/VACUUM VALVE
14V	SIGHT GLASS W/GAUGE TREE	38V	8" VAPOR PENETRATION (C)
15V	2" INSPECTION PORT	50V	8" VAPOR HEADER
15V _a	8" INSPECTION PORT	51V	8" VAPOR PIPELINE
16V	8" VAPOR VENT STACK	59V	PRESS/VAC GAUGE
17V	20" BUTTERWORTH	—	ABOVE DECK PIPING

TRINITY MARINE PRODUCTS - BARREL CAPACITY=10732

KIRBY INLAND MARINE 


**VAPOR
PIPING FLOW DIAGRAM**

KIRBY 10215

0	01/08/10	RB	RB	RJ	FOR APPROVAL
REV.	DATE	BY	CHK	APP	REVISION DESCRIPTION

SCALE: NONE
PAGE: 2 OF 3

REV. 0



NOTE 1: CONTAINMENT P/S

- | NO | DESCRIPTION |
|-----|------------------------------------|
| 2S | CARGO SUMP SUCTION VALVE |
| 11S | LOWER CARGO PIPELINE SUCTION VALVE |
| 18S | STRIPPING DROP (⊙) |
| 33S | PUMP WELL SUCTION VALVE |
| 41S | CONTAINMENT DRAIN VALVE W/ CAP |

TRINITY MARINE PRODUCTS - BARREL CAPACITY=10732

<p>KIRBY INLAND MARINE </p>						
<p>STRIPPING PIPING FLOW DIAGRAM</p>						
0	01/08/10	RB	RB	RJ	FOR APPROVAL	SCALE: NONE
REV.	DATE	BY	CHK	APP	REVISION DESCRIPTION	PAGE: 3 OF 3
<p>KIRBY 10215</p>						<p>REV. 0</p>