

Dept, of Heine Set, USCG, CE 841 (Rev 4-7000)(v2).

Department of Homeland Security United States Coast Guard

Expiration Date:

16 Dec 2025

OMB No. 2115-0517

Certificate of Inspection

For ships on international voyages this certificate furfills the requirements of SDLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

| Value Name | Official Num | ber 16 | AO Number | Call Sign | Service |
|--|-------------------------|---|--|--|--|
| KIRBY 10225 | 122758 | 4 | | | Tank Barge |
| ALL TO THE LOCAL OF THE PARTY O | | | | | |
| | | | | | |
| Halling Port | Hul | Matenal | Horsepower | Propulsion | |
| WILMINGTON, DE | St | eel | | | |
| | | | | | |
| UNITED STATES | | | | | |
| | | | | | |
| Place Buil | Delive | ry Date Keel Laid I | | Net Tons | DWT Length |
| ASHLAND CITY, TN | 150 | ct2010 27Sep | 2010 R-705 | R-705 | 10 |
| UNITED STATES | | | | | |
| UNITED GIATES | | | | | |
| | | | - C | | |
| WIREY INLAND MARINE | LP / | | Operator KIRBY INLANE | MARINE, LP | |
| S WAUGH DR STE 1000 | | | 18350 MARKE | T ST. | |
| HOUSTON, TX 77007 | 4234 | | CHANNELVIE | | |
| INITED STATES | | | DINITED STAT | _0 | |
| This vessel must be manne | ed with the following | licensed and unli | censed Personn | el. Included in w | hich there must be |
|) Certified Lifeboatmen, 0 | Certified Tankermer | , 0 HSC Type R | ating, and 0 GM | DSS Operators. | |
| 0 Masters | 0 Licensed Mates | 0 Chief Engineer | s 0 | Oilers | |
| 0 Chief Mates | 0 First Class Pilots | 0 First Assistant | | | |
| 0 Second Mates | 0 Radio Officers | 0 Second Assista | | | |
| 0 Third Mates | 0 Able Seamen | 0 Third Assistant | | | |
| 0 Master First Class Pilot | 0 Ordinary Seamen | 0 Licensed Engin | | | |
| 0 Mate First Class Pilots | 0 Deckhands | 0 Qualified Memb | oer Engineer | one in addition t | o crew and no Others Total |
| in addition, this vessel may Persons allowed: 0 | y carry 0 Passengers | , u Other Person | is in crew, o reis | outs in addition t | o crew, and no Others. Total |
| Route Permitted And C | onditions Of Operat | ion: | | | |
| Lakes, Bays, and | Sounds plus L | imited Coas | stwise | | and the second s |
| Also, in fair weather o | | | | e between St. | Marks and Carrabelle, |
| Also, in fair weather of Florida. | only, not more than | CAGTAG (TC) | | and the second s | 1 |
| | anted fresh water | hull examinati | on intervals i | n accordance w | ith 46 CFR 31.10-21(a)(2). |
| If this vessel has been | operated in salt | water more tha | n 6 months in | any 12 month p | eriod, the vessel must be oon as this change occurs. |
| examined using salt wat | er intervals and t | ne cognizant c | Chi norman | | |
| This tank barge is part | icipating in the E | lighth and Nint | h Coast Guard d this barge s | District's Tan hall be conduc | k Barge Streamlined ted in accordance with its |
| | | | | | |
| ***SEE NEXT PAGE FO | OR ADDITIONAL C | ERTIFICATE IN | NEORMATION* | •• | |
| With this Inspection for Ce | ertification having bee | n completed at I sel, in all respec | Freeport, TX, UN ts, is in conformi | IITED STATES, ty with the additi | the Officer in Charge, Marine able vessel inspection laws an |
| managina Malietani mania | rescribed thereunder | | the second of the second of the | design of the same of the same of | |
| Inspection, Houston-Gaive the rules and regulations b | | With the second | 1 many 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | and the second of the second of | |
| the rules and regulations p | eriodic/Re-Inspection | | This certific | | |
| the rules and regulations p | eriodic/Re-Inspection | Signature, | | | B USCG, BY DIRECTION |
| the rules and regulations p Annual/P | eriodic/Re-Inspection | the second sections | E. M. | CARRERO CD | |
| the rules and regulations p Annual/P Date Zone | eriodic/Re-Inspection | Signature, | E. M. | CARRERO CD | R USCG, BY DIRECTION |



United States of America Department of Homeland Security **United States Coast Guard**

16 Dec 2020 Certification Date: 16 Dec 2025 **Expiration Date:**

Certificate of Inspection

Vessel Name: KIRBY 10225

Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Oct2030

24Nov2020

15Oct2010

Internal Structure

31Oct2025

24Nov2020

16Nov2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE, COMBUSTIBLE AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

10300

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

| Tank Number | Max Cargo Weight per Tank (short tons) | Maximum Density (lbs/gal) |
|-------------|--|---------------------------|
| 1 | 585 | 13.57 |
| 2 | 538 | 13.57 |
| 3 | 535 | 13.57 |

Loading Constraints - Stability

| Hull Type | Maximum Load (short tons) | Maximum Draft (ft/in) | Max Density (lbs/gal) | Route Description |
|-----------|---------------------------|-----------------------|--------------------------|-------------------|
| 11 | 1471 | 9ft 0in | 10.83 | R, LBS, LC 0-12 |
| II | 1417 | 8ft 9in | 11.74 | R, LBS, LC 0-12 |
| II. | 1364 | 8ft 6in | 12.41 | R, LBS, LC 0-12 |
| II | 1310 | 8ft 3in | 12.99 | R, LBS, LC 0-12 |
| II | 1256 | 8ft 0in | 13.57 | R, LBS, LC 0-12 |
| III | 1579 | 9ft 6in | 10.41 | R, LBS, LC 0-12 |
| III | 1525 | 9ft 3in | 11.87 | R, LBS, LC 0-12 |
| Ш | 1471 | 9ft 0in | 12.70 | R, LBS, LC 0-12 |
| 111 | 1417 | 8ft 9in | 13.57 | R, LBS, LC 0-12 |

Conditions Of Carriage

Only Grade "A" and lower cargoes and specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-1104465, dated 07 Dec 2011, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Vapor Control Authorization

Dept. of Home Sec. USCG, CG-841 (Rev 4-2000)(v2)

Page 2 of 3

OMB No. 2115-0517



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 16 Dec 2020 Expiration Date: 16 Dec 2025

Certificate of Inspection

Vessel Name: KIRBY 10225

In accordance with 46 CFR 39, excluding part 39.40, this vessel's vapor control system (VCS) has been inspected to the plans approved by marine safety center letter serial #C1-1001223, dated July 29, 2010, and found acceptable for collection of bulk liquid cargo vapors annotated with "yes" in the CAA's VCS column.

Stability and Trim

The maximum design density of cargo which may be filled to the tank top is 10.00 lbs/gal. Cargoes with higher densities, up to 13.57 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

--- Inspection Status ---

Fuel Tanks

| Internal | Examinations |
|----------|--------------|
|----------|--------------|

| Previous | Last | Next |
|----------|-----------|--|
| - | 15Oct2010 | - |
| | | The second secon |

| *Cargo | Tanks* |
|--------|--------|
|--------|--------|

| ourgo runko | | | | | | |
|-------------|---------------|-----------|------------|-------------|------|------|
| | Internal Exam | i | | External Ex | am | |
| Tank Id | Previous | Last | Next | Previous | Last | Next |
| 1 | 15Oct2010 | 24Nov2020 | 15Oct2030 | - | • | - |
| 2 | 15Oct2010 | 24Nov2020 | 15Oct2030 | - | - | - |
| 3 | 15Oct2010 | 24Nov2020 | 15Oct2030 | - | - | 12 |
| | | | Hydro Test | | | |
| Tank Id | Safety Valves | S | Previous | Last | Next | |
| 1 | £ | | 5 | - | ~ | |
| 2 | - E | | - | - | :* | |
| 3 | _ | | - | - | - | |

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

B-II

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10225 Official #: 1227584

Shipyard: Trinity Ashland City

Dated:

C1-1104465

07-Dec-11

Hull #: 4744

| Tank Group Information | Cargo I | dentificati | ion | | Cargo | | Tanks | | Cargo Transfer | | Environmental Control | | Fire | Special Requirements | | | |
|----------------------------|---------|-------------|-------|-------------|------------|---------------------|-------|--------|-------------------|------|--------------------------|-------------------|------------------------|--|--|------|------|
| Trik Grp Tanks in Group | Density | Press. | Temp. | Hull Typ | Sea | _ | Vent | Gauge | Pipe Class | Cont | Tanks | Handling Space | Protection Provided | General | Materials of Construction | Elec | Temp |
| A #1C, #2C, #3C | 13.6 | Atmos. | Elev | II | 1ii 2ii | Integral Gravity | PV | Closed | 11 | G-1 | NR | NA | Portable | 40-1(f)(1), .50-60, .50-70(a), .50- 70(b), .50-73, .50- 81(a), .50-81(b), | 55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g), | NR | Yes |

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

| Cargo Identificatio | Conditions of Carriage | | | | | | | | | |
|--|------------------------|--------------------|----------------|-------|--------------|---------------|-------------------|-----------------|---|-----------------|
| | 1 | | | | | | Vapor Re | | 经上外 计算形层 可满土地 | |
| Name | Chem | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Authorized Subchapter O Cargoes | | | | | | | | | | |
| Acetonitrile | ATN | 37 | 0 | С | - 111 | Α | Yes | 3 | No | G |
| Acrylonitrile | ACN | 15 ² | 0 | C | - 11 | Α | Yes | 4 | .50-70(a), .55-1(e) | G |
| Adiponitrile | ADN | 37 | 0 | Е | 11 | Α | Yes | 1 | No | G |
| Alkyl(C7-C9) nitrates | AKN | 34 2 | 0 | NA | III | Α | No | N/A | | G |
| Aminoethylethanolamine | AEE | 8 | 0 | E | III | Α | Yes | 1 | .55-1(b) | G |
| Ammonium bisulfite solution (70% or less) | ABX | 43 2 | 0 | NA | III | Α | No | N/A | | G |
| Ammonium hydroxide (28% or less NH3) | AMH | 6 | 0 | NA | III | Α | No | N/A | | G |
| Anthracene oil (Coal tar fraction) | AHO | 33 | 0 | NA | - 11 | Α | No | N/A | | G |
| Benzene | BNZ | 32 | 0 | С | III | Α | Yes | 1 | .50-60 | G |
| Benzene or hydrocarbon mixtures (having 10% Benzene or more) | ВНВ | 32 ² | 0 | С | III | Α | Yes | 1 | .50-60 | G |
| Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more) | ВНА | 32 2 | 0 | С | III | Α | Yes | 1 | .50-60, .56-1(b), (d), (f), (g) | G |
| Benzene, Toluene, Xylene mixtures (10% Benzene or more) | BTX | 32 | 0 | B/C | III | Α | Yes | 1 | .50-60 | G |
| Butyl acrylate (all isomers) | BAR | 14 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Butyl methacrylate | вмн | 14 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Butyraldehyde (all isomers) | BAE | 19 | 0 | С | III | Α | Yes | 1 | .55-1(h) | G |
| Camphor oil (light) | CPO | 18 | 0 | D | 11 | Α | No | N/A | | G |
| Carbon tetrachloride | CBT | 36 | 0 | NA | III | Α | No | N/A | | G |
| Caustic potash solution | CPS | 5 2 | 0 | NA | III | Α | No | N/A | | G |
| Caustic soda solution | CSS | 5 ² | 0 | NA | III | Α | No | N/A | | G |
| Chemical Oil (refined, containing phenolics) | COL | 21 | 0 | E | 11 | Α | No | N/A | | G |
| Chlorobenzene | CRB | 36 | 0 | D | III | Α | Yes | 1 | No | G |
| Chloroform | CRF | 36 | 0 | NA | III | A | Yes | 3 | No | G |
| Coal tar naphtha solvent | NCT | 33 | 0 | D | III | Α | Yes | 1 | .50-73 | G |
| Coal tar pitch (molten) | CTP | 33 | 0 | Е | III | Α | No | N/A | | G |
| Creosote | CCV | V 21 ² | 0 | E | 111 | Α | Yes | 1 | No | G |
| Cresols (all isomers) | CRS | 21 | 0 | E | III | Α | Yes | 1 | No | G |
| Cresylate spent caustic | csc | 5 | 0 | NA | III | Α | No | N/A | | G |
| Cresylic acid tar | CRX | (| 0 | E | III | Α | Yes | 1 | .55-1(f) | G |
| Crotonaldehyde | CTA | 192 | 0 | С | - 11 | Α | Yes | 4 | .55-1(h) | G |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | СНО | 3 | 0 | С | 111 | Α | No | N/A | | G |
| Cyclohexanone | CCH | 1 18 | 0 | D | 111 | Α | Yes | s 1 | .56-1(a), (b) | G |
| Cyclohexanone, Cyclohexanol mixture | CYX | (18 2 | 0 | E | III | Α | Yes | s 1 | .56-1 (b) | G |

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10225 Official #: 1227584

Page 2 of 8

Shipyard: Trinity Ashland City

Serial #: C1-1104465

07-Dec-11

| Cargo Identification | 1 | | | | | | | Condi | tions of Carriage | |
|---|------|-----------------|---------|-------|--------------|---------------|-------------------|-----------------|---|-----------------|
| | Chem | Compat | Sub | | t the H | | - | Recovery | | |
| Name | Code | Group No | Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Cyclohexylamine | CHA | 7 | 0 | D | III | A | Yes | 1 | .56-1(a), (b), (c), (g) | G |
| Cyclopentadiene, Styrene, Benzene mixture | CSB | 30 | 0 | D | III | A | Yes | 1 | .50-60, .56-1(b) | G |
| iso-Decyl acrylate | IAI | 14 | 0 | E | III | A | Yes | 2 | .50-70(a), .50-81(a), (b), .55-1(c) | G |
| Dichlorobenzene (all isomers) | DBX | 36 | 0 | E | III | A | Yes | 3 | .56-1(a), (b) | G |
| 1,1-Dichloroethane | DCH | 36 | 0 | C | III | A | Yes | 1 | No | G |
| 2,2'-Dichloroethyl ether | DEE | 41 | 0 | D | 11 | A | Yes | 1 | .55-1(f) | G |
| Dichloromethane | DCM | 36 | 0 | NA | III | A | Yes | 5 | No | G |
| 2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution | DDE | 43 | 0 | E | III | A | No | N/A | .56-1(a), (b), (c), (g) | G |
| 2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution | DAD | 0 1,2 | 0 | A | III | A | No | N/A | .56-1(a), (b), (c), (g) | G |
| 2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution | DTI | 43 2 | 0 | E | III | A | No | N/A | .56-1(a), (b), (c), (g) | G |
| 1,1-Dichloropropane | DPB | 36 | 0 | С | III | A | Yes | 3 | No | G |
| 1,2-Dichloropropane | DPP | 36 | 0 | С | III | A | Yes | 3 | No | G |
| 1,3-Dichloropropane | DPC | 36 | 0 | C | III | A | Yes | 3 | No | G |
| 1,3-Dichloropropene | DPU | 15 | 0 | D | 11 | A | Yes | 4 | No | G |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | 0 | С | 11 | A | Yes | 1 | No | G |
| Diethanolamine | DEA | 8 | 0 | E | III | A | Yes | 1 | .55-1(c) | G |
| Diethylamine | DEN | 7 | 0 | C | III | A | Yes | 3 | .55-1(c) | G |
| Diethylenetriamine | DET | 72 | 0 | E | III | A | Yes | 1 | .55-1(c) | G |
| Diisobutylamine | DBU | 7 | 0 | D | III | A | Yes | 3 | .55-1(c) | G |
| Diisopropanolamine | DIP | 8 | 0 | E | III | A | Yes | 1 | .55-1(c) | G |
| Diisopropylamine | DIA | 7 | 0 | C | II | A | Yes | 3 | .55-1(c) | G |
| N,N-Dimethylacetamide | DAC | 10 | 0 | E | 111 | A | Yes | 3 | .56-1(b) | G |
| Dimethylethanolamine | DMB | 8 | 0 | D | III | A | Yes | 1 | .56-1(b), (c) | G |
| Dimethylformamide | DMF | 10 | 0 | D | III | Α | Yes | 1 | .55-1(e) | G |
| Di-n-propylamine | DNA | 7 | 0 | С | 11 | Α | Yes | 3 | .55-1(c) | G |
| Dodecyldimethylamine, Tetradecyldimethylamine mixture | DOT | 7 | 0 | E | III | A | No | N/A | .56-1(b) | G |
| Dodecyl diphenyl ether disulfonate solution | DOS | 43 | 0 | # | 11 | A | No | N/A | No | G |
| | EEG | 40 | 0 | D | III | A | No | N/A | No | G |
| EE Glycol Ether Mixture | MEA | 8 | 0 | E | III | A | Yes | 1 | .55-1(c) | G |
| Ethanolamine Ethul condata | EAC | 14 | 0 | C | III | A | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Ethyl acrylate | EAN | 7 | 0 | A | 11 | A | Yes | 6 | .55-1(b) | G |
| Ethylamine solution (72% or less) | EBA | 7 | 0 | D | III | A | Yes | 3 | .55-1(b) | G |
| N-Ethylputylamine | ECC | 7 | 0 | D | III | A | Yes | 1 | .55-1(b) | G |
| N-Ethylcyclohexylamine | ETC | 20 | 0 | E | III | A | Yes | 1 | No | G |
| Ethylene cyanohydrin | EDA | 7 2 | 0 | D | III | A | Yes | 1 | .55-1(c) | G |
| Ethylenediamine | EDC | 36 ² | 0 | C | 111 | A | Yes | 1 | No | G |
| Ethylene dichloride | EGH | 40 | 0 | E | III | A | No | N/A | No | G |
| Ethylene glycol hexyl ether | EGC | 40 | 0 | D/E | III | A | Yes | 1 | No | G |
| Ethylene glycol monoalkyl ethers | EGP | 40 | 0 | E | III | A | Yes | 1 | No | G |
| Ethylene glycol propyl ether | EAI | 14 | 0 | E | III | A | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| 2-Ethylhexyl acrylate | ETM | 14 | 0 | D/E | 111 | A | Yes | 2 | .50-70(a) | G |
| Ethyl methacrylate | EPA | 19 2 | 0 | E | 111 | A | Yes | 1 | No | G |
| 2-Ethyl-3-propylacrolein | FMS | 19 2 | 0 | D/E | 111 | A | Yes | 1 | .55-1(h) | G |
| Formaldehyde solution (37% to 50%) | FFA | 19 | 0 | D | III | A | Yes | 1 | .55-1(h) | G |
| Furfural (50% collect) | GTA | 19 | 0 | NA | III | A | No | N/A | No | G |
| Glutaraldehyde solution (50% or less) | | | 0 | E | 111 | A | Yes | 1 | .55-1(c) | G |
| Hexamethylenediamine solution | HMC | 7 | 0 | C | 11 | A | Yes | 1 | .56-1(b), (c) | G |
| Hexamethyleneimine | HFN | - | 0 | C | 111 | A | Yes | 1 | .50-70(a), .50-81(a), (b) | G |
| Hydrocarbon 5-9 | HEIN | | 0 | | 111 | | , 00 | | | |



C1-1104465 Dated:

07-Dec-11

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10225 Official #: 1227584

Page 3 of 8

Shipyard: Trinity Ashland City

| Cargo Identification | * | TA: | | The last | | | Conditions of Carriage | | | | | | |
|--|--------------|--------------------|----------------|----------|--------------|---------------|------------------------------------|-----------------|---|-----------------|--|--|--|
| The second secon | | | | 100 | | | Vapor F | Recovery | | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | | |
| Isoprene | IPR | 30 | 0 | Α | III | Α | Yes | 7 | .50-70(a), .50-81(a), (b) | G | | | |
| Isoprene, Pentadiene mixture | IPN | | 0 | В | III | Α | No | N/A | .50-70(a), .55-1(c) | G | | | |
| Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor) | KPL | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (c), (g) | G | | | |
| Mesityl oxide | MSO | 18 2 | 0 | D | III | Α | Yes | 1 | No | G | | | |
| Methyl acrylate | MAM | 14 | 0 | С | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| Methylcyclopentadiene dimer | MCK | 30 | 0 | С | III | Α | Yes | 1 | No | G | | | |
| Methyl diethanolamine | MDE | 8 | 0 | E | III | Α | Yes | 1 | .56-1(b), (c) | G | | | |
| 2-Methyl-5-ethylpyridine | MEP | 9 | 0 | E | III | Α | Yes | 1 | .55-1(e) | G | | | |
| Methyl methacrylate | MMM | 14 | 0 | C | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| 2-Methylpyridine | MPR | 9 | 0 | D | III | Α | Yes | 3 | .55-1(c) | G | | | |
| alpha-Methylstyrene | MSR | 30 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| Morpholine | MPL | 72 | 0 | D | III | Α | Yes | 1 | .55-1(c) | G | | | |
| Nitroethane | NTE | 42 | 0 | D | II | Α | No | N/A | .50-81, .56-1(b) | G | | | |
| 1- or 2-Nitropropane | NPM | 42 | 0 | D | III | Α | Yes | 1 | .50-81 | G | | | |
| 1,3-Pentadiene | PDE | 30 | 0 | Α | III | Α | Yes | 7 | .50-70(a), .50-81 | G | | | |
| Perchloroethylene | PER | 36 | 0 | NA | 111 | Α | No | N/A | No | G | | | |
| Phthalic anhydride (molten) | PAN | 11 | 0 | E | III | Α | Yes | 1 | No | G | | | |
| Polyethylene polyamines | PEB | 72 | 0 | Е | III | Α | Yes | 1 | .55-1(e) | G | | | |
| iso-Propanolamine | MPA | 8 | 0 | E | III | Α | Yes | 1 | .55-1(c) | G | | | |
| Propanolamine (iso-, n-) | PAX | 8 | 0 | E | 111 | Α | Yes | 1 | .56-1(b), (c) | G | | | |
| iso-Propylamine | IPP | 7 | 0 | Α | -11 | Α | Yes | 5 | .55-1(c) | G | | | |
| Pyridine | PRD | 9 | 0 | С | III | Α | Yes | 1 | .55-1(e) | G | | | |
| Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxid | e) SAP | | 0 | | III | Α | No | N/A | .50-73, .55-1(j) | G | | | |
| Sodium aluminate solution (45% or less) | SAU | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (b), (c) | G | | | |
| Sodium chlorate solution (50% or less) | SDD | 0 1,2 | 0 | NA | III | Α | No | N/A | .50-73 | G | | | |
| Sodium hypochlorite solution (20% or less) | SHQ | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (b) | G | | | |
| Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less) | SSH | 0 1.2 | 0 | NA | III | Α | Yes | 1 | .50-73, .55-1(b) | G | | | |
| Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm) | SSI | 0 1,2 | 0 | NA | III | Α | No | N/A | .50-73, .55-1(b) | G | | | |
| Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm) | SSJ | 0 1,2 | 0 | NA | 11 | Α | No | N/A | .50-73, .55-1(b) | G | | | |
| Styrene (crude) | STX | | 0 | D | III | Α | Yes | 2 | No | G | | | |
| Styrene monomer | STY | 30 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | 0 | NA | III | Α | No | N/A | No | G | | | |
| Tetraethylenepentamine | TTP | 7 | 0 | Е | III | Α | Yes | 1 | .55-1(c) | G | | | |
| Tetrahydrofuran | THF | 41 | 0 | С | III | Α | Yes | 1 | .50-70(b) | G | | | |
| Toluenediamine | TDA | 9 | 0 | Е | 11 | Α | No | N/A | .50-73, .56-1(a), (b), (c), (g) | G | | | |
| 1,2,4-Trichlorobenzene | ТСВ | 36 | 0 | Е | III | Α | Yes | 1 | No | G | | | |
| 1,1,2-Trichloroethane | TCM | 36 | 0 | NA | III | Α | Yes | 1 | .50-73, .56-1(a) | G | | | |
| Trichloroethylene | TCL | 36 ² | 0 | NA | III | Α | Yes | 1 | No | G | | | |
| 1,2,3-Trichloropropane | TCN | 36 | 0 | E | II | Α | Yes | 3 | .50-73, .56-1(a) | G | | | |
| Triethanolamine | TEA | 8 2 | 0 | E | III | Α | Yes | 1 | .55-1(b) | G | | | |
| Triethylamine | TEN | 7 | 0 | С | 11 | Α | Yes | 3 | .55-1(e) | G | | | |
| Triethylenetetramine | TET | 72 | 0 | E | III | Α | Yes | 1 | .55-1(b) | G | | | |
| Triphenylborane (10% or less), caustic soda solution | TPB | 5 | 0 | NA | III | А | No | N/A | .56-1(a), (b), (c) | G | | | |
| Trisodium phosphate solution | TSP | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (c). | G | | | |
| Urea, Ammonium nitrate solution (containing more than 2% NH3) | UAS | 6 | 0 | NA | III | Α | No | N/A | | G | | | |
| Vanillin black liquor (free alkali content, 3% or more). | VBL | 5 | 0 | NA | 111 | A | No | N/A | | G | | | |
| . S | 100 | | 100.00 | Service. | | | THE RESERVE OF THE PERSON NAMED IN | | | | | | |



Serial #: C1-1104465 Dated: 07-Dec-11

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10225 Official #: 1227584

Page 4 of 8

Shipyard: Trinity Ashland City

| Cargo Identification | 1 | | | | | | | Condit | tions of Carriage | |
|---|------|--------------------|----------------|-------|--------------|---------------|-------------------|-----------------|---|-----------------|
| LE VIVE AND LEVE GROWERS | | | | | | | | Recovery | | |
| Name | Chem | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Vinyl neodecanate | VND | 13 | 0 | E | III | Α | No | N/A | .50-70(a), .50-81(a), (b) | G |
| Vinyltoluene | VNT | 13 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81, .56-1(a), (b), (c), (| G |
| Subchapter D Cargoes Authorized for Vapor Contro | ol | | | | | | | | | |
| Acetone | ACT | 18 ² | D | С | | Α | Yes | 1 | | |
| Acetophenone | ACP | 18 | D | E | | Α | Yes | 1 | | |
| Alcohol(C12-C16) poly(1-6)ethoxylates | APU | 20 | D | E | | Α | Yes | 1 | | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates | AEB | 20 | D | E | | Α | Yes | 1 | | |
| Amyl acetate (all isomers) | AEC | 34 | D | D | | Α | Yes | 1 | | Parks 1 |
| Amyl alcohol (iso-, n-, sec-, primary) | AAI | 20 | D | D | | Α | Yes | 1 | The Asia In the Wall | |
| Benzyl alcohol | BAL | 21 | D | E | | Α | Yes | 1 | | |
| Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) | BFX | 20 | D | E | | Α | Yes | 1 | | |
| Butyl acetate (all isomers) | BAX | 34 | D | D | | Α | Yes | 1 | | |
| Butyl alcohol (iso-) | IAL | 20 2 | D | D | | Α | Yes | 1 | | |
| Butyl alcohol (n-) | BAN | 20 ² | D | D | | Α | Yes | 1 | | |
| Butyl alcohol (sec-) | BAS | 20 ² | D | C | | Α | Yes | 1 | | |
| Butyl alcohol (tert-) | BAT | | D | С | | Α | Yes | 1 | | |
| Butyl benzyl phthalate | ВРН | 34 | D | E | | Α | Yes | 1 | ALONE TO THE WAY | |
| Butyl toluene | BUE | 32 | D | D | WE ST | Α | Yes | 1 | | |
| Caprolactam solutions | CLS | 22 | D | E | | Α | Yes | 1 | | |
| Cyclohexane | CHX | 31 | D | С | | Α | Yes | 1 | CONTRACTOR OF THE STATE OF THE | |
| Cyclohexanol | CHN | 20 | D | E | | Α | Yes | 1 | | |
| 1,3-Cyclopentadiene dimer (molten) | CPD | 30 | D | D/E | | А | Yes | 2 | | |
| p-Cymene | CMP | 32 | D | D | | Α | Yes | 1 | | |
| iso-Decaldehyde | IDA | 19 | D | E | | Α | Yes | 1 | | 16 4 1 |
| n-Decaldehyde | DAL | 19 | D | E | | Α | Yes | 1 | | 77.7 |
| Decene | DCE | 30 | D | D | | Α | Yes | 1 | | |
| Decyl alcohol (all isomers) | DAX | 20 2 | D | E | | Α | Yes | 1 | | |
| n-Decylbenzene, see Alkyl(C9+)benzenes | DBZ | 32 | D | E | | Α | Yes | 1 | | W/L |
| Diacetone alcohol | DAA | 20 2 | D | D | | Α | Yes | 1 | | |
| ortho-Dibutyl phthalate | DPA | 34 | D | E | | Α | Yes | 1 | | |
| Diethylbenzene | DEB | 32 | D | D | | Α | Yes | 1 | STREET STREET | 611 |
| Diethylene glycol | DEG | 40 2 | D | E | | Α | Yes | 1 | | N. Call |
| Diisobutylene | DBL | 30 | D | С | | Α | Yes | 1 | SERVICE ROLL STORY | |
| Diisobutyl ketone | DIK | 18 | D | D | | Α | Yes | 1 | | |
| Diisopropylbenzene (all isomers) | DIX | 32 | D | E | | Α | Yes | 1 | | |
| Dimethyl phthalate | DTL | 34 | D | E | Track! | Α | Yes | 1 | | |
| Dioctyl phthalate | DOP | 34 | D | E | | A | Yes | 1 | | |
| Dipentene | DPN | 30 | D | D | | Α | Yes | 1 | | |
| Diphenyl | DIL | 32 | D | D/E | | A | Yes | 1 | | |
| Diphenyl, Diphenyl ether mixtures | DDO | 33 | D | E | 130 | Α | Yes | 1 | | |
| Diphenyl ether | DPE | 41 | D | {E} | | A | Yes | 1 | | |
| Dipropylene glycol | DPG | 40 | D | E | 77.7 | A | Yes | 1 | | - |
| Distillates: Flashed feed stocks | DFF | 33 | D | E | | A | Yes | 1 | AND THE RESERVE | 77.5 |
| Distillates: Straight run | DSR | 33 | D | E | | A | Yes | 1 | | |
| Dodecene (all isomers) | DOZ | 30 | D | D | | A | Yes | 1 | | |
| Dodecylbenzene, see Alkyl(C9+)benzenes | DDB | 32 | D | E | | A | Yes | 1 | | |
| Duddy, Dollatio, God / any not / politonida | 000 | | | - | | | .00 | - | | |



Serial #: C1-1104465

07-Dec-11

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10225 Page 5 of 8 Official #: 1227584

Shipyard: Trinity Ashland City

| Cargo Identification | 1 | 1014 | | Many P | | | | Condi | tions of Carriage | |
|---|--------------|--------------------|----------------|--------|--------------|---------------|-------|-----------------|--|-----------------|
| | | 10.00 | | | | | | Recovery | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| 2-Ethoxyethyl acetate | EEA | 34 | D | D | | Α | Yes | 1 | 77 主 | |
| Ethoxy triglycol (crude) | ETG | 40 | D | E | | Α | Yes | 1 | | |
| Ethyl acetate | ETA | 34 | D | С | | Α | Yes | 1 | | |
| Ethyl acetoacetate | EAA | 34 | D | Е | | Α | Yes | 1 | | |
| Ethyl alcohol | EAL | 20 ² | D | С | | Α | Yes | 1 | A TOTAL PROPERTY OF THE PARTY O | |
| Ethylbenzene | ETB | 32 | D | С | | Α | Yes | 1 | | |
| Ethyl butanol | EBT | 20 | D | D | | Α | Yes | 1 | | |
| Ethyl tert-butyl ether | EBE | 41 | D | С | | Α | Yes | 1 | | |
| Ethyl butyrate | EBR | 34 | D | D | | Α | Yes | 1 | | |
| Ethyl cyclohexane | ECY | 31 | D | D | | Α | Yes | 1 | | |
| Ethylene glycol | EGL | 20 2 | D | E | | Α | Yes | 1 | | MARKET |
| Ethylene glycol butyl ether acetate | EMA | 34 | D | E | | Α | Yes | 1 | | |
| Ethylene glycol diacetate | EGY | 34 | D | E | | Α | Yes | 1 | | |
| Ethylene glycol phenyl ether | EPE | 40 | D | E | | Α | Yes | 1 | | |
| Ethyl-3-ethoxypropionate | EEP | 34 | D | D | 7.15 | Α | Yes | 1 | | |
| 2-Ethylhexanol | EHX | 20 | D | E | | Α | Yes | 1 | | |
| Ethyl propionate | EPR | 34 | D | С | | Α | Yes | 1 | | E STA |
| Ethyl toluene | ETE | 32 | D | D | | Α | Yes | 1 | | |
| Formamide | FAM | 10 | D | Е | 15/36 | Α | Yes | 1 | | TARREST OF |
| Furfuryl alcohol | FAL | 20 2 | D | E | | Α | Yes | 1 | | |
| Gasoline blending stocks: Alkylates | GAK | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasoline blending stocks: Reformates | GRF | 33 | D | A/C | | Α | Yes | 1 | | Tanal, |
| Gasolines: Automotive (containing not over 4.23 grams lead per gallon) | GAT | 33 | D | С | | Α | Yes | 1 | | |
| Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) | GAV | 33 | D | С | | Α | Yes | 1 | | |
| Gasolines: Casinghead (natural) | GCS | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasolines: Polymer | GPL | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasolines: Straight run | GSR | 33 | D | A/C | | Α | Yes | 1 | | |
| Glycerine | GCR | 20 ² | D | E | | Α | Yes | 1 | | |
| Heptane (all isomers), see Alkanes (C6-C9) (all isomers) | HMX | 31 | D | С | | Α | Yes | 1 | | SISTAL |
| Heptanoic acid | HEP | 4 | D | E | | Α | Yes | 1 | | |
| Heptanol (all isomers) | HTX | 20 | D | D/E | | Α | Yes | 1 | | |
| Heptene (all isomers) | HPX | 30 | D | С | | Α | Yes | 2 | STATE OF THE STATE OF | |
| Heptyl acetate | HPE | 34 | D | E | | Α | Yes | 1 | | |
| Hexane (all isomers), see Alkanes (C6-C9) | HXS | 31 2 | D | B/C | | Α | Yes | 1 | | 15.50 |
| Hexanoic acid | НХО | 4 | D | E | | Α | Yes | 1 | PART OF THE PARTY | |
| Hexanol | HXN | 20 | D | D | | Α | Yes | 1 | | |
| Hexene (all isomers) | HEX | 30 | D | С | | Α | Yes | 2 | | |
| Hexylene glycol | HXG | 20 | D | E | | Α | Yes | 1 | | |
| Isophorone | IPH | 18 ² | D | E | | Α | Yes | 1 | | |
| Jet fuel: JP-4 | JPF | 33 | D | E | | Α | Yes | 1 | A STATE OF THE STA | Der 1949 |
| Jet fuel: JP-5 (kerosene, heavy) | JPV | 33 | D | D | | Α | Yes | 1 | | |
| Kerosene | KRS | 33 | D | D | | Α | Yes | 1 | ETALLY, TATALAN | PART I |
| Methyl acetate | MTT | 34 | D | D | | Α | Yes | 1 | | |
| Methyl alcohol | MAL | 20 ² | D | С | | Α | Yes | 1 | | |
| Methylamyl acetate | MAC | 34 | D | D | | Α | Yes | 1 | | |
| Methylamyl alcohol | MAA | 20 | D | D | | Α | Yes | 1 | | |
| Methyl amyl ketone | MAK | 18 | D | D | 900 | Α | Yes | 1 | - The same of the | ALKAN A |



Serial #: C1-1104465

Dated: 07-Dec-11

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10225 Official #: 1227584

Page 6 of 8

Shipyard: Trinity Ashland City

| Cargo Identification | , | | | | | | | Condi | tions of Carriage | |
|---|--------------|--------------------|----------------|-------|--------------|---------------|-------------------|------------|---|-----------------|
| Cargo identification | | | | | | | | Recovery | lions of Garriage | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Methyl tert-butyl ether | MBE | 41 2 | D | С | | Α | Yes | 1 | | |
| Methyl butyl ketone | MBK | 18 | D | С | | Α | Yes | 1 | | |
| Methyl butyrate | MBU | 34 | D | С | | Α | Yes | 1 | | |
| Methyl ethyl ketone | MEK | 18 ² | D | С | | Α | Yes | 1 | | |
| Methyl heptyl ketone | MHK | 18 | D | D | | Α | Yes | 1 | | |
| Methyl isobutyl ketone | MIK | 18 ² | D | С | | Α | Yes | 1 | | date. |
| Methyl naphthalene (molten) | MNA | 32 | D | E | | Α | Yes | 1 | | |
| Mineral spirits | MNS | 33 | D | D | | Α | Yes | 1 | | |
| Myrcene | MRE | 30 | D | D | | Α | Yes | 1 | | |
| Naphtha: Heavy | NAG | 33 | D | # | | Α | Yes | 1 | | |
| Naphtha: Petroleum | PTN | 33 | D | # | | Α | Yes | 1 | | |
| Naphtha: Solvent | NSV | 33 | D | D | | Α | Yes | 1 | | |
| Naphtha: Stoddard solvent | NSS | 33 | D | D | | Α | Yes | 1 | | |
| Naphtha: Varnish makers and painters (75%) | NVM | 33 | D | С | | Α | Yes | 1 | | |
| Nonane (all isomers), see Alkanes (C6-C9) | NAX | 31 | D | D | | Α | Yes | 1 | | b |
| Nonene (all isomers) | NON | 30 | D | D | | Α | Yes | 2 | | 189 |
| Nonyl alcohol (all isomers) | NNS | 20 ² | D | E | | Α | Yes | 1 | | |
| Nonyl phenol | NNP | 21 | D | E | | Α | Yes | 1 | | |
| Nonyl phenol poly(4+)ethoxylates | NPE | 40 | D | E | | Α | Yes | 1 | | |
| Octane (all isomers), see Alkanes (C6-C9) | OAX | 31 | D | С | | Α | Yes | 1 | | |
| Octanoic acid (all isomers) | OAY | 4 | D | E | | Α | Yes | 1 | | 2 |
| Octanol (all isomers) | OCX | 20 ² | D | E | | Α | Yes | 1 | | |
| Octene (all isomers) | OTX | 30 | D | С | 7 | Α | Yes | 2 | | |
| Oil, fuel: No. 2 | OTW | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 2-D | OTD | 33 | D | D | | Α | Yes | 1 | | |
| Oil, fuel: No. 4 | OFR | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 5 | OFV | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 6 | osx | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Crude | OIL | 33 | D | C/D | | Α | Yes | 1 | | |
| Oil, misc: Diesel | ODS | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, misc: Gas, high pour | OGP | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Lubricating | OLB | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Residual | ORL | 33 | D | Е | | Α | Yes | 1 | | |
| Oil, misc: Turbine | ОТВ | 33 | D | E | | Α | Yes | 1 | | |
| Pentene (all isomers) | PTX | 30 | D | Α | | Α | Yes | 5 | | |
| n-Pentyl propionate | PPE | 34 | D | D | 11/12 | Α | Yes | 1 | | |
| alpha-Pinene | PIO | 30 | D | D | | Α | Yes | 1 | | |
| beta-Pinene | PIP | 30 | D | D | | Α | Yes | 1 | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether | PAG | 40 | D | Е | | Α | Yes | 1 | The second second | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate | PAF | 34 | D | E | | Α | Yes | 1 | | |
| Polybutene | PLB | 30 | D | Е | | Α | Yes | 1 | | |
| Polypropylene glycol | PGC | 40 | D | E | | Α | Yes | 1 | | BUSS |
| iso-Propyl acetate | IAC | 34 | D | С | | Α | Yes | 1 | | |
| n-Propyl acetate | PAT | 34 | D | С | | Α | Yes | 1 | | |
| iso-Propyl alcohol | IPA | 20 ² | D | С | | Α | Yes | 1 | | |
| n-Propyl alcohol | PAL | 20 ² | D | С | | Α | Yes | 1 | | |
| Propylbenzene (all isomers) | PBY | 32 | D | D | | Α | Yes | 1 | | 3734 |
| iso-Propylcyclohexane | IPX | 31 | D | D | | Α | Yes | 1 | | |
| | 10000 | | | 1000 | | | | 12672 1100 | | |



ited States Coast Guard

Certificate of Inspection
Cargo Authority Attachment

Vessel Name: KIRBY 10225 Official #: 1227584

Page 7 of 8

Shipyard: Trinity Ashland City

Serial #: C1-1104465

07-Dec-11

| Cargo Identifica | ation | | | | | | | Condi | tions of Carriage | |
|--|-------|--------------------|----------------|-------|--------------|---------------|-------------------|-----------------|---|-----------------|
| CARL TO SERVICE STATE OF THE S | 170 | | 1 | | | | | Recovery | 0 110 1 10050 | |
| Name | Chem | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Propylene glycol | PPG | 20 ² | D | E | | Α | Yes | 1 | | |
| Propylene glycol methyl ether acetate | PGN | 34 | D | D | | Α | Yes | 1 | | 1 |
| Propylene tetramer | PTT | 30 | D | D | | Α | Yes | 1 | | |
| Sulfolane | SFL | 39 | D | E | | Α | Yes | 1 | | |
| Tetraethylene glycol | TTG | 40 | D | E | | A | Yes | 1 | | e dilyin |
| Tetrahydronaphthalene | THN | 32 | D | E | | Α | Yes | 1 | | 1970 |
| Toluene | TOL | 32 | D | С | 1 | Α | Yes | 1 | | 3/25 |
| Tricresyl phosphate (less than 1% of the ortho isomer) | TCP | 34 | D | E | | Α | Yes | 1 | | |
| Triethylbenzene | TEB | 32 | D | E | | Α | Yes | 1 | | 12.14 |
| Triethylene glycol | TEG | 40 | D | E | | Α | Yes | 1 | MONEY DESCRIPTION OF THE PARTY | 2700 |
| Triethyl phosphate | TPS | 34 | D | E | | Α | Yes | 1 | | |
| Trimethylbenzene (all isomers) | TRE | 32 | D | {D} | | Α | Yes | 1 | | |
| Trixylenyl phosphate | TRP | 34 | D | E | | Α | Yes | 1 | | |
| Undecene | UDC | 30 | D | D/E | | Α | Yes | 1 | | |
| 1-Undecyl alcohol | UND | 20 | D | E | | Α | Yes | 1 | | |
| Xylenes (ortho-, meta-, para-) | XLX | 32 | D | D | 00-16- | Α | Yes | 1 | A TO SEE SEE SEE | |



Serial #: C1-1104465

07-Dec-11

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRRY 10225 Shipyard: Trinity Ashland Hull #: 4744 Official #: 1227584 Page 8 of 8

Explanation of terms & symbols used in the Table:

Cargo Identification

Note 3

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. Name Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Note 1

Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425.

Note 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified. Subchapter D Those flammable and combustible liquids listed in 46 CFR Table 30.25-1

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A, B, C D, E Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15. Note 4

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4) Not applicable to barges certificated under Subchapter D

Conditions of Carriage

NA

Tank Group Vapor Recover Approved (Y or N)

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N)

The yessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 155.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the yessel by fouling safety componenets and restricting vapor flow which could Category 2

lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1. Category 3

Category 4 (Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air Category 5

mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This

requirement is in addition to the requirements of Category 1

Category 6 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5 Category 7 (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

The cargo has not been evaluated/classified for use in vapor control systems.

TEST RESULTS FOR ERL 6" PV VALVE

Pressure Curve

8.00

| Test date: 10/26/2020 | Sales Order LV-6995-SO | Barge Number KIRBY 10225 | Customer Kirby Inland Marine |
|-----------------------|------------------------|--------------------------|------------------------------|
|-----------------------|------------------------|--------------------------|------------------------------|

| 1 | VALVE SETTINGS | PRESSURE | VACUUM |
|---|----------------|----------|--|
| | ALVE SELLINGS | | 於14年28年20日 10日 10日 10日 10日 10日 10日 10日 10日 10日 1 |

| | Opening Pressure lest | |
|-------------|---------------------------------|------|
| Test Number | Valve Opening Pressure (PSI) | 6.00 |
| 1 | 2.96 | 0000 |
| 2 | 2.97 | 4.00 |
| 3 | 2.96 | 3.00 |
| 4 | 2.96 | |
| 5 | 2.95 | 2.00 |
| Average | 2.96 | 1.00 |
| Delta | 0.025 | |

Airflow PRESSURE Test

S

| | | - | | | | | | | | |
|--------------------|------|------|------|------|------|------|-----------------------------|------|---------|---------|
| AIRFLOW (CFM) | c | 40 | 000 | | | | Controlled Total Controlled | | | |
| | , | 2 | 90 | 80 | 100 | 120 | 140 | 400 | | |
| Pressure | 200 | 200 | | | | 200 | 740 | 100 | 180 | 200 |
| 3 | 7.30 | 3.07 | 3.09 | 3.13 | 3 13 | 211 | 0,0 | | | |
| Difformation for | | | | | 2 | 77.0 | 3.10 | 3.09 | NO DATA | NO DATA |
| Dillelelltial Irom | | , | | | | | | | | |
| Opening Point | | 0.11 | 0.13 | 0.17 | 0.17 | 0.15 | | ; | | |
| | | | | | 71.0 | CT:0 | 0.14 | 0.13 | NO DATA | NO DATA |
| | | | | | | | | | | |

| sected By | I William State of the State of | 1111 | A Last |
|---------------|--|------|--------|
| Cavid Thortor | Payla tileliei | | |

Safety valve inspection report

Certificate nr

82 .

Date

10-27-2020

Job no.

LV-7090-90

Client

Kirby Inland Marine

Barge #

Kirby 10225

Valve data

Set pressure (cold) Manufacturer

Type / Model Serial No.

125 psi Farris

26QA10L-120 10583

Size Rating 6xQx8 150x150

Nozzle / Orifice

Test data

Set pressure test

Found set pressure

127 psi

Reseat pressure (indication) Result

124 psi Passed

Test method

Air

Seat tightness test

Leakage

0 bubbles/min.

Test pressure

120 psi


Result

Passed

Manual Backpressure Test

Pressure

Law Valve of Texas



Tested by

Name

Javier Gutierrez

Date

10-27 Signature

Inspected by

Date 10-27

Signature