



BARGE "KIRBY 10228"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8	01-1/8	- 01-1/8
2 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-3/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 5/8"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

October 18, 2010

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 10228"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-06"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.			
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
1/4	1,886.43	1/4	1,589.36	1/4	1,292.12	1/4	994.88	1/4	703.70	1/4	406.32	1/4	108.91	1/4		1/4		1/4			
1/2	1,880.24	1/2	1,583.17	1/2	1,285.93	1/2	988.69	1/2	697.52	1/2	400.12	1/2	102.74	1/2		1/2		1/2			
3/4	1,874.06	3/4	1,576.97	3/4	1,279.73	3/4	982.49	3/4	691.34	3/4	393.92	3/4	96.57	3/4		3/4		3/4			
1	1,867.87	1	1,570.78	1	1,273.54	1	976.30	1	685.17	1	387.73	1	90.40	1		1		1			
1/4	1,861.69	1/4	1,564.59	1/4	1,267.35	1/4	970.17	1/4	678.97	1/4	381.53	1/4	84.27	1/4		1/4		1/4			
1/2	1,855.51	1/2	1,558.40	1/2	1,261.16	1/2	964.04	1/2	672.77	1/2	375.33	1/2	78.13	1/2		1/2		1/2			
3/4	1,849.32	3/4	1,552.20	3/4	1,254.96	3/4	957.91	3/4	666.58	3/4	369.14	3/4	71.99	3/4		3/4		3/4			
2	1,843.14	2	1,546.01	2	1,248.77	2	951.78	2	660.38	2	362.94	2	65.86	2		2		2			
1/4	1,836.96	1/4	1,539.82	1/4	1,242.58	1/4	945.72	1/4	654.19	1/4	356.74	1/4	59.77	1/4		1/4		1/4			
1/2	1,830.77	1/2	1,533.63	1/2	1,236.39	1/2	939.65	1/2	647.99	1/2	350.55	1/2	53.69	1/2		1/2		1/2			
3/4	1,824.59	3/4	1,527.43	3/4	1,230.19	3/4	933.59	3/4	641.80	3/4	344.35	3/4	47.61	3/4		3/4		3/4			
3	1,818.40	3	1,521.24	3	1,224.00	3	927.52	3	635.60	3	338.15	3	41.53	3		3		3			
1/4	1,812.21	1/4	1,515.05	1/4	1,217.81	1/4	921.45	1/4	629.40	1/4	331.96	1/4	36.37	1/4		1/4		1/4			
1/2	1,806.02	1/2	1,508.86	1/2	1,211.62	1/2	915.39	1/2	623.21	1/2	325.76	1/2	31.20	1/2		1/2		1/2			
3/4	1,799.83	3/4	1,502.66	3/4	1,205.42	3/4	909.32	3/4	617.01	3/4	319.56	3/4	26.04	3/4		3/4		3/4			
4	1,793.63	4	1,496.47	4	1,199.23	4	903.26	4	610.81	4	313.37	4	20.88	4		4		4			
1/4	1,787.44	1/4	1,490.28	1/4	1,193.04	1/4	897.21	1/4	604.62	1/4	307.17	1/4	17.77	1/4		1/4		1/4			
1/2	1,781.25	1/2	1,484.09	1/2	1,186.85	1/2	891.16	1/2	598.42	1/2	300.97	1/2	14.67	1/2		1/2		1/2			
3/4	1,775.06	3/4	1,477.89	3/4	1,180.65	3/4	885.11	3/4	592.22	3/4	294.78	3/4	11.56	3/4		3/4		3/4			
5	1,768.87	5	1,471.70	5	1,174.46	5	879.06	5	586.03	5	288.58	5	8.46	5		5		5			
1/4	1,762.67	1/4	1,465.51	1/4	1,168.27	1/4	873.03	1/4	579.83	1/4	282.38	1/4	7.43	1/4		1/4		1/4			
1/2	1,756.48	1/2	1,459.32	1/2	1,162.08	1/2	866.99	1/2	573.63	1/2	276.19	1/2	6.39	1/2		1/2		1/2			
3/4	1,750.29	3/4	1,453.12	3/4	1,155.88	3/4	860.96	3/4	567.44	3/4	269.99	3/4	5.36	3/4		3/4		3/4			
6	1,744.10	6	1,446.93	6	1,149.69	6	854.93	6	561.24	6	263.79	6	4.32	6		6		6			
1/4	1,737.91	1/4	1,440.74	1/4	1,143.50	1/4	848.89	1/4	555.04	1/4	257.60	1/4		1/4		1/4		1/4			
1/2	1,731.71	1/2	1,434.55	1/2	1,137.31	1/2	842.86	1/2	548.84	1/2	251.40	1/2		1/2		1/2		1/2			
3/4	1,725.52	3/4	1,428.35	3/4	1,131.11	3/4	836.83	3/4	542.65	3/4	245.20	3/4		3/4		3/4		3/4			
7	1,719.33	7	1,422.16	7	1,124.92	7	830.80	7	536.45	7	239.00	7		7		7		7			
1/4	1,713.14	1/4	1,415.97	1/4	1,118.73	1/4	824.76	1/4	530.25	1/4	232.81	1/4		1/4		1/4		1/4			
1/2	1,706.95	1/2	1,409.78	1/2	1,112.54	1/2	818.73	1/2	524.06	1/2	226.61	1/2		1/2		1/2		1/2			
3/4	1,700.77	3/4	1,403.58	3/4	1,106.34	3/4	812.70	3/4	517.86	3/4	220.41	3/4		3/4		3/4		3/4			
8	1,694.58	8	1,397.39	8	1,100.15	8	806.66	8	511.66	8	214.22	8		8		8		8			
1/4	1,688.39	1/4	1,391.20	1/4	1,093.96	1/4	800.63	1/4	505.47	1/4	208.02	1/4		1/4		1/4		1/4			
1/2	1,682.20	1/2	1,385.01	1/2	1,087.77	1/2	794.60	1/2	499.27	1/2	201.82	1/2		1/2		1/2		1/2			
3/4	1,676.01	3/4	1,378.81	3/4	1,081.57	3/4	788.56	3/4	493.07	3/4	195.63	3/4		3/4		3/4		3/4			
9	1,669.82	9	1,372.62	9	1,075.38	9	782.53	9	486.88	9	189.43	9		9		9		9			
1/4	1,663.63	1/4	1,366.43	1/4	1,069.19	1/4	776.50	1/4	480.68	1/4	183.23	1/4		1/4		1/4		1/4			
1/2	1,657.44	1/2	1,360.24	1/2	1,063.00	1/2	770.47	1/2	474.48	1/2	177.04	1/2		1/2		1/2		1/2			
3/4	1,651.25	3/4	1,354.04	3/4	1,056.80	3/4	764.43	3/4	468.29	3/4	170.84	3/4		3/4		3/4		3/4			
10	1,645.06	10	1,347.85	10	1,050.61	10	758.40	10	462.09	10	164.65	10		10		10		10			
1/4	1,638.88	1/4	1,341.66	1/4	1,044.42	1/4	752.37	1/4	455.89	1/4	158.44	1/4		1/4		1/4		1/4			
1/2	1,632.69	1/2	1,335.47	1/2	1,038.23	1/2	746.33	1/2	449.70	1/2	152.24	1/2		1/2		1/2		1/2			
3/4	1,626.50	3/4	1,329.27	3/4	1,032.03	3/4	740.30	3/4	443.50	3/4	146.04	3/4		3/4		3/4		3/4			
11	1,620.31	11	1,323.08	11	1,025.84	11	734.27	11	437.30	11	139.84	11		11		11		11			
1/4	1,614.12	1/4	1,316.89	1/4	1,019.65	1/4	728.17	1/4	431.11	1/4	133.65	1/4		1/4		1/4		1/4			
1/2	1,607.93	1/2	1,310.70	1/2	1,013.46	1/2	722.07	1/2	424.91	1/2	127.46	1/2		1/2		1/2		1/2			
3/4	1,601.74	3/4	1,304.50	3/4	1,007.26	3/4	715.98	3/4	418.71	3/4	121.27	3/4		3/4		3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/18/2010 CL - SW
CALCULATED: 10/18/2010 CL
PRINTED: 10/18/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10228"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,668.86	0	1,405.38	0	1,141.72	0	880.01	0	620.35	0	356.72	0	93.20	0		0		0	
1/4	1,663.38	1/4	1,399.89	1/4	1,136.22	1/4	874.60	1/4	614.86	1/4	351.22	1/4	87.75	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,657.89	1/2	1,394.39	1/2	1,130.73	1/2	869.19	1/2	609.37	1/2	345.73	1/2	82.29	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,652.40	3/4	1,388.90	3/4	1,125.24	3/4	863.78	3/4	603.88	3/4	340.24	3/4	76.83	3/4	3/4	3/4	3/4	3/4	3/4
1	1,646.91	1	1,383.41	1	1,119.74	1	858.37	1	598.39	1	334.75	1	71.40	1	1	1	1	1	1
1/4	1,641.42	1/4	1,377.91	1/4	1,114.25	1/4	852.97	1/4	592.89	1/4	329.25	1/4	65.97	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,635.93	1/2	1,372.42	1/2	1,108.76	1/2	847.56	1/2	587.40	1/2	323.76	1/2	60.54	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,630.44	3/4	1,366.93	3/4	1,103.26	3/4	842.15	3/4	581.91	3/4	318.27	3/4	55.11	3/4	3/4	3/4	3/4	3/4	3/4
2	1,624.95	2	1,361.44	2	1,097.77	2	836.74	2	576.42	2	312.78	2	49.74	2	2	2	2	2	2
1/4	1,619.46	1/4	1,355.94	1/4	1,092.28	1/4	831.33	1/4	570.92	1/4	307.28	1/4	44.36	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,613.97	1/2	1,350.45	1/2	1,086.79	1/2	825.93	1/2	565.43	1/2	301.79	1/2	38.98	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,608.48	3/4	1,344.96	3/4	1,081.29	3/4	820.52	3/4	559.94	3/4	296.30	3/4	33.60	3/4	3/4	3/4	3/4	3/4	3/4
3	1,602.99	3	1,339.46	3	1,075.80	3	815.12	3	554.45	3	290.81	3	29.03	3	3	3	3	3	3
1/4	1,597.51	1/4	1,333.97	1/4	1,070.31	1/4	809.71	1/4	548.95	1/4	285.31	1/4	24.46	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,592.02	1/2	1,328.48	1/2	1,064.81	1/2	804.31	1/2	543.46	1/2	279.82	1/2	19.89	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,586.53	3/4	1,322.98	3/4	1,059.32	3/4	798.91	3/4	537.97	3/4	274.33	3/4	15.32	3/4	3/4	3/4	3/4	3/4	3/4
4	1,581.04	4	1,317.49	4	1,053.83	4	793.51	4	532.48	4	268.84	4	12.58	4	4	4	4	4	4
1/4	1,575.55	1/4	1,312.00	1/4	1,048.33	1/4	788.10	1/4	526.98	1/4	263.34	1/4	9.83	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,570.06	1/2	1,306.51	1/2	1,042.84	1/2	782.70	1/2	521.49	1/2	257.85	1/2	7.09	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,564.57	3/4	1,301.01	3/4	1,037.35	3/4	777.30	3/4	516.00	3/4	252.36	3/4	4.34	3/4	3/4	3/4	3/4	3/4	3/4
5	1,559.08	5	1,295.52	5	1,031.86	5	771.89	5	510.51	5	246.87	5	3.42	5	5	5	5	5	5
1/4	1,553.59	1/4	1,290.03	1/4	1,026.36	1/4	766.49	1/4	505.01	1/4	241.37	1/4	2.51	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,548.10	1/2	1,284.53	1/2	1,020.87	1/2	761.09	1/2	499.52	1/2	235.88	1/2	1.59	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,542.61	3/4	1,279.04	3/4	1,015.38	3/4	755.69	3/4	494.03	3/4	230.39	3/4	0.68	3/4	3/4	3/4	3/4	3/4	3/4
6	1,537.12	6	1,273.55	6	1,009.93	6	750.28	6	488.54	6	224.90	6	=====	6	6	6	6	6	6
1/4	1,531.63	1/4	1,268.05	1/4	1,004.48	1/4	744.88	1/4	483.04	1/4	219.40	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,526.15	1/2	1,262.56	1/2	999.03	1/2	739.48	1/2	477.55	1/2	213.91	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,520.66	3/4	1,257.07	3/4	993.58	3/4	734.08	3/4	472.06	3/4	208.42	3/4		3/4	3/4	3/4	3/4	3/4	3/4
7	1,515.17	7	1,251.58	7	988.17	7	728.67	7	466.57	7	202.93	7		7	7	7	7	7	7
1/4	1,509.68	1/4	1,246.08	1/4	982.76	1/4	723.27	1/4	461.07	1/4	197.43	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,504.19	1/2	1,240.59	1/2	977.35	1/2	717.87	1/2	455.58	1/2	191.94	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,498.70	3/4	1,235.10	3/4	971.94	3/4	712.47	3/4	450.09	3/4	186.45	3/4		3/4	3/4	3/4	3/4	3/4	3/4
8	1,493.21	8	1,229.60	8	966.54	8	707.06	8	444.60	8	180.96	8		8	8	8	8	8	8
1/4	1,487.72	1/4	1,224.11	1/4	961.13	1/4	701.66	1/4	439.10	1/4	175.46	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,482.23	1/2	1,218.62	1/2	955.72	1/2	696.26	1/2	433.61	1/2	169.97	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,476.74	3/4	1,213.12	3/4	950.31	3/4	690.86	3/4	428.12	3/4	164.48	3/4		3/4	3/4	3/4	3/4	3/4	3/4
9	1,471.25	9	1,207.63	9	944.90	9	685.45	9	422.63	9	158.99	9		9	9	9	9	9	9
1/4	1,465.76	1/4	1,202.14	1/4	939.50	1/4	680.05	1/4	417.13	1/4	153.50	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,460.28	1/2	1,196.65	1/2	934.09	1/2	674.65	1/2	411.64	1/2	148.00	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,454.79	3/4	1,191.15	3/4	928.68	3/4	669.25	3/4	406.15	3/4	142.51	3/4		3/4	3/4	3/4	3/4	3/4	3/4
10	1,449.30	10	1,185.66	10	923.27	10	663.84	10	400.66	10	137.03	10		10	10	10	10	10	10
1/4	1,443.81	1/4	1,180.17	1/4	917.86	1/4	658.44	1/4	395.16	1/4	131.54	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,438.32	1/2	1,174.67	1/2	912.46	1/2	653.04	1/2	389.67	1/2	126.05	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,432.83	3/4	1,169.18	3/4	907.05	3/4	647.64	3/4	384.18	3/4	120.56	3/4		3/4	3/4	3/4	3/4	3/4	3/4
11	1,427.34	11	1,163.69	11	901.64	11	642.19	11	378.69	11	115.09	11		11	11	11	11	11	11
1/4	1,421.85	1/4	1,158.19	1/4	896.23	1/4	636.74	1/4	373.19	1/4	109.61	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,416.36	1/2	1,152.70	1/2	890.82	1/2	631.29	1/2	367.70	1/2	104.14	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,410.87	3/4	1,147.21	3/4	885.42	3/4	625.84	3/4	362.21	3/4	98.66	3/4		3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/18/2010 CL - SW
CALCULATED: 10/18/2010 CL
PRINTED: 10/18/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10228"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 3/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
1/4	1,655.28	1/4	1,393.75	1/4	1,132.05	1/4	871.30	1/4	610.29	1/4	348.62	1/4	87.10	1/4		1/4		1/4	
1/2	1,649.84	1/2	1,388.30	1/2	1,126.60	1/2	865.88	1/2	604.84	1/2	343.16	1/2	81.68	1/2		1/2		1/2	
3/4	1,644.39	3/4	1,382.85	3/4	1,121.14	3/4	860.47	3/4	599.39	3/4	337.71	3/4	76.27	3/4		3/4		3/4	
1	1,638.94	1	1,377.39	1	1,115.69	1	855.05	1	593.94	1	332.26	1	70.88	1		1		1	
1/4	1,633.49	1/4	1,371.94	1/4	1,110.24	1/4	849.64	1/4	588.49	1/4	326.81	1/4	65.49	1/4		1/4		1/4	
1/2	1,628.04	1/2	1,366.49	1/2	1,104.79	1/2	844.22	1/2	583.04	1/2	321.36	1/2	60.10	1/2		1/2		1/2	
3/4	1,622.59	3/4	1,361.04	3/4	1,099.34	3/4	838.81	3/4	577.58	3/4	315.91	3/4	54.71	3/4		3/4		3/4	
2	1,617.15	2	1,355.58	2	1,093.88	2	833.39	2	572.13	2	310.46	2	49.37	2		2		2	
1/4	1,611.70	1/4	1,350.13	1/4	1,088.43	1/4	827.98	1/4	566.68	1/4	305.00	1/4	44.03	1/4		1/4		1/4	
1/2	1,606.25	1/2	1,344.68	1/2	1,082.98	1/2	822.56	1/2	561.23	1/2	299.55	1/2	38.69	1/2		1/2		1/2	
3/4	1,600.80	3/4	1,339.23	3/4	1,077.53	3/4	817.14	3/4	555.78	3/4	294.10	3/4	33.36	3/4		3/4		3/4	
3	1,595.35	3	1,333.78	3	1,072.08	3	811.73	3	550.33	3	288.65	3	28.82	3		3		3	
1/4	1,589.90	1/4	1,328.32	1/4	1,066.62	1/4	806.32	1/4	544.87	1/4	283.20	1/4	24.29	1/4		1/4		1/4	
1/2	1,584.45	1/2	1,322.87	1/2	1,061.17	1/2	800.91	1/2	539.42	1/2	277.75	1/2	19.75	1/2		1/2		1/2	
3/4	1,579.01	3/4	1,317.42	3/4	1,055.72	3/4	795.50	3/4	533.97	3/4	272.29	3/4	15.22	3/4		3/4		3/4	
4	1,573.56	4	1,311.97	4	1,050.27	4	790.06	4	528.52	4	266.84	4	12.49	4		4		4	
1/4	1,568.11	1/4	1,306.52	1/4	1,044.82	1/4	784.61	1/4	523.07	1/4	261.39	1/4	9.76	1/4		1/4		1/4	
1/2	1,562.66	1/2	1,301.06	1/2	1,039.36	1/2	779.16	1/2	517.62	1/2	255.94	1/2	7.04	1/2		1/2		1/2	
3/4	1,557.21	3/4	1,295.61	3/4	1,033.91	3/4	773.72	3/4	512.16	3/4	250.49	3/4	4.31	3/4		3/4		3/4	
5	1,551.76	5	1,290.16	5	1,028.46	5	768.27	5	506.71	5	245.04	5	3.40	5		5		5	
1/4	1,546.31	1/4	1,284.71	1/4	1,023.01	1/4	762.82	1/4	501.26	1/4	239.58	1/4	2.50	1/4		1/4		1/4	
1/2	1,540.87	1/2	1,279.26	1/2	1,017.55	1/2	757.38	1/2	495.81	1/2	234.13	1/2	1.59	1/2		1/2		1/2	
3/4	1,535.42	3/4	1,273.80	3/4	1,012.10	3/4	751.93	3/4	490.36	3/4	228.68	3/4	0.68	3/4		3/4		3/4	
6	1,529.97	6	1,268.35	6	1,006.69	6	746.48	6	484.91	6	223.23	6		6		6		6	
1/4	1,524.52	1/4	1,262.90	1/4	1,001.27	1/4	741.04	1/4	479.45	1/4	217.78	1/4		1/4		1/4		1/4	
1/2	1,519.07	1/2	1,257.45	1/2	995.86	1/2	735.59	1/2	474.00	1/2	212.33	1/2		1/2		1/2		1/2	
3/4	1,513.62	3/4	1,252.00	3/4	990.44	3/4	730.14	3/4	468.55	3/4	206.87	3/4		3/4		3/4		3/4	
7	1,508.18	7	1,246.54	7	985.03	7	724.70	7	463.10	7	201.42	7		7		7		7	
1/4	1,502.73	1/4	1,241.09	1/4	979.61	1/4	719.25	1/4	457.65	1/4	195.97	1/4		1/4		1/4		1/4	
1/2	1,497.28	1/2	1,235.64	1/2	974.19	1/2	713.80	1/2	452.20	1/2	190.52	1/2		1/2		1/2		1/2	
3/4	1,491.83	3/4	1,230.19	3/4	968.78	3/4	708.36	3/4	446.75	3/4	185.07	3/4		3/4		3/4		3/4	
8	1,486.38	8	1,224.73	8	963.36	8	702.91	8	441.29	8	179.62	8		8		8		8	
1/4	1,480.93	1/4	1,219.28	1/4	957.95	1/4	697.46	1/4	435.84	1/4	174.17	1/4		1/4		1/4		1/4	
1/2	1,475.48	1/2	1,213.83	1/2	952.53	1/2	692.02	1/2	430.39	1/2	168.71	1/2		1/2		1/2		1/2	
3/4	1,470.04	3/4	1,208.38	3/4	947.12	3/4	686.57	3/4	424.94	3/4	163.26	3/4		3/4		3/4		3/4	
9	1,464.59	9	1,202.93	9	941.70	9	681.12	9	419.49	9	157.81	9		9		9		9	
1/4	1,459.14	1/4	1,197.47	1/4	936.29	1/4	675.68	1/4	414.04	1/4	152.36	1/4		1/4		1/4		1/4	
1/2	1,453.69	1/2	1,192.02	1/2	930.87	1/2	670.23	1/2	408.58	1/2	146.91	1/2		1/2		1/2		1/2	
3/4	1,448.24	3/4	1,186.57	3/4	925.45	3/4	664.78	3/4	403.13	3/4	141.46	3/4		3/4		3/4		3/4	
10	1,442.79	10	1,181.12	10	920.04	10	659.34	10	397.68	10	136.01	10		10		10		10	
1/4	1,437.34	1/4	1,175.67	1/4	914.62	1/4	653.89	1/4	392.23	1/4	130.57	1/4		1/4		1/4		1/4	
1/2	1,431.90	1/2	1,170.21	1/2	909.21	1/2	648.45	1/2	386.78	1/2	125.12	1/2		1/2		1/2		1/2	
3/4	1,426.45	3/4	1,164.76	3/4	903.79	3/4	643.00	3/4	381.33	3/4	119.67	3/4		3/4		3/4		3/4	
11	1,421.00	11	1,159.31	11	898.38	11	637.55	11	375.87	11	114.24	11		11		11		11	
1/4	1,415.55	1/4	1,153.86	1/4	892.96	1/4	632.10	1/4	370.42	1/4	108.80	1/4		1/4		1/4		1/4	
1/2	1,410.10	1/2	1,148.41	1/2	887.55	1/2	626.65	1/2	364.97	1/2	103.37	1/2		1/2		1/2		1/2	
3/4	1,404.65	3/4	1,142.95	3/4	882.13	3/4	621.20	3/4	359.52	3/4	97.93	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/18/2010 CL - SW
CALCULATED: 10/18/2010 CL
PRINTED: 10/18/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>