



# BARGE "KIRBY 10242"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/4"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

August 22, 2012

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "KIRBY 10242"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	1,863.56	0	1,567.16	0	1,270.60	0	974.05	0	683.58	0	386.83	0	90.19	0		0		0	
1/4	1,857.39	1/4	1,560.98	1/4	1,264.43	1/4	967.94	1/4	677.40	1/4	380.65	1/4	84.07	1/4	1/4	1/4		1/4	
1/2	1,851.22	1/2	1,554.80	1/2	1,258.25	1/2	961.82	1/2	671.22	1/2	374.46	1/2	77.94	1/2	1/2	1/2		1/2	
3/4	1,845.06	3/4	1,548.62	3/4	1,252.07	3/4	955.70	3/4	665.04	3/4	368.28	3/4	71.82	3/4	3/4	3/4		3/4	
1	1,838.89	1	1,542.44	1	1,245.89	1	949.59	1	658.85	1	362.10	1	65.70	1	1	1		1	
1/4	1,832.72	1/4	1,536.27	1/4	1,239.71	1/4	943.54	1/4	652.67	1/4	355.92	1/4	59.63	1/4	1/4	1/4		1/4	
1/2	1,826.55	1/2	1,530.09	1/2	1,233.53	1/2	937.48	1/2	646.49	1/2	349.73	1/2	53.57	1/2	1/2	1/2		1/2	
3/4	1,820.38	3/4	1,523.91	3/4	1,227.36	3/4	931.43	3/4	640.31	3/4	343.55	3/4	47.50	3/4	3/4	3/4		3/4	
2	1,814.21	2	1,517.73	2	1,221.18	2	925.38	2	634.13	2	337.37	2	41.43	2	2	2		2	
1/4	1,808.03	1/4	1,511.55	1/4	1,215.00	1/4	919.33	1/4	627.95	1/4	331.19	1/4	36.28	1/4	1/4	1/4		1/4	
1/2	1,801.85	1/2	1,505.38	1/2	1,208.82	1/2	913.28	1/2	621.76	1/2	325.00	1/2	31.13	1/2	1/2	1/2		1/2	
3/4	1,795.67	3/4	1,499.20	3/4	1,202.64	3/4	907.22	3/4	615.58	3/4	318.82	3/4	25.98	3/4	3/4	3/4		3/4	
3	1,789.50	3	1,493.02	3	1,196.47	3	901.17	3	609.40	3	312.64	3	20.82	3	3	3		3	
1/4	1,783.32	1/4	1,486.84	1/4	1,190.29	1/4	895.14	1/4	603.22	1/4	306.46	1/4	17.73	1/4	1/4	1/4		1/4	
1/2	1,777.14	1/2	1,480.66	1/2	1,184.11	1/2	889.10	1/2	597.03	1/2	300.27	1/2	14.63	1/2	1/2	1/2		1/2	
3/4	1,770.96	3/4	1,474.48	3/4	1,177.93	3/4	883.07	3/4	590.85	3/4	294.09	3/4	11.53	3/4	3/4	3/4		3/4	
4	1,764.78	4	1,468.31	4	1,171.75	4	877.03	4	584.67	4	287.91	4	8.44	4	4	4		4	
1/4	1,758.61	1/4	1,462.13	1/4	1,165.57	1/4	871.01	1/4	578.49	1/4	281.73	1/4	7.40	1/4	1/4	1/4		1/4	
1/2	1,752.43	1/2	1,455.95	1/2	1,159.40	1/2	864.99	1/2	572.30	1/2	275.54	1/2	6.37	1/2	1/2	1/2		1/2	
3/4	1,746.25	3/4	1,449.77	3/4	1,153.22	3/4	858.97	3/4	566.12	3/4	269.36	3/4	5.34	3/4	3/4	3/4		3/4	
5	1,740.07	5	1,443.59	5	1,147.04	5	852.95	5	559.94	5	263.18	5	4.31	5	5	5		5	
1/4	1,733.89	1/4	1,437.42	1/4	1,140.86	1/4	846.94	1/4	553.76	1/4	257.00	1/4		1/4	1/4	1/4		1/4	
1/2	1,727.72	1/2	1,431.24	1/2	1,134.68	1/2	840.92	1/2	547.57	1/2	250.81	1/2		1/2	1/2	1/2		1/2	
3/4	1,721.54	3/4	1,425.06	3/4	1,128.51	3/4	834.90	3/4	541.39	3/4	244.63	3/4		3/4	3/4	3/4		3/4	
6	1,715.36	6	1,418.88	6	1,122.33	6	828.88	6	535.21	6	238.45	6		6	6	6		6	
1/4	1,709.19	1/4	1,412.70	1/4	1,116.15	1/4	822.86	1/4	529.03	1/4	232.27	1/4		1/4	1/4	1/4		1/4	
1/2	1,703.02	1/2	1,406.52	1/2	1,109.97	1/2	816.84	1/2	522.84	1/2	226.08	1/2		1/2	1/2	1/2		1/2	
3/4	1,696.84	3/4	1,400.35	3/4	1,103.79	3/4	810.82	3/4	516.66	3/4	219.90	3/4		3/4	3/4	3/4		3/4	
7	1,690.67	7	1,394.17	7	1,097.61	7	804.80	7	510.48	7	213.72	7		7	7	7		7	
1/4	1,684.49	1/4	1,387.99	1/4	1,091.44	1/4	798.78	1/4	504.30	1/4	207.54	1/4		1/4	1/4	1/4		1/4	
1/2	1,678.32	1/2	1,381.81	1/2	1,085.26	1/2	792.76	1/2	498.11	1/2	201.35	1/2		1/2	1/2	1/2		1/2	
3/4	1,672.14	3/4	1,375.63	3/4	1,079.08	3/4	786.74	3/4	491.93	3/4	195.17	3/4		3/4	3/4	3/4		3/4	
8	1,665.97	8	1,369.46	8	1,072.90	8	780.72	8	485.75	8	188.99	8		8	8	8		8	
1/4	1,659.79	1/4	1,363.28	1/4	1,066.72	1/4	774.70	1/4	479.57	1/4	182.81	1/4		1/4	1/4	1/4		1/4	
1/2	1,653.62	1/2	1,357.10	1/2	1,060.55	1/2	768.68	1/2	473.38	1/2	176.62	1/2		1/2	1/2	1/2		1/2	
3/4	1,647.44	3/4	1,350.92	3/4	1,054.37	3/4	762.66	3/4	467.20	3/4	170.44	3/4		3/4	3/4	3/4		3/4	
9	1,641.27	9	1,344.74	9	1,048.19	9	756.65	9	461.02	9	164.26	9		9	9	9		9	
1/4	1,635.09	1/4	1,338.56	1/4	1,042.01	1/4	750.63	1/4	454.84	1/4	158.07	1/4		1/4	1/4	1/4		1/4	
1/2	1,628.92	1/2	1,332.39	1/2	1,035.83	1/2	744.61	1/2	448.65	1/2	151.89	1/2		1/2	1/2	1/2		1/2	
3/4	1,622.74	3/4	1,326.21	3/4	1,029.65	3/4	738.59	3/4	442.47	3/4	145.70	3/4		3/4	3/4	3/4		3/4	
10	1,616.57	10	1,320.03	10	1,023.48	10	732.57	10	436.29	10	139.51	10		10	10	10		10	
1/4	1,610.39	1/4	1,313.85	1/4	1,017.30	1/4	726.49	1/4	430.11	1/4	133.34	1/4		1/4	1/4	1/4		1/4	
1/2	1,604.22	1/2	1,307.67	1/2	1,011.12	1/2	720.40	1/2	423.92	1/2	127.16	1/2		1/2	1/2	1/2		1/2	
3/4	1,598.05	3/4	1,301.50	3/4	1,004.94	3/4	714.32	3/4	417.74	3/4	120.98	3/4		3/4	3/4	3/4		3/4	
11	1,591.87	11	1,295.32	11	998.76	11	708.24	11	411.56	11	114.81	11		11	11	11		11	
1/4	1,585.69	1/4	1,289.14	1/4	992.59	1/4	702.07	1/4	405.38	1/4	108.65	1/4		1/4	1/4	1/4		1/4	
1/2	1,579.51	1/2	1,282.96	1/2	986.41	1/2	695.91	1/2	399.19	1/2	102.50	1/2		1/2	1/2	1/2		1/2	
3/4	1,573.34	3/4	1,276.78	3/4	980.23	3/4	689.74	3/4	393.01	3/4	96.34	3/4		3/4	3/4	3/4		3/4	

STRAPPED: 08/22/2012 CL - SW  
CALCULATED: 08/22/2012 CL  
PRINTED: 08/22/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10242"

## 2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-06"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,672.18	0	1,409.03	0	1,145.72	0	884.27	0	625.03	0	361.74	0	98.54	0		0		0	
1/4	1,666.70	1/4	1,403.55	1/4	1,140.23	1/4	878.87	1/4	619.55	1/4	356.25	1/4	93.08	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,661.22	1/2	1,398.06	1/2	1,134.75	1/2	873.47	1/2	614.06	1/2	350.77	1/2	87.63	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,655.74	3/4	1,392.58	3/4	1,129.26	3/4	868.07	3/4	608.58	3/4	345.28	3/4	82.18	3/4	3/4	3/4	3/4	3/4	3/4
1	1,650.25	1	1,387.09	1	1,123.78	1	862.67	1	603.09	1	339.80	1	76.73	1	1	1	1	1	1
1/4	1,644.77	1/4	1,381.60	1/4	1,118.29	1/4	857.26	1/4	597.61	1/4	334.31	1/4	71.31	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,639.29	1/2	1,376.12	1/2	1,112.80	1/2	851.86	1/2	592.12	1/2	328.83	1/2	65.89	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,633.81	3/4	1,370.63	3/4	1,107.32	3/4	846.46	3/4	586.64	3/4	323.34	3/4	60.47	3/4	3/4	3/4	3/4	3/4	3/4
2	1,628.32	2	1,365.15	2	1,101.83	2	841.06	2	581.15	2	317.86	2	55.04	2	2	2	2	2	2
1/4	1,622.84	1/4	1,359.66	1/4	1,096.35	1/4	835.66	1/4	575.67	1/4	312.37	1/4	49.67	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,617.36	1/2	1,354.18	1/2	1,090.86	1/2	830.26	1/2	570.18	1/2	306.89	1/2	44.30	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,611.88	3/4	1,348.69	3/4	1,085.38	3/4	824.86	3/4	564.69	3/4	301.40	3/4	38.93	3/4	3/4	3/4	3/4	3/4	3/4
3	1,606.40	3	1,343.20	3	1,079.89	3	819.46	3	559.21	3	295.92	3	33.56	3	3	3	3	3	3
1/4	1,600.91	1/4	1,337.72	1/4	1,074.41	1/4	814.06	1/4	553.72	1/4	290.43	1/4	28.99	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,595.43	1/2	1,332.23	1/2	1,068.92	1/2	808.67	1/2	548.24	1/2	284.94	1/2	24.43	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,589.95	3/4	1,326.75	3/4	1,063.43	3/4	803.27	3/4	542.75	3/4	279.46	3/4	19.87	3/4	3/4	3/4	3/4	3/4	3/4
4	1,584.47	4	1,321.26	4	1,057.95	4	797.88	4	537.27	4	273.97	4	15.30	4	4	4	4	4	4
1/4	1,578.98	1/4	1,315.78	1/4	1,052.46	1/4	792.48	1/4	531.78	1/4	268.49	1/4	12.56	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,573.50	1/2	1,310.29	1/2	1,046.98	1/2	787.08	1/2	526.30	1/2	263.00	1/2	9.82	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,568.02	3/4	1,304.80	3/4	1,041.49	3/4	781.69	3/4	520.81	3/4	257.52	3/4	7.08	3/4	3/4	3/4	3/4	3/4	3/4
5	1,562.54	5	1,299.32	5	1,036.01	5	776.29	5	515.33	5	252.03	5	4.33	5	5	5	5	5	5
1/4	1,557.05	1/4	1,293.83	1/4	1,030.52	1/4	770.90	1/4	509.84	1/4	246.55	1/4	3.42	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,551.57	1/2	1,288.35	1/2	1,025.03	1/2	765.50	1/2	504.36	1/2	241.06	1/2	2.51	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,546.09	3/4	1,282.86	3/4	1,019.55	3/4	760.11	3/4	498.87	3/4	235.58	3/4	1.59	3/4	3/4	3/4	3/4	3/4	3/4
6	1,540.61	6	1,277.38	6	1,014.06	6	754.71	6	493.39	6	230.09	6	0.68	6	6	6	6	6	6
1/4	1,535.13	1/4	1,271.89	1/4	1,008.62	1/4	749.32	1/4	487.90	1/4	224.61	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,529.64	1/2	1,266.40	1/2	1,003.17	1/2	743.92	1/2	482.42	1/2	219.12	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,524.16	3/4	1,260.92	3/4	997.73	3/4	738.52	3/4	476.93	3/4	213.64	3/4		3/4	3/4	3/4	3/4	3/4	3/4
7	1,518.68	7	1,255.43	7	992.29	7	733.13	7	471.44	7	208.15	7		7	7	7	7	7	7
1/4	1,513.20	1/4	1,249.95	1/4	986.89	1/4	727.73	1/4	465.96	1/4	202.67	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,507.71	1/2	1,244.46	1/2	981.48	1/2	722.34	1/2	460.47	1/2	197.18	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,502.23	3/4	1,238.98	3/4	976.08	3/4	716.94	3/4	454.99	3/4	191.69	3/4		3/4	3/4	3/4	3/4	3/4	3/4
8	1,496.75	8	1,233.49	8	970.68	8	711.55	8	449.50	8	186.21	8		8	8	8	8	8	8
1/4	1,491.27	1/4	1,228.00	1/4	965.28	1/4	706.15	1/4	444.02	1/4	180.72	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,485.78	1/2	1,222.52	1/2	959.88	1/2	700.75	1/2	438.53	1/2	175.24	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,480.30	3/4	1,217.03	3/4	954.48	3/4	695.36	3/4	433.05	3/4	169.75	3/4		3/4	3/4	3/4	3/4	3/4	3/4
9	1,474.82	9	1,211.55	9	949.08	9	689.96	9	427.56	9	164.27	9		9	9	9	9	9	9
1/4	1,469.34	1/4	1,206.06	1/4	943.68	1/4	684.57	1/4	422.08	1/4	158.78	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,463.86	1/2	1,200.58	1/2	938.28	1/2	679.17	1/2	416.59	1/2	153.30	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,458.37	3/4	1,195.09	3/4	932.88	3/4	673.78	3/4	411.11	3/4	147.81	3/4		3/4	3/4	3/4	3/4	3/4	3/4
10	1,452.89	10	1,189.60	10	927.48	10	668.38	10	405.62	10	142.33	10		10	10	10	10	10	10
1/4	1,447.41	1/4	1,184.12	1/4	922.08	1/4	662.99	1/4	400.14	1/4	136.85	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,441.93	1/2	1,178.63	1/2	916.67	1/2	657.59	1/2	394.65	1/2	131.37	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,436.44	3/4	1,173.15	3/4	911.27	3/4	652.20	3/4	389.17	3/4	125.89	3/4		3/4	3/4	3/4	3/4	3/4	3/4
11	1,430.96	11	1,167.66	11	905.87	11	646.80	11	383.68	11	120.41	11		11	11	11	11	11	11
1/4	1,425.48	1/4	1,162.18	1/4	900.47	1/4	641.36	1/4	378.19	1/4	114.94	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,420.00	1/2	1,156.69	1/2	895.07	1/2	635.92	1/2	372.71	1/2	109.47	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,414.52	3/4	1,151.20	3/4	889.67	3/4	630.48	3/4	367.22	3/4	104.00	3/4		3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/22/2012 CL - SW  
CALCULATED: 08/22/2012 CL  
PRINTED: 08/22/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10242"

## 3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-06"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,665.24	0	1,403.86	0	1,142.31	0	881.63	0	620.85	0	359.32	0	97.88	0		0		0	
1/4	1,659.80	1/4	1,398.41	1/4	1,136.86	1/4	876.22	1/4	615.40	1/4	353.87	1/4	92.46	1/4		1/4		1/4	
1/2	1,654.35	1/2	1,392.96	1/2	1,131.41	1/2	870.81	1/2	609.95	1/2	348.42	1/2	87.05	1/2		1/2		1/2	
3/4	1,648.90	3/4	1,387.51	3/4	1,125.96	3/4	865.40	3/4	604.51	3/4	342.97	3/4	81.64	3/4		3/4		3/4	
1	1,643.46	1	1,382.06	1	1,120.51	1	859.98	1	599.06	1	337.53	1	76.22	1		1		1	
1/4	1,638.01	1/4	1,376.61	1/4	1,115.07	1/4	854.57	1/4	593.61	1/4	332.08	1/4	70.84	1/4		1/4		1/4	
1/2	1,632.57	1/2	1,371.16	1/2	1,109.62	1/2	849.16	1/2	588.16	1/2	326.63	1/2	65.45	1/2		1/2		1/2	
3/4	1,627.12	3/4	1,365.71	3/4	1,104.17	3/4	843.75	3/4	582.71	3/4	321.18	3/4	60.07	3/4		3/4		3/4	
2	1,621.68	2	1,360.27	2	1,098.72	2	838.33	2	577.26	2	315.73	2	54.68	2		2		2	
1/4	1,616.23	1/4	1,354.82	1/4	1,093.27	1/4	832.92	1/4	571.82	1/4	310.28	1/4	49.34	1/4		1/4		1/4	
1/2	1,610.79	1/2	1,349.37	1/2	1,087.82	1/2	827.51	1/2	566.37	1/2	304.83	1/2	44.01	1/2		1/2		1/2	
3/4	1,605.34	3/4	1,343.92	3/4	1,082.37	3/4	822.09	3/4	560.92	3/4	299.39	3/4	38.67	3/4		3/4		3/4	
3	1,599.89	3	1,338.47	3	1,076.92	3	816.68	3	555.47	3	293.94	3	33.34	3		3		3	
1/4	1,594.45	1/4	1,333.02	1/4	1,071.47	1/4	811.27	1/4	550.02	1/4	288.49	1/4	28.80	1/4		1/4		1/4	
1/2	1,589.00	1/2	1,327.57	1/2	1,066.02	1/2	805.87	1/2	544.57	1/2	283.04	1/2	24.27	1/2		1/2		1/2	
3/4	1,583.56	3/4	1,322.12	3/4	1,060.58	3/4	800.46	3/4	539.12	3/4	277.59	3/4	19.74	3/4		3/4		3/4	
4	1,578.11	4	1,316.67	4	1,055.13	4	795.05	4	533.68	4	272.14	4	15.21	4		4		4	
1/4	1,572.67	1/4	1,311.23	1/4	1,049.68	1/4	789.61	1/4	528.23	1/4	266.69	1/4	12.48	1/4		1/4		1/4	
1/2	1,567.22	1/2	1,305.78	1/2	1,044.23	1/2	784.16	1/2	522.78	1/2	261.25	1/2	9.76	1/2		1/2		1/2	
3/4	1,561.78	3/4	1,300.33	3/4	1,038.78	3/4	778.72	3/4	517.33	3/4	255.80	3/4	7.03	3/4		3/4		3/4	
5	1,556.33	5	1,294.88	5	1,033.33	5	773.28	5	511.88	5	250.35	5	4.31	5		5		5	
1/4	1,550.89	1/4	1,289.43	1/4	1,027.88	1/4	767.83	1/4	506.43	1/4	244.90	1/4	3.40	1/4		1/4		1/4	
1/2	1,545.44	1/2	1,283.98	1/2	1,022.43	1/2	762.39	1/2	500.98	1/2	239.45	1/2	2.49	1/2		1/2		1/2	
3/4	1,539.99	3/4	1,278.53	3/4	1,016.98	3/4	756.95	3/4	495.54	3/4	234.00	3/4	1.59	3/4		3/4		3/4	
6	1,534.55	6	1,273.08	6	1,011.54	6	751.50	6	490.09	6	228.55	6	0.68	6		6		6	
1/4	1,529.10	1/4	1,267.63	1/4	1,006.12	1/4	746.06	1/4	484.64	1/4	223.11	1/4		1/4		1/4		1/4	
1/2	1,523.66	1/2	1,262.19	1/2	1,000.71	1/2	740.62	1/2	479.19	1/2	217.66	1/2		1/2		1/2		1/2	
3/4	1,518.21	3/4	1,256.74	3/4	995.30	3/4	735.17	3/4	473.74	3/4	212.21	3/4		3/4		3/4		3/4	
7	1,512.77	7	1,251.29	7	989.89	7	729.73	7	468.29	7	206.76	7		7		7		7	
1/4	1,507.32	1/4	1,245.84	1/4	984.47	1/4	724.29	1/4	462.84	1/4	201.31	1/4		1/4		1/4		1/4	
1/2	1,501.88	1/2	1,240.39	1/2	979.06	1/2	718.84	1/2	457.40	1/2	195.86	1/2		1/2		1/2		1/2	
3/4	1,496.43	3/4	1,234.94	3/4	973.65	3/4	713.40	3/4	451.95	3/4	190.41	3/4		3/4		3/4		3/4	
8	1,490.98	8	1,229.49	8	968.24	8	707.96	8	446.50	8	184.97	8		8		8		8	
1/4	1,485.54	1/4	1,224.04	1/4	962.82	1/4	702.51	1/4	441.05	1/4	179.52	1/4		1/4		1/4		1/4	
1/2	1,480.09	1/2	1,218.59	1/2	957.41	1/2	697.07	1/2	435.60	1/2	174.07	1/2		1/2		1/2		1/2	
3/4	1,474.65	3/4	1,213.15	3/4	952.00	3/4	691.63	3/4	430.15	3/4	168.62	3/4		3/4		3/4		3/4	
9	1,469.20	9	1,207.70	9	946.58	9	686.18	9	424.70	9	163.17	9		9		9		9	
1/4	1,463.76	1/4	1,202.25	1/4	941.17	1/4	680.74	1/4	419.26	1/4	157.72	1/4		1/4		1/4		1/4	
1/2	1,458.31	1/2	1,196.80	1/2	935.76	1/2	675.29	1/2	413.81	1/2	152.28	1/2		1/2		1/2		1/2	
3/4	1,452.87	3/4	1,191.35	3/4	930.35	3/4	669.85	3/4	408.36	3/4	146.83	3/4		3/4		3/4		3/4	
10	1,447.42	10	1,185.90	10	924.93	10	664.41	10	402.91	10	141.38	10		10		10		10	
1/4	1,441.98	1/4	1,180.45	1/4	919.52	1/4	658.97	1/4	397.46	1/4	135.94	1/4		1/4		1/4		1/4	
1/2	1,436.53	1/2	1,175.00	1/2	914.11	1/2	653.52	1/2	392.01	1/2	130.49	1/2		1/2		1/2		1/2	
3/4	1,431.08	3/4	1,169.55	3/4	908.70	3/4	648.08	3/4	386.56	3/4	125.05	3/4		3/4		3/4		3/4	
11	1,425.64	11	1,164.11	11	903.28	11	642.64	11	381.12	11	119.61	11		11		11		11	
1/4	1,420.19	1/4	1,158.66	1/4	897.87	1/4	637.19	1/4	375.67	1/4	114.18	1/4		1/4		1/4		1/4	
1/2	1,414.75	1/2	1,153.21	1/2	892.46	1/2	631.74	1/2	370.22	1/2	108.74	1/2		1/2		1/2		1/2	
3/4	1,409.30	3/4	1,147.76	3/4	887.05	3/4	626.30	3/4	364.77	3/4	103.31	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/22/2012 CL - SW  
CALCULATED: 08/22/2012 CL  
PRINTED: 08/22/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>