

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 28 Jul 2023 Expiration Date: 28 Jul 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name			Official Number	IMO Num	ber	Call Sign	Service	
KIRBY 10	0251		1247192	e e			Tank i	Barge
Hailing Port								
WILMING	STON, DE		Hull Material	Horse	epower	Propulsion		
UNITED	STATES		Steel					
Place Built								
Ashland (City, TN		Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
UNITED			21Jun2013	07Jun2013	R-705 I-	R-705 I-	396	R-200.0 I-0
55 WAUG	LAND MARINE LE H DRIVE, SUITE N, TX 77007 STATES	1000		1835 CHA		, TX 77530		
	el must be manned Lifeboatmen, 0 C	with the fo ertified Tan	llowing licensed kermen, 0 HSC	and unlicensed Type Rating, a	d Personnel.	Included in wh	nich there m	ust be
U Masters	(D Licensed Ma		Engineers	0 Oi			
0 Chief M	• • • •	First Class F		Assistant Enginee	rs			
0 Second 0 Third Ma	_1	Radio Office	0 00001	ıd Assistant Engir				
		Able Seame	o mila	Assistant Enginee	ers			
		Ordinary Se		sed Engineers				
		Deckhands	0 Qualif	ied Member Engir	neer			
Persons all	this vessel may ca owed: 0	arry 0 Pass	engers, 0 Other	Persons in cre	ew, 0 Persor	ns in addition to	crew, and	no Others. Total
Route Per	rmitted And Cond	ditions Of (Operation:					
	, Bays, and S			Coastwie	.			
	air weather only					between St. M	arks and C	arrabelle,
alt water	l has been grant operated in salt intervals per 4 status occurs.	ed a fres water mo 6 CFR 31.	h water servic re than 6 mont 10-21(a)(1) ar	ce examination ths in any 12 and the cogniz	n interval month per ant OCMI n	per 46 CFR 3 iod, the vess otified in wr	1.10-21(a) el must be iting as s	(2). If this inspected using oon as this
nis tank b	arge is partici	pating in	the Eighth-Ni	nth Coast Gu	ard Distri	ct's Tank Bar	ge Streaml	ined Inspection
	XT PAGE FOR							
pection, ivi	pection for Certific larine Safety Unit rules and regulati	Port Arthu	r certified the ve	essel, in all res	hur, TX, UN pects, is in	IITED STATES	s, the Office the applica	arge, Marine
	Annual/Period				nis certificat	e issued by:	27	
Data	Zone	A/P/R	Signatur			INAGAKI, GS	0: / hu	R) importan
Date			- ignatul	~	D. I	ILVALIANT I TANK		
	Louisnik Ly	18			-		10, 000 3,	SA MICORDIT
13-24	Louisnik Ky	1 19	Bear Kich		licer in Charge, Ma		AND THE PERSON NAMED IN CO.	and the second second



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 28 Jul 2023 **Expiration Date:** 28 Jul 2028

Certificate of Inspection

Vessel Name		Of	ficial Number	IMO Nu	mber	Call Sign	Service	
KIRBY 10251		1	247192				Tank	Barge
Hailing Port			Hull Material	Но	rsepower	Propulsion		
WILMINGTON	, DE		Steel	110	зероже	Flopulsion		
UNITED STAT	ES		Otoci					
Place Built								
Ashland City, T	N.		Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
riornaria Oity, 1			21Jun2013	07Jun2013	R-705	R-705	396	R-200.0
UNITED STAT	ES			0.00M2010	ŀ .	ŀ	530	1-0
Owner				Oper	rator			
KIRBY INLAND	MARINE LP	1000			RBY INLAND	MARINE, LP		
55 WAUGH DI HOUSTON, TX	(77007	1000			350 MARKET			
UNITED STAT	ES				IANNELVIEW			
				UN	IITED STATE	.5		
This vessel mu 0 Certified Life	st be manned boatmen, 0 C	with the foll	owing licensed	d and unlicens	sed Personnel	l. Included in w	hich there n	nust be
0 Masters		0 Licensed Ma		ef Engineers		oilers		
0 Chief Mates		0 First Class P		t Assistant Engin		niers		
0 Second Mate		0 Radio Office	0.110	ond Assistant Engli				
0 Third Mates		0 Able Seamer		d Assistant Engi				
0 Master First	Class Pilot	0 Ordinary Sea		ensed Engineers	110010			
0 Mate First C		0 Deckhands		alified Member Er	ngineer			
In addition, this Persons allowe	vessel may o	carry 0 Pass	engers, 0 Oth	er Persons in	crew, 0 Perso	ons in addition to	o crew, and	no Others. Total
Route Permi	tted And Cor	nditions Of (Operation:					
Lakes, E				d Coastw	ise			
Also, in fair Florida.						between St.	Marks and (Carrabelle,
salt water in	tervals per	Tr Marei IIIC	nie inan 6 mc	onths in anu	month no	riad the	1)(2). If this e inspected using
change in sta	cus occurs.							
							rge Stream	lined Inspection
***SEE NEXT								
Inspection, Mai laws and the ru	ine Safety Ur	nit Port Arth	ur certified the	e vessel, in all	respects, is in	n conformity wi	S, the Office th the applic	er in Charge, Marin cable vessel inspect
							127	-
	Annual/Per	loaic/Re-ins	pection	1	I his certific	ate issued hus		1/
Date	Zone	A/P/R	Signa	ture		ate issued by: T. INAGAKI, G	Dilh	a. C.

Marine Safety Unit Port Arthur

Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 28 Jul 2023 Expiration Date: 28 Jul 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Hailing Port WILMINGTON UNITED STAT Place Built Ashland City, T UNITED STAT	TES	1	Hull Material Steel Delivery Date 21Jun2013	Keel Laid Date	sepower	Propulsion	Tank	Barge
WILMINGTON UNITED STAT Place Built Ashland City, T UNITED STAT	TES		Steel Delivery Date	Keel Laid Date		Propulsion		
Place Built Ashland City, UNITED STAT	TES	-	Steel Delivery Date	Keel Laid Date		Propulsion		
Place Built Ashland City, T UNITED STAT	TN	-	Delivery Date					
Ashland City, T			•					
UNITED STAT			•		10-00 POIN			
UNITED STAT			21Jun2013		Gross Tons	Net Tons	DWT	Length
1				07Jun2013	R-705 I-	R-705 I-	396	R-200.0 I-0
55 WAUGH D	D MARINE LP RIVE, SUITE 10	000		Operat KIRI	BY INLAND I	MARINE, LP		
UNITED STAT	X 77007 ΓES			CHA UNI	50 MARKET NNELVIEW TED STATE:	, TX 77530 S		
	ust be manned veboatmen, 0 Cer	vith the folk rtified Tank	owing licensed ermen, 0 HSC	and unlicense Type Rating,	ed Personnel.	Included in wh	ich there m	ust be
0 Masters 0 Chief Mates	01	Licensed Mat	es 0 Chief	Engineers	0 Oi			
0 Second Mate	U	First Class Pi		Assistant Enginee				
0 Third Mates	0	Radio Officer	0 0000	nd Assistant Engi				
0 Master First		Able Seamen Ordinary Sea		Assistant Engine	ers			
0 Mate First C		Ordinary Sea Deckhands		nsed Engineers				
	s vessel may ca ed: 0		engers, 0 Othe	ified Member Eng er Persons in cr	rew, 0 Persor	ns in addition to	crew, and r	O Others Total
	itted And Cond							
l akes F	Rave and S	ounds of C	peration:					
	Bays, and S							
	r weather only							
This vessel has vessel is operated in the change in statement.	has been grant erated in salt ntervals per 4 atus occurs.	ed a fres water mo 6 CFR 31.	h water servine than 6 mon 10-21(a)(1)	ice examinati nths in any 1 and the cogni	on interval 2 month per zant OCMI r	per 46 CFR 33 iod, the vesse otified in wr	1.10-21(a) el must be iting as so	(2). If this inspected using oon as this
This tank bar	rge is partici	pating in	the Eighth-	Ninth Coast (Guard Distr	ict's Tank Bar	ge Streaml	ined Inspection
SEE NEX	T PAGE FOR	ADDITION	NAL CERTIFI	CATE INFOR	RMATION	i		
opoodori, ma	ection for Certific rine Safety Unit ules and regulat	I OIL AILIIL	in cerunea the	vessel, in all re	Arthur, TX, UI espects, is in	NITED STATES conformity with	the Office	r in Charge, Marine ble vessel inspection
	Annual/Perio				This certifica	te issued by:	271	-0-
Date	Zone	A/P/R	Signat	Contract of the last of the la		. INAGAKI, GS	13 liste	Bydire tion
28-13-24	Louisvik K	4 19	the same of the sa	hard	Officer in Charge, I	-	10, 0000.	DX011600011
					, onarge, i	Marine Safet	v Unit Prog	tr
					Inspection Zone	Maine Jaie	A PARCE STERRY	Self-



Serial #: C1-1301709 Dated:

22-May-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10251

Shipyard: Trinity Marine Ashland

City

Hull #: 4903

Official #: 12471	92													Hull	#: 4903		
46 CFR 151 Tank	Group (Chara	cteris	tics													
Tank Group Information	Group Information Cargo Identification				0	Tanks			Cargo Transfer		Enviror Contro	nmental I	Fire	Special Requirements			
Tnk Grp Tanks in Group	p Density Press. Temp. Type Vent Gaug		Gauge	Pipe Class	Cont	Tanks Space Protection			General	Materials of Construction	Elec Haz						
A #1C, #2C, #3C	13.6	Atmos.	. Elev	l	1ii 2ii	Integral Gravity	PV	Closed	Ħ	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g).	NR	No

Notes: 1. Under Environmental Control. Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical

List of Authorized Cargoes

Cargo Identificatio	n					Conditions of Carriage						
			:			:	Vapor R	covery				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes												
Acetonítrile	ATN	37	0	С	Ш	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	11	Α	Yes	4	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	III	Α	No	N/A	.50-81, .50-86	G		
Aminoethylethanolamine	AEE	8	0	E	111	Α	Yes	1	.55-1(b)	G		
Ammonium bisuifite solution (70% or less)	ABX	43 ²	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G		
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	(1)	A	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A	No	G		
Benzene	BNZ	32	0	C	III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	С	H	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	1)1	Α	Yes	1	50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	втх	32	0	B/C	111	Α	Yes	1	.50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	(1)	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	ВМН	1 14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	CPC	18	0	D	11	Α	No	N/A	No No	G		
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No No	G		
Caustic potash solution	CPS	5 ²	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G		
Caustic soda solution	CSS	5 2	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G		
Chemical Oil (refined, containing phenolics)	COE	21	0	E	II	Α	No	N/A	50-73	G		
Chlorobenzene	CRE	36	0	D	III	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	lli	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	. 1	.50-73	G		
Coal tar pitch (molten)	CTP	33	O	Ε	III	Α	No	N/A	, .50-73	G		
Creosote	CCV	V 21 2	0	E	111	Α	Yes	1	No	G		
Cresols (all isomers)	CRS	3 21	0	E	111	Α	Yes	1	No	G		
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	.50-73, .55-1(b)	G		
Cresylic acid tar	CRX	(0	Ē	111	Α	Yes	. 1	.55-1(f)	G		
Crotonaldehyde	CTA	, 19 ²	0	С	II	Α	Yes	4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	3	0	С	}	Α	No	N/A	4 No	G		
Cyclohexanone	CCH	1 18	0	D	111	Α	Yes	1	.56-1(a), (b)	G		



Serial #: C1-1301709

22-May-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10251

Shipyard: Trinity Marine

Ashland City Hull #. 4903

Official #: 1247192

Page 2 of 8

Cargo Identificatio	Cargo Identification									
			1 2				· — —	Recovery		
Name Cyclohexanone, Cyclohexanol mixture	Chem Code CYX	Compat Group No 18 2	Sub Chapter O	Grade E	Hull Type III	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of .58-1 (b)	Insp. Period G
Cyclohexylamine	CHA	7	0	D	111	Α	Yes	1	.56-1(a), (b), (c), (g)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	.50-60, .56-1(b)	G
iso-Decyl acrylate	IAI	14	0	Ε	111	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	Ш	Α	Yes	3	.56-1(a), (b)	G
1,1-Dichloroethane	DCH	36	0	С	Ш	Α	Yes	1	No	G
2,2'-Dichloroethyl ether	DEE	41	0	D	11	Α	Yes	1	.55-1(f)	G
Dichloromethane	DCM	36	0	NA	111	Α	Yes	5	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E		Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	² O	A		Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	0	Ε	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	С		Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	III	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С	111	Α	Yes	3	No	G
1.3-Dichloropropene	DPU	15	0	D		Α	Yes	4	No	G
Dichloropropene, Dichloropropane mixtures	DMX	15	0		<u>:</u>	Α	Yes	1	No	G
Diethanolamine	DEA	8	0	E	<u>::</u> 	Α	Yes	<u>·</u> 1	.55+1(c)	G
Diethylamine	DEN	7	0	c	III	Α	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	7 2	0	E	111	Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	<u> -</u> 	A	Yes	3	.55-1(c)	G
Diisopropanolamine	DIP	<u>'</u> 8	0	Ē	<u>'''</u>	A	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7		c	<u> !!</u>	^	Yes	3	.55-1(c)	G
	DAC	10		E	111		Yes	3	.56-1(b)	G
N,N-Dimethylacetamide	DMB	8	0	D	111		Yes	1	.56-1(b), (c)	G
Dimethylethanolamine Dimethylformamide	DMF	10	0	D	111	A	Yes	1	.55-1(e)	G
	DNA	7	- 0	c		A		3	.55-1(c)	G
Di-n-propylamine Podosyldimethylamina Tetradosyldimethylamina mistura	DOT	 7	0	E	111		Yes		.56-1(b)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOS	43	0	#		A	No.	N/A	No	G
Dodecyl diphenyl ether disulfonate solution	EEG	40	0	Ď		Α .	No No	N/A	No	G
EE Glycol Ether Mixture	MEA	8	0	E	111	A	No	N/A	.55-1(c)	G
Ethanolamine Studies and the second	EAC	14	-0		- []]	A	Yes	1	.50-70(a), .50-81(a), (b)	G
Ethyl acrylate				<u> </u>		A	Yes	2	.55-1(b)	G
Ethylamine solution (72% or less)	EAN	7	0	_ <u>A</u>	- 11	A	Yes	6		
N-Ethylbutylamine	EBA	7	<u> </u>	D		A	Yes	3	.55-1(b)	G
N-Ethylcyclohexylamine	ECC	7	0	D	111	Α .	Yes	1	.55-1(b)	G
Ethylene cyanohydrin	ETC	20	0	E	1#1	<u> </u>	Yes	1	No	G
Ethylenediamine	EDA	7 2	0	D	111	A	Yes	11	.55-1(c)	G
Ethylene dichloride	EDC	36 ²	0	C	111	<u>A</u>	Yes	1	No	G
Ethylene glycol hexyl ether	EGH	40		E		A	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	111	Α	Yes	1	No	G
Ethylene glycol propyl ether	EGP	40	0	E	111	Α	Yes	1	No	G
2-Ethylhexyl acrylate	EAI	14	0	E	131	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	111	A	Yes	2	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	Ш	Α	Yes	1	No	G
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	III	A	Yes	1	.55-1(h)	G
Furfural	FFA	19	0	D	Ш	A	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	Ш	Α	No	N/A	No	G
Hexamethylenediamine solution	HMC	7	0_	_E		Α	Yes	1	.55-1(c)	G
Hexamethyleneimine	НМІ	7	0	С	Ħ	A	Yes	1	.56-1(b), (c)	G



C1-1301709 Dated:

22-May-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10251

Shipyard: Trinity Marine **Ashland City**

Hull #: 4903

Official #: 1247192

Page 3 of 8

Cargo Identification	1					Conditions of Carriage						
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					Vapor F	ecovery				
Name Hydrocarbon 5-9	Chem Code HFN	Compat Group No	Sub Chapter O	Grade C	Hull Type III	Tank Group A	App'd (Y or N) Yes	VCS Calegory 1	Special Requirements in 46 CFR 151 General and Mat'ls of .50-70(a), .50-81(a), (b)	Insp. Period G		
Isoprene	IPR	30	0	Α	III	Α	Yes	7	.50-70(a), .50-81(a), (b)	G		
Isoprene, Pentadiene mixture	IPN		0	В		Α	No	N/A	.50-70(a), .55-1(c)	G		
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G		
Mesityl oxide	MSO	18 ²	0	D		Α	Yes	1	No	G		
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Methylcyclopentadiene dimer	MCK	30	0	С	III	Α	Yes	1	No	G		
Methyl diethanolamine	MDE	8	Q	Ε	111	Α	Yes	1	.56-1(b), (c)	G		
2-Methyl-5-ethylpyridine	MEP	9	0	E	##	Α	Yes	1	.55-1(e)	G		
Methyl methacrylate	MMN	1 14	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
2-Methylpyridine	MPR	9	0	D	Ш	Α	Yes	3	.55-1(c)	G		
alpha-Methylstyrene	MSR	30	0	D	1))	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Morpholine	MPL	7 2	0	D	1)	Α	Yes	1	.55-1(c)	G		
Nitroethane	NTE	42	0	D	11	Α	No	N/A	.50-81, .56-1(b)	G		
1- or 2-Nitropropane	NPM	42	0	D	111	Α	Yes	1	.50-81	G		
1,3-Pentadiene	PDE	30	0	Α	III	Α	Yes	7	.50-70(a), .50-81	G		
Perchloroethylene	PER	36	0	NA	Ш	Α	No	N/A	No	G		
Phthalic anhydride (molten)	PAN	11	0	E		Α	Yes	1	No	G		
Polyethylene polyamines	PEB	7 2	0	E	111	A	Yes		.55-1(e)	G		
iso-Propanolamine	MPA	8	0	E	111	Á	Yes		.55-1(c)	G		
Propanolamine (iso-, n-)	PAX	8	0	E	111	A	Yes		.56-1(b), (c)	G		
iso-Propylamine	IPP	7		A		Α	Yes		.55-1(c)	G		
Pyridine	PRD	9	0	C	 	Α	Yes	1	.55-1(e)	G		
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0		111	Α	No	N/A	.50-73, .55-1(j)	G		
Sodium aluminate solution (45% or less)	SAU	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G		
Sodium chlorate solution (50% or less)	SDD	0 1.2	, 0	NA	111	Α	No	N/A	.50-73	G		
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	111	Α	No	N//	.50-73, .56-1(a), (b)	G		
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	······	NA	III	Α	Yes	1	.50-73, .55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1.3	0	NA	Ш	Α	No	N/A	.50-73, .55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	2 0	NA	11	Α	No	N/A	.50-73, .55-1(b)	G		
Styrene (crude)	STX		0	D	111	Α	Yes	2	No	G		
Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	A	No	N//	/ No	G		
Tetraethylenepentamine	TTP	7	0	E	111	A	Yes	1	.55-1(c)	G		
Tetrahydrofuran	THF	41	0	С	HI	A	Yes	1	.50-70(b)	G		
Toluenediamine	TDA	9	0	E	11	Α	No	N//	,50-73, .56-1(a), (b), (c), (g)	G		
1,2,4-Trichlorobenzene	TCB	36	0	E	111	A	Yes		No	G		
1,1,2-Trichloroethane	TCM		0	NA	111	Α	Yes		.50-73, .56-1(a)	G		
Trichloroethylene	TCL	36 ²	0	NA	111	A	Yes		No	G		
1,2,3-Trichloropropane	TCN		0	E		Α	Yes		.50-73, .56-1(a)	G		
Triethanolamine	TEA		0	E	111	A	Yes		.55-1(b)	G.		
Triethylamine	TEN		0	c	11	Α	Yes		.55-1(e)	G		
Triethylenetetramine	TET		0	E	<u>:</u>	Α	Yes		55-1(b)	G		
Triphenylborane (10% or less), caustic soda solution	TPB		0	NA			No	N//		G		
Trisodium phosphate solution	TSP		0	NA	<u> </u>	A	No	N//	1	G		
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS		- 0	NA		^_	No	N//	<u>`</u>	G		
orea, Ammonium mitate solution (containing more than 2% NH3)	UM3			13/7	111		140	14//	• • •			



Serial #: C1-1301709

22-May-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10251

Shipyard: Trinity Marine

Ashland City Hull #: 4903

Official #: 1247192

Page 4 of 8

Cargo Identific	ation					Conditions of Carriage						
	100						Vapor F	Recovery				
Name Vanillin black liquor (free alkali content, 3% or more).	Chem Code VBL	Compat Group No 5	Sub Chapter O	Grade NA	Hull Type III	Tank Group A	App'd (Y or N) No	VCS Category N/A	Special Requirements in 46 CFR 151 General and Mat'ls of .50-73, .56-1(a), (c), (g)	Insp. Period G		
Vinyl acetate	VAM	13	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Vinyl neodecanate	VND	13	0	Ε	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G		
Vinyltoluene	VNT	13	0	D	111	Α	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (G		
Subchapter D Cargoes Authorized for Vapor (Control	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	· · · · · · · · · · · · · · · · · · ·									
Acetone	ACT	18 ²	D	С		Α	Yes	1				

Vinyl neodecanate	VND	13	0	E	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
Vinyltoluene	VNT	13	0	D	Ш	Α	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (G
Subchapter D Cargoes Authorized for Vapor Contr	ol				······································					*************************************
Acetone	ACT	18 ²	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	E		Α	Yes	1	***************************************	~~~
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	Ε		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		/// //
Benzyl alcohol	BAL	21	D	E		Α	Yes	1		***************************************
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 2	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT		D	C		Α	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cyclohexane	CHX	31	D	C		Α	Yes	1		
Cyclohexanol	CHN	20	D	E		Α	Yes	1	~~~~	
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		***************************************
p-Cymene	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		***************************************
Decyl alcohol (all isomers)	DAX	20 ²	D	Ε		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20 ²	D	D		A	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	1	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
Diisobutylene	DBL	30	D	C		_A	Yes	1	///	·
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1		
Diisopropylbenzene (all isomers)	DIX	32	D	Ε		Α	Yes	1		
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1		
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1		~~~
Dipentene	DPN	30	D	D		Α	Yes	1		
Diphenyl	DIL	32	D	D/E		A	Yes	1		
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		Α	Yes	1		
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1		
Dipropylene glycol	DPG	40	D	<u>E</u>		Α	Yes	1		
Distillates: Flashed feed stocks	DFF	33	D	E		<u> </u>	Yes	1		
Distillates: Straight run	DSR	33	D	E		Α	Yes	1	w	~~~~



ierial #: C1-1301709 Dated: 22-May-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10251

Shipyard: Trinity Marine Ashland City

Hull #: 4903

Official #: 1247192

Page 5 of 8

Cargo Identification	n					Conditions of Carriage						
				:			·	Recovery				
Name	Chem Code	Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Matts of	Insp. Period		
Dodecene (all isomers)	DOZ	30	Ď	D	,,,,,	A	Yes	1	TO TO TO CONTROL WITH MALE WAS A	PERMIT		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1				
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1				
Ethoxy triglycol (crude)	ETG	40	D	Е		Α	Yes	1				
Ethyl acetate	ETA	34	D	С		Α	Yes	1				
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1				
Ethyl alcohol	EAL	20 ²	D	С		Α	Yes	1				
Ethylbenzene	ETB	32	D	С		Α	Yes	1				
Ethyl butanol	EBT	20	D	Đ		Α	Yes	1				
Ethyl tert-butyl ether	EBE	41	Ď	С		Α	Yes	1				
Ethyl butyrate	EBR	34	D	D		Α	Yes	1				
Ethyl cyclohexane	EÇY	31	D	D		Α	Yes	- 1				
Ethylene glycol	EGL	20 ²	D	E		Α	Yes	1				
Ethylene glycol butyl ether acetate	EMA	34	D	É		Α	Yes	1				
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1				
Ethylene glycol phenyl ether	EPE	40	D	E	**************************************	Α	Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	D	D	=	Α	Yes	1	**************************************			
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1				
Ethyl propionate	EPR	34	D	С		Α	Yes	1				
Ethyl toluene	ETE	32	D	D		Α	Yes	1	······································	* -		
Formamide	FAM	10	D	Ε		Α	Yes	1				
Furfuryl alcohol	FAL	20 ²	D	E		Α	Yes	1	***************************************			
Gasoline blending stocks: Alkylates	GAK	33	D	A/C	***************************************	Α	Yes	1		*********		
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1	······································			
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1				
Gasolines: Polymer	GPL	33	D	A/C	,	Α	Yes	1				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1				
Glycerine	GCR	20 ²	D	Е		Α	Yes	1				
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ	31	D	C		Α	Yes	1				
Heptanoic acid	HEP	4	D	E	***************************************	A	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E	*********	Α	Yes	1				
Heptene (all isomers)	HPX	30	D	C		Α	Yes	2				
Heptyl acetate	HPE	34	D	E		Α	Yes	1				
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1				
Hexanoic acid	НХО	4	D	E		Α	Yes	1				
Hexanol	HXN	20	D	D		Α	Yes	1				
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2	· · · · · · · · · · · · · · · · · · ·			
Hexylene glycol	HXG	20	D	E		Α	Yes	1	······································			
Isophorone	IPH	18 ²	D	E		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	······································	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Kerosene	KRS	33	D	D		Α	Yes					
Methyl acetate	MTT	34	D	D		Α	Yes	1				
Methyl alcohol	MAL	20 ²	D	C		A	Yes					
Methylamyl acetate	MAC		D	D		Α	Yes					
· · · · · · · · · · · · · · · · · · ·										~~~~~		



iso-Propyl alcohol

Serial #: C1-1301709 Dated:

22-May-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10251

Shipyard: Trinity Marine Ashland City

4903

Official #: 1247192 Page 6 of 8 Cargo Identification Conditions of Carriage vcs Chem Sub Tank Special Requirements in 46 CFR Compat App'd Name Grade or N) 151 General and Mattls of Methylamyl alcohol MAA 20 D D Α Yes 18 D D Methyl amyl ketone MAK Α Yes MBE 41 2 D Methyl tert-butyl ether С Α Yes 1 Methyl butyl ketone MRK 18 D C Α Yes 1 MBU 34 D C Α Yes 1 Methyl butyrate MEK 18² D C Methyl ethyl ketone Α Yes MHK D D Methyl heptyl ketone 18 Α Yes Methyl isobutyl ketone MIK 18 2 C Α Yes Methyl naphthalene (molten) MNA 32 D Α Yes MNS 33 D D Α Yes MRE 30 D D Myrcene Α Yes D Yes NAG 33 Naphtha: Heavy Α PTN D Α Naphtha: Petroleum 33 Yes Naphtha: Solvent NSV 33 D D Α Yes Naphtha: Stoddard solvent NSS 33 D D 1 Naphtha: Varnish makers and painters (75%) NVM 33 D C Nonane (all isomers), see Alkanes (C6-C9) NAX 31 Α Yes Nonene (all isomers) NON 30 D D Α Yes NNS 20 ² D Е 1 Nonyl alcohol (all isomers) Α Yes NNP 21 D Ε Α Nonyl phenol Yes NPE 40 D Nonyl phenol poly(4+)ethoxylates E Α Yes OAX 31 D C Α Octane (all isomers), see Alkanes (C6-C9) Yes OAY 4 D E Octanoic acid (all isomers) Α Yes Octanol (all isomers) OCX 20 3 D E Α Yes Octene (all isomers) OTX 30 D С Α Yes 2 Oil, fuel: No. 2 OTW 33 D D/E Α Yes Oil, fuel: No. 2-D OTD 33 D D Α Yes Oil, fuel: No. 4 OFR 33 D D/E Yes OFV Oil, fuel: No. 5 33 D D/E Α Yes Oil, fuel: No. 6 osx 33 D Α Yes Oil, misc: Crude OIL 33 C/D D Α Yes ODS 33 D/E Oil, misc: Diesel D Α 1 Yes Oil, misc: Gas, high pour OGP 33 D Α Yes OLB 33 D Oil, misc: Lubricating Ē Α Yes Oil, misc: Residual ORL 33 Α Yes OTB Oil, misc: Turbine 33 D Ε Α Pentane (all isomers) PTY 31 PTX 30 D Pentene (all isomers) Yes 5 PPE n-Pentyl propionate 34 Α Yes alpha-Pinene D Α Yes beta-Pinene PIP 30 D D Α Yes Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether PAG 40 D Ē Α Yes PAF D Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate 34 Е Α 1 Yes PLB 30 D Polybutene Ε Α Yes PGC D 40 E Polypropylene glycol A Yes 1 34 D IAC C iso-Propyl acetate Α Yes 1 PAT n-Propyl acetate 34 D C Α Yes

D

C

A

Yes

1

20 2

IPA



Serial #: C1-1301709 Dated:

22-May-13

Certificate of Inspection

Cargo Authority Attachment


Vessel Name: KIRBY 10251 Official #: 1247192

Page 7 of 8

Shipyard: Trinity Marine **Ashland City**

Hull #: 4903

Cargo Identifica	ation						+	Condi	tions of Carriage	
							Vapor F	Recovery		
Name n-Propyl alcohol	Chem Code PAL	Compat Group No 20 ²	Sub Chapter D	Grade C	Hull Tvoe	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Propylbenzene (all isomers)	PBY	32	D	D	*******	Α	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1	, , , , , , , , , , , , , , , , , , ,	
Propylene glycol	PPG	20 ²	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	Ë		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1		
Triethylbenzene	TEB	32	Ď	E		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1	***************************************	
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	a	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Serial #: C1-1301709

22-May-13

Dated:

Certificate of Inspection

Page 8 of 8

Cargo Authority Attachment Vessel Name: KIRBY 10251

Shipyard: Trinity Marine

Hull #: 4903

Explanation of terms & symbols used in the Table:

Cargo identification

Compatability Group No.

Note 1 Note 2

Name

Grade

Huli Type

NΔ

Official #: 1247192

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified. Those flammable and combustible liquids listed in 46 CFR Table 30.25-1. Subchapter

Subchapter D Subchapter O

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2. Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges. Note 3

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were

not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

A, B, C Flammable liquid cargoes, as defined in 46 CFR 30-10.22 Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

Note 4

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

NA Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Vapor Recover Approved (Y or N) Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

Conditions of Carriage

Tank Group The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Vapor Recover Approved (Y or N)

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 1570, 46 CFR 35.35 and 46 CFR 39.10 The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates. Category 1

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3 (Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9.

This requirement is in addition to the requirements of Category 1.

Category 4 (Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3,

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1. Category 5

Category 6 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. Category 7 (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

The cargo has not been evaluated/classified for use in vapor control systems.