



BARGE "KIRBY 10252"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
2 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-3/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 5/8"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

July 13, 2023

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 10252"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,883.48	0	1,586.88	0	1,290.10	0	993.33	0	702.60	0	405.68	0	108.74	0		0		0	
1/4	1,877.31	1/4	1,580.70	1/4	1,283.92	1/4	987.15	1/4	696.43	1/4	399.49	1/4	102.58	1/4	1/4	1/4		1/4	1/4
1/2	1,871.14	1/2	1,574.51	1/2	1,277.74	1/2	980.96	1/2	690.26	1/2	393.30	1/2	96.42	1/2	1/2	1/2		1/2	1/2
3/4	1,864.96	3/4	1,568.33	3/4	1,271.56	3/4	974.78	3/4	684.09	3/4	387.12	3/4	90.26	3/4	3/4	3/4		3/4	3/4
1	1,858.79	1	1,562.15	1	1,265.37	1	968.66	1	677.91	1	380.93	1	84.13	1	1	1		1	1
1/4	1,852.61	1/4	1,555.96	1/4	1,259.19	1/4	962.54	1/4	671.72	1/4	374.74	1/4	78.00	1/4	1/4	1/4		1/4	1/4
1/2	1,846.44	1/2	1,549.78	1/2	1,253.01	1/2	956.42	1/2	665.53	1/2	368.56	1/2	71.87	1/2	1/2	1/2		1/2	1/2
3/4	1,840.27	3/4	1,543.60	3/4	1,246.82	3/4	950.30	3/4	659.35	3/4	362.37	3/4	65.75	3/4	3/4	3/4		3/4	3/4
2	1,834.09	2	1,537.42	2	1,240.64	2	944.24	2	653.16	2	356.18	2	59.68	2	2	2		2	2
1/4	1,827.92	1/4	1,531.23	1/4	1,234.46	1/4	938.19	1/4	646.97	1/4	350.00	1/4	53.61	1/4	1/4	1/4		1/4	1/4
1/2	1,821.74	1/2	1,525.05	1/2	1,228.28	1/2	932.13	1/2	640.79	1/2	343.81	1/2	47.54	1/2	1/2	1/2		1/2	1/2
3/4	1,815.57	3/4	1,518.87	3/4	1,222.09	3/4	926.07	3/4	634.60	3/4	337.62	3/4	41.46	3/4	3/4	3/4		3/4	3/4
3	1,809.39	3	1,512.69	3	1,215.91	3	920.02	3	628.41	3	331.43	3	36.31	3	3	3		3	3
1/4	1,803.20	1/4	1,506.50	1/4	1,209.73	1/4	913.96	1/4	622.23	1/4	325.25	1/4	31.15	1/4	1/4	1/4		1/4	1/4
1/2	1,797.02	1/2	1,500.32	1/2	1,203.55	1/2	907.91	1/2	616.04	1/2	319.06	1/2	25.99	1/2	1/2	1/2		1/2	1/2
3/4	1,790.84	3/4	1,494.14	3/4	1,197.36	3/4	901.85	3/4	609.85	3/4	312.87	3/4	20.84	3/4	3/4	3/4		3/4	3/4
4	1,784.66	4	1,487.95	4	1,191.18	4	895.81	4	603.67	4	306.69	4	17.74	4	4	4		4	4
1/4	1,778.47	1/4	1,481.77	1/4	1,185.00	1/4	889.77	1/4	597.48	1/4	300.50	1/4	14.64	1/4	1/4	1/4		1/4	1/4
1/2	1,772.29	1/2	1,475.59	1/2	1,178.81	1/2	883.73	1/2	591.29	1/2	294.31	1/2	11.54	1/2	1/2	1/2		1/2	1/2
3/4	1,766.11	3/4	1,469.41	3/4	1,172.63	3/4	877.69	3/4	585.10	3/4	288.12	3/4	8.44	3/4	3/4	3/4		3/4	3/4
5	1,759.93	5	1,463.22	5	1,166.45	5	871.67	5	578.92	5	281.94	5	7.41	5	5	5		5	5
1/4	1,753.74	1/4	1,457.04	1/4	1,160.27	1/4	865.64	1/4	572.73	1/4	275.75	1/4	6.38	1/4	1/4	1/4		1/4	1/4
1/2	1,747.56	1/2	1,450.86	1/2	1,154.08	1/2	859.62	1/2	566.54	1/2	269.56	1/2	5.34	1/2	1/2	1/2		1/2	1/2
3/4	1,741.38	3/4	1,444.67	3/4	1,147.90	3/4	853.59	3/4	560.36	3/4	263.38	3/4	4.31	3/4	3/4	3/4		3/4	3/4
6	1,735.20	6	1,438.49	6	1,141.72	6	847.57	6	554.17	6	257.19	6		6	6	6		6	6
1/4	1,729.01	1/4	1,432.31	1/4	1,135.53	1/4	841.55	1/4	547.98	1/4	251.00	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,722.83	1/2	1,426.13	1/2	1,129.35	1/2	835.52	1/2	541.80	1/2	244.81	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,716.65	3/4	1,419.94	3/4	1,123.17	3/4	829.50	3/4	535.61	3/4	238.63	3/4		3/4	3/4	3/4		3/4	3/4
7	1,710.47	7	1,413.76	7	1,116.99	7	823.48	7	529.42	7	232.44	7		7	7	7		7	7
1/4	1,704.29	1/4	1,407.58	1/4	1,110.80	1/4	817.45	1/4	523.23	1/4	226.25	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,698.11	1/2	1,401.39	1/2	1,104.62	1/2	811.43	1/2	517.05	1/2	220.07	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,691.93	3/4	1,395.21	3/4	1,098.44	3/4	805.40	3/4	510.86	3/4	213.88	3/4		3/4	3/4	3/4		3/4	3/4
8	1,685.75	8	1,389.03	8	1,092.25	8	799.38	8	504.67	8	207.69	8		8	8	8		8	8
1/4	1,679.57	1/4	1,382.85	1/4	1,086.07	1/4	793.36	1/4	498.49	1/4	201.50	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,673.40	1/2	1,376.66	1/2	1,079.89	1/2	787.33	1/2	492.30	1/2	195.32	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,667.22	3/4	1,370.48	3/4	1,073.71	3/4	781.31	3/4	486.11	3/4	189.13	3/4		3/4	3/4	3/4		3/4	3/4
9	1,661.04	9	1,364.30	9	1,067.52	9	775.28	9	479.92	9	182.94	9		9	9	9		9	9
1/4	1,654.86	1/4	1,358.12	1/4	1,061.34	1/4	769.26	1/4	473.74	1/4	176.76	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,648.68	1/2	1,351.93	1/2	1,055.16	1/2	763.24	1/2	467.55	1/2	170.57	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,642.50	3/4	1,345.75	3/4	1,048.98	3/4	757.21	3/4	461.36	3/4	164.38	3/4		3/4	3/4	3/4		3/4	3/4
10	1,636.32	10	1,339.57	10	1,042.79	10	751.19	10	455.18	10	158.19	10		10	10	10		10	10
1/4	1,630.14	1/4	1,333.38	1/4	1,036.61	1/4	745.17	1/4	448.99	1/4	152.00	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,623.96	1/2	1,327.20	1/2	1,030.43	1/2	739.14	1/2	442.80	1/2	145.81	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,617.78	3/4	1,321.02	3/4	1,024.24	3/4	733.12	3/4	436.61	3/4	139.61	3/4		3/4	3/4	3/4		3/4	3/4
11	1,611.60	11	1,314.84	11	1,018.06	11	727.03	11	430.43	11	133.43	11		11	11	11		11	11
1/4	1,605.42	1/4	1,308.65	1/4	1,011.88	1/4	720.94	1/4	424.24	1/4	127.25	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,599.24	1/2	1,302.47	1/2	1,005.70	1/2	714.86	1/2	418.05	1/2	121.07	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,593.06	3/4	1,296.29	3/4	999.51	3/4	708.77	3/4	411.87	3/4	114.89	3/4		3/4	3/4	3/4		3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/14/2013 CL
CALCULATED: 06/14/2013 CL
VERIFIED: 07/13/2023

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10252"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-06 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,688.95	0	1,425.76	0	1,162.40	0	900.65	0	641.48	0	378.27	0	114.96	0		0		0	
1/4	1,683.47	1/4	1,420.27	1/4	1,156.91	1/4	895.24	1/4	636.04	1/4	372.78	1/4	109.49	1/4		1/4		1/4	
1/2	1,677.99	1/2	1,414.79	1/2	1,151.43	1/2	889.84	1/2	630.60	1/2	367.30	1/2	104.02	1/2		1/2		1/2	
3/4	1,672.50	3/4	1,409.31	3/4	1,145.94	3/4	884.44	3/4	625.15	3/4	361.81	3/4	98.55	3/4		3/4		3/4	
1	1,667.02	1	1,403.82	1	1,140.45	1	879.04	1	619.67	1	356.32	1	93.10	1		1		1	
1/4	1,661.54	1/4	1,398.33	1/4	1,134.97	1/4	873.64	1/4	614.18	1/4	350.84	1/4	87.65	1/4		1/4		1/4	
1/2	1,656.05	1/2	1,392.85	1/2	1,129.48	1/2	868.23	1/2	608.70	1/2	345.35	1/2	82.20	1/2		1/2		1/2	
3/4	1,650.57	3/4	1,387.36	3/4	1,123.99	3/4	862.83	3/4	603.21	3/4	339.86	3/4	76.75	3/4		3/4		3/4	
2	1,645.09	2	1,381.87	2	1,118.51	2	857.43	2	597.72	2	334.38	2	71.32	2		2		2	
1/4	1,639.60	1/4	1,376.39	1/4	1,113.02	1/4	852.03	1/4	592.24	1/4	328.89	1/4	65.90	1/4		1/4		1/4	
1/2	1,634.12	1/2	1,370.90	1/2	1,107.53	1/2	846.63	1/2	586.75	1/2	323.40	1/2	60.48	1/2		1/2		1/2	
3/4	1,628.64	3/4	1,365.41	3/4	1,102.05	3/4	841.22	3/4	581.27	3/4	317.92	3/4	55.05	3/4		3/4		3/4	
3	1,623.15	3	1,359.92	3	1,096.56	3	835.82	3	575.78	3	312.43	3	49.68	3		3		3	
1/4	1,617.67	1/4	1,354.44	1/4	1,091.07	1/4	830.42	1/4	570.29	1/4	306.95	1/4	44.31	1/4		1/4		1/4	
1/2	1,612.19	1/2	1,348.95	1/2	1,085.58	1/2	825.02	1/2	564.81	1/2	301.46	1/2	38.94	1/2		1/2		1/2	
3/4	1,606.70	3/4	1,343.46	3/4	1,080.10	3/4	819.62	3/4	559.32	3/4	295.97	3/4	33.56	3/4		3/4		3/4	
4	1,601.22	4	1,337.98	4	1,074.61	4	814.22	4	553.83	4	290.49	4	29.00	4		4		4	
1/4	1,595.74	1/4	1,332.49	1/4	1,069.12	1/4	808.82	1/4	548.35	1/4	285.00	1/4	24.43	1/4		1/4		1/4	
1/2	1,590.26	1/2	1,327.00	1/2	1,063.64	1/2	803.43	1/2	542.86	1/2	279.51	1/2	19.87	1/2		1/2		1/2	
3/4	1,584.77	3/4	1,321.52	3/4	1,058.15	3/4	798.03	3/4	537.37	3/4	274.03	3/4	15.31	3/4		3/4		3/4	
5	1,579.29	5	1,316.03	5	1,052.66	5	792.63	5	531.89	5	268.54	5	12.56	5		5		5	
1/4	1,573.81	1/4	1,310.54	1/4	1,047.18	1/4	787.24	1/4	526.40	1/4	263.05	1/4	9.82	1/4		1/4		1/4	
1/2	1,568.32	1/2	1,305.06	1/2	1,041.69	1/2	781.84	1/2	520.92	1/2	257.57	1/2	7.08	1/2		1/2		1/2	
3/4	1,562.84	3/4	1,299.57	3/4	1,036.20	3/4	776.44	3/4	515.43	3/4	252.08	3/4	4.33	3/4		3/4		3/4	
6	1,557.36	6	1,294.08	6	1,030.72	6	771.05	6	509.94	6	246.60	6	3.42	6		6		6	
1/4	1,551.87	1/4	1,288.60	1/4	1,025.23	1/4	765.65	1/4	504.46	1/4	241.11	1/4	2.51	1/4		1/4		1/4	
1/2	1,546.39	1/2	1,283.11	1/2	1,019.74	1/2	760.25	1/2	498.97	1/2	235.62	1/2	1.59	1/2		1/2		1/2	
3/4	1,540.91	3/4	1,277.62	3/4	1,014.26	3/4	754.86	3/4	493.48	3/4	230.14	3/4	0.68	3/4		3/4		3/4	
7	1,535.42	7	1,272.14	7	1,008.81	7	749.46	7	488.00	7	224.65	7		7		7		7	
1/4	1,529.94	1/4	1,266.65	1/4	1,003.37	1/4	744.06	1/4	482.51	1/4	219.16	1/4		1/4		1/4		1/4	
1/2	1,524.46	1/2	1,261.16	1/2	997.92	1/2	738.67	1/2	477.02	1/2	213.68	1/2		1/2		1/2		1/2	
3/4	1,518.97	3/4	1,255.68	3/4	992.48	3/4	733.27	3/4	471.54	3/4	208.19	3/4		3/4		3/4		3/4	
8	1,513.49	8	1,250.19	8	987.08	8	727.87	8	466.05	8	202.70	8		8		8		8	
1/4	1,508.01	1/4	1,244.70	1/4	981.67	1/4	722.48	1/4	460.56	1/4	197.22	1/4		1/4		1/4		1/4	
1/2	1,502.52	1/2	1,239.22	1/2	976.27	1/2	717.08	1/2	455.08	1/2	191.73	1/2		1/2		1/2		1/2	
3/4	1,497.04	3/4	1,233.73	3/4	970.87	3/4	711.68	3/4	449.59	3/4	186.24	3/4		3/4		3/4		3/4	
9	1,491.56	9	1,228.24	9	965.47	9	706.29	9	444.11	9	180.76	9		9		9		9	
1/4	1,486.07	1/4	1,222.75	1/4	960.07	1/4	700.89	1/4	438.62	1/4	175.27	1/4		1/4		1/4		1/4	
1/2	1,480.59	1/2	1,217.27	1/2	954.66	1/2	695.49	1/2	433.13	1/2	169.79	1/2		1/2		1/2		1/2	
3/4	1,475.11	3/4	1,211.78	3/4	949.26	3/4	690.10	3/4	427.65	3/4	164.30	3/4		3/4		3/4		3/4	
10	1,469.62	10	1,206.29	10	943.86	10	684.70	10	422.16	10	158.81	10		10		10		10	
1/4	1,464.14	1/4	1,200.81	1/4	938.46	1/4	679.30	1/4	416.67	1/4	153.33	1/4		1/4		1/4		1/4	
1/2	1,458.66	1/2	1,195.32	1/2	933.06	1/2	673.91	1/2	411.19	1/2	147.84	1/2		1/2		1/2		1/2	
3/4	1,453.17	3/4	1,189.83	3/4	927.65	3/4	668.51	3/4	405.70	3/4	142.36	3/4		3/4		3/4		3/4	
11	1,447.69	11	1,184.35	11	922.25	11	663.11	11	400.21	11	136.88	11		11		11		11	
1/4	1,442.21	1/4	1,178.86	1/4	916.85	1/4	657.72	1/4	394.73	1/4	131.39	1/4		1/4		1/4		1/4	
1/2	1,436.72	1/2	1,173.37	1/2	911.45	1/2	652.32	1/2	389.24	1/2	125.91	1/2		1/2		1/2		1/2	
3/4	1,431.24	3/4	1,167.89	3/4	906.05	3/4	646.93	3/4	383.76	3/4	120.43	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/14/2013 CL
CALCULATED: 06/14/2013 CL
VERIFIED: 07/13/2023

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10252"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-06 1/2"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	1,675.50	0	1,414.22	0	1,152.78	0	892.12	0	631.50	0	370.08	0	108.70	0		0		0	
1/4	1,670.06	1/4	1,408.78	1/4	1,147.33	1/4	886.71	1/4	626.06	1/4	364.63	1/4	103.27	1/4		1/4		1/4	
1/2	1,664.62	1/2	1,403.33	1/2	1,141.88	1/2	881.30	1/2	620.61	1/2	359.18	1/2	97.84	1/2		1/2		1/2	
3/4	1,659.17	3/4	1,397.89	3/4	1,136.43	3/4	875.89	3/4	615.17	3/4	353.74	3/4	92.43	3/4		3/4		3/4	
1	1,653.73	1	1,392.44	1	1,130.99	1	870.48	1	609.72	1	348.29	1	87.02	1		1		1	
1/4	1,648.29	1/4	1,386.99	1/4	1,125.54	1/4	865.07	1/4	604.28	1/4	342.84	1/4	81.61	1/4		1/4		1/4	
1/2	1,642.84	1/2	1,381.55	1/2	1,120.09	1/2	859.66	1/2	598.83	1/2	337.40	1/2	76.19	1/2		1/2		1/2	
3/4	1,637.40	3/4	1,376.10	3/4	1,114.65	3/4	854.25	3/4	593.38	3/4	331.95	3/4	70.81	3/4		3/4		3/4	
2	1,631.96	2	1,370.65	2	1,109.20	2	848.84	2	587.94	2	326.50	2	65.43	2		2		2	
1/4	1,626.51	1/4	1,365.20	1/4	1,103.75	1/4	843.43	1/4	582.49	1/4	321.06	1/4	60.04	1/4		1/4		1/4	
1/2	1,621.07	1/2	1,359.76	1/2	1,098.31	1/2	838.02	1/2	577.04	1/2	315.61	1/2	54.66	1/2		1/2		1/2	
3/4	1,615.63	3/4	1,354.31	3/4	1,092.86	3/4	832.61	3/4	571.60	3/4	310.17	3/4	49.33	3/4		3/4		3/4	
3	1,610.18	3	1,348.86	3	1,087.41	3	827.20	3	566.15	3	304.72	3	43.99	3		3		3	
1/4	1,604.74	1/4	1,343.42	1/4	1,081.97	1/4	821.79	1/4	560.70	1/4	299.27	1/4	38.66	1/4		1/4		1/4	
1/2	1,599.30	1/2	1,337.97	1/2	1,076.52	1/2	816.37	1/2	555.26	1/2	293.83	1/2	33.32	1/2		1/2		1/2	
3/4	1,593.85	3/4	1,332.52	3/4	1,071.07	3/4	810.97	3/4	549.81	3/4	288.38	3/4	28.79	3/4		3/4		3/4	
4	1,588.41	4	1,327.08	4	1,065.63	4	805.56	4	544.36	4	282.93	4	24.26	4		4		4	
1/4	1,582.97	1/4	1,321.63	1/4	1,060.18	1/4	800.16	1/4	538.92	1/4	277.49	1/4	19.73	1/4		1/4		1/4	
1/2	1,577.52	1/2	1,316.18	1/2	1,054.73	1/2	794.75	1/2	533.47	1/2	272.04	1/2	15.20	1/2		1/2		1/2	
3/4	1,572.08	3/4	1,310.74	3/4	1,049.28	3/4	789.31	3/4	528.03	3/4	266.59	3/4	12.48	3/4		3/4		3/4	
5	1,566.63	5	1,305.29	5	1,043.84	5	783.87	5	522.58	5	261.15	5	9.75	5		5		5	
1/4	1,561.19	1/4	1,299.84	1/4	1,038.39	1/4	778.43	1/4	517.13	1/4	255.70	1/4	7.03	1/4		1/4		1/4	
1/2	1,555.75	1/2	1,294.39	1/2	1,032.94	1/2	772.99	1/2	511.69	1/2	250.25	1/2	4.31	1/2		1/2		1/2	
3/4	1,550.30	3/4	1,288.95	3/4	1,027.50	3/4	767.55	3/4	506.24	3/4	244.81	3/4	3.40	3/4		3/4		3/4	
6	1,544.86	6	1,283.50	6	1,022.05	6	762.10	6	500.79	6	239.36	6	2.49	6		6		6	
1/4	1,539.42	1/4	1,278.05	1/4	1,016.60	1/4	756.66	1/4	495.35	1/4	233.91	1/4	1.59	1/4		1/4		1/4	
1/2	1,533.97	1/2	1,272.61	1/2	1,011.16	1/2	751.22	1/2	489.90	1/2	228.47	1/2	0.68	1/2		1/2		1/2	
3/4	1,528.53	3/4	1,267.16	3/4	1,005.75	3/4	745.78	3/4	484.45	3/4	223.02	3/4		3/4		3/4		3/4	
7	1,523.09	7	1,261.71	7	1,000.33	7	740.34	7	479.01	7	217.57	7		7		7		7	
1/4	1,517.64	1/4	1,256.27	1/4	994.92	1/4	734.90	1/4	473.56	1/4	212.13	1/4		1/4		1/4		1/4	
1/2	1,512.20	1/2	1,250.82	1/2	989.51	1/2	729.45	1/2	468.11	1/2	206.68	1/2		1/2		1/2		1/2	
3/4	1,506.76	3/4	1,245.37	3/4	984.10	3/4	724.01	3/4	462.67	3/4	201.24	3/4		3/4		3/4		3/4	
8	1,501.31	8	1,239.93	8	978.69	8	718.57	8	457.22	8	195.79	8		8		8		8	
1/4	1,495.87	1/4	1,234.48	1/4	973.28	1/4	713.13	1/4	451.77	1/4	190.34	1/4		1/4		1/4		1/4	
1/2	1,490.43	1/2	1,229.03	1/2	967.87	1/2	707.69	1/2	446.33	1/2	184.90	1/2		1/2		1/2		1/2	
3/4	1,484.98	3/4	1,223.59	3/4	962.46	3/4	702.25	3/4	440.88	3/4	179.45	3/4		3/4		3/4		3/4	
9	1,479.54	9	1,218.14	9	957.05	9	696.81	9	435.43	9	174.00	9		9		9		9	
1/4	1,474.10	1/4	1,212.69	1/4	951.64	1/4	691.36	1/4	429.99	1/4	168.56	1/4		1/4		1/4		1/4	
1/2	1,468.65	1/2	1,207.24	1/2	946.23	1/2	685.92	1/2	424.54	1/2	163.11	1/2		1/2		1/2		1/2	
3/4	1,463.21	3/4	1,201.80	3/4	940.82	3/4	680.48	3/4	419.10	3/4	157.66	3/4		3/4		3/4		3/4	
10	1,457.77	10	1,196.35	10	935.41	10	675.04	10	413.65	10	152.22	10		10		10		10	
1/4	1,452.32	1/4	1,190.90	1/4	930.00	1/4	669.60	1/4	408.20	1/4	146.77	1/4		1/4		1/4		1/4	
1/2	1,446.88	1/2	1,185.46	1/2	924.59	1/2	664.16	1/2	402.76	1/2	141.33	1/2		1/2		1/2		1/2	
3/4	1,441.44	3/4	1,180.01	3/4	919.18	3/4	658.72	3/4	397.31	3/4	135.88	3/4		3/4		3/4		3/4	
11	1,435.99	11	1,174.56	11	913.77	11	653.28	11	391.86	11	130.44	11		11		11		11	
1/4	1,430.55	1/4	1,169.12	1/4	908.35	1/4	647.84	1/4	386.42	1/4	125.00	1/4		1/4		1/4		1/4	
1/2	1,425.11	1/2	1,163.67	1/2	902.94	1/2	642.40	1/2	380.97	1/2	119.56	1/2		1/2		1/2		1/2	
3/4	1,419.66	3/4	1,158.22	3/4	897.53	3/4	636.95	3/4	375.52	3/4	114.13	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/14/2013 CL
CALCULATED: 06/14/2013 CL
VERIFIED: 07/13/2023

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2023

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>