

KIRBY INLAND MARINE, LP MAINTENANCE DEPARTMENT 18350 MARKET ST. CHANNELVIEW, TX 77530

OFFICE (713) 435-1730

FAX (713) 435-1714

VAPOR TIGHTNESS TEST

Note: Test Results are Valid for (1) One Year from Date of Test!			
Note: Test Results are vi	756 Tes	t Date:	04-20-2024
	Max	ximum Load Rate:	(BPH) 3000
1000119) Pre	ssure Indicator:	(BPH) 300
Tanks Tested:	/1110		
TEST RESULTS			
Test Duration: 30 Minutes	Beginning Pressure:	167	Inches H20
	Ending Pressure:	16	Inches H20
	Total Pressure Loss:	Ø	Inches H20
	Allowable Pressure Lo	oss:5, 1°	/ Inches H20
Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss" This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight.			
Tester: (Print) Tim 6-16at Witness: (Print)			
Tester: (Signature)		Witness: (Signature)	
rester: (Signature)			
		<u>CTC</u>	
		Affiliation of Wit	ness:
(P1) - Beginning Pres	ssure	(P2)	- Ending Pressure
(Delta P) - Total Pressure Loss		(Delta PM)	- Allowable Pressure Loss
(TP) - 14.7 <u>plus</u> Barge Test Pressure in PSI		(L) ·	- Maximum Load Rate in BPH
(V) - Volume of Tank (s)		(Delta T) = Test Duration	
.861 - PIA @ (P1)			
.861 x 20, 7 (TP)	x(<u>3000</u> (L)	(V)	$(OO) = \frac{5.15}{(Delta PM)}$