



# BARGE "KIRBY 10271"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/4"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

January 31, 2024

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "KIRBY 10271"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,880.77	0	1,584.59	0	1,288.24	0	991.90	0	701.58	0	405.09	0	108.58	0		0		0	
1/4	1,874.60	1/4	1,578.42	1/4	1,282.07	1/4	985.72	1/4	695.42	1/4	398.92	1/4	102.43	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,868.44	1/2	1,572.24	1/2	1,275.89	1/2	979.55	1/2	689.26	1/2	392.74	1/2	96.28	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,862.27	3/4	1,566.07	3/4	1,269.72	3/4	973.37	3/4	683.11	3/4	386.56	3/4	90.13	3/4	3/4	3/4	3/4	3/4	3/4
1	1,856.10	1	1,559.89	1	1,263.55	1	967.26	1	676.93	1	380.38	1	84.01	1	1	1	1	1	1
1/4	1,849.94	1/4	1,553.72	1/4	1,257.37	1/4	961.15	1/4	670.75	1/4	374.20	1/4	77.89	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,843.77	1/2	1,547.55	1/2	1,251.20	1/2	955.04	1/2	664.57	1/2	368.02	1/2	71.77	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,837.61	3/4	1,541.37	3/4	1,245.03	3/4	948.93	3/4	658.40	3/4	361.85	3/4	65.65	3/4	3/4	3/4	3/4	3/4	3/4
2	1,831.44	2	1,535.20	2	1,238.85	2	942.88	2	652.22	2	355.67	2	59.59	2	2	2	2	2	2
1/4	1,825.28	1/4	1,529.02	1/4	1,232.68	1/4	936.83	1/4	646.04	1/4	349.49	1/4	53.53	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,819.11	1/2	1,522.85	1/2	1,226.50	1/2	930.78	1/2	639.86	1/2	343.31	1/2	47.47	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,812.95	3/4	1,516.68	3/4	1,220.33	3/4	924.74	3/4	633.69	3/4	337.13	3/4	41.41	3/4	3/4	3/4	3/4	3/4	3/4
3	1,806.77	3	1,510.50	3	1,214.16	3	918.69	3	627.51	3	330.96	3	36.26	3	3	3	3	3	3
1/4	1,800.60	1/4	1,504.33	1/4	1,207.98	1/4	912.64	1/4	621.33	1/4	324.78	1/4	31.11	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,794.43	1/2	1,498.16	1/2	1,201.81	1/2	906.59	1/2	615.15	1/2	318.60	1/2	25.96	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,788.25	3/4	1,491.98	3/4	1,195.63	3/4	900.55	3/4	608.97	3/4	312.42	3/4	20.81	3/4	3/4	3/4	3/4	3/4	3/4
4	1,782.08	4	1,485.81	4	1,189.46	4	894.52	4	602.80	4	306.24	4	17.71	4	4	4	4	4	4
1/4	1,775.91	1/4	1,479.63	1/4	1,183.29	1/4	888.48	1/4	596.62	1/4	300.06	1/4	14.62	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,769.73	1/2	1,473.46	1/2	1,177.11	1/2	882.45	1/2	590.44	1/2	293.89	1/2	11.52	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,763.56	3/4	1,467.29	3/4	1,170.94	3/4	876.42	3/4	584.26	3/4	287.71	3/4	8.43	3/4	3/4	3/4	3/4	3/4	3/4
5	1,757.38	5	1,461.11	5	1,164.76	5	870.41	5	578.08	5	281.53	5	7.40	5	5	5	5	5	5
1/4	1,751.21	1/4	1,454.94	1/4	1,158.59	1/4	864.39	1/4	571.91	1/4	275.35	1/4	6.37	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,745.04	1/2	1,448.76	1/2	1,152.42	1/2	858.38	1/2	565.73	1/2	269.17	1/2	5.34	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,738.86	3/4	1,442.59	3/4	1,146.24	3/4	852.36	3/4	559.55	3/4	263.00	3/4	4.31	3/4	3/4	3/4	3/4	3/4	3/4
6	1,732.69	6	1,436.42	6	1,140.07	6	846.35	6	553.37	6	256.82	6		6	6	6	6	6	6
1/4	1,726.52	1/4	1,430.24	1/4	1,133.90	1/4	840.33	1/4	547.19	1/4	250.64	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,720.35	1/2	1,424.07	1/2	1,127.72	1/2	834.32	1/2	541.01	1/2	244.46	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,714.17	3/4	1,417.89	3/4	1,121.55	3/4	828.30	3/4	534.84	3/4	238.28	3/4		3/4	3/4	3/4	3/4	3/4	3/4
7	1,708.00	7	1,411.72	7	1,115.37	7	822.29	7	528.66	7	232.10	7		7	7	7	7	7	7
1/4	1,701.83	1/4	1,405.55	1/4	1,109.20	1/4	816.27	1/4	522.48	1/4	225.93	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,695.66	1/2	1,399.37	1/2	1,103.03	1/2	810.26	1/2	516.30	1/2	219.75	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,689.49	3/4	1,393.20	3/4	1,096.85	3/4	804.24	3/4	510.12	3/4	213.57	3/4		3/4	3/4	3/4	3/4	3/4	3/4
8	1,683.32	8	1,387.03	8	1,090.68	8	798.23	8	503.95	8	207.39	8		8	8	8	8	8	8
1/4	1,677.15	1/4	1,380.85	1/4	1,084.50	1/4	792.21	1/4	497.77	1/4	201.21	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,670.98	1/2	1,374.68	1/2	1,078.33	1/2	786.20	1/2	491.59	1/2	195.04	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,664.81	3/4	1,368.50	3/4	1,072.16	3/4	780.18	3/4	485.41	3/4	188.86	3/4		3/4	3/4	3/4	3/4	3/4	3/4
9	1,658.64	9	1,362.33	9	1,065.98	9	774.17	9	479.23	9	182.68	9		9	9	9	9	9	9
1/4	1,652.47	1/4	1,356.16	1/4	1,059.81	1/4	768.15	1/4	473.05	1/4	176.50	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,646.30	1/2	1,349.98	1/2	1,053.63	1/2	762.14	1/2	466.88	1/2	170.32	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,640.13	3/4	1,343.81	3/4	1,047.46	3/4	756.12	3/4	460.70	3/4	164.15	3/4		3/4	3/4	3/4	3/4	3/4	3/4
10	1,633.96	10	1,337.63	10	1,041.29	10	750.11	10	454.52	10	157.96	10		10	10	10	10	10	10
1/4	1,627.79	1/4	1,331.46	1/4	1,035.11	1/4	744.09	1/4	448.34	1/4	151.78	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,621.62	1/2	1,325.29	1/2	1,028.94	1/2	738.07	1/2	442.16	1/2	145.60	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,615.45	3/4	1,319.11	3/4	1,022.77	3/4	732.06	3/4	435.99	3/4	139.41	3/4		3/4	3/4	3/4	3/4	3/4	3/4
11	1,609.28	11	1,312.94	11	1,016.59	11	725.98	11	429.81	11	133.24	11		11	11	11	11	11	11
1/4	1,603.10	1/4	1,306.76	1/4	1,010.42	1/4	719.90	1/4	423.63	1/4	127.07	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,596.93	1/2	1,300.59	1/2	1,004.24	1/2	713.82	1/2	417.45	1/2	120.90	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,590.76	3/4	1,294.42	3/4	998.07	3/4	707.74	3/4	411.27	3/4	114.73	3/4		3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/21/2013 CL  
CALCULATED: 11/21/2013 CL  
VERIFIED: 01/31/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 01/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10271"

## 2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,661.87	0	1,398.61	0	1,135.19	0	873.81	0	614.31	0	350.91	0	87.67	0		0		0	
1/4	1,656.39	1/4	1,393.12	1/4	1,129.71	1/4	868.41	1/4	608.82	1/4	345.42	1/4	82.22	1/4	1/4	1/4		1/4	
1/2	1,650.90	1/2	1,387.64	1/2	1,124.22	1/2	863.00	1/2	603.33	1/2	339.93	1/2	76.76	1/2	1/2	1/2		1/2	
3/4	1,645.42	3/4	1,382.15	3/4	1,118.73	3/4	857.60	3/4	597.84	3/4	334.44	3/4	71.34	3/4	3/4	3/4		3/4	
1	1,639.93	1	1,376.66	1	1,113.24	1	852.20	1	592.36	1	328.96	1	65.91	1	1	1		1	
1/4	1,634.45	1/4	1,371.17	1/4	1,107.75	1/4	846.79	1/4	586.87	1/4	323.47	1/4	60.49	1/4	1/4	1/4		1/4	
1/2	1,628.96	1/2	1,365.69	1/2	1,102.27	1/2	841.39	1/2	581.38	1/2	317.98	1/2	55.07	1/2	1/2	1/2		1/2	
3/4	1,623.48	3/4	1,360.20	3/4	1,096.78	3/4	835.99	3/4	575.89	3/4	312.49	3/4	49.69	3/4	3/4	3/4		3/4	
2	1,618.00	2	1,354.71	2	1,091.29	2	830.58	2	570.41	2	307.01	2	44.32	2	2	2		2	
1/4	1,612.51	1/4	1,349.22	1/4	1,085.80	1/4	825.18	1/4	564.92	1/4	301.52	1/4	38.94	1/4	1/4	1/4		1/4	
1/2	1,607.03	1/2	1,343.73	1/2	1,080.31	1/2	819.78	1/2	559.43	1/2	296.03	1/2	33.57	1/2	1/2	1/2		1/2	
3/4	1,601.54	3/4	1,338.25	3/4	1,074.83	3/4	814.38	3/4	553.94	3/4	290.54	3/4	29.00	3/4	3/4	3/4		3/4	
3	1,596.06	3	1,332.76	3	1,069.34	3	808.98	3	548.46	3	285.06	3	24.44	3	3	3		3	
1/4	1,590.57	1/4	1,327.27	1/4	1,063.85	1/4	803.59	1/4	542.97	1/4	279.57	1/4	19.87	1/4	1/4	1/4		1/4	
1/2	1,585.09	1/2	1,321.78	1/2	1,058.36	1/2	798.19	1/2	537.48	1/2	274.08	1/2	15.31	1/2	1/2	1/2		1/2	
3/4	1,579.61	3/4	1,316.29	3/4	1,052.88	3/4	792.79	3/4	531.99	3/4	268.59	3/4	12.57	3/4	3/4	3/4		3/4	
4	1,574.12	4	1,310.81	4	1,047.39	4	787.39	4	526.51	4	263.11	4	9.82	4	4	4		4	
1/4	1,568.64	1/4	1,305.32	1/4	1,041.90	1/4	781.99	1/4	521.02	1/4	257.62	1/4	7.08	1/4	1/4	1/4		1/4	
1/2	1,563.15	1/2	1,299.83	1/2	1,036.41	1/2	776.60	1/2	515.53	1/2	252.13	1/2	4.34	1/2	1/2	1/2		1/2	
3/4	1,557.67	3/4	1,294.34	3/4	1,030.92	3/4	771.20	3/4	510.04	3/4	246.64	3/4	3.42	3/4	3/4	3/4		3/4	
5	1,552.18	5	1,288.85	5	1,025.44	5	765.80	5	504.56	5	241.16	5	2.51	5	5	5		5	
1/4	1,546.70	1/4	1,283.37	1/4	1,019.95	1/4	760.40	1/4	499.07	1/4	235.67	1/4	1.59	1/4	1/4	1/4		1/4	
1/2	1,541.21	1/2	1,277.88	1/2	1,014.46	1/2	755.01	1/2	493.58	1/2	230.18	1/2	0.68	1/2	1/2	1/2		1/2	
3/4	1,535.73	3/4	1,272.39	3/4	1,009.01	3/4	749.61	3/4	488.09	3/4	224.69	3/4		3/4	3/4	3/4		3/4	
6	1,530.25	6	1,266.90	6	1,003.57	6	744.21	6	482.61	6	219.21	6		6	6	6		6	
1/4	1,524.76	1/4	1,261.42	1/4	998.12	1/4	738.81	1/4	477.12	1/4	213.72	1/4		1/4	1/4	1/4		1/4	
1/2	1,519.28	1/2	1,255.93	1/2	992.67	1/2	733.42	1/2	471.63	1/2	208.23	1/2		1/2	1/2	1/2		1/2	
3/4	1,513.79	3/4	1,250.44	3/4	987.27	3/4	728.02	3/4	466.14	3/4	202.74	3/4		3/4	3/4	3/4		3/4	
7	1,508.31	7	1,244.95	7	981.87	7	722.62	7	460.66	7	197.26	7		7	7	7		7	
1/4	1,502.82	1/4	1,239.46	1/4	976.47	1/4	717.22	1/4	455.17	1/4	191.77	1/4		1/4	1/4	1/4		1/4	
1/2	1,497.34	1/2	1,233.98	1/2	971.06	1/2	711.82	1/2	449.68	1/2	186.28	1/2		1/2	1/2	1/2		1/2	
3/4	1,491.85	3/4	1,228.49	3/4	965.66	3/4	706.43	3/4	444.19	3/4	180.79	3/4		3/4	3/4	3/4		3/4	
8	1,486.37	8	1,223.00	8	960.26	8	701.03	8	438.71	8	175.31	8		8	8	8		8	
1/4	1,480.89	1/4	1,217.51	1/4	954.85	1/4	695.63	1/4	433.22	1/4	169.82	1/4		1/4	1/4	1/4		1/4	
1/2	1,475.40	1/2	1,212.02	1/2	949.45	1/2	690.23	1/2	427.73	1/2	164.33	1/2		1/2	1/2	1/2		1/2	
3/4	1,469.92	3/4	1,206.54	3/4	944.05	3/4	684.84	3/4	422.24	3/4	158.85	3/4		3/4	3/4	3/4		3/4	
9	1,464.43	9	1,201.05	9	938.64	9	679.44	9	416.76	9	153.36	9		9	9	9		9	
1/4	1,458.95	1/4	1,195.56	1/4	933.24	1/4	674.04	1/4	411.27	1/4	147.87	1/4		1/4	1/4	1/4		1/4	
1/2	1,453.46	1/2	1,190.07	1/2	927.84	1/2	668.64	1/2	405.78	1/2	142.39	1/2		1/2	1/2	1/2		1/2	
3/4	1,447.98	3/4	1,184.58	3/4	922.44	3/4	663.25	3/4	400.29	3/4	136.90	3/4		3/4	3/4	3/4		3/4	
10	1,442.50	10	1,179.10	10	917.03	10	657.85	10	394.81	10	131.42	10		10	10	10		10	
1/4	1,437.01	1/4	1,173.61	1/4	911.63	1/4	652.45	1/4	389.32	1/4	125.94	1/4		1/4	1/4	1/4		1/4	
1/2	1,431.53	1/2	1,168.12	1/2	906.23	1/2	647.06	1/2	383.83	1/2	120.46	1/2		1/2	1/2	1/2		1/2	
3/4	1,426.04	3/4	1,162.63	3/4	900.82	3/4	641.61	3/4	378.34	3/4	114.99	3/4		3/4	3/4	3/4		3/4	
11	1,420.56	11	1,157.15	11	895.42	11	636.17	11	372.86	11	109.52	11		11	11	11		11	
1/4	1,415.07	1/4	1,151.66	1/4	890.02	1/4	630.72	1/4	367.37	1/4	104.04	1/4		1/4	1/4	1/4		1/4	
1/2	1,409.59	1/2	1,146.17	1/2	884.61	1/2	625.28	1/2	361.88	1/2	98.57	1/2		1/2	1/2	1/2		1/2	
3/4	1,404.10	3/4	1,140.68	3/4	879.21	3/4	619.79	3/4	356.39	3/4	93.12	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/21/2013 CL  
CALCULATED: 11/21/2013 CL  
VERIFIED: 01/31/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 01/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10271"

## 3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,645.67	0	1,384.79	0	1,123.75	0	863.70	0	603.31	0	342.30	0	81.48	0		0		0	
1/4	1,640.23	1/4	1,379.35	1/4	1,118.32	1/4	858.30	1/4	597.88	1/4	336.86	1/4	76.07	1/4		1/4		1/4	
1/2	1,634.80	1/2	1,373.91	1/2	1,112.88	1/2	852.89	1/2	592.44	1/2	331.42	1/2	70.70	1/2		1/2		1/2	
3/4	1,629.36	3/4	1,368.47	3/4	1,107.44	3/4	847.49	3/4	587.00	3/4	325.99	3/4	65.32	3/4		3/4		3/4	
1	1,623.93	1	1,363.03	1	1,102.00	1	842.09	1	581.56	1	320.55	1	59.95	1		1		1	
1/4	1,618.49	1/4	1,357.60	1/4	1,096.56	1/4	836.69	1/4	576.12	1/4	315.11	1/4	54.57	1/4		1/4		1/4	
1/2	1,613.06	1/2	1,352.16	1/2	1,091.12	1/2	831.29	1/2	570.69	1/2	309.67	1/2	49.25	1/2		1/2		1/2	
3/4	1,607.62	3/4	1,346.72	3/4	1,085.69	3/4	825.88	3/4	565.25	3/4	304.23	3/4	43.92	3/4		3/4		3/4	
2	1,602.19	2	1,341.28	2	1,080.25	2	820.48	2	559.81	2	298.80	2	38.60	2		2		2	
1/4	1,596.75	1/4	1,335.84	1/4	1,074.81	1/4	815.08	1/4	554.37	1/4	293.36	1/4	33.27	1/4		1/4		1/4	
1/2	1,591.32	1/2	1,330.41	1/2	1,069.37	1/2	809.68	1/2	548.94	1/2	287.92	1/2	28.75	1/2		1/2		1/2	
3/4	1,585.88	3/4	1,324.97	3/4	1,063.93	3/4	804.29	3/4	543.50	3/4	282.48	3/4	24.22	3/4		3/4		3/4	
3	1,580.45	3	1,319.53	3	1,058.50	3	798.89	3	538.06	3	277.05	3	19.70	3		3		3	
1/4	1,575.02	1/4	1,314.09	1/4	1,053.06	1/4	793.49	1/4	532.62	1/4	271.61	1/4	15.18	1/4		1/4		1/4	
1/2	1,569.58	1/2	1,308.65	1/2	1,047.62	1/2	788.06	1/2	527.18	1/2	266.17	1/2	12.46	1/2		1/2		1/2	
3/4	1,564.15	3/4	1,303.21	3/4	1,042.18	3/4	782.63	3/4	521.75	3/4	260.73	3/4	9.74	3/4		3/4		3/4	
4	1,558.71	4	1,297.78	4	1,036.74	4	777.19	4	516.31	4	255.29	4	7.02	4		4		4	
1/4	1,553.28	1/4	1,292.34	1/4	1,031.30	1/4	771.76	1/4	510.87	1/4	249.86	1/4	4.30	1/4		1/4		1/4	
1/2	1,547.84	1/2	1,286.90	1/2	1,025.87	1/2	766.33	1/2	505.43	1/2	244.42	1/2	3.40	1/2		1/2		1/2	
3/4	1,542.41	3/4	1,281.46	3/4	1,020.43	3/4	760.90	3/4	500.00	3/4	238.98	3/4	2.49	3/4		3/4		3/4	
5	1,536.97	5	1,276.02	5	1,014.99	5	755.46	5	494.56	5	233.54	5	1.58	5		5		5	
1/4	1,531.54	1/4	1,270.58	1/4	1,009.55	1/4	750.03	1/4	489.12	1/4	228.11	1/4	0.68	1/4		1/4		1/4	
1/2	1,526.10	1/2	1,265.15	1/2	1,004.15	1/2	744.60	1/2	483.68	1/2	222.67	1/2		1/2		1/2		1/2	
3/4	1,520.67	3/4	1,259.71	3/4	998.75	3/4	739.16	3/4	478.24	3/4	217.23	3/4		3/4		3/4		3/4	
6	1,515.23	6	1,254.27	6	993.35	6	733.73	6	472.81	6	211.79	6		6		6		6	
1/4	1,509.80	1/4	1,248.83	1/4	987.94	1/4	728.30	1/4	467.37	1/4	206.35	1/4		1/4		1/4		1/4	
1/2	1,504.36	1/2	1,243.39	1/2	982.54	1/2	722.87	1/2	461.93	1/2	200.92	1/2		1/2		1/2		1/2	
3/4	1,498.93	3/4	1,237.96	3/4	977.14	3/4	717.43	3/4	456.49	3/4	195.48	3/4		3/4		3/4		3/4	
7	1,493.49	7	1,232.52	7	971.74	7	712.00	7	451.06	7	190.04	7		7		7		7	
1/4	1,488.06	1/4	1,227.08	1/4	966.34	1/4	706.57	1/4	445.62	1/4	184.60	1/4		1/4		1/4		1/4	
1/2	1,482.62	1/2	1,221.64	1/2	960.93	1/2	701.13	1/2	440.18	1/2	179.17	1/2		1/2		1/2		1/2	
3/4	1,477.19	3/4	1,216.20	3/4	955.53	3/4	695.70	3/4	434.74	3/4	173.73	3/4		3/4		3/4		3/4	
8	1,471.75	8	1,210.76	8	950.13	8	690.27	8	429.30	8	168.29	8		8		8		8	
1/4	1,466.32	1/4	1,205.33	1/4	944.73	1/4	684.83	1/4	423.87	1/4	162.85	1/4		1/4		1/4		1/4	
1/2	1,460.88	1/2	1,199.89	1/2	939.33	1/2	679.40	1/2	418.43	1/2	157.41	1/2		1/2		1/2		1/2	
3/4	1,455.45	3/4	1,194.45	3/4	933.92	3/4	673.97	3/4	412.99	3/4	151.98	3/4		3/4		3/4		3/4	
9	1,450.01	9	1,189.01	9	928.52	9	668.54	9	407.55	9	146.54	9		9		9		9	
1/4	1,444.58	1/4	1,183.57	1/4	923.12	1/4	663.10	1/4	402.11	1/4	141.10	1/4		1/4		1/4		1/4	
1/2	1,439.15	1/2	1,178.14	1/2	917.72	1/2	657.67	1/2	396.68	1/2	135.67	1/2		1/2		1/2		1/2	
3/4	1,433.71	3/4	1,172.70	3/4	912.32	3/4	652.24	3/4	391.24	3/4	130.24	3/4		3/4		3/4		3/4	
10	1,428.28	10	1,167.26	10	906.91	10	646.81	10	385.80	10	124.81	10		10		10		10	
1/4	1,422.84	1/4	1,161.82	1/4	901.51	1/4	641.38	1/4	380.36	1/4	119.37	1/4		1/4		1/4		1/4	
1/2	1,417.41	1/2	1,156.38	1/2	896.11	1/2	635.94	1/2	374.93	1/2	113.95	1/2		1/2		1/2		1/2	
3/4	1,411.97	3/4	1,150.94	3/4	890.71	3/4	630.50	3/4	369.49	3/4	108.53	3/4		3/4		3/4		3/4	
11	1,406.54	11	1,145.51	11	885.31	11	625.06	11	364.05	11	103.11	11		11		11		11	
1/4	1,401.10	1/4	1,140.07	1/4	879.90	1/4	619.63	1/4	358.61	1/4	97.69	1/4		1/4		1/4		1/4	
1/2	1,395.66	1/2	1,134.63	1/2	874.50	1/2	614.19	1/2	353.17	1/2	92.28	1/2		1/2		1/2		1/2	
3/4	1,390.23	3/4	1,129.19	3/4	869.10	3/4	608.75	3/4	347.74	3/4	86.88	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/21/2013 CL  
CALCULATED: 11/21/2013 CL  
VERIFIED: 01/31/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 01/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>