

NOTE 1

NOTE 1



NOTE 1: CONTAINMENT P/S

TRINITY MARINE PRODUCTS – BARREL CAPACITY=10732

**KIRBY INLAND MARINE** 

**VAPOR  
PIPING FLOW DIAGRAM**

**KIRBY 10271** REV. **0**

- |           |                           |   |  |
|-----------|---------------------------|---|--|
| <b>NO</b> | <b>DESCRIPTION</b>        | <b>NO</b>   | <b>DESCRIPTION</b>   |
| 7V        | 8" HEADER VALVE           | 19V   | EMERGENCY ENGINE SHUT DOWN   |
| 8V        | 8" VENT STACK VALVE       | 21V   | HERMETIC GAUGE   |
| 10V       | HIGH LEVEL/OVERFILL ALARM | 28V   | DOCK CONNECTION ALARM  |
| 11V       | GAUGE STICK               | 39V   | 6" PRESSURE/VACUUM VALVE   |
| 14V       | SIGHT GLASS W/GAUGE TREE  | 38V   | 8" VAPOR PENETRATION  |
| 15V       | 2" INSPECTION PORT        | 50V   | 8" VAPOR HEADER  |
| 15Va      | 8" INSPECTION PORT        | 51V   | 8" VAPOR PIPELINE  |
| 16V       | 8" VAPOR VENT STACK       | 59V   | PRESS/VAC GAUGE  |
| 17V       | 20" BUTTERWORTH           |  | ABOVE DECK PIPING  |

0	02/18/13	KS	DDA	FOR APPROVAL
REV.	DATE	BY	CHK	APP
				REVISION DESCRIPTION

SCALE: NONE  
PAGE: 2 OF 3

