

KIRBY INLAND MARINE, LP MAINTENANCE DEPARTMENT 18350 MARKET ST. CHANNELVIEW, TX 77530

OFFICE (713) 435-1730

FAX (713) 435-1714

VAPOR TIGHTNESS TEST

Testing Location:	ar from Date of Test! Test Date: Maximum Load Rate: (BPH) Pressure Indicator: 3 - 27 - 24 3 500 Cant. Guage
TEST RESULTS	
Test Duration: 30 Minutes Beginning Pressure	e: 28 // Inches H20
Ending Pressure:	Inches H20
Total Pressure Los	s: Inches H20
Allowable Pressure	Loss: 4.6 Inches H20
Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss" This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight. Tester: (Print) Witness: (Print) Witness: (Signature)	
	FMI
	Affiliation of Witness:
 (P1) - Beginning Pressure (Delta P) - Total Pressure Loss (TP) - 14.7 plus Barge Test Pressure in F (V) - Volume of Tank (s) .861 - PIA @ (P1) 	(P2) - Ending Pressure (Delta PM) - Allowable Pressure Loss PSI (L) - Maximum Load Rate in BPH (Delta T) = Test Duration
.861 x /5,7 x (3500 (L)	(V) = 4.6 (Delta PM)