

UNITED STATES

United States of America Department of Homeland Security United States Coast Guard

15 Apr 2020 Certification Date:

Expiration Date:

15 Apr 2021

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

IMO Number Vessel Name Official Number Tank Barge 1088428 KIRBY 10381 Hailing Port Hull Material Horsepower Propulsion WILMINGTON, DE Steel UNITED STATES Place Built DWT Length Net Tons Delivery Date Keel Laid Date Gross Tons JEFFERSONVILLE, IN R-195.0 R-716 R-716 22Nov1999 13Jan2000 1-0 Owner KIRBY INLAND MARINE LP KIRBY INLAND MARINE LP 16402 1/2 De Zavala 55 WAUGH DR STE 1000 Channelview, TX HOUSTON, TX 77007

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Oilers 0 Licensed Mates 0 Chief Engineers 0 Masters 0 First Class Pilots 0 First Assistant Engineers 0 Chief Mates 0 Second Assistant Engineers 0 Second Mates 0 Radio Officers 0 Third Mates 0 Able Seamen 0 Third Assistant Engineers 0 Ordinary Seamen 0 Licensed Engineers 0 Master First Class Pilot 0 Mate First Class Pilots 0 Deckhands 0 Qualified Member Engineer

UNITED STATES

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

--- Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth & Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection. Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspe	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	Nicole D. Rodriguez Apr, USCG, By Direction
				Officer in Charge, Marine Inspection
				Sector Houston-Galveston
				Inspection Zone



United States of America Department of Homeland Security **United States Coast Guard**

15 Apr 2020 Certification Date: 15 Apr 2021 **Expiration Date:**

Temporary Certificate of Inspection

Vessel Name: KIRBY 10381

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Apr2030

15Apr2020

13Jan2000

Internal Structure

30Apr2025

15Apr2020

05Mar2010

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated

Part154 Regulated

10667

Barrels

Yes

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Location Description

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

RIVERS, LAKES, BAYS & SOUNDS RIVERS, LAKES, BAYS & SOUNDS

1

595

13.600

607

13.600

2 3

607

13.600

Route Description

Loading Constraints - Stability

Fooding oc	iloti dirite				
Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)		
III	1723	10ft 4in	13.60		
11	1495	9ft 3in	13.60		
11	1495	9ft 3in	13.60		
III	1723	10ft 4in	13.60		

^{*}Conditions Of Carriage*

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN99017355, dated 13 January 2000, and Grade "A" and lower cargoes may be carried.

This vessel's vapor control system has been inspected to the plans approved by the Marine Safety Center letters serial #C1-9905158 dated 09SEP99 and #C2-0100997 dated 28MAR01, and found acceptable for the collection of cargo vapors from those specific Subchapter "D" cargoes authorized in those letters, and those specific hazardous cargoes annotated with either "V" or "T" in the Cargo Authority Attachment.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. A high level and overfill alarm is required by 46 CFR 39.20-7.

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

^{*}Vapor Control Authorization*

^{*}Stability and Trim*



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Apr 2020 Expiration Date: 15 Apr 2021

Temporary Certificate of Inspection

Vessel Name: KIRBY 10381

Inspection Status

Cargo Tanks

	Internal Exam	1		External Ex	am	
Tank Id	Previous	Last	Next	Previous	Last	Next
1	01Apr2010	15Apr2020	30Apr2030	-	-	*
2	01Apr2010	15Apr2020	30Apr2030	#	= =	₩
3	01Apr2010	15Apr2020	30Apr2030	-	80	-
			Hydro Test			
Tank Id	Safety Valve	S	Previous	Last	Next	
1	-				2 0	
2	<u>-</u>	20			=	567
3	-		ωw.	-	(#)	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

Qualitity

40-B

END



Di-n-propylamine

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10381

Page 1 of 3

Shipyard: JEFFBOAT LLC

Hull #:

Official #: 1088428 Pa	ge 1 of 3						Hull #:
st of Authorized Cargoes							
Cargo Identification						C	onditions of Carriage
Name	Chem Code	Group No	Exc	Grade	Hull Type	Note	Special Requirements in 46 CFR 15 General and Mattle of Construction
uthorized Subchapter O Cargoes							
Ammonium bisutfite solution (70% or less)	ABX	43	Y		CD .		.50-73, .56-1(e), (b), (c)
Acrylonitrile	ACN	15	Y	C	i)	T	,50-70(a), ,55-1(e)
Adiponitrile	ADN	37	N	E	11		No
Aminoethylethanolamine	AEE	8	N	E	III		.55-1(b)
Anthracene oil (Coal tar fraction)	AHQ	33	N		11		No
Alkyl(C7-C9) nitrates	AKN	34	Υ		tii .		.50-81, .50-88
Ammonium hydroxide (28% or less NH3)	HMA	6	N		CD1		.56-1(a), (b), (c), (f), (g)
Acetonitrile	ATN	37	N	С	CI3	<u> </u>	No.
Butyraldehyde (all isomers)	BAE	19	N	C	111		.55-1(h)
Butyl acrylate (all isomers)	BAR	14	N	D	III	<u> </u>	.50-70(a) .50-81(a) (b)
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA	32	Y		(II	<u> </u>	,50-60, .56-1(b), (d), (f), (g)
Benzene hydrocarbon mixtures (having 10% Benzene ormore)	BHB	32	N		CII.	V	.50-60
Butyl methacrylate	BMH	14	N	D	CII.	V	.50-70(a), .50-81(a), (b)
Benzene	BNZ	32	N	C	III .	<u>v</u>	.50-60
Benzene, Toluene, Xylene mixtures (having 10% Benzeneor more)	BTX	32	N	B/C	111		,50-60
Carbon tetrachicride	CBT	36	N		(II)		No
Cyclohexenone	CCH	18	N	D	III	<u>v</u>	_56-1(a), (b)
Creosote (all isomers)	CCW	21	Y	E	CI I	<u> </u>	No
Cyclohexylamine	CHA	7	N	D	CII	<u> </u>	,55-1(a), (b), (c), (g)
Crude hydrocarbon feedstock (containing Butyraldehydesand Ethylpropyl acrolein)	CHG	0	N	<u> </u>	tti .		No
Camphor oil (light)	CPO	18	N	D	()		No .
Caustic potash solution	CPS	5	Y		111		,50-73, ,65-1(J)
Chlorobenzene	CRB	38	N	D	II)	<u> </u>	No
Chlaroform	CRF	38	N	_E	10		No
Cresols (all isomers)	CRS	21	N	E	(II)	V	No
Cresylic acid ter	CRX	21	N		111	V	.55-1(f)
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N	D	[1]	<u> </u>	.50-60, .56-1(b)
Cresylate spent caustic	CSC	5	N		(II)		.50-73, .55-1(b)
Caustic soda solution	CSS	5	Υ		tii		.50-73, .55-1(j)
Crotonaldehyde	CTA	19	Y	С	<u> []</u>	<u> </u>	.55-1(h)
N,N-Dimethylacetamide	DAC	10	N	E	H	Ţ	,56-1(b)
2,4-Dichlorophenoxyacetic acid, dimethylamine sattsolution	DAD	0	Y		in .		.56-1(e), (b), (c), (g)
Xisobutytamine	DBU	7	N	D	m	T	.65-1(c)
Dichlorobenzenes (all isomera)	DBX	36	N	E	[1]	T	.66-1(a), (b)
,1-Dichleroethane	DCH	38	N	С	[8]	V	No
Nichleromethane	DCM	36	N	NF	III		No
.4-Dichlorophenoxyacetic acid, dimethylamine saltsolution (70% or less)	DDA	0	Y	NF	10		.65-1(b)
,4-Dichlorophenoxyacetic acid, diethanolamine saltsolution	DDE	43	N		iii		.56-1(a), (b), (c), (g)
Nethanolamine	DEA	8	N	E		<u>v</u>	.65-1(c)
,2-Dichloroethyl ether	DEE	41	N	D	11	<u>v</u>	,55-1(f)
Dethylamine	DEN		N	C	(II)	T	.65-1(c)
Nethylenetriamine	DET	7	Y	E	EC)	V	_55-1(c)
Risopropylamine	DIA	7	N	С	u	T	.58-1(0)
disopropanolamine	DIP	8	N	E	ti)	<u> </u>	. 55- 1(a)
vimethylethanolamine	DMB	8	N	D	tti	V	.56-1(b), (c)
Simethylformamide	DMF	10	N	D	tiji	V	,55-1(e)
Nichlaropropene, Dichlaropropane mixtures	DMX	15	N		ıı_		No
Di a acamidamina	DNA	7	N	C	ti	T	,55-1(c)

DNA

7 N C

Department of Homeland Security
United States Coast Guard

Serial #: VN99017355 COI Ref: 13-Jan-00



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10381 Official #: 1088428

Page 2 of 3

Shipyard: JEFFBOAT LL

Hull #:

Cargo Identification						Conditions of Carriage		
Namo	Chem Code	Comp Group No	eat Exc	Grade	Hull Type	Nate	Special Requirements in 48 CFR 151 General and Matts of Construction	
Podecyldimethylamine, Tetradecyldimethylamine mbdure	DOT	7	N	Ē	LI)		.66-1(b)	
,1-Dichloropropane	DPB	38	N	С	III .	T	No	
3-Dichloropropane	DPC	38	N	C	(II)	T	No	
2-Dichloropropane	DPP	38	N	С	[1]	T	No	
3-Dichloropropene	DPU	15	N	D	0	Т	No	
,4-Dichlorophenoxyscetic acid, triisopropanolaminesalt solution	DTI	43	Y		m		.58-1(a), (b), (c), (g)	
ithyl acrylate	EAC	14	N	C	tu	V :	,50-70(a), ,50-81(a), (b)	
-Ethylhexyl acrylate	EAI	14	N	E	m	V -	,50-70(a), ,50-81(a), (b)	
Ethylamine solution (72% or less)	EAN	7	N	Α	ti	T	,55-1(b)	
l-Ethylbutylamine	EBA	7	N	С	(II)	Т	,66-1(b)	
l-Ethylcyclohexylamine	ECC	7	N	D	01	٧	,55-1(b)	
ithylenediamine	EDA	7	Y	D	CII	٧	,65-1(o)	
Ethylene dichloride	EDC	38	Υ	С	111	٧	No	
thylene glycol monozikyl ethers	EGC	40	N	D/E	(1)	٧	No	
thylene glycol hexyl ether	EGH	40	N	E	CI)		No	
thylene glycol propyl ether	EGP	40	N	E	tii	V	No	
-Ethyl-3-propylacrolein	EPA	19	Y	E	tn	V	No	
Rhylene cyanohydrin	ETC	20	N	E	Ш	٧	No	
ithyl methacrylate	ETM	14	N	С	m	٧	.50-70(a)	
urfural	FFA	19	N	E	m	٧	.55-1(h)	
ormaldehyde solution (37% to 50%)	FMS	19	Y	D/E	(II)	٧	.58-1(h)	
Sutaraldehyde solution (50% or less)	GTA	19	N	NF	II)		No	
hydrocarbon 5-9	HFN	30	· N	Α	III	V	,50-70(x), ,50-81(x), (b)	
lexamethylenediamine solution	HMC	7	N	E	E)	V	.66-1(c)	
lexamethyleneimine	HMI	7	N	С	II	V	.56-1(b), (o)	
sodecyl scrylate	IAI	14	N	E	III		.50-70(a), .50-81(a), (b), .55-1(c)	
soprene, Pentadiene mixture	IPN	30	N	Α	[[]		.50-70(e), .56-1(c)	
so-Propylamine	IPP	7	N	A	11	11.1	,58-1(c)	
coprene	IPR	30	N	A	[1]		.50-70(a), .50-81(a), (b)	
craft pulping liquors (free alkali content 3% or more)	KPL	5	N		(1)		.50-73, .58-1(a), (c), (g)	
fethyl acrylate	MAM	14	N	c	10	V	,50-70(e), .50-81(e), (b)	
lethyloyclopentadiene dimer	MCK	30	N	Č	ţII		No .	
fethyl diethanolamine	MDE	8	N	E	ti)	V	.56-1(b), (c)	
thanolamine	MEA	8	N	E	m	V	.56-1(c)	
-Methyl-5-ethylpyridine	MEP	9	N	E	[[]	V	.55-1(e)	
lethyl methacrylate	MMM	14	N	Ċ	(II	V	,50-70(a), .50-81(a), (b)	
o-Propanolamine	MPA	8	N	Ē	111	v	.65-1(c)	
lorpholine	MPL	7	Ÿ	-		v	.55-1(c)	
-Methylpyridine	MPR	9	N	_		Ť	.55-1(a)	
lesityl oxide	MSO	18	Ÿ	D	81	v	No	
	MSR	30	N	D	111	v	,50-70(e), .50-81(e), (b)	
pha-Methylstyrene	NCT	33	N	D	111	v	.50-79	
cel tar naphtha solvent	NPM	42	N	D	111	v	.50-81	
- or 2-Nitropropane	PAX	8	N	E	- 111	v	.56-1(b), (c)	
ropanotamine (iso-, n-)	PDE	30	N	A	11)	V	.50-70(a), .50-81	
,3-Pentadiene	PEB	7	Y	Ê	11)	·	.58-1(e)	
olyethylene polyamines	PER	38	N	NF	- m	<u> </u>	No	
erchloroethylene				C	m m	٧	.55-1(e)	
yridine Oction but also	PRD	9	N N		<u> </u>		.50-73, .55-1(j)	
odium acetate, Glycol, Water mixture (3% or moreSodium hydroxide)	SAP	<u>5</u>	_		m		.50-73, .58-1(a), (b), (c)	



Serial #: VN99017355 COI Ref: 13-Jan-00



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10381 Official #: 1088428

Page 3 of 3

Shipyard: JEFFBOAT LL

Hull#:

Cargo Identification						C	Conditions of Carriage	
Name	Chem Code	Group No		Grade	Huli Type	Note	Special Requirements in 48 CFR 151 General and Mattls of Construction	
Sodium chlorate solution (50% or less)	SDD	0	Υ	NF	111		.50-73	
Sodium hypochlorite solution (20% or less)	SHQ	5	N	NF	EII		.50-73, .55-1(a), (b)	
Sodium sutfide, hydrosulfide solution (H2S 15 ppm orless)	SSH	0	Y		113		.60-73, .56-1(b)	
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0	Υ		II)		.50-73, .55-1(b)	
Sodium sulfide, hydrosulfide solution (H2S greater than200 ppm)	SSJ	0	Y		Ħ		.50-73, .58-1(b)	
Styrene (crude)	STX	30	N	С	tti	٧	No	
Styrene monomer	STY	30	N	D	EC)	٧	.50-70(e), .50-81(e), (b)	
1,2,4-Trichlorobenzene	TCB	38	N	E	EI)	V	No	
Trichloroethylene	TCL.	36	Y		Ш	٧	No	
1,1,2-Trichloroethane	TCM	38	N		111	V	.50-73, .56-1(e)	
1,2,3-Trichloropropane	TCN	38	N	E	11	T	.50-73, .56-1(e)	
Triethanolamine	TEA	8	Y	E	III	٧	.55-1(b)	
1,1,2,2-Tetrachioroethano	TEC	38	N	NF	m		No	
Triethylamine	TEN	7	N	С	11	T	.55-1(e)	
Triethylenetetramine	TET	7	Υ	E	113	٧	.55-1(b)	
Tetrehydrofuran	THF	41	N	C	lt)	٧	.50-70(b)	
Triphenylborane (10% or less), caustic soda solution	TPB	5	N		10		.56-1(a), (b), (c)	
Trisodium phosphate solution	TSP	5	Ñ	NF	(1)		.50-73, .56-1(a), (c)	
Tetraethylenepentamine	TTP	7	N	E	EI)	V	.55-1(c)	
Urea, Ammonium nitrate solution (containing more than 2% Ammonia)	UAS	6	N		III		.58-1(b)	
Vinyl acetate	VAM	13	N	С	10	٧	.50-70(a), .50-81(a), (b)	
Vanillin black liquor (free alkali content 3% or more)	VBL.	5	N		111		.60-73, .56-1(a), (c), (g)	
Vinyttoluene	VNT	13	N	D	W .	V	.50-70(a), .50-81, .56-1(a), (b), (c), (g)	

Explanation of terms & symbols used in the Table:

Cargo	identificatio
-------	---------------

Name Chem Code The proper shipping name as listed in 46 CFR Table 151.05. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 48 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.

Exceptions (Exc)

Grade

The cargo classification assigned to each fizamable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon iterature sources which were not verified by manufacturers data and ensure that the barge is authorized for were not vertised by manufacturers cate. The Person-In-Charge shall vot by the delign bears of manufacturers cate.

Flammable liquid cargoes, as defined in 48 CFR 30-10.22.

Combustible liquid cargoes, as defined in 48 CFR 30-10.15.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

NA, NF

Hudi Type

The required barge hull dissalfication for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to produce the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 48 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 48 CFR 151.10-1(b)(4).

Conditions of Carriag

See Certificate of Inspection for explaination of symbols used in this column.