



BARGE "KIRBY 10526"

ULLAGE TRIM TABLE

FORMERLY "WBC 26"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/2	00-1/2	- 01-0/8	01-0/8	- 01-1/2	01-1/2	- 02-0/8	02-0/8	- 02-1/2	02-1/2	- 03-0/8	03-0/8
2 CENTER	- 00-1/2	00-1/2	- 01-0/8	01-0/8	- 01-1/2	01-1/2	- 02-0/8	02-0/8	- 02-1/2	02-1/2	- 03-0/8	03-0/8
3 CENTER	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-7/8	00-7/8	- 01-1/8	01-1/8	- 01-3/8	01-3/8	- 01-5/8	01-5/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 01-0/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-01"

LENGTH BETWEEN DRAFT MARKS: 152'-06"

June 13, 2007

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 10526"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "WBC 26"

GAUGE HEIGHT 17'-03 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,820.46	0	1,567.45	0	1,314.44	0	1,061.58	0	808.80	0	556.00	0	303.16	0	50.05	0		0	
1/4	1,815.19	1/4	1,562.18	1/4	1,309.17	1/4	1,056.31	1/4	803.53	1/4	550.74	1/4	297.89	1/4	44.78	1/4		1/4	
1/2	1,809.93	1/2	1,556.90	1/2	1,303.90	1/2	1,051.05	1/2	798.26	1/2	545.47	1/2	292.62	1/2	39.52	1/2		1/2	
3/4	1,804.65	3/4	1,551.63	3/4	1,298.63	3/4	1,045.78	3/4	792.99	3/4	540.21	3/4	287.35	3/4	34.81	3/4		3/4	
1	1,799.38	1	1,546.37	1	1,293.35	1	1,040.51	1	787.72	1	534.94	1	282.08	1	30.10	1		1	
1/4	1,794.10	1/4	1,541.10	1/4	1,288.08	1/4	1,035.24	1/4	782.46	1/4	529.67	1/4	276.81	1/4	25.40	1/4		1/4	
1/2	1,788.83	1/2	1,535.83	1/2	1,282.81	1/2	1,029.97	1/2	777.19	1/2	524.40	1/2	271.55	1/2	20.69	1/2		1/2	
3/4	1,783.56	3/4	1,530.56	3/4	1,277.54	3/4	1,024.71	3/4	771.92	3/4	519.13	3/4	266.27	3/4	17.41	3/4		3/4	
2	1,778.30	2	1,525.28	2	1,272.27	2	1,019.45	2	766.65	2	513.87	2	261.00	2	14.13	2		2	
1/4	1,773.03	1/4	1,520.01	1/4	1,267.00	1/4	1,014.19	1/4	761.38	1/4	508.60	1/4	255.72	1/4	10.85	1/4		1/4	
1/2	1,767.76	1/2	1,514.74	1/2	1,261.74	1/2	1,008.93	1/2	756.12	1/2	503.33	1/2	250.45	1/2	7.57	1/2		1/2	
3/4	1,762.49	3/4	1,509.47	3/4	1,256.46	3/4	1,003.66	3/4	750.85	3/4	498.06	3/4	245.18	3/4	6.05	3/4		3/4	
3	1,757.21	3	1,504.20	3	1,251.19	3	998.39	3	745.59	3	492.80	3	239.91	3	4.52	3		3	
1/4	1,751.94	1/4	1,498.93	1/4	1,245.91	1/4	993.12	1/4	740.33	1/4	487.53	1/4	234.65	1/4	3.00	1/4		1/4	
1/2	1,746.66	1/2	1,493.66	1/2	1,240.64	1/2	987.85	1/2	735.07	1/2	482.26	1/2	229.38	1/2	1.47	1/2		1/2	
3/4	1,741.40	3/4	1,488.39	3/4	1,235.37	3/4	982.59	3/4	729.80	3/4	477.00	3/4	224.10	3/4		3/4		3/4	
4	1,736.13	4	1,483.12	4	1,230.10	4	977.32	4	724.53	4	471.74	4	218.83	4		4		4	
1/4	1,730.86	1/4	1,477.84	1/4	1,224.84	1/4	972.05	1/4	719.27	1/4	466.47	1/4	213.56	1/4		1/4		1/4	
1/2	1,725.59	1/2	1,472.57	1/2	1,219.57	1/2	966.78	1/2	714.00	1/2	461.21	1/2	208.28	1/2		1/2		1/2	
3/4	1,720.32	3/4	1,467.30	3/4	1,214.30	3/4	961.52	3/4	708.73	3/4	455.94	3/4	203.02	3/4		3/4		3/4	
5	1,715.05	5	1,462.03	5	1,209.03	5	956.25	5	703.46	5	450.68	5	197.75	5		5		5	
1/4	1,709.77	1/4	1,456.77	1/4	1,203.77	1/4	950.98	1/4	698.19	1/4	445.41	1/4	192.48	1/4		1/4		1/4	
1/2	1,704.50	1/2	1,451.50	1/2	1,198.50	1/2	945.71	1/2	692.93	1/2	440.14	1/2	187.21	1/2		1/2		1/2	
3/4	1,699.23	3/4	1,446.22	3/4	1,193.24	3/4	940.44	3/4	687.66	3/4	434.87	3/4	181.93	3/4		3/4		3/4	
6	1,693.96	6	1,440.95	6	1,187.97	6	935.18	6	682.39	6	429.60	6	176.65	6		6		6	
1/4	1,688.69	1/4	1,435.68	1/4	1,182.71	1/4	929.91	1/4	677.12	1/4	424.34	1/4	171.37	1/4		1/4		1/4	
1/2	1,683.43	1/2	1,430.40	1/2	1,177.45	1/2	924.64	1/2	671.85	1/2	419.07	1/2	166.09	1/2		1/2		1/2	
3/4	1,678.15	3/4	1,425.13	3/4	1,172.18	3/4	919.38	3/4	666.59	3/4	413.80	3/4	160.81	3/4		3/4		3/4	
7	1,672.88	7	1,419.87	7	1,166.91	7	914.12	7	661.32	7	408.53	7	155.52	7		7		7	
1/4	1,667.60	1/4	1,414.60	1/4	1,161.65	1/4	908.86	1/4	656.05	1/4	403.27	1/4	150.24	1/4		1/4		1/4	
1/2	1,662.33	1/2	1,409.33	1/2	1,156.38	1/2	903.59	1/2	650.78	1/2	398.00	1/2	144.95	1/2		1/2		1/2	
3/4	1,657.06	3/4	1,404.06	3/4	1,151.11	3/4	898.33	3/4	645.52	3/4	392.74	3/4	139.67	3/4		3/4		3/4	
8	1,651.78	8	1,398.78	8	1,145.84	8	893.06	8	640.26	8	387.47	8	134.39	8		8		8	
1/4	1,646.51	1/4	1,393.51	1/4	1,140.57	1/4	887.79	1/4	635.00	1/4	382.21	1/4	129.11	1/4		1/4		1/4	
1/2	1,641.24	1/2	1,388.24	1/2	1,135.31	1/2	882.52	1/2	629.74	1/2	376.95	1/2	123.83	1/2		1/2		1/2	
3/4	1,635.97	3/4	1,382.96	3/4	1,130.04	3/4	877.25	3/4	624.47	3/4	371.68	3/4	118.55	3/4		3/4		3/4	
9	1,630.70	9	1,377.69	9	1,124.77	9	871.99	9	619.20	9	366.41	9	113.26	9		9		9	
1/4	1,625.43	1/4	1,372.41	1/4	1,119.50	1/4	866.72	1/4	613.93	1/4	361.15	1/4	107.97	1/4		1/4		1/4	
1/2	1,620.16	1/2	1,367.14	1/2	1,114.24	1/2	861.45	1/2	608.66	1/2	355.88	1/2	102.69	1/2		1/2		1/2	
3/4	1,614.89	3/4	1,361.87	3/4	1,108.97	3/4	856.18	3/4	603.40	3/4	350.60	3/4	97.42	3/4		3/4		3/4	
10	1,609.62	10	1,356.60	10	1,103.71	10	850.91	10	598.13	10	345.33	10	92.15	10		10		10	
1/4	1,604.34	1/4	1,351.34	1/4	1,098.45	1/4	845.65	1/4	592.86	1/4	340.06	1/4	86.88	1/4		1/4		1/4	
1/2	1,599.07	1/2	1,346.07	1/2	1,093.19	1/2	840.38	1/2	587.59	1/2	334.78	1/2	81.62	1/2		1/2		1/2	
3/4	1,593.80	3/4	1,340.80	3/4	1,087.92	3/4	835.12	3/4	582.33	3/4	329.52	3/4	76.35	3/4		3/4		3/4	
11	1,588.53	11	1,335.52	11	1,082.65	11	829.85	11	577.06	11	324.25	11	71.09	11		11		11	
1/4	1,583.27	1/4	1,330.25	1/4	1,077.38	1/4	824.59	1/4	571.79	1/4	318.98	1/4	65.83	1/4		1/4		1/4	
1/2	1,578.00	1/2	1,324.97	1/2	1,072.12	1/2	819.33	1/2	566.52	1/2	313.71	1/2	60.57	1/2		1/2		1/2	
3/4	1,572.72	3/4	1,319.71	3/4	1,066.85	3/4	814.06	3/4	561.26	3/4	308.44	3/4	55.31	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/27/1993 SI
DECK MEASUREMENTS: 06/11/2007 CL
REPRINTED: 06/12/2007 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10526"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "WBC 26"

GAUGE HEIGHT 17'-03 3/8"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	1,840.34	0	1,584.51	0	1,328.67	0	1,072.84	0	817.01	0	561.20	0	306.13	0	50.50	0		0	
1/4	1,835.01	1/4	1,579.18	1/4	1,323.35	1/4	1,067.51	1/4	811.68	1/4	555.88	1/4	300.80	1/4	45.19	1/4		1/4	
1/2	1,829.69	1/2	1,573.85	1/2	1,318.02	1/2	1,062.19	1/2	806.35	1/2	550.57	1/2	295.47	1/2	39.88	1/2		1/2	
3/4	1,824.35	3/4	1,568.52	3/4	1,312.69	3/4	1,056.85	3/4	801.02	3/4	545.26	3/4	290.15	3/4	35.12	3/4		3/4	
1	1,819.02	1	1,563.19	1	1,307.35	1	1,051.52	1	795.69	1	539.95	1	284.82	1	30.37	1		1	
1/4	1,813.69	1/4	1,557.85	1/4	1,302.02	1/4	1,046.19	1/4	790.35	1/4	534.64	1/4	279.49	1/4	25.61	1/4		1/4	
1/2	1,808.35	1/2	1,552.52	1/2	1,296.69	1/2	1,040.85	1/2	785.02	1/2	529.33	1/2	274.16	1/2	20.85	1/2		1/2	
3/4	1,803.03	3/4	1,547.19	3/4	1,291.36	3/4	1,035.53	3/4	779.69	3/4	524.02	3/4	268.83	3/4	17.54	3/4		3/4	
2	1,797.70	2	1,541.87	2	1,286.03	2	1,030.20	2	774.37	2	518.71	2	263.50	2	14.23	2		2	
1/4	1,792.37	1/4	1,536.54	1/4	1,280.70	1/4	1,024.87	1/4	769.04	1/4	513.40	1/4	258.16	1/4	10.92	1/4		1/4	
1/2	1,787.04	1/2	1,531.21	1/2	1,275.38	1/2	1,019.54	1/2	763.71	1/2	508.09	1/2	252.83	1/2	7.62	1/2		1/2	
3/4	1,781.72	3/4	1,525.88	3/4	1,270.05	3/4	1,014.22	3/4	758.38	3/4	502.78	3/4	247.50	3/4	6.09	3/4		3/4	
3	1,776.39	3	1,520.56	3	1,264.72	3	1,008.89	3	753.06	3	497.47	3	242.17	3	4.56	3		3	
1/4	1,771.06	1/4	1,515.23	1/4	1,259.40	1/4	1,003.56	1/4	747.73	1/4	492.16	1/4	236.85	1/4	3.03	1/4		1/4	
1/2	1,765.73	1/2	1,509.90	1/2	1,254.07	1/2	998.23	1/2	742.40	1/2	486.85	1/2	231.52	1/2	1.50	1/2		1/2	
3/4	1,760.40	3/4	1,504.57	3/4	1,248.73	3/4	992.90	3/4	737.07	3/4	481.54	3/4	226.19	3/4		3/4		3/4	
4	1,755.07	4	1,499.23	4	1,243.40	4	987.57	4	731.73	4	476.22	4	220.85	4		4		4	
1/4	1,749.73	1/4	1,493.90	1/4	1,238.07	1/4	982.23	1/4	726.40	1/4	470.91	1/4	215.52	1/4		1/4		1/4	
1/2	1,744.40	1/2	1,488.57	1/2	1,232.73	1/2	976.90	1/2	721.07	1/2	465.59	1/2	210.19	1/2		1/2		1/2	
3/4	1,739.07	3/4	1,483.24	3/4	1,227.41	3/4	971.57	3/4	715.74	3/4	460.28	3/4	204.86	3/4		3/4		3/4	
5	1,733.75	5	1,477.91	5	1,222.08	5	966.25	5	710.41	5	454.97	5	199.53	5		5		5	
1/4	1,728.42	1/4	1,472.59	1/4	1,216.75	1/4	960.92	1/4	705.09	1/4	449.66	1/4	194.20	1/4		1/4		1/4	
1/2	1,723.09	1/2	1,467.26	1/2	1,211.42	1/2	955.59	1/2	699.76	1/2	444.35	1/2	188.88	1/2		1/2		1/2	
3/4	1,717.76	3/4	1,461.92	3/4	1,206.09	3/4	950.26	3/4	694.42	3/4	439.04	3/4	183.55	3/4		3/4		3/4	
6	1,712.42	6	1,456.59	6	1,200.76	6	944.92	6	689.09	6	433.73	6	178.22	6		6		6	
1/4	1,707.09	1/4	1,451.26	1/4	1,195.42	1/4	939.59	1/4	683.76	1/4	428.42	1/4	172.90	1/4		1/4		1/4	
1/2	1,701.76	1/2	1,445.93	1/2	1,190.09	1/2	934.26	1/2	678.43	1/2	423.12	1/2	167.57	1/2		1/2		1/2	
3/4	1,696.43	3/4	1,440.60	3/4	1,184.76	3/4	928.93	3/4	673.10	3/4	417.81	3/4	162.23	3/4		3/4		3/4	
7	1,691.10	7	1,435.27	7	1,179.44	7	923.60	7	667.77	7	412.50	7	156.90	7		7		7	
1/4	1,685.78	1/4	1,429.94	1/4	1,174.11	1/4	918.28	1/4	662.44	1/4	407.19	1/4	151.57	1/4		1/4		1/4	
1/2	1,680.45	1/2	1,424.62	1/2	1,168.78	1/2	912.95	1/2	657.12	1/2	401.88	1/2	146.23	1/2		1/2		1/2	
3/4	1,675.12	3/4	1,419.29	3/4	1,163.45	3/4	907.62	3/4	651.79	3/4	396.57	3/4	140.91	3/4		3/4		3/4	
8	1,669.79	8	1,413.96	8	1,158.13	8	902.29	8	646.46	8	391.26	8	135.58	8		8		8	
1/4	1,664.47	1/4	1,408.63	1/4	1,152.80	1/4	896.97	1/4	641.13	1/4	385.95	1/4	130.25	1/4		1/4		1/4	
1/2	1,659.14	1/2	1,403.31	1/2	1,147.47	1/2	891.64	1/2	635.81	1/2	380.64	1/2	124.93	1/2		1/2		1/2	
3/4	1,653.81	3/4	1,397.97	3/4	1,142.14	3/4	886.31	3/4	630.47	3/4	375.33	3/4	119.60	3/4		3/4		3/4	
9	1,648.47	9	1,392.64	9	1,136.81	9	880.97	9	625.14	9	370.02	9	114.27	9		9		9	
1/4	1,643.14	1/4	1,387.31	1/4	1,131.47	1/4	875.64	1/4	619.81	1/4	364.71	1/4	108.94	1/4		1/4		1/4	
1/2	1,637.81	1/2	1,381.97	1/2	1,126.14	1/2	870.31	1/2	614.47	1/2	359.40	1/2	103.62	1/2		1/2		1/2	
3/4	1,632.48	3/4	1,376.65	3/4	1,120.81	3/4	864.98	3/4	609.14	3/4	354.08	3/4	98.29	3/4		3/4		3/4	
10	1,627.15	10	1,371.32	10	1,115.48	10	859.65	10	603.82	10	348.76	10	92.97	10		10		10	
1/4	1,621.82	1/4	1,365.99	1/4	1,110.16	1/4	854.32	1/4	598.49	1/4	343.44	1/4	87.65	1/4		1/4		1/4	
1/2	1,616.50	1/2	1,360.66	1/2	1,104.83	1/2	849.00	1/2	593.16	1/2	338.12	1/2	82.33	1/2		1/2		1/2	
3/4	1,611.16	3/4	1,355.33	3/4	1,099.50	3/4	843.66	3/4	587.83	3/4	332.78	3/4	77.03	3/4		3/4		3/4	
11	1,605.83	11	1,350.00	11	1,094.16	11	838.33	11	582.50	11	327.45	11	71.72	11		11		11	
1/4	1,600.50	1/4	1,344.66	1/4	1,088.83	1/4	833.00	1/4	577.16	1/4	322.12	1/4	66.42	1/4		1/4		1/4	
1/2	1,595.16	1/2	1,339.33	1/2	1,083.50	1/2	827.66	1/2	571.83	1/2	316.78	1/2	61.12	1/2		1/2		1/2	
3/4	1,589.84	3/4	1,334.00	3/4	1,078.17	3/4	822.34	3/4	566.51	3/4	311.45	3/4	55.81	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/27/1993 SI
DECK MEASUREMENTS: 06/11/2007 CL
REPRINTED: 06/12/2007 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 10526"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "WBC 26"

GAUGE HEIGHT 17'-03 1/8"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	2,022.11	0	1,740.32	0	1,458.51	0	1,176.71	0	894.92	0	613.11	0	331.32	0	49.75	0		0	
1/4	2,016.24	1/4	1,734.45	1/4	1,452.64	1/4	1,170.83	1/4	889.05	1/4	607.24	1/4	325.45	1/4	43.90	1/4		1/4	
1/2	2,010.37	1/2	1,728.58	1/2	1,446.77	1/2	1,164.96	1/2	883.18	1/2	601.37	1/2	319.58	1/2	38.67	1/2		1/2	
3/4	2,004.50	3/4	1,722.70	3/4	1,440.90	3/4	1,159.10	3/4	877.31	3/4	595.50	3/4	313.71	3/4	33.43	3/4		3/4	
1	1,998.63	1	1,716.83	1	1,435.04	1	1,153.23	1	871.44	1	589.63	1	307.85	1	28.19	1		1	
1/4	1,992.76	1/4	1,710.95	1/4	1,429.17	1/4	1,147.36	1/4	865.57	1/4	583.76	1/4	301.98	1/4	22.95	1/4		1/4	
1/2	1,986.89	1/2	1,705.08	1/2	1,423.29	1/2	1,141.49	1/2	859.70	1/2	577.89	1/2	296.10	1/2	19.31	1/2		1/2	
3/4	1,981.02	3/4	1,699.21	3/4	1,417.42	3/4	1,135.62	3/4	853.82	3/4	572.02	3/4	290.23	3/4	15.67	3/4		3/4	
2	1,975.15	2	1,693.35	2	1,411.54	2	1,129.75	2	847.95	2	566.15	2	284.35	2	12.02	2		2	
1/4	1,969.29	1/4	1,687.48	1/4	1,405.67	1/4	1,123.88	1/4	842.07	1/4	560.29	1/4	278.48	1/4	8.38	1/4		1/4	
1/2	1,963.41	1/2	1,681.61	1/2	1,399.80	1/2	1,118.01	1/2	836.20	1/2	554.41	1/2	272.61	1/2	6.69	1/2		1/2	
3/4	1,957.54	3/4	1,675.74	3/4	1,393.93	3/4	1,112.14	3/4	830.33	3/4	548.54	3/4	266.74	3/4	5.00	3/4		3/4	
3	1,951.66	3	1,669.87	3	1,388.06	3	1,106.27	3	824.46	3	542.66	3	260.87	3	3.31	3		3	
1/4	1,945.79	1/4	1,664.00	1/4	1,382.19	1/4	1,100.40	1/4	818.60	1/4	536.79	1/4	255.00	1/8	1.62	1/4		1/4	
1/2	1,939.92	1/2	1,658.13	1/2	1,376.32	1/2	1,094.53	1/2	812.73	1/2	530.92	1/2	249.13	1/2		1/2		1/2	
3/4	1,934.05	3/4	1,652.25	3/4	1,370.45	3/4	1,088.65	3/4	806.86	3/4	525.05	3/4	243.26	3/4		3/4		3/4	
4	1,928.18	4	1,646.38	4	1,364.58	4	1,082.78	4	800.99	4	519.18	4	237.39	4		4		4	
1/4	1,922.31	1/4	1,640.50	1/4	1,358.71	1/4	1,076.91	1/4	795.12	1/4	513.31	1/4	231.52	1/4		1/4		1/4	
1/2	1,916.44	1/2	1,634.63	1/2	1,352.85	1/2	1,071.04	1/2	789.24	1/2	507.44	1/2	225.65	1/2		1/2		1/2	
3/4	1,910.57	3/4	1,628.76	3/4	1,346.98	3/4	1,065.17	3/4	783.37	3/4	501.57	3/4	219.77	3/4		3/4		3/4	
5	1,904.70	5	1,622.89	5	1,341.11	5	1,059.30	5	777.49	5	495.70	5	213.90	5		5		5	
1/4	1,898.83	1/4	1,617.02	1/4	1,335.24	1/4	1,053.43	1/4	771.62	1/4	489.83	1/4	208.02	1/4		1/4		1/4	
1/2	1,892.96	1/2	1,611.16	1/2	1,329.36	1/2	1,047.56	1/2	765.75	1/2	483.96	1/2	202.15	1/2		1/2		1/2	
3/4	1,887.08	3/4	1,605.29	3/4	1,323.49	3/4	1,041.69	3/4	759.88	3/4	478.08	3/4	196.29	3/4		3/4		3/4	
6	1,881.21	6	1,599.42	6	1,317.61	6	1,035.82	6	754.01	6	472.21	6	190.42	6		6		6	
1/4	1,875.33	1/4	1,593.55	1/4	1,311.74	1/4	1,029.95	1/4	748.14	1/4	466.33	1/4	184.55	1/4		1/4		1/4	
1/2	1,869.46	1/2	1,587.68	1/2	1,305.87	1/2	1,024.08	1/2	742.27	1/2	460.46	1/2	178.68	1/2		1/2		1/2	
3/4	1,863.60	3/4	1,581.81	3/4	1,300.00	3/4	1,018.20	3/4	736.40	3/4	454.60	3/4	172.81	3/4		3/4		3/4	
7	1,857.73	7	1,575.94	7	1,294.13	7	1,012.33	7	730.54	7	448.73	7	166.94	7		7		7	
1/4	1,851.86	1/4	1,570.07	1/4	1,288.26	1/4	1,006.45	1/4	724.67	1/4	442.86	1/4	161.07	1/4		1/4		1/4	
1/2	1,845.99	1/2	1,564.20	1/2	1,282.39	1/2	1,000.58	1/2	718.79	1/2	436.99	1/2	155.20	1/2		1/2		1/2	
3/4	1,840.12	3/4	1,558.32	3/4	1,276.52	3/4	994.71	3/4	712.92	3/4	431.12	3/4	149.33	3/4		3/4		3/4	
8	1,834.25	8	1,552.45	8	1,270.65	8	988.85	8	707.04	8	425.25	8	143.46	8		8		8	
1/4	1,828.38	1/4	1,546.57	1/4	1,264.79	1/4	982.98	1/4	701.17	1/4	419.38	1/4	137.60	1/4		1/4		1/4	
1/2	1,822.51	1/2	1,540.70	1/2	1,258.91	1/2	977.11	1/2	695.30	1/2	413.51	1/2	131.72	1/2		1/2		1/2	
3/4	1,816.64	3/4	1,534.83	3/4	1,253.04	3/4	971.24	3/4	689.43	3/4	407.64	3/4	125.85	3/4		3/4		3/4	
9	1,810.77	9	1,528.96	9	1,247.16	9	965.37	9	683.56	9	401.77	9	119.97	9		9		9	
1/4	1,804.90	1/4	1,523.10	1/4	1,241.29	1/4	959.50	1/4	677.69	1/4	395.90	1/4	114.10	1/4		1/4		1/4	
1/2	1,799.03	1/2	1,517.23	1/2	1,235.42	1/2	953.63	1/2	671.82	1/2	390.03	1/2	108.24	1/2		1/2		1/2	
3/4	1,793.15	3/4	1,511.36	3/4	1,229.55	3/4	947.75	3/4	665.95	3/4	384.15	3/4	102.39	3/4		3/4		3/4	
10	1,787.28	10	1,505.49	10	1,223.68	10	941.88	10	660.08	10	378.28	10	96.54	10		10		10	
1/4	1,781.41	1/4	1,499.62	1/4	1,217.81	1/4	936.00	1/4	654.21	1/4	372.40	1/4	90.69	1/4		1/4		1/4	
1/2	1,775.54	1/2	1,493.74	1/2	1,211.94	1/2	930.13	1/2	648.35	1/2	366.54	1/2	84.84	1/2		1/2		1/2	
3/4	1,769.67	3/4	1,487.87	3/4	1,206.07	3/4	924.26	3/4	642.48	3/4	360.67	3/4	78.99	3/4		3/4		3/4	
11	1,763.80	11	1,481.99	11	1,200.20	11	918.39	11	636.61	11	354.80	11	73.14	11		11		11	
1/4	1,757.93	1/4	1,476.12	1/4	1,194.33	1/4	912.52	1/4	630.74	1/4	348.93	1/4	67.29	1/4		1/4		1/4	
1/2	1,752.06	1/2	1,470.25	1/2	1,188.46	1/2	906.66	1/2	624.86	1/2	343.06	1/2	61.44	1/2		1/2		1/2	
3/4	1,746.19	3/4	1,464.38	3/4	1,182.58	3/4	900.79	3/4	618.99	3/4	337.19	3/4	55.60	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/27/1993 SI
DECK MEASUREMENTS: 06/11/2007 CL
REPRINTED: 06/12/2007 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>