				Certif	ication Date:	20 Oct 2022			
Contraction of the local data		United States of A	America		ation Date:	20 Oct 2023			
	25. T	Our constant of Homela United States Coa	st Guard						
Charles and the second se				vo V/14 for a SAFE!	MANNING DOCOMEN	r.			
For ships on is Temporary Certificate of Insp	nternational voyages this certificate ful ection is issued under the provision of board said vessel of the original certifi	Title 46 United States Code, Sect cate of inspection, this certificate	in no case to be valid af	ter one year from the	date of inspection.				
sel Name	Official Num	ILIO N.		II Sign	Tank Barg				
RBY 10526	981884				Talik Darg				
ling Port	Hu	I Material Hor	sepower	Propulsion					
CKSBURG, MS	S	eel							
NITED STATES									
ace Built	Delive	ry Date Keel Laid Date	Gross Tons	Net Tons	DWT	Length			
ARUTHERSVILLE,	MO	lay1992	R-705	R-705		R-200.0 I-0			
	2910	iay 1992	ŀ	1-					
INITED STATES									
vner		Oper KIF	BY INLAND M	ARINE, LP					
IRBY INLAND MAR 5 WAUGH DR STE	INE LP 1000	18	350 MARKET S	TREET					
OUSTON, TX 7700	7	CH	IANNELVIEW,	1 17 330					
NITED STATES		05.7							
	nanned with the following	licensed and unlicense	sed Personnel.	Included in w	hich there mus	tbe			
his vessel must be n Certified Lifeboatm	nanned with the following en, 0 Certified Tankerme	1, 011= 51							
0 Masters	0 Licensed Mates	0 Chief Engineers	0.011	ers.					
0 Chief Mates	0 First Class Pilots	0 First Assistant Engli 0 Second Assistant E							
0 Second Mates	0 Radio Officers	0 Third Assistant Eng							
0 Third Mates	0 Able Seamen ilot 0 Ordinary Seamen	0 Licensed Engineers							
0 Master First Class P			1.0.0.00			Others Total			
0 Mate First Class Pile n addition, this vesse Persons allowed: 0	ots 0 Deckhands el may carry 0 Passenger	s, 0 Other Persons in	crew, 0 Person	is in addition	to crew, and no	Others. Total			
	nd Conditions Of Opera	ation:							
Lakaa Bays	and Sounds		12			12			
Also, in fair weat	her only, not more th	an twelve (12) mile	s from shore	between St.	Marks and Ca	rrabelle,			
21(b); if this ves vessel must be ins	een granted a fresh wa ssel is operated in sa spected using salt wat occurs.	er intervals and the	ne cognizant O	CMI HOCIIIO					
This tank barge is	occurs. s participating in the	Eighth-Ninth Coas	t Guard Distri	ct's Tank B	arge Streamli	neu mopeceroi			
***SEE NEXT PA With this Inspection	GE FOR ADDITIONAL for Certification having be lew Orleans certified the	een completed at New	w Orleans, LA, U	JNITED STA y with the app	TES, the Official off	er in Charge, Ma inspection laws			
Inspection, Sector in	tions prescribed thereund	ler.	This certificat	e issued by:	A /				
Ar	nual/Periodic/Re-Inspect		This certificat	HART CO	MMANDER, b	direction			
Date	Zone A/P/R	Signature	Officer in Charge, M	arine Inspection	TILL				
Date					E. MICH				
			G.	Secto	r New Orleans				

				Certification Date: 20 Oct 202
Constanting of the second		United St	ates of America	E
198-20		United Sta	f Homeland Security Ites Coast Guard	
	Temp	orary Cert	íficate of 1	Inspection
			2	5 C
Vessel Name: KIRBY 1052		this heard this h	arge shall be conduc	ted in accordance with its Tank Barge to Houston-Galveston OCMI.
Action Plan. Ins	spectron 15540	s concerning this barge	should be directed	to Houston-Galveston OCMI.
Hull Exams			Last Exam	Prior Exam
Exam Type		lext Exam	19Sep2022	02Aug2012
DryDock		0Sep2032	19Sep2022	15Nov2017
Internal Structure	a 3	0Sep2027	195ep2022	
Stability	5			
Туре	ls	ssued Date Offic	ë	
Book	Ν	lone Valid		
Liquid/Ga Authorization: Total Capacity	s/Solid Car FLAMMABLE/ Units	go Authority/Condi COMBUSTIBLE LIQUIDS Highest Grade Typ	e Part151 Regulated	ARDOUS CARGOES Part153 Regulated Part154 Regulated No No
10853	Barrels	A	Yes	
*Hazardous Bul Not Authorized *Loading Const	traints - Struct	ural*	t per Tank (short tons)	Maximum Density (lbs/gal)
Tank Location D	escription			13.60
1 C/L		499		13.60 .
2 C/L		518		13.60
3 C/L		566		
*Loading Cons Hull Type	straints - Stabil Maximum Lo		Max Benery	Route Description
Tion Type	(short tons)	(ft/in)	(lbs/gal)	
L	1347	8ft 6in	13.6	
п	1400	8ft 9in	13.6	
ш	1400	8ft 9in	13.6	
L L	1507	9ft 3in	12.4	
111	1507	9ft 3in	12.4	
1	1347	8ft 6in	13.6	.*
	of Carriage*			
Only those spe	ecified hazardou			Attachment (CAA), Serial #VN92000789, hly in the tanks indicated.
Day 40 CER 1	50 130 the Per	son in Charge of the vesse nust be checked for compa ility group numbers from t	el is responsible for ensi atibility using figures, tab he "COMPAT GRP" col	uring that the compatibility requirements of oles and appendices of 46 CFR 150 in umn listed in the vessel's CAA. Person In Charge is responsible for ensuri

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

					Certificati	on Date: 20 Oct	2022
and the second s		United	States of A	merica nd Security	Expiration		2023
22-58		United	States Coas	t Guard			
	<i>émpora</i>	ry Cer	rtífica	te of In	spectio	n	
GRE 1	empora	<i>y</i> cc.	-9				N2
Vessel Name: KIRBY 10526	3		6				-
Vapor Control Authoriza	ation					×	
In accordance with 46 Cl approved by Marine Safe of authorized cargoes or from those specific subc either "V" or "T" in the Ca	the CAA, Serial a hapter "D" cargoe AA.	#VN92000789 s contained in	and found ac those letters,	cceptable for the c and those specifi	collection of bull ed hazardous c	< liquid cargo vapor argoes annotated v	S
The letter "V" in the note	column of the CA	A signifies ap	proval for vap	or control without	any additional r	requirements.	
The letter "T" in the note authorized as the primar by 46 CFR 39.20-7.				the tests and the	hot chill valves r	or runture disks are	not red
Inspection Stat	:us						
Cargo Tanks	6				vom		
	Internal Exa	im		External E	xam Last	Next	
Tank Id	Previous	Last	Next	Previous	Lasi	-	
1 C/L	02Aug2012	19Sep202			93 (ME)		
2 C/L	02Aug2012	2 19Sep202	22 02Sep2	032 -		1751 1	
3 C/L	02Aug2012	2 <u>1</u> 9Sep202	22 30Sep2	032 -	2	2	
	8		Hydro T	est			
Tank Id	Safety Valv	/es [·]	Previou	s Last	Next		
1 C/L	-			-	(H)	5	
2 C/L	-		-	d.	8 2 10		
3 C/L	-		=	2 - 4	195		
Lifesaving Equ	inment						
Total Equipment for 0 F					- Cit (
Primary Lifesaving Equ		Quantity	Capacity			Required	
Lifeboats (Total)	apirione	0	0	Life Preserve	rs (Adult)	0	
Lifeboats (Port)		0	0	Life Preserve	rs (Child)	0	
Lifeboats (Starboa	ard)	0	0	Ring Buoys (Total)	0	
Motor Lifeboats		0	0	With Lig	ghts	0	
Lifeboats With Ra	dio	0	0	With Lir	ne Attached	0	
Rescue Boats/Platform		0	0	Other		0.	
Inflatable Rafts		0	0	Immersion S		0	
Life Floats/Buoyant Ap	מו	0	0	^a Portable Life	boat Radios	0	
Inflatable Buoyant App		0	0	Equipped Wi	ith EPIRB?	NO	
Conditional Po		vtinguiche	er Require	ments	5 		
Required Only During	Transfer of Cargo	or Operation	of Barge Mac	chinery	(#C)		
Fire Fighting							
			able*		2		6
*Fire Extinguishers -		Cla	ss Type			e.	
		= 14.					


2

40-B

92-29		ication Date: ation Date:	20 Oct 2022 20 Oct 2023	
	Temporary Certificate of Inspect	tion		
Vessel Name: KIRBY 10526				
END		5		
			3	
2)				
	×			
	a.			
			я	
^				
2000 - 2000 2000 - 2000 2000 - 2000				
22				
	· · ·			
25				
	54	ŝ		
			i.	
Dept. Of Home Sec., USCG	- CG-854 (Rev. 06-04) Page 4 of 4	OMB	Approved No. 1625-	



Department of Transportation United States Coast Guard



Certificate of Inspection Cargo Authority Attachment

Vessel Name: **KIRBY 10526** Official #: D981884

Page 1 of 3

Shipyard: CARUTHERSVILLE SH Hull #: 5540

List of Authorized Cargoes

Cargo Identification				1		C	Conditions of Carriage
	Compat Chem Group	at	-	Hull		Special Requirements in 46 CFR 151	
Name	Code	No	Exc	Grade	Туре	Note	General and Mat'ls of Construction
Authorized Subchapter O Cargoes							
Acetic acid	AAC	4	Y	D	III		.50-73, .55-1(g)
Ammonium bisulfite solution (70% or less)	ABX	43	Υ		III		.50-73, .56-1(a), (b), (c)
Acetic anhydride	ACA	11	Ν	D	Ш		.50-73, .55-1(g)
Acrylonitrile	ACN	15	Υ	С	Ш	Т	.50-70(a), .55-1(e)
Acrylic acid	ACR	4	Y	D	III		.50-70(a), .50-73, .50-81, .58-1(a)
Adiponitrile	ADN	37	Ν	Е	Ш		No
Aminoethylethanolamine	AEE	8	Ν	Е	III		.55-1(b)
Anthracene oil (Coal tar fraction)	AHO	33	Ν		Ш		No
Alkyl(C7-C9) nitrates	AKN	34	Y		Ш		.50-81, .50-86
Ammonium hydroxide (28% or less NH3)	AMH	6	Ν		III		.56-1(a), (b), (c), (f), (g)
Aluminum sulfate solution	ASX	43	Y	NF	III		.58-1(e)
Acetonitrile	ATN	37	Ν	С	III	Т	No
Butyraldehyde (all isomers)	BAE	19	Ν	С	III		.55-1(h)
Butyl acrylate (all isomers)	BAR	14	Ν	D	III		.50-70(a), .50-81(a), (b)
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA				Ш	V	.50-60, .56-1(b), (d), (f), (g)
Benzene hydrocarbon mixtures (having 10% Benzene ormore)	BHB	32	Ν		Ш	V	.50-60
Butyl methacrylate	BMH	14	Ν	D	III		.50-70(a), .50-81(a), (b)
Benzene	BNZ	32	Ν	С	III	V	.50-60
Benzene, Toluene, Xylene mixtures (having 10% Benzeneor more)	BTX	32	Ν	B/C	111	V	.50-60
Carbon tetrachloride	CBT	36	Ν		III		No
Cyclohexanone	CCH	18	Ν	D	III		.56-1(a), (b)
Creosote (all isomers)	CCW	21	Υ	Е	III		No
Cyclohexylamine	CHA	7	Ν	D	III		.56-1(a), (b), (c), (g)
Camphor oil	CPO	18	Ν	D	Ш		No
Caustic potash solution	CPS	5	Y		Ш		.50-73, .55-1(j)
Chlorobenzene	CRB	36	Ν	D	Ш		No
Chloroform	CRF	36	Ν	Е	III		No
Cresols	CRS	21	Ν	Е	III		No
Cresylic acid tar	CRX	21	Ν		III		.55-1(f)
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	Ν	D	Ш	V	.50-60, .56-1(b)
Cresylate spent caustic	CSC	5	Ν		Ш		.50-73, .55-1(b)
Caustic soda solution	CSS	5	Υ		III		.50-73, .55-1(j)
Crotonaldehyde	CTA	19	Υ	С	Ш	Т	.55-1(h)
N,N-Dimethylacetamide	DAC	10	Ν	Е	III	Т	.56-1(b)
2,4-Dichlorophenoxyacetic acid, dimethylamine saltsolution	DAD	0	Y		Ш		.56-1(a), (b), (c), (g)
Diisobutylamine	DBU	7	Ν	D	Ш	Т	.55-1(c)
Dichlorobenzenes (all isomers)	DBX	36	Ν	Е	III	Т	.56-1(a), (b)
1,1-Dichloroethane	DCH	36	Ν	С	III		No
Dichloromethane	DCM	36	Ν	NF	Ш		No
2,4-Dichlorophenoxyacetic acid, dimethylamine saltsolution (70% or less)	DDA	0	Υ	NF	III		.55-1(b)
2,4-Dichlorophenoxyacetic acid, diethanolamine saltsolution	DDE	43	Ν		III		.56-1(a), (b), (c), (g)
Diethanolamine	DEA	8	Ν	Е	III		.55-1(c)
2,2'-Dichloroethyl ether	DEE	41	Ν	D	II		.55-1(f)
Diethylamine	DEN	7	Ν	С	III	Т	.55-1(c)
Diethylenetriamine	DET	7	Y	Е	III		.55-1(c)
Diisopropylamine	DIA	7	Ν	С	Ш	Т	.55-1(c)
Diisopropanolamine	DIP	8	Ν	Е	III		.55-1(c)
Dimethylethanolamine	DMB	8	Ν	D	III		.56-1(b), (c)

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Transportation United States Coast Guard



Certificate of Inspection Cargo Authority Attachment

Vessel Name: KIRBY 10526 Official #: D981884

Page 2 of 3

Shipyard: CARUTHERSVI Hull #: 5540

							anditions of Corriges
Cargo Identification		Comp	ot	1		د	onditions of Carriage
Name	Chem Code	Group No		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Dimethylformamide	DMF	10	Ν	D	III		.55-1(e)
Dichloropropene, Dichloropropane mixtures	DMX	15	Ν		П		No
Di-n-propylamine	DNA	7	Ν	С	II	Т	.55-1(c)
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	Ν	Е	III		.56-1(b)
1,1-Dichloropropane	DPB	36	Ν	С	III	Т	No
1,3-Dichloropropane	DPC	36	Ν	С	III	Т	No
1,2-Dichloropropane	DPP	36	Ν	С	III	Т	No
1,3-Dichloropropene	DPU	15	Ν	D	П	Т	No
2,4-Dichlorophenoxyacetic acid, triisopropanolaminesalt solution	DTI	43	Y		III		.56-1(a), (b), (c), (g)
Ethyl acrylate	EAC	14	Ν	С	III		.50-70(a), .50-81(a), (b)
2-Ethylhexyl acrylate	EAI	14	Ν	Е	III		.50-70(a), .50-81(a), (b)
Ethylamine solution (72% or less)	EAN	7	Ν	А	П	Т	.55-1(b)
N-Ethylbutylamine	EBA	7	Ν	С	III	Т	.55-1(b)
N-Ethylcyclohexylamine	ECC	7	Ν	D	III		.55-1(b)
Ethylenediamine	EDA	7	Υ	D	III		.55-1(c)
Ethylene dichloride	EDC	36	Υ	С	III	V	No
Ethylene glycol propyl ether	EGP	40	Ν	Е	III		No
2-Ethyl-3-propylacrolein	EPA	19	Υ	Е	III		No
Ethylene cyanohydrin	ETC	20	Ν	Е	III		No
Ethyl methacrylate	ETM	14	Ν	С	III		.50-70(a)
Furfural	FFA	19	Ν	Е	III		.55-1(h)
Formaldehyde solution (37% to 50%)	FMS	19	Υ	D/E	III		.55-1(h)
Glutaraldehyde solution (50% or less)	GTA	19	Ν	NF	III		No
Hexamethylenediamine solution	HMC	7	Ν	Е	III		.55-1(c)
Hexamethyleneimine	HMI	7	Ν	С	II		.56-1(b), (c)
Isodecyl acrylate	IAI	14	Ν	Е	III		.50-70(a), .50-81(a), (b), .55-1(c)
Isoprene, Pentadiene mixture	IPN	30	Ν	А	III		.50-70(a), .55-1(c)
iso-Propylamine	IPP	7	Ν	А	II		.55-1(c)
Isoprene	IPR	30	Ν	А	III		.50-70(a), .50-81(a), (b)
Kraft pulping liquors (free alkali content 3% or more)	KPL	5	Ν		III		.50-73, .56-1(a), (c), (g)
Methyl acrylate	MAM	14	Ν	С	III		.50-70(a), .50-81(a), (b)
Methylcyclopentadiene dimer	MCK	30	Ν	С	III		No
Methyl diethanolamine	MDE	8	Ν	Е	III		.56-1(b), (c)
Ethanolamine	MEA	8	Ν	Е	III		.55-1(c)
2-Methyl-5-ethylpyridine	MEP	9	Ν	Е	III		.55-1(e)
Methyl methacrylate	MMM	14	Ν	С	III		.50-70(a), .50-81(a), (b)
iso-Propanolamine	MPA	8	Ν	Е	III		.55-1(c)
Morpholine	MPL	7	Y	D	III		.55-1(c)
2-Methylpyridine	MPR	9	Ν	D	III	Т	.55-1(c)
Mesityl oxide	MSO	18	Y	D	III		No
alpha-Methylstyrene	MSR	30	Ν	D	III		.50-70(a), .50-81(a), (b)
Coal tar naphtha solvent	NCT	33	Ν	D	III		.50-73
1- or 2-Nitropropane	NPM	42	Ν	D	III		.50-81
Propanolamine (iso-, n-)	PAX	8	Ν	Е	III		.56-1(b), (c)
1,3-Pentadiene	PDE	30	Ν	А	III		.50-70(a), .50-81
Polyethylene polyamines	PEB	7	Υ	Е	III		.55-1(e)
Perchloroethylene	PER	36	Ν	NF	III		No
Propionic acid	PNA	4	Ν	D	III		.50-73, .55-1(g)
Pyridine	PRD	9	Ν	С	III		.55-1(e)
Sodium aluminate solution (45% or less)	SAU	5	Ν		III		.50-73, .56-1(a), (b), (c)
				С			

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Transportation United States Coast Guard



Certificate of Inspection Cargo Authority Attachment

Vessel Name: KIRBY 10526 Official #: D981884

Page 3 of 3

Shipyard: CARUTHERSVI Hull #: 5540

Cargo Identification							Conditions of Carriage		
		Comp	bat			<u> </u>			
Name	Chem Code	Group No	Exc	Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction		
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	III		.50-73		
Sodium hypochlorite solution (20% or less)	SHQ	5	Ν	NF	III		.50-73, .56-1(a), (b)		
Sodium sulfide, hydrosulfide solution (H2S 15 ppm orless)	SSH	0	Y		III		.50-73, .55-1(b)		
Sodium sulfide, hydrosulfide solution (H2S greater than15 ppm but less than 200 ppm)	SSI	0	Υ		III		.50-73, .55-1(b)		
Sodium sulfide, hydrosulfide solution (H2S greater than200 ppm)	SSJ	0	Υ		П		.50-73, .55-1(b)		
Sodium thiocyanate solution (56% or less)	STS	0	Υ		III		.58-1(a)		
Styrene (crude)	STX	30	Ν	С	Ш		No		
Styrene	STY	30	Ν	D	III		.50-70(a), .50-81(a), (b)		
Trichloroethylene	TCL	36	Υ		Ш		No		
1,1,2-Trichloroethane	TCM	36	Ν		Ш		.50-73, .56-1(a)		
1,2,3-Trichloropropane	TCN	36	Ν	Е	П	Т	.50-73, .56-1(a)		
Triethanolamine	TEA	8	Y	Е	III		.55-1(b)		
1,1,2,2-Tetrachloroethane	TEC	36	Ν	NF	Ш		No		
Triethylamine	TEN	7	Ν	С	П	Т	.55-1(e)		
Triethylenetetramine	TET	7	Y	Е	Ш		.55-1(b)		
Tetrahydrofuran	THF	41	Ν	С	Ш		.50-70(b)		
Triphenylborane (10% or less), caustic soda solution	TPB	5	Ν		Ш		.56-1(a), (b), (c)		
Tetraethylenepentamine	TTP	7	Ν	Е	Ш		.55-1(c)		
Urea, Ammonium nitrate solution (containing more than2% Ammonia)	UAS	6	Ν		Ш		.56-1(b)		
Vinyl acetate	VAM	13	Ν	С	Ш		.50-70(a), .50-81(a), (b)		
Vanillin black liquor (free alkali content 3% or more)	VBL	5	Ν		Ш		.50-73, .56-1(a), (c), (g)		
Vinyltoluene	VNT	13	Ν	D			.50-70(a), .50-81, .56-1(a), (b), (c), (g)		

Explanation of terms & symbols used in the Table:

Cargo Identification Name The proper shipping name as listed in 46 CFR Table 151.05. Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of Compatability Group No. the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number Exceptions (Exc) Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150. Grade The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. A, B, C Flammable liquid cargoes, as defined in 46 CFR 30-10.22. D, E Combustible liquid cargoes, as defined in 46 CFR 30-10.15. NA, NF Those subchapter O cargoes which are not classified as a flammable or combustible liquid. No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available. Hull Type The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1. Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Ш Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). ш Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). Conditions of Carriage Note See Certificate of Inspection for explaination of symbols used in this column.