



# BARGE "KIRBY 10542"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-3/4	- 00-3/4	01-0/8	- 01-0/8
2 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-1/2	- 00-1/2
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-1/2	- 00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/4"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

July 18, 2012

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "KIRBY 10542"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,859.75	0	1,562.95	0	1,266.03	0	969.16	0	678.26	0	381.13	0	84.17	0		0		0	
1/4	1,853.57	1/4	1,556.77	1/4	1,259.84	1/4	963.04	1/4	672.07	1/4	374.94	1/4	78.04	1/4	1/4		1/4		1/4
1/2	1,847.39	1/2	1,550.58	1/2	1,253.65	1/2	956.92	1/2	665.88	1/2	368.75	1/2	71.91	1/2	1/2		1/2		1/2
3/4	1,841.22	3/4	1,544.40	3/4	1,247.47	3/4	950.79	3/4	659.69	3/4	362.56	3/4	65.78	3/4	3/4		3/4		3/4
1	1,835.04	1	1,538.21	1	1,241.28	1	944.73	1	653.50	1	356.37	1	59.71	1	1		1		1
1/4	1,828.86	1/4	1,532.02	1/4	1,235.10	1/4	938.67	1/4	647.31	1/4	350.18	1/4	53.63	1/4	1/4		1/4		1/4
1/2	1,822.68	1/2	1,525.84	1/2	1,228.91	1/2	932.61	1/2	641.12	1/2	343.99	1/2	47.56	1/2	1/2		1/2		1/2
3/4	1,816.51	3/4	1,519.65	3/4	1,222.72	3/4	926.55	3/4	634.93	3/4	337.80	3/4	41.49	3/4	3/4		3/4		3/4
2	1,810.32	2	1,513.47	2	1,216.54	2	920.49	2	628.74	2	331.60	2	36.33	2	2		2		2
1/4	1,804.13	1/4	1,507.28	1/4	1,210.35	1/4	914.43	1/4	622.55	1/4	325.41	1/4	31.17	1/4	1/4		1/4		1/4
1/2	1,797.95	1/2	1,501.09	1/2	1,204.17	1/2	908.37	1/2	616.36	1/2	319.22	1/2	26.01	1/2	1/2		1/2		1/2
3/4	1,791.76	3/4	1,494.91	3/4	1,197.98	3/4	902.32	3/4	610.17	3/4	313.03	3/4	20.85	3/4	3/4		3/4		3/4
3	1,785.58	3	1,488.72	3	1,191.79	3	896.27	3	603.98	3	306.84	3	17.75	3	3		3		3
1/4	1,779.39	1/4	1,482.54	1/4	1,185.61	1/4	890.23	1/4	597.79	1/4	300.65	1/4	14.65	1/4	1/4		1/4		1/4
1/2	1,773.21	1/2	1,476.35	1/2	1,179.42	1/2	884.19	1/2	591.60	1/2	294.46	1/2	11.55	1/2	1/2		1/2		1/2
3/4	1,767.02	3/4	1,470.16	3/4	1,173.24	3/4	878.14	3/4	585.41	3/4	288.27	3/4	8.45	3/4	3/4		3/4		3/4
4	1,760.83	4	1,463.98	4	1,167.05	4	872.12	4	579.22	4	282.08	4	7.41	4	4		4		4
1/4	1,754.65	1/4	1,457.79	1/4	1,160.86	1/4	866.09	1/4	573.03	1/4	275.89	1/4	6.38	1/4	1/4		1/4		1/4
1/2	1,748.46	1/2	1,451.61	1/2	1,154.68	1/2	860.06	1/2	566.84	1/2	269.70	1/2	5.35	1/2	1/2		1/2		1/2
3/4	1,742.28	3/4	1,445.42	3/4	1,148.49	3/4	854.03	3/4	560.65	3/4	263.51	3/4	4.31	3/4	3/4		3/4		3/4
5	1,736.09	5	1,439.23	5	1,142.31	5	848.01	5	554.46	5	257.32	5		5	5		5		5
1/4	1,729.91	1/4	1,433.05	1/4	1,136.12	1/4	841.98	1/4	548.27	1/4	251.13	1/4		1/4	1/4		1/4		1/4
1/2	1,723.72	1/2	1,426.86	1/2	1,129.93	1/2	835.95	1/2	542.08	1/2	244.94	1/2		1/2	1/2		1/2		1/2
3/4	1,717.54	3/4	1,420.68	3/4	1,123.75	3/4	829.93	3/4	535.88	3/4	238.75	3/4		3/4	3/4		3/4		3/4
6	1,711.36	6	1,414.49	6	1,117.56	6	823.90	6	529.69	6	232.56	6		6	6		6		6
1/4	1,705.17	1/4	1,408.30	1/4	1,111.38	1/4	817.87	1/4	523.50	1/4	226.37	1/4		1/4	1/4		1/4		1/4
1/2	1,698.99	1/2	1,402.12	1/2	1,105.19	1/2	811.85	1/2	517.31	1/2	220.18	1/2		1/2	1/2		1/2		1/2
3/4	1,692.81	3/4	1,395.93	3/4	1,099.00	3/4	805.82	3/4	511.12	3/4	213.99	3/4		3/4	3/4		3/4		3/4
7	1,686.63	7	1,389.75	7	1,092.82	7	799.79	7	504.93	7	207.80	7		7	7		7		7
1/4	1,680.44	1/4	1,383.56	1/4	1,086.63	1/4	793.77	1/4	498.74	1/4	201.61	1/4		1/4	1/4		1/4		1/4
1/2	1,674.26	1/2	1,377.37	1/2	1,080.45	1/2	787.74	1/2	492.55	1/2	195.42	1/2		1/2	1/2		1/2		1/2
3/4	1,668.08	3/4	1,371.19	3/4	1,074.26	3/4	781.71	3/4	486.36	3/4	189.23	3/4		3/4	3/4		3/4		3/4
8	1,661.89	8	1,365.00	8	1,068.07	8	775.69	8	480.17	8	183.04	8		8	8		8		8
1/4	1,655.71	1/4	1,358.82	1/4	1,061.89	1/4	769.66	1/4	473.98	1/4	176.85	1/4		1/4	1/4		1/4		1/4
1/2	1,649.53	1/2	1,352.63	1/2	1,055.70	1/2	763.63	1/2	467.79	1/2	170.66	1/2		1/2	1/2		1/2		1/2
3/4	1,643.35	3/4	1,346.44	3/4	1,049.52	3/4	757.60	3/4	461.60	3/4	164.47	3/4		3/4	3/4		3/4		3/4
9	1,637.16	9	1,340.26	9	1,043.33	9	751.58	9	455.41	9	158.27	9		9	9		9		9
1/4	1,630.98	1/4	1,334.07	1/4	1,037.14	1/4	745.55	1/4	449.22	1/4	152.08	1/4		1/4	1/4		1/4		1/4
1/2	1,624.80	1/2	1,327.89	1/2	1,030.96	1/2	739.52	1/2	443.03	1/2	145.88	1/2		1/2	1/2		1/2		1/2
3/4	1,618.62	3/4	1,321.70	3/4	1,024.77	3/4	733.50	3/4	436.84	3/4	139.69	3/4		3/4	3/4		3/4		3/4
10	1,612.43	10	1,315.51	10	1,018.59	10	727.41	10	430.65	10	133.50	10		10	10		10		10
1/4	1,606.25	1/4	1,309.33	1/4	1,012.40	1/4	721.32	1/4	424.46	1/4	127.32	1/4		1/4	1/4		1/4		1/4
1/2	1,600.07	1/2	1,303.14	1/2	1,006.21	1/2	715.22	1/2	418.27	1/2	121.14	1/2		1/2	1/2		1/2		1/2
3/4	1,593.88	3/4	1,296.96	3/4	1,000.03	3/4	709.13	3/4	412.08	3/4	114.95	3/4		3/4	3/4		3/4		3/4
11	1,587.70	11	1,290.77	11	993.84	11	702.96	11	405.89	11	108.79	11		11	11		11		11
1/4	1,581.51	1/4	1,284.58	1/4	987.66	1/4	696.79	1/4	399.70	1/4	102.63	1/4		1/4	1/4		1/4		1/4
1/2	1,575.33	1/2	1,278.40	1/2	981.47	1/2	690.62	1/2	393.51	1/2	96.47	1/2		1/2	1/2		1/2		1/2
3/4	1,569.14	3/4	1,272.21	3/4	975.28	3/4	684.45	3/4	387.32	3/4	90.30	3/4		3/4	3/4		3/4		3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/18/2012 CL - SW  
CALCULATED: 07/18/2012 CL  
PRINTED: 07/19/2012 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10542"

## 2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,652.13	0	1,388.67	0	1,125.05	0	863.64	0	603.78	0	340.18	0	76.82	0		0		0	
1/4	1,646.64	1/4	1,383.18	1/4	1,119.56	1/4	858.24	1/4	598.29	1/4	334.69	1/4	71.39	1/4	1/4	1/4		1/4	1/4
1/2	1,641.15	1/2	1,377.69	1/2	1,114.07	1/2	852.83	1/2	592.80	1/2	329.20	1/2	65.96	1/2	1/2	1/2		1/2	1/2
3/4	1,635.67	3/4	1,372.19	3/4	1,108.58	3/4	847.42	3/4	587.30	3/4	323.71	3/4	60.53	3/4	3/4	3/4		3/4	3/4
1	1,630.18	1	1,366.70	1	1,103.09	1	842.02	1	581.81	1	318.22	1	55.10	1	1	1		1	1
1/4	1,624.69	1/4	1,361.21	1/4	1,097.59	1/4	836.61	1/4	576.32	1/4	312.72	1/4	49.72	1/4	1/4	1/4		1/4	1/4
1/2	1,619.20	1/2	1,355.72	1/2	1,092.10	1/2	831.20	1/2	570.83	1/2	307.23	1/2	44.35	1/2	1/2	1/2		1/2	1/2
3/4	1,613.71	3/4	1,350.23	3/4	1,086.61	3/4	825.80	3/4	565.34	3/4	301.74	3/4	38.97	3/4	3/4	3/4		3/4	3/4
2	1,608.22	2	1,344.73	2	1,081.12	2	820.39	2	559.85	2	296.25	2	33.59	2	2	2		2	2
1/4	1,602.74	1/4	1,339.24	1/4	1,075.63	1/4	814.99	1/4	554.35	1/4	290.76	1/4	29.02	1/4	1/4	1/4		1/4	1/4
1/2	1,597.25	1/2	1,333.75	1/2	1,070.13	1/2	809.59	1/2	548.86	1/2	285.27	1/2	24.45	1/2	1/2	1/2		1/2	1/2
3/4	1,591.76	3/4	1,328.26	3/4	1,064.64	3/4	804.18	3/4	543.37	3/4	279.77	3/4	19.89	3/4	3/4	3/4		3/4	3/4
3	1,586.27	3	1,322.77	3	1,059.15	3	798.78	3	537.88	3	274.28	3	15.32	3	3	3		3	3
1/4	1,580.78	1/4	1,317.27	1/4	1,053.66	1/4	793.38	1/4	532.39	1/4	268.79	1/4	12.57	1/4	1/4	1/4		1/4	1/4
1/2	1,575.29	1/2	1,311.78	1/2	1,048.17	1/2	787.98	1/2	526.90	1/2	263.30	1/2	9.83	1/2	1/2	1/2		1/2	1/2
3/4	1,569.80	3/4	1,306.29	3/4	1,042.67	3/4	782.58	3/4	521.40	3/4	257.81	3/4	7.08	3/4	3/4	3/4		3/4	3/4
4	1,564.32	4	1,300.80	4	1,037.18	4	777.17	4	515.91	4	252.32	4	4.33	4	4	4		4	4
1/4	1,558.83	1/4	1,295.31	1/4	1,031.69	1/4	771.77	1/4	510.42	1/4	246.82	1/4	3.42	1/4	1/4	1/4		1/4	1/4
1/2	1,553.34	1/2	1,289.81	1/2	1,026.20	1/2	766.37	1/2	504.93	1/2	241.33	1/2	2.51	1/2	1/2	1/2		1/2	1/2
3/4	1,547.85	3/4	1,284.32	3/4	1,020.71	3/4	760.97	3/4	499.44	3/4	235.84	3/4	1.59	3/4	3/4	3/4		3/4	3/4
5	1,542.36	5	1,278.83	5	1,015.21	5	755.57	5	493.95	5	230.35	5	0.68	5	5	5		5	5
1/4	1,536.87	1/4	1,273.34	1/4	1,009.76	1/4	750.17	1/4	488.46	1/4	224.86	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,531.38	1/2	1,267.85	1/2	1,004.31	1/2	744.76	1/2	482.96	1/2	219.37	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,525.90	3/4	1,262.35	3/4	998.86	3/4	739.36	3/4	477.47	3/4	213.88	3/4		3/4	3/4	3/4		3/4	3/4
6	1,520.41	6	1,256.86	6	993.41	6	733.96	6	471.98	6	208.38	6		6	6	6		6	6
1/4	1,514.92	1/4	1,251.37	1/4	988.01	1/4	728.56	1/4	466.49	1/4	202.89	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,509.43	1/2	1,245.88	1/2	982.60	1/2	723.16	1/2	461.00	1/2	197.40	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,503.94	3/4	1,240.39	3/4	977.19	3/4	717.75	3/4	455.51	3/4	191.91	3/4		3/4	3/4	3/4		3/4	3/4
7	1,498.45	7	1,234.89	7	971.78	7	712.35	7	450.01	7	186.42	7		7	7	7		7	7
1/4	1,492.97	1/4	1,229.40	1/4	966.38	1/4	706.95	1/4	444.52	1/4	180.93	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,487.48	1/2	1,223.91	1/2	960.97	1/2	701.55	1/2	439.03	1/2	175.43	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,481.99	3/4	1,218.42	3/4	955.56	3/4	696.15	3/4	433.54	3/4	169.94	3/4		3/4	3/4	3/4		3/4	3/4
8	1,476.50	8	1,212.93	8	950.16	8	690.75	8	428.05	8	164.45	8		8	8	8		8	8
1/4	1,471.01	1/4	1,207.43	1/4	944.75	1/4	685.34	1/4	422.56	1/4	158.96	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,465.52	1/2	1,201.94	1/2	939.34	1/2	679.94	1/2	417.06	1/2	153.47	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,460.03	3/4	1,196.45	3/4	933.94	3/4	674.54	3/4	411.57	3/4	147.98	3/4		3/4	3/4	3/4		3/4	3/4
9	1,454.55	9	1,190.96	9	928.53	9	669.14	9	406.08	9	142.49	9		9	9	9		9	9
1/4	1,449.06	1/4	1,185.47	1/4	923.12	1/4	663.74	1/4	400.59	1/4	137.00	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,443.57	1/2	1,179.97	1/2	917.71	1/2	658.34	1/2	395.10	1/2	131.52	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,438.08	3/4	1,174.48	3/4	912.31	3/4	652.94	3/4	389.61	3/4	126.03	3/4		3/4	3/4	3/4		3/4	3/4
10	1,432.59	10	1,168.99	10	906.90	10	647.54	10	384.11	10	120.54	10		10	10	10		10	10
1/4	1,427.10	1/4	1,163.50	1/4	901.49	1/4	642.09	1/4	378.62	1/4	115.07	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,421.61	1/2	1,158.01	1/2	896.09	1/2	636.64	1/2	373.13	1/2	109.59	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,416.13	3/4	1,152.51	3/4	890.68	3/4	631.19	3/4	367.64	3/4	104.12	3/4		3/4	3/4	3/4		3/4	3/4
11	1,410.64	11	1,147.02	11	885.27	11	625.74	11	362.15	11	98.64	11		11	11	11		11	11
1/4	1,405.15	1/4	1,141.53	1/4	879.87	1/4	620.25	1/4	356.66	1/4	93.19	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1,399.65	1/2	1,136.04	1/2	874.46	1/2	614.76	1/2	351.17	1/2	87.73	1/2		1/2	1/2	1/2		1/2	1/2
3/4	1,394.16	3/4	1,130.55	3/4	869.05	3/4	609.27	3/4	345.67	3/4	82.27	3/4		3/4	3/4	3/4		3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/18/2012 CL - SW  
CALCULATED: 07/18/2012 CL  
PRINTED: 07/19/2012 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 10542"

## 3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,655.94	0	1,394.30	0	1,132.50	0	871.65	0	610.54	0	348.76	0	87.13	0		0		0	
1/4	1,650.49	1/4	1,388.85	1/4	1,127.05	1/4	866.23	1/4	605.09	1/4	343.30	1/4	81.72	1/4	1/4	1/4		1/4	
1/2	1,645.04	1/2	1,383.40	1/2	1,121.59	1/2	860.81	1/2	599.63	1/2	337.85	1/2	76.30	1/2	1/2	1/2		1/2	
3/4	1,639.59	3/4	1,377.94	3/4	1,116.14	3/4	855.39	3/4	594.18	3/4	332.40	3/4	70.91	3/4	3/4	3/4		3/4	
1	1,634.14	1	1,372.49	1	1,110.69	1	849.98	1	588.72	1	326.94	1	65.51	1	1	1		1	
1/4	1,628.69	1/4	1,367.03	1/4	1,105.23	1/4	844.56	1/4	583.27	1/4	321.49	1/4	60.12	1/4	1/4	1/4		1/4	
1/2	1,623.24	1/2	1,361.58	1/2	1,099.78	1/2	839.14	1/2	577.82	1/2	316.03	1/2	54.73	1/2	1/2	1/2		1/2	
3/4	1,617.79	3/4	1,356.12	3/4	1,094.32	3/4	833.72	3/4	572.36	3/4	310.58	3/4	49.39	3/4	3/4	3/4		3/4	
2	1,612.34	2	1,350.67	2	1,088.87	2	828.30	2	566.91	2	305.13	2	44.05	2	2	2		2	
1/4	1,606.89	1/4	1,345.22	1/4	1,083.41	1/4	822.89	1/4	561.46	1/4	299.67	1/4	38.71	1/4	1/4	1/4		1/4	
1/2	1,601.44	1/2	1,339.76	1/2	1,077.96	1/2	817.47	1/2	556.00	1/2	294.22	1/2	33.37	1/2	1/2	1/2		1/2	
3/4	1,595.99	3/4	1,334.31	3/4	1,072.51	3/4	812.06	3/4	550.55	3/4	288.77	3/4	28.83	3/4	3/4	3/4		3/4	
3	1,590.54	3	1,328.85	3	1,067.05	3	806.64	3	545.09	3	283.31	3	24.29	3	3	3		3	
1/4	1,585.09	1/4	1,323.40	1/4	1,061.60	1/4	801.23	1/4	539.64	1/4	277.86	1/4	19.76	1/4	1/4	1/4		1/4	
1/2	1,579.63	1/2	1,317.95	1/2	1,056.14	1/2	795.82	1/2	534.19	1/2	272.40	1/2	15.22	1/2	1/2	1/2		1/2	
3/4	1,574.18	3/4	1,312.49	3/4	1,050.69	3/4	790.37	3/4	528.73	3/4	266.95	3/4	12.49	3/4	3/4	3/4		3/4	
4	1,568.73	4	1,307.04	4	1,045.24	4	784.92	4	523.28	4	261.50	4	9.77	4	4	4		4	
1/4	1,563.28	1/4	1,301.58	1/4	1,039.78	1/4	779.47	1/4	517.83	1/4	256.04	1/4	7.04	1/4	1/4	1/4		1/4	
1/2	1,557.83	1/2	1,296.13	1/2	1,034.33	1/2	774.02	1/2	512.37	1/2	250.59	1/2	4.31	1/2	1/2	1/2		1/2	
3/4	1,552.38	3/4	1,290.67	3/4	1,028.87	3/4	768.57	3/4	506.92	3/4	245.14	3/4	3.40	3/4	3/4	3/4		3/4	
5	1,546.93	5	1,285.22	5	1,023.42	5	763.13	5	501.46	5	239.68	5	2.50	5	5	5		5	
1/4	1,541.48	1/4	1,279.77	1/4	1,017.96	1/4	757.68	1/4	496.01	1/4	234.23	1/4	1.59	1/4	1/4	1/4		1/4	
1/2	1,536.03	1/2	1,274.31	1/2	1,012.51	1/2	752.23	1/2	490.56	1/2	228.77	1/2	0.68	1/2	1/2	1/2		1/2	
3/4	1,530.58	3/4	1,268.86	3/4	1,007.09	3/4	746.78	3/4	485.10	3/4	223.32	3/4		3/4	3/4	3/4		3/4	
6	1,525.13	6	1,263.40	6	1,001.67	6	741.33	6	479.65	6	217.87	6		6	6	6		6	
1/4	1,519.68	1/4	1,257.95	1/4	996.26	1/4	735.88	1/4	474.19	1/4	212.41	1/4		1/4	1/4	1/4		1/4	
1/2	1,514.23	1/2	1,252.49	1/2	990.84	1/2	730.43	1/2	468.74	1/2	206.96	1/2		1/2	1/2	1/2		1/2	
3/4	1,508.78	3/4	1,247.04	3/4	985.42	3/4	724.98	3/4	463.29	3/4	201.50	3/4		3/4	3/4	3/4		3/4	
7	1,503.32	7	1,241.59	7	980.00	7	719.54	7	457.83	7	196.05	7		7	7	7		7	
1/4	1,497.87	1/4	1,236.13	1/4	974.59	1/4	714.09	1/4	452.38	1/4	190.60	1/4		1/4	1/4	1/4		1/4	
1/2	1,492.42	1/2	1,230.68	1/2	969.17	1/2	708.64	1/2	446.93	1/2	185.14	1/2		1/2	1/2	1/2		1/2	
3/4	1,486.97	3/4	1,225.22	3/4	963.75	3/4	703.19	3/4	441.47	3/4	179.69	3/4		3/4	3/4	3/4		3/4	
8	1,481.52	8	1,219.77	8	958.33	8	697.74	8	436.02	8	174.24	8		8	8	8		8	
1/4	1,476.07	1/4	1,214.32	1/4	952.91	1/4	692.29	1/4	430.56	1/4	168.78	1/4		1/4	1/4	1/4		1/4	
1/2	1,470.62	1/2	1,208.86	1/2	947.50	1/2	686.84	1/2	425.11	1/2	163.33	1/2		1/2	1/2	1/2		1/2	
3/4	1,465.17	3/4	1,203.41	3/4	942.08	3/4	681.39	3/4	419.66	3/4	157.88	3/4		3/4	3/4	3/4		3/4	
9	1,459.72	9	1,197.95	9	936.66	9	675.95	9	414.20	9	152.42	9		9	9	9		9	
1/4	1,454.27	1/4	1,192.50	1/4	931.24	1/4	670.50	1/4	408.75	1/4	146.97	1/4		1/4	1/4	1/4		1/4	
1/2	1,448.82	1/2	1,187.04	1/2	925.83	1/2	665.05	1/2	403.30	1/2	141.52	1/2		1/2	1/2	1/2		1/2	
3/4	1,443.37	3/4	1,181.59	3/4	920.41	3/4	659.60	3/4	397.84	3/4	136.07	3/4		3/4	3/4	3/4		3/4	
10	1,437.92	10	1,176.14	10	914.99	10	654.15	10	392.39	10	130.62	10		10	10	10		10	
1/4	1,432.47	1/4	1,170.68	1/4	909.57	1/4	648.70	1/4	386.93	1/4	125.17	1/4		1/4	1/4	1/4		1/4	
1/2	1,427.02	1/2	1,165.23	1/2	904.15	1/2	643.26	1/2	381.48	1/2	119.72	1/2		1/2	1/2	1/2		1/2	
3/4	1,421.56	3/4	1,159.77	3/4	898.74	3/4	637.80	3/4	376.03	3/4	114.29	3/4		3/4	3/4	3/4		3/4	
11	1,416.11	11	1,154.32	11	893.32	11	632.35	11	370.57	11	108.85	11		11	11	11		11	
1/4	1,410.66	1/4	1,148.86	1/4	887.90	1/4	626.90	1/4	365.12	1/4	103.41	1/4		1/4	1/4	1/4		1/4	
1/2	1,405.21	1/2	1,143.41	1/2	882.48	1/2	621.44	1/2	359.67	1/2	97.97	1/2		1/2	1/2	1/2		1/2	
3/4	1,399.76	3/4	1,137.96	3/4	877.06	3/4	615.99	3/4	354.21	3/4	92.55	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/18/2012 CL - SW  
CALCULATED: 07/18/2012 CL  
PRINTED: 07/19/2012 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>